Supplemental Material

The socioeconomic gap in life expectancy in Germany: a decomposition of age- and causespecific mortality contributions, 2003–2021

Tetzlaff F^{1*}, Sauerberg M², Grigoriev P², Tetzlaff J³, Mühlichen M², Baumert J⁴, Michalski N¹, Wengler A⁵, Enno Nowossadeck¹, Hoebel J¹

- ¹ Division of Social Determinants of Health, Department of Epidemiology and Health Monitoring, Robert Koch Institute, Berlin, Germany
- ² Research Area of Ageing, Mortality and Population Dynamics, Federal Institute for Population Research (BiB), Wiesbaden, Germany
- ³ Medical Sociology Unit, Hannover Medical School, Hannover, Germany
- ⁴ Division of Physical Health, Department of Epidemiology and Health Monitoring, Robert Koch Institute, Berlin, Germany
- ⁵ Division of Health Reporting, Department of Epidemiology and Health Monitoring, Robert Koch Institute, Berlin, Germany

*Corresponding author

Dr. Fabian Tetzlaff
Robert Koch Institute
Division of Social Determinants of Health
Nordufer 20
13302 Berlin
Germany
TetzlaffF@rki.de

Tab. S1 Cause-of-death Classification

#	Detailed category	ICD-10	Grouped category
1	Infectious disease	A00-B99	Other causes (7)
2	Lung cancer*	C33-C34	Cancer (1)
3	Preventable neoplasm	C00-C14, C15-C16, C22, C32	Cancer (1)
4	Treatable neoplasm**	C18-C21, C40-C41, C43-C44, C50, C53-C55, C61-C62, C67, C69, C73, C81, D10-D36	Cancer (1)
5	Other neoplasm	Residual C codes, D00-D09, D37-D48	Cancer (1)
6	Diabetes	E10-E14	Other causes (7)
7	Dementia and Alzheimer's	F01, F03, G30	Mental, behavioural or nervous disorder (2)
8	Alcohol and drug-related	F10-F19	Mental, behavioural or nervous disorder (2)
9	Other mental, behavioural or nervous disorder	Residual F-G codes	Mental, behavioural or nervous disorder (2)
10	Ischaemic heart disease	120-125	Cardiovascular diseases (3)
11	Cerebrovascular disease	160-169	Cardiovascular diseases (3)
12	Other circulatory disease	Residual I codes	Cardiovascular diseases (3)
13	Influenza and pneumonia	J09-J22	Respiratory diseases (4)
14	COPD	J41-J44	Respiratory diseases (4)
15	Other respiratory disease	Residual J codes	Respiratory diseases (4)
16	Liver disease	K70-K77	Digestive diseases (5)
17	Other digestive disease	K00-K69, K80-K99	Digestive diseases (5)
18	Covid-19	U07	Other causes (7)
19	Traffic accidents	V01-V99	External causes (6)
20	Suicide	X60-X84	External causes (6)
21	Other accidents	W00-W99, X00-X59, Y35-Y98	External causes (6)
22	Residual causes***	Residual D-E codes; all H, L, M, N, O, P, Q codes	Other causes (7)

^{*} Lung cancer is also preventable but due to its significance and divergent trends among men and women, it should be studied separately.

^{**} Sex-specific cancers (breast, uterus, cervix uteri, prostate, testis) included; leukaemia (C91-C95) not included because widely amenable only at ages below 45

^{***} Many infant deaths (P00-P96, Q00-Q99) included in residual group, not separately. If we should ever consider analysing trends in infant mortality, it would probably make more sense to just look at mortality below age 1 instead of selected causes.

Fig.S1 Time trends in age-standardised mortality in men by regional socioeconomic deprivation, 2003-2021 Mental, behavioural or nervous disorders Alcohol and drug-related Dementia and Alzheimer's Other Deaths per 100,000 population COPD Respiratory diseases Degestive diseases Liver disease 20-External causes Traffic accidents 60-20-Covid-19 Residual causes Socioeconomic deprivation (GISD) — low (quintile 1) — middle (quintiles 2-4) — high (quintile 5)

Fig.S2 Time trends in age-standardised mortality in women by regional socioeconomic deprivation, 2003-2021 Mental, behavioural or nervous disorders Alcohol and drug-related Dementia and Alzheimer's COPD Influenza and pneumonia Liver disease External causes Traffic accidents 20-Residual causes year Socioeconomic deprivation (GISD) — low (quintile 1) — middle (quintiles 2-4) — high (quintile 5)

Fig. S3 Age contribution to the development of life expectancy between 2003 and 2019 in least and most deprived quintile of area-based socioeconomic deprivation by sex and cause of death




Fig. S4 Cause of death contribution to the development of life expectancy between 2003 and 2019 in least and most deprived quintile of area-based socioeconomic deprivation by sex




Fig.S5 Age contributions to the gap in life expectancy in men between least and most deprived quintile of area-based socioeconomic deprivation by cause of death in 2003 and 2019




Fig.S6 Age contributions to the gap in life expectancy in women between least and most deprived quintile of area-based socioeconomic deprivation by cause of death in 2003 and 2019

