

Social determinants of recovery from ongoing symptoms following COVID-19 in two UK longitudinal studies: a prospective cohort study

Supplementary information

Authors & affiliations

Nathan J. Cheetham^{1*}, Vicky Bowyer¹, María Paz García¹, Ruth C. E. Bowyer^{1,2}, J. D. Carpentieri³, Andy Guise⁴, Ellen J. Thompson^{1,5}, Carole H. Sudre^{6,7,8}, Erika Molteni⁸, Michela Antonelli⁸, Rose S. Penfold⁹, Nicholas R. Harvey¹, Liane S. Canas⁸, Khaled Rjoob⁶, Benjamin Murray⁸, Eric Kerfoot⁸, The COVID Symptom Study Biobank Consortium[^], Alexander Hammers^{8,10}, Emma L. Duncan^{1,11}, Claire J. Steves^{1,11*}

* Corresponding authors

Correspondence to: nathan.cheetham@kcl.ac.uk claire.j.steves@kcl.ac.uk

1 Department of Twin Research and Genetic Epidemiology, King's College London, London, United Kingdom

2 The Alan Turing Institute, London, United Kingdom

3 Institute of Education, University College London, London, United Kingdom

4 Department of Population Health Sciences, King's College London, London, United Kingdom

5 School of Psychology, University of Sussex, Falmer, United Kingdom

6 MRC Unit for Lifelong Health and Ageing, Department of Population Science and Experimental Medicine, University College London, London, United Kingdom

7 Centre for Medical Image Computing, Department of Computer Science, University College London, London, United Kingdom

8 School of Biomedical Engineering & Imaging Sciences, King's College London, London, UK

9 Edinburgh Delirium Research Group, Ageing and Health, Usher Institute, University of Edinburgh, Edinburgh, United Kingdom

10 King's College London & Guy's and St Thomas' PET Centre, King's College London, London, United Kingdom

11 Guy's & St Thomas's NHS Foundation Trust, London, United Kingdom

^A list of authors and their affiliations appears below

The COVID Symptom Study Biobank Consortium

Michela Antonelli¹, Vicky Bowyer², Julia Brown^{2,3}, Liane Canas¹, Joan Capdevila Pujol⁴, Nathan Cheetham², Lynn Cherkas², Jie Deng¹, Katie Doores⁵, Emma Duncan^{2,6}, Maria Paz Garcia², Alexander Hammers^{1,7}, Deborah Hart², Nicholas Harvey², Adrian Hopper⁸, Christina Hu⁴, Eric Kerfoot¹, Michael Malim⁵, Marc Modat¹, Erika Molteni¹, Benjamin Murray¹, Ayrun Nessa², Sebastien Ourselin¹, Tim Spector², Claire Steves^{2,9}, Carole Sudre^{1,10,11}, Samuel Wadge², Jonathan Wolf⁴

1 School of Biomedical Engineering & Imaging Sciences, King's College London, London, United Kingdom.

2 Department of Twin Research and Genetic Epidemiology, King's College London, London, United Kingdom.

3 Medical Student, James Cook University, Australia.

4 Zoe Ltd, 164 Westminster Bridge Road, London, United Kingdom.

5 Department of Infectious Diseases, King's College London, London, United Kingdom.

6 Department of Endocrinology, Guy's and St Thomas' NHS Foundation trust, London, United Kingdom.

7 King's College London & Guy's and St Thomas' PET Centre, King's College London, London, United Kingdom.

8 Guy's and St Thomas' NHS Foundation trust, London, United Kingdom.

9 Department of Ageing and Health, Guy's and St Thomas' NHS Foundation trust, London, United Kingdom.

10 MRC Unit for Lifelong Health and Ageing, Department of Population Science and Experimental Medicine, University College London, London, United Kingdom.

11 Centre for Medical Image Computing, Department of Computer Science, University College London, London, United Kingdom.

Data collection timeline




Figure S 1. **Timeline of data collections for CSSB and TwinsUK.** CSS: COVID Symptom Study app, CSSB: COVID Symptom Study Biobank.

1. CSSB Data collection

Socio-demographic characteristics

Information on age group at the time of the 2022 CSSB questionnaire was derived from date of birth self-reported at CSSB consent (2022 – Year of Birth).

Information on sex assigned at birth (female/intersex/male/prefer not to say) was self-reported at registration to the CSS app.

Information on race/ethnicity was collected at CSSB consent with the question “what is your ethnic group?”, using UK 2021 census categories [1]. Due to small number of individuals in certain individual groups, responses were grouped into White groups (including all White groups), and all other response options (including all Asian/Asian British, Black/Black British/Caribbean/African, Mixed/Multiple ethnic groups, and Other ethnic groups), referred to collectively as Racially Minoritised groups following recent recommendations [2].

First language was self-reported in the August, 2022 CSSB questionnaire, and grouped into English and Other due to small number of individuals with first languages other than English.

Information on highest educational qualification was collected in the August, 2022 CSSB questionnaire “What is the highest academic/educational qualification (or its nearest equivalent) you have received?”. The category “Less than University degree or equivalent” comprised “Did not complete secondary school” (approximately < 12 years schooling), “General Certificate of Secondary Education (GCSE) or (General National Vocational Qualification) GNVQ or equivalent” (~12 years schooling), and “A-Levels or advanced GNVQ or equivalent” (~14 years schooling) options. “Postgraduate degree or higher” comprised “Postgraduate degree or higher” and “PhD” options.

Local area deprivation and UK geographic region of residence were derived from address data collected at CSSB consent. Deprivation was measured by the Index of Multiple Deprivation (IMD) quintiles of lower super output area rank, with data from England 2019 [3], Wales 2019 [4], Scotland 2020 [5], and Northern Ireland 2017 [6]. Individuals living in Scotland and Northern Ireland were grouped together in “Scotland/Northern Ireland” category, due to small number of participants residing in Northern Ireland. Scotland was chosen as the nearest other UK region.

Equivalent data for education level and residential address immediately prior to the COVID-19 pandemic was not available and responses were assumed to represent pre-pandemic statuses.

Information on pre-pandemic employment status was self-reported in the May, 2021 CSSB questionnaire in the question “Which one of these best describes what you were doing before the COVID-19 pandemic? If you were doing more than one activity, please choose the activity you spent the most time doing”. Due to small numbers of individuals, “Other” was a heterogeneous group comprising “In unpaid/voluntary work”, “In education at school/college/university, or in an apprenticeship”, “Looking after home or family”, “Other” options.

Current employment status was self-reported in the August, 2022 CSSB questionnaire, with “other” options grouped as for the pre-pandemic equivalent.

Current yearly gross household income was self-reported in the August, 2022 CSSB questionnaire with the question “What is the total yearly income before tax received by your household? This includes all those who can earn and live in the same household as yourself.”

Adverse experiences during the pandemic were measured in the August, 2022 CSSB questionnaire with the question: “Have you experienced any of the following during the COVID-19 pandemic?” (Yes/No/Prefer not to say). Adverse employment, housing and personal experiences were described by options “Lost your job/been unable to do paid work”, “Evicted/lost accommodation”, and “You lost somebody close to you due to COVID-19” respectively. Adverse financial experiences were described by “Unable to pay bills” and “Unable to afford food”, which were combined in analyses. The number of general health and social care access issues experienced during the pandemic was generated from the number of Yes responses to the 5 response options: “Unable to access required

medication”, “Unable to access health services in the community, for instance, GP/community physiotherapy/nurse/podiatrist/dentist”, “Unable to access the community social care services or voluntary sector support you need, for instance, from carers or day centres”, “Unable to access inpatient or outpatient appointments booked at a hospital for a consultation, investigation, treatment, or surgery”, and “Unable to access appointment for cognitive behaviour therapy, counselling, or psychological therapy”.

Health characteristics

Pre-pandemic general health was self-reported in the May, 2021 CSSB questionnaire with the question “In general, in the 3 months before the COVID-19 outbreak in March 2020, would you say your health was...”.

Body mass index (BMI) was derived from self-reported height and weight collected at CSSB consent.

Frailty, a measure of age-related decline in physiological reserve and function [7], was measured using the PRISMA-7 scale [8], collected at registration with the CSS app.

Number of physical health conditions was measured from 6 self-reported conditions (asthma, cancer, diabetes, heart disease, lung disease, kidney disease) collected at registration for the CSS app.

Number of mental health conditions was measured from self-reported diagnoses of 16 conditions (Generalised anxiety disorder; Panic disorder; Specific phobias; Obsessive compulsive disorder; Post-traumatic stress disorder; Social anxiety disorder; Agoraphobia; Depression; Attention deficit or attention deficit and hyperactivity disorder; Autism, Asperger's or autistic spectrum disorder; Eating disorder (e.g. bulimia nervosa; anorexia nervosa; psychological over-eating or binge-eating), Personality disorder; Mania, hypomania, bipolar or manic depression; Schizophrenia; Substance use disorder; Any other type of psychosis or psychotic illness) collected in a February, 2021 CSS questionnaire.

Equivalent data used to derive BMI, frailty and number of physical health conditions representing status immediately prior to the COVID-19 pandemic was not available and responses were assumed to represent pre-pandemic statuses.

Work and social adjustment scale (WSAS) [9], collected in the August, 2022 CSSB questionnaire, asked individuals to assess how their health impaired their ability to do day-to-day tasks over the last 3 months.

COVID-19 illness characteristics

COVID-19 infection history was measured with the question “How many times do you think you have ever had COVID-19? Please include now if you think you currently have COVID-19 symptoms but have not confirmed it.”. For each reported infection, participants were asked what evidence

supported their infection (“How do/did you know you had it (COVID-19)?”), the start date of the infection/illness (“When do you think you had COVID-19? Please use your best estimate if you can't remember the exact date.”), the duration of COVID-19 symptoms (“How long did you have or have you had continuous symptoms?”) and the duration for which they were not able to function as normal (“How long were you, or have you been unable to function as normal due to COVID-19 symptoms?”). Where multiple infections were reported, information was obtained for the single infection with the longest reported symptom duration, then earliest date of infection start, then strongest evidence of infection.

In addition to retrospective self-reported symptom duration, prospective symptom reporting was available for CSSB participants via self-reporting using the CSS app. Symptom duration from prospective symptom reporting in the app was estimated using methods described in previous reports [10].

Infection period was derived from self-reported date of infection start. Periods were defined based on changes in dominant SARS-CoV-2 variant from COG-UK Mutation Explorer data available at <https://sars2.cvr.gla.ac.uk/cog-uk/>.

Whether individual accessed urgent care during their COVID-19 illness was assessed from the questions “What type of medical help did you access WITHIN the first 4 weeks of (/MORE THAN 4 weeks after) the start of your symptoms that you think may have been caused by COVID-19?”, from selection of options “Visited A&E or walk-in centre” or “Called an ambulance”.

Number of new conditions due to COVID-19 was generated from responses to the question “Please tell us which new health condition, illness, or disability you have been told you have since March 2020.”, from 22 health condition options, where individuals selected Yes to “Has a doctor told you that this new health condition developed because of COVID-19 infection?”.

Self-reported or diagnosed long COVID was measured by the question “Have you ever received a diagnosis of long COVID or post-COVID syndrome?”, with “No, but I do believe I have or have had Long COVID” or “Yes” taken as indicative of long COVID and “No, and I do not believe I have or have had Long COVID” as not.

2. TwinsUK Data collection

Socio-demographic characteristics

Information on sex assigned at birth and age group at time of latest questionnaire (2022 – Year of Birth) from date of birth was collected at TwinsUK registration. Information on race/ethnicity and highest educational qualification was collected as part of regular TwinsUK longitudinal questionnaires.

Local area deprivation and UK geographic region of residence were derived from most recent address data as of April 1, 2020.

Information on pre-pandemic employment status was self-reported in CoPE #1, #4 and #5 questionnaires, and current employment status collected in CoPE #4, #5 and #6, using the same question and response options as described for CSSB. Earliest and latest valid responses were taken for pre-pandemic and current employment status respectively.

Yearly gross household income was collected as part of TwinsUK longitudinal questionnaires. Pre-pandemic income was generated from the latest available response between January 1, 2017 and April 1, 2020, while latest income considered the latest available response after January 1, 2017.

Adverse experiences during the pandemic were measured in every CoPE #1 to #6, with the question: “Have you experienced any of the following as a result of COVID-19?”. Response options were expanded over earlier CoPE rounds based on increased understanding of adverse experiences, to be equivalent to CSSB from CoPE #4 onwards. Responses in TwinsUK were treated as equivalent to CSSB, and interpreted as experiences during the COVID-19 pandemic in both cases, despite differences in question wording. For responses across multiple questionnaires, the maximal responses were taken.

Variables unique to TwinsUK:

Housing tenure and housing problems with damp, mould or vermin were self-reported in CoPE #1.

Credit or benefits claims prior to the pandemic was collected in CoPE #1 and #6 with the question “Before the pandemic (March 2020), did you or your partner regularly claim for the following?”, with Yes/No for the following response options: Free school meals, Universal credit, Pension credit, Employment Support allowance, Statutory sick pay, Housing benefit, council tax benefit, carers allowance and Personal Independence Payment (PIP). New credit or benefits claims during the pandemic was collected in CoPE #2, #3 and #6 with the question “Since the start of the pandemic (March 2020), have you or your partner ever made any new claims for the following?”, with the same 6 response options as the pre-pandemic question, plus the additional option “A grant through the new self-employment income support scheme” which described the UK government scheme to cover

wages for those whose work was affected by the COVID pandemic. For responses across multiple questionnaires, the maximal responses were taken.

Number of significant stressors was derived from the following question asked in CoPE #1 and #2: “Have any of these things been causing you SIGNIFICANT stress? E.g. They have been constantly on your mind or have been keeping you awake at night”, counting the number of ‘Yes’ responses to the following 16 response options: Marriage or other romantic relationship, Friends or family living in your household, Friends or family living outside your household, Neighbours, Your pet(s), Work (even if you feel your job is safe), Losing your job/unemployment, Finances, Getting medication, Getting food, Your own safety/security, Internet access, Boredom, Future plans, Catching COVID-19, Becoming seriously ill from COVID-19. For responses across multiple questionnaires, the maximal responses were taken.

Number of caring responsibilities was derived from the following questions asked in CoPE #1, #2 and #3: “Are you currently responsible for the care or support of any of the following INSIDE the home?” and “Are you currently responsible for the care or support of any of the following OUTSIDE the home?”, counting the number of ‘Yes’ responses to the following response options which were asked in both questions: Elderly relatives or friends, People with long-term conditions or disabilities, Grandchildren, Children (under 18). For responses across multiple questionnaires, the maximal responses were taken.

Health characteristics

Pre-pandemic general health was self-reported in CoPE #1 and #2 questionnaires and was the same as described in CSSB. For responses across multiple questionnaires, the earliest valid response was taken.

Body mass index (BMI) was derived from latest available height and weight data prior to April 1, 2020, collected from either self-report in regular longitudinal questionnaires or clinic visits.

Frailty, measured using the PRISMA-7 scale, was collected in CoPE #1 and #2 questionnaires. For responses across multiple questionnaires, the earliest valid response was taken.

Number of physical health and mental health conditions were collected from latest available responses in regular longitudinal questionnaires. The same physical conditions as collected in CSSB were chosen for cross-cohort harmonisation. Mental health conditions available in TwinsUK were limited to 4 conditions: bipolar disorder, anxiety/stress disorder, depression and eating disorder.

COVID-19 illness characteristics

COVID-19 infection history was derived based on self-report in each of CoPE #1 to #6. As in CSSB, information was collected on evidence of infection, start date of infection/illness, duration of COVID-19 symptoms, and duration for which they were not able to function as normal. Where multiple

infections were reported, information was obtained for the single infection with the longest reported symptom duration, then earliest date of infection start, then strongest evidence of infection.

Infection period was derived from self-reported date of infection start as in CSSB. COVID-19 illness severity was measured in TwinsUK through questions on whether individuals were admitted to hospital as a result of COVID-19, asked in CoPE #2 through #6. For responses across multiple questionnaires, the maximal responses were taken. Number of new conditions due to COVID-19 asked to CSSB participants was not available in TwinsUK.

Self-reported or diagnosed long COVID was measured using the same question as described in CSSB, asked in CoPE #5 and #6. For responses across multiple questionnaires, the latest valid response was taken. We note however, that the first iteration of the question in CoPE #5 had only “Yes” and “No” as response options, leaving individuals’ self-perception of whether they had long COVID unspecified. Therefore, an additional category, “No (self-reported long COVID status unknown)” was included in TwinsUK analyses for responses based on this question.

Sample selection flow diagram




Figure S 2. **Sample selection flow diagram.** Exclusions are identified in grey boxes.

Extended sample characteristics & multivariable logistic regression results

COVID Symptom Study Biobank

Table S 1. **Extended sample characteristics and results of multivariable logistic regression models, CSSB cohort.** Odds ratios and confidence intervals (CI) are presented for multivariable logistic regression models testing association between recovery from COVID-19 and exposure of interest, after adjustment as appropriate from the hypothesised directed acyclic graph (DAG), and weighting for inverse probability of participation.

COVID Symptom Study Biobank (CSSB)							
Domain	Variable	Category	Group size, N (%)	COVID-19 recovery (%)	Odds ratio	95% CI (lower)	95% CI (upper)
Individual pre-pandemic demographics	Age	18-39	155 (6.1%)	71.6%	1.49	0.81	2.74
	Age	40-49	386 (15.1%)	63.5%	1.27	0.88	1.84
	Age	50-59 (reference)	850 (33.4%)	65.4%	1.00		
	Age	60-69	873 (34.3%)	71.1%	1.30	0.98	1.74
	Age	≥ 70	284 (11.1%)	75.7%	1.60	1.06	2.43
	Sex	Female (reference)	2077 (81.5%)	67.6%	1.00		
	Sex	Male	471 (18.5%)	72.8%	1.18	0.80	1.73
	Ethnic group	Racially minoritised groups	72 (2.8%)	58.3%	0.56	0.28	1.09
	Ethnic group	White groups (reference)	2476 (97.2%)	68.9%	1.00		
	Highest educational qualification	Prefer not to answer/not stated	102 (4.0%)	56.9%	0.27	0.10	0.74
	Highest educational qualification	Less than University degree or equivalent	701 (27.5%)	64.8%	0.54	0.39	0.76
	Highest educational qualification	University degree (reference)	874 (34.3%)	70.8%	1.00		
	Highest educational qualification	Postgraduate degree or higher	871 (34.2%)	70.8%	0.88	0.65	1.19
	Pre-pandemic employment status	Employed (reference)	1360 (53.4%)	66.0%	1.00		
	Pre-pandemic employment status	Self-employed	294 (11.5%)	68.7%	0.91	0.66	1.27
	Pre-pandemic employment status	Unemployed	11 (0.4%)	63.6%	1.03	0.26	4.07
	Pre-pandemic employment status	Permanently or long-term sick or disabled	32 (1.3%)	53.1%	1.50	0.58	3.87
	Pre-pandemic employment status	Retired	568 (22.3%)	76.4%	1.35	0.91	2.01
	Pre-pandemic employment status	Other	216 (8.5%)	68.5%	1.17	0.78	1.76

	Pre-pandemic employment status	Unknown	67 (2.6%)	62.7%	0.77	0.37	1.57
	Local area deprivation	IMD Decile 1-3 (most deprived 30%)	299 (11.7%)	62.2%	0.98	0.66	1.45
	Local area deprivation	IMD Decile 4-7 (reference)	999 (39.2%)	67.1%	1.00		
	Local area deprivation	IMD Decile 8-10 (least deprived 30%)	1250 (49.1%)	71.4%	1.25	0.96	1.62
	Region	East Midlands	151 (5.9%)	60.3%	0.35	0.19	0.65
	Region	East of England	275 (10.8%)	68.4%	0.73	0.43	1.23
	Region	London (reference)	475 (18.6%)	71.2%	1.00		
	Region	North East	78 (3.1%)	69.2%	0.84	0.44	1.59
	Region	North West	274 (10.8%)	65.0%	0.85	0.55	1.31
	Region	Scotland & Northern Ireland	119 (4.7%)	63.0%	0.50	0.29	0.88
	Region	South East	483 (19.0%)	72.0%	1.23	0.84	1.82
	Region	South West	253 (9.9%)	71.1%	0.94	0.60	1.47
	Region	Wales	115 (4.5%)	63.5%	1.00	0.57	1.76
	Region	West Midlands	158 (6.2%)	71.5%	0.71	0.41	1.25
	Region	Yorkshire and The Humber	167 (6.6%)	65.9%	0.66	0.37	1.16
Composite pre-pandemic demographics	Number of disadvantage indicators (unit: +1)				0.74	0.62	0.88
	Number of disadvantage indicators	0/5	299 (11.7%)	76.3%	1.56	0.96	2.53
	Number of disadvantage indicators	1/5 (reference)	1436 (56.4%)	69.6%	1.00		
	Number of disadvantage indicators	2 of 5	689 (27.0%)	65.9%	0.90	0.69	1.17
	Number of disadvantage indicators	≥ 3/5	124 (4.9%)	54.0%	0.45	0.26	0.76
	Number of advantage indicators (unit: +1)				1.26	1.08	1.47
	Number of advantage indicators	0/4	15 (0.6%)	53.3%	0.45	0.14	1.51
	Number of advantage indicators	1 of 4	739 (29.0%)	63.6%	0.63	0.47	0.84
	Number of advantage indicators	2/4 (reference)	1145 (44.9%)	69.4%	1.00		
	Number of advantage indicators	3 of 4	557 (21.9%)	72.2%	0.90	0.64	1.25
	Number of advantage indicators	4 of 4	92 (3.6%)	79.3%	1.58	0.81	3.09
	Number of advantages - number of disadvantages (unit: +1)				1.18	1.07	1.30
	Number of advantages - number of disadvantages	≤ -3	12 (0.5%)	58.3%	0.67	0.19	2.31

	Number of advantages - number of disadvantages	-2	115 (4.5%)	52.2%	0.38	0.21	0.67
	Number of advantages - number of disadvantages	-1	316 (12.4%)	62.7%	0.72	0.48	1.07
	Number of advantages - number of disadvantages	0	681 (26.7%)	69.2%	0.87	0.63	1.22
	Number of advantages - number of disadvantages	+1 (reference)	717 (28.1%)	68.8%	1.00		
	Number of advantages - number of disadvantages	2	471 (18.5%)	71.3%	1.07	0.74	1.55
	Number of advantages - number of disadvantages	3	144 (5.7%)	76.4%	1.07	0.53	2.17
	Number of advantages - number of disadvantages	4	92 (3.6%)	79.3%	1.69	0.85	3.36
Socio-demographics during pandemic	Pandemic experiences, Lost job/unable to work	No (reference)	2245 (88.1%)	71.1%	1.00		
	Pandemic experiences, Lost job/unable to work	Yes	303 (11.9%)	50.2%	0.44	0.31	0.62
	Pandemic experiences, Evicted/lost accommodation	No (reference)	2531 (99.3%)	68.6%	1.00		
	Pandemic experiences, Evicted/lost accommodation	Yes	17 (0.7%)	64.7%	1.79	0.54	6.01
	Pandemic experiences, Unable to afford food/bills	No (reference)	2441 (95.8%)	69.7%	1.00		
	Pandemic experiences, Unable to afford food/bills	Yes	107 (4.2%)	43.9%	0.51	0.28	0.91
	Pandemic experiences, health & social care access issues (of 5)	None (reference)	1838 (72.1%)	72.1%	1.00		
	Pandemic experiences, health & social care access issues (of 5)	One	437 (17.2%)	63.8%	0.70	0.52	0.94
	Pandemic experiences, health & social care access issues (of 5)	Two	183 (7.2%)	56.8%	0.72	0.45	1.17
	Pandemic experiences, health & social care access issues (of 5)	Three or more	90 (3.5%)	43.3%	0.30	0.16	0.54
	Pandemic experiences, Lost somebody close due to COVID-19	No (reference)	2214 (86.9%)	70.5%	1.00		
	Pandemic experiences, Lost somebody close due to COVID-19	Yes	334 (13.1%)	56.3%	0.55	0.39	0.79
	Overall number of negative pandemic experiences (of 10)	None (reference)	1471 (57.7%)	75.1%	1.00		
	Overall number of negative pandemic experiences (of 10)	One	624 (24.5%)	66.3%	0.68	0.52	0.90

	Overall number of negative pandemic experiences (of 10)	Two	263 (10.3%)	55.5%	0.56	0.39	0.82
	Overall number of negative pandemic experiences (of 10)	Three	109 (4.3%)	48.6%	0.40	0.20	0.78
	Overall number of negative pandemic experiences (of 10)	Four or more	81 (3.2%)	38.3%	0.26	0.14	0.48
	Current employment status	Employed (reference)	1166 (45.8%)	67.6%	1.00		
	Current employment status	Self-employed	282 (11.1%)	69.9%	0.90	0.63	1.29
	Current employment status	Unemployed	27 (1.1%)	29.6%	0.18	0.07	0.47
	Current employment status	Permanently or long-term sick or disabled	62 (2.4%)	30.6%	0.25	0.11	0.56
	Current employment status	Retired	710 (27.9%)	74.8%	1.18	0.82	1.71
	Current employment status	Other	231 (9.1%)	71.4%	1.09	0.72	1.66
	Current employment status	Unknown	70 (2.7%)	57.1%	1.01	0.32	3.18
	Household income	Prefer not to answer/not stated	387 (15.2%)	65.4%	1.14	0.71	1.83
	Household income	Less than £20,000	197 (7.7%)	51.8%	0.51	0.30	0.87
	Household income	£20,000-£29,999	229 (9.0%)	65.5%	1.07	0.67	1.71
	Household income	£30,000-£39,999	268 (10.5%)	65.3%	0.76	0.48	1.20
	Household income	£40,000-£49,999 (reference)	303 (11.9%)	68.0%	1.00		
	Household income	£50,000-£74,999	475 (18.6%)	71.2%	1.09	0.69	1.72
	Household income	£75,000-£99,999	284 (11.1%)	70.1%	1.07	0.62	1.82
	Household income	£100,000 or more	405 (15.9%)	80.2%	2.31	1.43	3.73
Pre-pandemic health factors	Pre-pandemic general health	Poor	65 (2.6%)	55.4%	1.20	0.55	2.62
	Pre-pandemic general health	Fair	179 (7.0%)	54.2%	0.82	0.53	1.27
	Pre-pandemic general health	Good	553 (21.7%)	63.3%	0.92	0.69	1.23
	Pre-pandemic general health	Very good (reference)	922 (36.2%)	70.5%	1.00		
	Pre-pandemic general health	Excellent	496 (19.5%)	76.6%	1.30	0.94	1.79
	Pre-pandemic general health	Unknown	333 (13.1%)	70.6%	1.38	0.93	2.06
	BMI	< 18.5 kg/m ²	32 (1.3%)	68.8%	0.69	0.23	2.14
	BMI	18.5-25 kg/m ² (reference)	1112 (43.6%)	74.6%	1.00		
	BMI	25-30 kg/m ²	808 (31.7%)	66.7%	0.68	0.49	0.93
	BMI	≥ 30 kg/m ²	591 (23.2%)	59.7%	0.63	0.45	0.88

	PRISMA-7 frailty scale	0-2, below threshold (reference)	2422 (95.1%)	69.7%	1.00		
	PRISMA-7 frailty scale	3-7, above threshold	126 (4.9%)	48.4%	0.49	0.29	0.84
	Physical health conditions	None (reference)	1958 (76.8%)	71.0%	1.00		
	Physical health conditions	One	515 (20.2%)	62.5%	0.92	0.69	1.23
	Physical health conditions	Two or more	75 (2.9%)	46.7%	0.44	0.22	0.89
	Mental health conditions (February 2021)	None (reference)	1534 (60.2%)	74.1%	1.00		
	Mental health conditions (February 2021)	One	360 (14.1%)	60.0%	0.59	0.42	0.82
	Mental health conditions (February 2021)	Two	129 (5.1%)	59.7%	0.92	0.56	1.52
	Mental health conditions (February 2021)	Three or more	58 (2.3%)	48.3%	0.65	0.30	1.41
	Mental health conditions (February 2021)	Unknown	467 (18.3%)	62.3%	0.71	0.52	0.98
COVID-19 illness characteristics	Infection period	Before 2020-12-08 (pre-vaccination, wild-type dominant) (reference)	1458 (57.2%)	64.7%	1.00		
	Infection period	2020-12-08 to 2021-04-25 (alpha-variant dominant)	268 (10.5%)	51.9%	0.63	0.44	0.90
	Infection period	2021-04-25 to 2021-12-08 (delta-variant dominant)	142 (5.6%)	73.9%	1.32	0.77	2.28
	Infection period	After 2021-12-08 (omicron-variant dominant)	680 (26.7%)	82.4%	2.58	1.87	3.56
	Symptom duration (retrospective self-report)	Less than 2 weeks	966 (37.9%)	88.2%	3.57	1.93	6.60
	Symptom duration (retrospective self-report)	2 to 4 weeks	581 (22.8%)	74.9%	1.66	0.94	2.95
	Symptom duration (retrospective self-report)	4 to 12 weeks	330 (13.0%)	63.0%	1.15	0.63	2.08
	Symptom duration (retrospective self-report)	3 to 6 months (reference)	150 (5.9%)	64.0%	1.00		
	Symptom duration (retrospective self-report)	6 to 12 months	116 (4.6%)	57.8%	0.98	0.46	2.10
	Symptom duration (retrospective self-report)	12 to 18 months	76 (3.0%)	47.4%	0.81	0.32	2.08
	Symptom duration (retrospective self-report)	18 to 24 months	138 (5.4%)	19.6%	0.62	0.26	1.46
	Symptom duration (retrospective self-report)	24 months or more	191 (7.5%)	14.1%	0.25	0.11	0.58
	Symptom duration (prospective logging)	Unknown	335 (13.1%)	62.1%	1.48	0.80	2.73
	Symptom duration (prospective logging)	Asymptomatic	188 (7.4%)	88.8%	4.64	2.02	10.67
	Symptom duration (prospective logging)	Less than 2 weeks	686 (26.9%)	85.6%	2.95	1.66	5.25

	Symptom duration (prospective logging)	2 to 4 weeks	204 (8.0%)	80.9%	2.06	1.05	4.03
	Symptom duration (prospective logging)	4 to 12 weeks	576 (22.6%)	70.1%	2.11	1.25	3.58
	Symptom duration (prospective logging)	3 to 6 months (reference)	232 (9.1%)	46.1%	1.00		
	Symptom duration (prospective logging)	6 to 12 months	146 (5.7%)	43.2%	1.04	0.53	2.07
	Symptom duration (prospective logging)	12 to 18 months	132 (5.2%)	27.3%	0.64	0.29	1.43
	Symptom duration (prospective logging)	18 to 24 months	32 (1.3%)	28.1%	0.48	0.13	1.71
	Symptom duration (prospective logging)	24 months or more	17 (0.7%)	11.8%	0.34	0.02	4.90
	Affected function duration	Able to function as normal	420 (16.5%)	81.4%	0.86	0.58	1.28
	Affected function duration	Less than 2 weeks (reference)	915 (35.9%)	84.4%	1.00		
	Affected function duration	2 to 4 weeks	294 (11.5%)	76.2%	0.90	0.56	1.44
	Affected function duration	4 to 12 weeks	248 (9.7%)	69.4%	0.58	0.34	0.99
	Affected function duration	3 to 6 months	170 (6.7%)	60.0%	0.48	0.29	0.81
	Affected function duration	6 to 12 months	105 (4.1%)	58.1%	0.64	0.34	1.22
	Affected function duration	12 to 18 months	59 (2.3%)	50.8%	0.28	0.11	0.72
	Affected function duration	18 to 24 months	147 (5.8%)	12.9%	0.11	0.05	0.24
	Affected function duration	24 months or more	181 (7.1%)	10.5%	0.08	0.04	0.18
	New conditions due to COVID-19	None (reference)	2279 (89.4%)	74.2%	1.00		
	New conditions due to COVID-19	One	110 (4.3%)	30.9%	0.65	0.32	1.33
	New conditions due to COVID-19	Two	66 (2.6%)	22.7%	0.24	0.10	0.58
	New conditions due to COVID-19	Three or more	68 (2.7%)	5.9%	0.07	0.02	0.24
	Urgent care accessed during COVID-19 illness	No (reference)	2316 (90.9%)	71.5%	1.00		
	Urgent care accessed during COVID-19 illness	Yes	232 (9.1%)	39.7%	1.32	0.78	2.24
	Long COVID Diagnosis	No (no self-reported long COVID)	1446 (56.8%)	90.0%	6.13	4.11	9.15
	Long COVID Diagnosis	No (with self-reported long COVID) (reference)	762 (29.9%)	48.8%	1.00		
	Long COVID Diagnosis	Yes	337 (13.2%)	21.4%	0.64	0.37	1.11
Factors unique to cohort	First language	English (reference)	2430 (95.4%)	68.7%	1.00		
	First language	Other	47 (1.8%)	78.7%	3.22	1.19	8.71
	First language	Prefer not to answer/not stated	71 (2.8%)	57.7%	0.70	0.35	1.42

TwinsUK

Table S 2. **Extended sample characteristics and results of multivariable logistic regression models, TwinsUK cohort.** Odds ratios and confidence intervals (CI) are presented for multivariable logistic regression models testing association between recovery from COVID-19 and exposure of interest, after adjustment as appropriate from the hypothesised DAG, and weighting for inverse probability of participation.

		TwinsUK					
Domain	Variable	Category	Group size, N (%)	COVID-19 recovery (%)	Odds ratio	95% CI (lower)	95% CI (upper)
Individual pre-pandemic demographics	Age	18-39	266 (19.9%)	88.3%	1.69	0.99	2.88
	Age	40-49	195 (14.6%)	79.0%	0.92	0.54	1.56
	Age	50-59 (reference)	338 (25.3%)	78.1%	1.00		
	Age	60-69	294 (22.0%)	79.3%	1.17	0.75	1.81
	Age	≥ 70	241 (18.1%)	79.7%	1.03	0.66	1.62
	Sex	Female (reference)	1153 (86.4%)	79.7%	1.00		
	Sex	Male	181 (13.6%)	87.8%	1.91	1.12	3.25
	Ethnic group	Racially minoritised groups	52 (3.9%)	73.1%	0.54	0.24	1.23
	Ethnic group	White groups (reference)	1282 (96.1%)	81.1%	1.00		
	Highest educational qualification	Unknown	53 (4.0%)	66.0%	0.36	0.18	0.71
	Highest educational qualification	Less than University degree or equivalent	680 (51.0%)	78.4%	0.69	0.48	1.01
	Highest educational qualification	University degree (reference)	386 (28.9%)	84.5%	1.00		
	Highest educational qualification	Postgraduate degree or higher	215 (16.1%)	85.6%	1.04	0.63	1.70
	Pre-pandemic employment status	Employed (reference)	689 (51.6%)	82.3%	1.00		
	Pre-pandemic employment status	Self-employed	119 (8.9%)	80.7%	0.99	0.52	1.89
	Pre-pandemic employment status	Unemployed	9 (0.7%)	100.0%			
	Pre-pandemic employment status	Permanently or long-term sick or disabled	18 (1.3%)	44.4%	0.31	0.09	1.08
	Pre-pandemic employment status	Retired	279 (20.9%)	80.3%	1.05	0.57	1.91
	Pre-pandemic employment status	Other	124 (9.3%)	77.4%	0.77	0.41	1.44
Pre-pandemic employment status	Unknown	96 (7.2%)	81.3%	1.76	0.81	3.79	

	Local area deprivation	IMD Decile 1-3 (most deprived 30%)	178 (13.3%)	78.7%	1.07	0.62	1.84
	Local area deprivation	IMD Decile 4-7 (reference)	533 (40.0%)	81.1%	1.00		
	Local area deprivation	IMD Decile 8-10 (least deprived 30%)	623 (46.7%)	81.2%	1.28	0.89	1.85
	Region	East Midlands	69 (5.2%)	72.5%	0.46	0.22	0.98
	Region	East of England	174 (13.0%)	83.9%	1.16	0.59	2.26
	Region	London (reference)	266 (19.9%)	83.1%	1.00		
	Region	North East	32 (2.4%)	78.1%	0.51	0.16	1.56
	Region	North West	93 (7.0%)	86.0%	1.93	0.77	4.86
	Region	Scotland & Northern Ireland	45 (3.4%)	73.3%	0.45	0.17	1.16
	Region	South East	310 (23.2%)	80.0%	0.86	0.51	1.46
	Region	South West	142 (10.6%)	81.0%	1.07	0.55	2.07
	Region	Wales	47 (3.5%)	70.2%	0.55	0.24	1.26
	Region	West Midlands	79 (5.9%)	82.3%	0.88	0.40	1.95
	Region	Yorkshire and The Humber	77 (5.8%)	80.5%	1.74	0.77	3.93
Composite pre-pandemic demographics	Number of disadvantage indicators (unit: +1)				0.79	0.64	0.98
	Number of disadvantage indicators	0/5	81 (6.1%)	90.1%	2.95	1.20	7.24
	Number of disadvantage indicators	1/5 (reference)	514 (38.5%)	82.7%	1.00		
	Number of disadvantage indicators	2 of 5	620 (46.5%)	79.7%	0.93	0.63	1.37
	Number of disadvantage indicators	≥ 3/5	119 (8.9%)	72.3%	0.80	0.46	1.40
	Number of advantage indicators (unit: +1)				1.36	1.09	1.70
	Number of advantage indicators	0/4	39 (2.9%)	82.1%	1.03	0.35	3.02
	Number of advantage indicators	1/4 (reference)	518 (38.8%)	78.8%	1.00		
	Number of advantage indicators	2 of 4	592 (44.4%)	79.9%	1.21	0.84	1.73
	Number of advantage indicators	≥ 3/4	185 (13.9%)	89.2%	2.78	1.55	5.01
	Number of advantages - Number of disadvantages (unit: +1)				1.18	1.05	1.34
	Number of advantages - Number of disadvantages	≤ -3	30 (2.2%)	76.7%	1.33	0.52	3.42
	Number of advantages - Number of disadvantages	-2	98 (7.3%)	73.5%	0.66	0.31	1.41

	Number of advantages - Number of disadvantages	-1	298 (22.3%)	78.9%	0.93	0.55	1.56
	Number of advantages - Number of disadvantages	0	448 (33.6%)	80.4%	0.97	0.58	1.61
	Number of advantages - Number of disadvantages	+1 (reference)	257 (19.3%)	80.5%	1.00		
	Number of advantages - Number of disadvantages	2	141 (10.6%)	88.7%	2.00	1.01	3.99
	Number of advantages - Number of disadvantages	≥ +3	62 (4.6%)	90.3%	3.43	1.18	9.95
Socio-demographics during pandemic	Pandemic experiences, Lost job/unable to work	No (reference)	1120 (84.0%)	81.7%	1.00		
	Pandemic experiences, Lost job/unable to work	Yes	206 (15.4%)	76.7%	0.52	0.31	0.87
	Pandemic experiences, Evicted/lost accommodation	No (reference)	1313 (98.4%)	80.7%	1.00		
	Pandemic experiences, Evicted/lost accommodation	Yes	14 (1.0%)	92.9%	2.66	0.31	22.77
	Pandemic experiences, Unable to afford food/bills	No (reference)	1206 (90.4%)	82.2%	1.00		
	Pandemic experiences, Unable to afford food/bills	Yes	121 (9.1%)	67.8%	0.40	0.24	0.65
	Pandemic experiences, health & social care access issues (of 5)	None (reference)	759 (56.9%)	83.8%	1.00		
	Pandemic experiences, health & social care access issues (of 5)	One	360 (27.0%)	80.8%	0.98	0.65	1.45
	Pandemic experiences, health & social care access issues (of 5)	Two	141 (10.6%)	71.6%	0.62	0.37	1.03
	Pandemic experiences, health & social care access issues (of 5)	Three or more	69 (5.2%)	68.1%	0.40	0.21	0.76
	Pandemic experiences, Lost somebody close due to COVID-19/Change in relationship status	No (reference)	1110 (83.2%)	81.8%	1.00		
	Pandemic experiences, Lost somebody close due to COVID-19/Change in relationship status	Yes	217 (16.3%)	76.0%	0.66	0.43	1.01
	Overall number of negative pandemic experiences (of 11)	None (reference)	574 (43.0%)	84.7%	1.00		
	Overall number of negative pandemic experiences (of 11)	One	435 (32.6%)	81.6%	0.79	0.52	1.20
	Overall number of negative pandemic experiences (of 11)	Two	172 (12.9%)	79.7%	0.96	0.57	1.62
	Overall number of negative pandemic experiences (of 11)	Three	84 (6.3%)	69.0%	0.43	0.23	0.79

	Overall number of negative pandemic experiences (of 11)	Four or more	64 (4.8%)	60.9%	0.21	0.11	0.41
	Current employment status	Employed (reference)	698 (52.3%)	83.2%	1.00		
	Current employment status	Self-employed	109 (8.2%)	81.7%	1.05	0.53	2.07
	Current employment status	Unemployed	11 (0.8%)	72.7%	0.53	0.10	2.76
	Current employment status	Permanently or long-term sick or disabled	22 (1.6%)	31.8%	0.14	0.04	0.43
	Current employment status	Retired	343 (25.7%)	80.2%	0.95	0.53	1.73
	Current employment status	Other	105 (7.9%)	76.2%	0.76	0.40	1.44
	Current employment status	Unknown	46 (3.4%)	82.6%	2.06	0.71	5.96
	Household income (latest)	Prefer not to answer	151 (11.3%)	76.2%	0.74	0.38	1.42
	Household income (latest)	Less than £20,000	133 (10.0%)	75.9%	1.08	0.54	2.17
	Household income (latest)	£20,000-£29,999	162 (12.1%)	84.0%	1.36	0.69	2.69
	Household income (latest)	£30,000-£39,999	135 (10.1%)	82.2%	1.25	0.62	2.55
	Household income (latest)	£40,000-£49,999 (reference)	147 (11.0%)	81.0%	1.00		
	Household income (latest)	£50,000-£74,999	227 (17.0%)	80.6%	0.86	0.47	1.57
	Household income (latest)	£75,000-£99,999	121 (9.1%)	87.6%	1.28	0.58	2.79
	Household income (latest)	£100,000 or more	155 (11.6%)	86.5%	1.17	0.58	2.39
	Household income (latest)	Unknown	103 (7.7%)	70.9%	0.59	0.26	1.32
	Pre-pandemic health factors	Pre-pandemic general health	Poor	17 (1.3%)	35.3%	0.21	0.06
Pre-pandemic general health		Fair	80 (6.0%)	68.8%	0.78	0.36	1.67
Pre-pandemic general health		Good	295 (22.1%)	77.6%	0.80	0.52	1.23
Pre-pandemic general health		Very good (reference)	458 (34.3%)	82.5%	1.00		
Pre-pandemic general health		Excellent	312 (23.4%)	88.1%	1.75	1.02	3.02
Pre-pandemic general health		Unknown	172 (12.9%)	78.5%	0.81	0.38	1.69
BMI		< 18.5 kg/m ²	35 (2.6%)	94.3%	3.42	0.74	15.84
BMI		18.5-25 kg/m ² (reference)	580 (43.5%)	83.1%	1.00		
BMI		25-30 kg/m ²	359 (26.9%)	80.2%	1.13	0.75	1.71
BMI		≥ 30 kg/m ²	192 (14.4%)	76.0%	1.28	0.73	2.25
BMI		Unknown	168 (12.6%)	76.8%	0.47	0.18	1.20

	PRISMA-7 frailty scale	0-2, below threshold (reference)	802 (60.1%)	82.0%	1.00		
	PRISMA-7 frailty scale	3-7, above threshold	43 (3.2%)	67.4%	0.62	0.24	1.57
	PRISMA-7 frailty scale	Unknown	489 (36.7%)	80.0%	1.11	0.71	1.71
	Physical health conditions	None (reference)	703 (52.7%)	82.2%	1.00		
	Physical health conditions	One	304 (22.8%)	84.2%	1.43	0.93	2.20
	Physical health conditions	Two or more	90 (6.7%)	66.7%	0.64	0.35	1.15
	Physical health conditions	Unknown	237 (17.8%)	77.6%	2.08	0.88	4.92
	Mental health conditions (pre-pandemic)	None (reference)	804 (60.3%)	83.8%	1.00		
	Mental health conditions (pre-pandemic)	One	185 (13.9%)	77.3%	0.70	0.45	1.10
	Mental health conditions (pre-pandemic)	Two or more	108 (8.1%)	71.3%	0.49	0.28	0.85
COVID-19 illness characteristics	Infection period	Before 2020-12-08 (pre-vaccination, wild-type dominant) (reference)	677 (50.7%)	78.0%	1.00		
	Infection period	2020-12-08 to 2021-04-25 (alpha-variant dominant)	148 (11.1%)	77.7%	0.96	0.53	1.75
	Infection period	2021-04-25 to 2021-12-08 (delta-variant dominant)	205 (15.4%)	77.1%	0.85	0.53	1.37
	Infection period	After 2021-12-08 (omicron-variant dominant)	304 (22.8%)	91.1%	2.87	1.77	4.65
	Symptom duration (retrospective self-report)	Less than 2 weeks (including asymptomatic)	603 (45.2%)	93.4%	2.70	1.56	4.69
	Symptom duration (retrospective self-report)	2 to 4 weeks (reference)	289 (21.7%)	85.5%	1.00		
	Symptom duration (retrospective self-report)	4 to 12 weeks	217 (16.3%)	76.5%	0.52	0.28	0.97
	Symptom duration (retrospective self-report)	12 or more weeks	92 (6.9%)	56.5%	0.17	0.08	0.34
	Symptom duration (retrospective self-report)	3 to 12 months	69 (5.2%)	53.6%	0.20	0.10	0.42
	Symptom duration (retrospective self-report)	12 or more months	64 (4.8%)	20.3%	0.03	0.01	0.06
	Affected function duration	Unknown	292 (21.9%)	88.0%	0.59	0.26	1.33
	Affected function duration	N/A - No symptoms	77 (5.8%)	85.7%	0.64	0.26	1.57
	Affected function duration	Able to function as normal	224 (16.8%)	86.6%	1.10	0.59	2.05
	Affected function duration	Less than 2 weeks (reference)	430 (32.2%)	85.6%	1.00		
	Affected function duration	2 to 4 weeks	122 (9.1%)	72.1%	1.01	0.53	1.93
	Affected function duration	4 to 12 weeks	80 (6.0%)	67.5%	0.69	0.32	1.46
	Affected function duration	12 or more weeks	79 (5.9%)	34.2%	0.50	0.23	1.11

	Hospitalised during COVID-19 illness	No (reference)	1293 (96.9%)	81.9%	1.00		
	Hospitalised during COVID-19 illness	Yes	37 (2.8%)	51.4%	1.37	0.47	4.02
	Long COVID Diagnosis	No (self-reported long COVID status unknown)	76 (5.7%)	68.4%	1.82	0.79	4.21
	Long COVID Diagnosis	No (no self-reported long COVID)	796 (59.7%)	92.8%	10.05	5.94	17.01
	Long COVID Diagnosis	No (with self-reported long COVID) (reference)	184 (13.8%)	45.7%	1.00		
	Long COVID Diagnosis	Yes	47 (3.5%)	23.4%	0.56	0.20	1.63
Factors unique to cohort	Housing tenure	Owned outright	387 (29.0%)	79.6%	1.00		
	Housing tenure	Owned with mortgage	302 (22.6%)	80.8%	1.05	0.64	1.73
	Housing tenure	Rented	102 (7.6%)	84.3%	1.65	0.77	3.51
	Housing tenure	Other	55 (4.1%)	90.9%	2.54	0.81	7.98
	Housing, trouble with vermin, damp or mould	No (reference)	748 (56.1%)	82.9%	1.00		
	Housing, trouble with vermin, damp or mould	Yes	98 (7.3%)	69.4%	0.53	0.31	0.91
	Household income (pre-pandemic)	Prefer not to answer	143 (10.7%)	73.4%	0.62	0.31	1.25
	Household income (pre-pandemic)	Less than £20,000	102 (7.6%)	82.4%	1.94	0.87	4.36
	Household income (pre-pandemic)	£20,000-£29,999	114 (8.5%)	82.5%	1.18	0.54	2.56
	Household income (pre-pandemic)	£30,000-£39,999	106 (7.9%)	82.1%	1.23	0.58	2.63
	Household income (pre-pandemic)	£40,000-£49,999 (reference)	115 (8.6%)	82.6%	1.00		
	Household income (pre-pandemic)	£50,000-£74,999	185 (13.9%)	85.4%	1.12	0.55	2.26
	Household income (pre-pandemic)	£75,000-£99,999	98 (7.3%)	85.7%	0.87	0.37	2.06
	Household income (pre-pandemic)	£100,000 or more	112 (8.4%)	83.0%	0.79	0.36	1.74
	Household income (pre-pandemic)	Unknown	359 (26.9%)	77.4%	0.58	0.29	1.16
	Credit/benefit claims before pandemic	None (reference)	1072 (80.4%)	82.6%	1.00		
	Credit/benefit claims before pandemic	One or more	91 (6.8%)	68.1%	0.57	0.31	1.04
	Credit/benefit claims before pandemic	Unknown	171 (12.8%)	76.0%	0.62	0.35	1.10
	Credit/benefit claims during pandemic	None (reference)	1080 (81.0%)	82.6%	1.00		
	Credit/benefit claims during pandemic	One or more	209 (15.7%)	74.2%	0.60	0.38	0.95
Credit/benefit claims during pandemic	Unknown	45 (3.4%)	68.9%	0.36	0.15	0.87	

Count (of 16) significant stressors (April-August 2020)	None (reference)	530 (39.7%)	84.0%	1.00		
Count (of 16) significant stressors (April-August 2020)	One	151 (11.3%)	80.1%	0.56	0.33	0.97
Count (of 16) significant stressors (April-August 2020)	Two	165 (12.4%)	80.0%	0.75	0.44	1.27
Count (of 16) significant stressors (April-August 2020)	Three or more	308 (23.1%)	76.6%	0.69	0.44	1.07
Count (of 16) significant stressors (April-August 2020)	Unknown	180 (13.5%)	80.0%	0.65	0.34	1.23
Number of caring responsibilities (of 8)	None (reference)	449 (33.7%)	82.4%	1.00		
Number of caring responsibilities (of 8)	One	335 (25.1%)	81.5%	1.10	0.69	1.77
Number of caring responsibilities (of 8)	Two	258 (19.3%)	79.5%	0.99	0.60	1.61
Number of caring responsibilities (of 8)	Three	69 (5.2%)	79.7%	0.78	0.39	1.59
Number of caring responsibilities (of 8)	Four or more	84 (6.3%)	77.4%	0.85	0.43	1.68

Mediation model logistic regression results

Table S 3. Results of models estimating association between COVID-19 recovery and socio-demographic composite variables, including potential mediators. Models adjusted for age group, region and pre-pandemic health factors, and weighted for inverse probability of participation in questionnaires.

Socio-demographic composite variable	Mediator domain	COVID Symptom Study Biobank (CSSB)			TwinsUK				
		Mediators	Odds ratio*	95% CI (lower)	95% CI (upper)	Mediators	Odds ratio	95% CI (lower)	95% CI (upper)
Number of disadvantage indicators (unit: +1)		None	0.74	0.62	0.88	None	0.79	0.64	0.98
	COVID-19 illness	COVID-19 infection period, Urgent care, New conditions	0.76	0.62	0.93	COVID-19 infection period, Hospitalised	0.79	0.64	0.98
		COVID-19 infection period, Urgent care, New conditions, Symptom duration (retrospective)	0.85	0.70	1.04	COVID-19 infection period, Hospitalised, Symptom duration (retrospective)	0.81	0.63	1.03
		COVID-19 infection period, Urgent care, New conditions, Symptom duration (prospective)	0.76	0.62	0.93	COVID-19 infection period, Hospitalised, Long COVID status	0.79	0.62	1.01
		COVID-19 infection period, Urgent care, New conditions, Long COVID status	0.81	0.65	1.00				
	Adverse pandemic experiences	Lost job/Unable to work	0.75	0.62	0.90	Lost job/Unable to work	0.82	0.66	1.01
		Unable to afford food/bills	0.75	0.63	0.90	Unable to afford food/bills	0.83	0.67	1.02
		Difficulties accessing health & social care	0.75	0.63	0.90	Difficulties accessing health & social care	0.81	0.65	1.00
		Loss of somebody close due to COVID-19	0.75	0.63	0.90	Loss of somebody close due to COVID-19	0.81	0.65	1.01
		Count of adverse pandemic experiences	0.76	0.63	0.92	Count of adverse pandemic experiences	0.82	0.66	1.01
Number of advantage indicators (unit: +1)		None	1.26	1.08	1.47	None	1.36	1.09	1.70
	COVID-19 illness	COVID-19 infection period, Urgent care, New conditions	1.25	1.05	1.48	COVID-19 infection period, Hospitalised	1.34	1.06	1.68
		COVID-19 infection period, Urgent care, New conditions, Symptom duration (retrospective)	1.14	0.96	1.37	COVID-19 infection period, Hospitalised, Symptom duration (retrospective)	1.38	1.06	1.80
		COVID-19 infection period, Urgent care, New conditions, Symptom duration (prospective)	1.25	1.05	1.49	COVID-19 infection period, Hospitalised, Long COVID status	1.33	1.02	1.73
		COVID-19 infection period, Urgent care, New conditions, Long COVID status	1.22	1.01	1.48				
		Lost job/Unable to work	1.26	1.08	1.47	Lost job/Unable to work	1.32	1.05	1.65

	Adverse pandemic experiences	Unable to afford food/bills	1.25	1.07	1.45	Unable to afford food/bills	1.31	1.05	1.64
		Difficulties accessing health & social care	1.22	1.05	1.43	Difficulties accessing health & social care	1.33	1.06	1.66
		Loss of somebody close due to COVID-19	1.24	1.07	1.45	Loss of somebody close due to COVID-19	1.33	1.06	1.67
		Count of adverse pandemic experiences	1.21	1.04	1.41	Count of adverse pandemic experiences	1.28	1.02	1.61
Number of advantages – number of disadvantages (unit: +1)		None	1.18	1.07	1.30	None	1.18	1.05	1.34
	COVID-19 illness	COVID-19 infection period, Urgent care, New conditions	1.17	1.05	1.30	COVID-19 infection period, Hospitalised	1.18	1.04	1.33
		COVID-19 infection period, Urgent care, New conditions, Symptom duration (retrospective)	1.10	0.98	1.22	COVID-19 infection period, Hospitalised, Symptom duration (retrospective)	1.18	1.02	1.36
		COVID-19 infection period, Urgent care, New conditions, Symptom duration (prospective)	1.17	1.05	1.30	COVID-19 infection period, Hospitalised, Long COVID status	1.17	1.02	1.35
		COVID-19 infection period, Urgent care, New conditions, Long COVID status	1.14	1.01	1.28				
	Adverse pandemic experiences	Lost job/Unable to work	1.18	1.07	1.30	Lost job/Unable to work	1.16	1.03	1.32
		Unable to afford food/bills	1.17	1.06	1.29	Unable to afford food/bills	1.16	1.02	1.31
		Difficulties accessing health & social care	1.17	1.06	1.28	Difficulties accessing health & social care	1.17	1.03	1.32
		Loss of somebody close due to COVID-19	1.17	1.06	1.29	Loss of somebody close due to COVID-19	1.17	1.03	1.32
		Count of adverse pandemic experiences	1.16	1.05	1.28	Count of adverse pandemic experiences	1.15	1.02	1.30

Work and social adjustment scale (WSAS) by COVID-19 recovery and long COVID diagnosis status




Figure S 3. **Work and social adjustment scale (WSAS) by COVID-19 recovery and long COVID diagnosis status among CSSB participants.** Results shown for all CSSB participants with self-reported COVID-19 infection who completed the WSAS assessment. Data labels show the sample sizes, including totals above each bar. Sample sizes < 5 and associated totals are suppressed.

Associations with health characteristics




Figure S 4. **Associations between health characteristics and recovery from COVID-19 in CSS Biobank and TwinsUK cohorts.** Odds ratio and 95% confidence intervals from logistic regression models testing association between recovery from COVID-19 and various health-related exposure variables, among individuals with self-reported COVID-19 infection. Results for each exposure variable originate from distinct models, including age, sex, ethnic group, education, pre-pandemic socio-demographics, and other concurrent health characteristics as potential confounding factors.

Association between recovery and number of pre-pandemic social advantages or disadvantages as categorical variable




Figure S 5. Associations between pre-pandemic indicators of socio-demographic advantage and/or disadvantage and recovery from COVID-19 in CSS Biobank and TwinsUK cohorts. Odds ratio and 95% confidence intervals from logistic regression models testing association between recovery from COVID-19 and composite measures of pre-pandemic of social advantage and disadvantage, among individuals with self-reported COVID-19 infection. Composite indicators were generated from sex, ethnic group, highest educational qualification, local area deprivation and pre-pandemic employment status. Models for both cohorts adjusted for

age group, region, pre-pandemic self-rated general health, BMI, frailty and number of physical health conditions. TwinsUK models additionally adjusted for number of mental health conditions.

Associations with COVID-19 illness characteristics





Figure S 6. **Associations between COVID-19 illness characteristics and recovery from COVID-19 in CSS Biobank and TwinsUK cohorts.** Odds ratio and 95% confidence intervals from logistic regression models testing association between recovery from COVID-19 and various COVID-19 illness-related exposure variables, among individuals with self-reported COVID-19 infection. Results for each exposure variable originate from distinct models, including age, sex, ethnic group, education, pre-pandemic socio-demographics, health characteristics and other COVID-19 illness factors as potential confounding factors.

Sensitivity analysis stratified by sex




Figure S 7. **Sex-stratified models testing associations between pre-pandemic socio-demographic advantage and/or disadvantage and recovery from COVID-19 in CSSB cohort.** Odds ratio and 95% confidence intervals from logistic regression models testing association between recovery from COVID-19 and composite measures of pre-pandemic of social advantage and disadvantage, among individuals with self-reported COVID-19 infection. Composite indicators were generated from ethnic group, highest educational qualification, local area deprivation and pre-pandemic employment status. Models adjusted for age group, region, pre-pandemic self-rated general health, BMI, frailty and number of physical health conditions.

Associations with variables unique to cohort




Figure S 8. Associations between cohort-specific socio-demographics and recovery from COVID-19 in CSS Biobank and TwinsUK cohorts. Odds ratio and 95% confidence intervals from logistic regression models testing association between recovery from COVID-19 and socio-demographic exposure variables unique to each cohort, among individuals with self-reported COVID-19 infection. Results for each exposure variable originate from distinct models, including age, sex, ethnic group, education, pre-pandemic socio-demographic factors and pre-pandemic health characteristics as potential confounding factors.

References

- 1 List of ethnic groups - GOV.UK. <https://www.ethnicity-facts-figures.service.gov.uk/style-guide/ethnic-groups> (accessed 2 Mar 2023).
- 2 Milner A, Jumbe S. Using the right words to address racial disparities in COVID-19. *The Lancet Public Health* 2020;**5**:e419–20. doi:10.1016/S2468-2667(20)30162-6
- 3 English indices of deprivation 2019 - GOV.UK. <https://www.gov.uk/government/statistics/english-indices-of-deprivation-2019> (accessed 29 Nov 2021).
- 4 Welsh Index of Multiple Deprivation (full Index update with ranks): 2019 | GOV.WALES. <https://gov.wales/welsh-index-multiple-deprivation-full-index-update-ranks-2019> (accessed 29 Nov 2021).
- 5 Scottish Index of Multiple Deprivation 2020 - gov.scot. <https://www.gov.scot/collections/scottish-index-of-multiple-deprivation-2020/> (accessed 29 Nov 2021).
- 6 Northern Ireland Multiple Deprivation Measure 2017 (NIMDM2017) | Northern Ireland Statistics and Research Agency. <https://www.nisra.gov.uk/statistics/deprivation/northern-ireland-multiple-deprivation-measure-2017-nimdm2017> (accessed 29 Nov 2021).
- 7 Xue Q-L. The Frailty Syndrome: Definition and Natural History. *Clinics in Geriatric Medicine* 2011;**27**:1–15. doi:10.1016/j.cger.2010.08.009
- 8 Raïche M, Hébert R, Dubois MF. PRISMA-7: A case-finding tool to identify older adults with moderate to severe disabilities. *Archives of Gerontology and Geriatrics* 2008;**47**:9–18. doi:10.1016/J.ARCHGER.2007.06.004
- 9 Mundt JC, Marks IM, Shear MK, *et al.* The Work and Social Adjustment Scale: a simple measure of impairment in functioning. *The British Journal of Psychiatry* 2002;**180**:461–4. doi:10.1192/BJP.180.5.461
- 10 Cheetham NJ, Penfold R, Giunchiglia V, *et al.* The effects of COVID-19 on cognitive performance in a community-based cohort: a COVID symptom study biobank prospective cohort study. *eClinicalMedicine* 2023;**62**:102086. doi:10.1016/j.eclinm.2023.102086

