

CitySEIRCast: An Agent-Based City Digital Twin for Pandemic Analysis and Simulation

Complex & Intelligent Systems

Shakir Bilal¹, Wajdi Zaatour¹, Yilian Alonso Otano¹, Arindam Saha¹, Jun Kim¹, Kenneth Newcomb¹, Kim Soo¹, Derek Groen² and Edwin Michael¹

¹ Center for Global Health Infectious Disease Research, College of Public Health, University of South Florida, Tampa, FL 33612

² Modeling & Simulation Group, Department of Computer Science Brunel University London, Uxbridge UB8 3PH, United Kingdom

Corresponding author: Edwin Michael (e-mail: emichael443@usf.edu).

Supplementary Information (SI)

This supplementary document contains the following details:

1. Table for age-dependent hospitalization, ICU and deaths.
2. Hillsborough lockdown and closures mandates for COVID-19.
3. Vaccine doses data and fitted polynomial curves.
4. Model complexity diagram based on data availability.

1. Age-dependent risks

The agent-based model uses age dependent hospitalization, ICU and death risks based on Table S1. Symptomatic individuals of different age groups either recover or get hospitalized, require ICU or die through different rates reflecting their immunity or comorbidity status.

Table S1. Age-dependent hospitalization, ICU and death parameters referenced from Enns et al. [1].

Age group (years)	Percentage of confirmed cases that needed hospitalization	Percentage of hospitalized cases requiring ICU	ICU mortality rate (per 10 person-days)
0-9	0.1%	5.0%	0.000
10-29	0.3%	5.0%	0.002
20-29	1.2%	5.0%	0.001
30-39	3.2%	5.0%	0.002
40-49	4.9%	6.3%	0.003
50-59	10.2%	12.2%	0.009
60-69	16.6%	27.4%	0.024
70-79	24.3%	43.2%	0.056
80>	27.3%	70.9%	0.111

2. Lockdown schedules in Hillsborough County, FL.

The closure and lockdown schedules followed in Hillsborough County were collected from the mandates issued by the governors [2-6]. The detailed lockdown schedules that were applicable to places ranging from schools and workplaces to community places are shown in Figure S1. Since they include finer details, we distilled this information to reflect the closures vis-à-vis schools, workplaces, community place to inform our DT-ABM system. The distilled information that is used in the DT-ABM-system is shown in Table S3.




Figure S1. Lockdown timelines in Hillsborough County, Florida, during COVID-19 pandemic.

Table S3. Summary of lockdown schedule as imposed in Hillsborough County.

Date Range	Office/Workplaces	Schools	Community
March 2020 - April 2020	Open if essential (~10%)	Closed	Closed
April 2020 - May 2020	25% Open	Closed	25% Open
May 2020 - July 2020	50% Open	Closed	50% Open
August 2020 - April 2021	Fully Open	50% Open	Fully Open
May 2021 – Present	All lockdown mandates are removed but the Google trends is used to mimic people adapting to changing Covid-19-related information.		

3. Vaccine schedule and doses

We use the daily vaccine doses data available from CDC for Hillsborough County to implement vaccination in the simulator. Since there are gaps in the data we use polynomial fits to approximate the data and use the numbers suggested by these polynomials to vaccinate individuals in the agent-based model. The vaccine dose data and the fitted polynomial curves are shown in Figure S2. Furthermore, each dose type is divided into number of doses to different age groups as shown in Table S4.




Figure S2. Daily vaccine numbers delivered in Hillsborough over time, starting with vaccine dose 1, dose 2, booster 1, booster 2.

Table S4. The daily doses by age groups.

Date range	Age groups (years)	Percent of Doses
January 21 - March 19, 2021	60+	100%
March 19 - April 5, 2021	30-60	34%
	60+	66%
April 5 - December 31, 2021	10-30	33%
	30-60	33%
	60+	34%
January 1, 2022 - Present	<30	50%
	30-60	25%
	60+	25%

4. Model complexity

The full DT-ABM relies on data availability to function. Based on the details of the available the complexity of the system increases. A summary of data availability and complexity is shown in Figure S3. As an example, if race/income data is available then individuals' race/income specific data is used in the DT-ABM. The output from DT-ABM analysis could then be used income and race-related risk factors.




Figure S3: The complexity of the simulator increases as data for age-, comorbidity-, race- and gender-based transmission factors become available at the zip-code or county level.

References

1. Enns, E.A., et al. *Modeling the Impact of Social Distancing Measures on the Spread of SARS-CoV-2 in Minnesota: Technical Documentation*. [Technical Documentation] 2020; Available from: https://mn.gov/covid19/assets/MNmodel_tech_doc_tcm1148-427724.pdf.
2. DeSantis, R. *2020 Executive Orders*. 2020; Available from: <https://www.flgov.com/2020-executive-orders/>.
3. DeSantis, R. *2021 Executive Orders*. 2021; Available from: <https://www.flgov.com/2021-executive-orders/>.
4. Florida Department of Education. *Florida Department of Education Announces Additional Guidance for the 2019*. 2020; Available from: <https://www.fldoe.org/newsroom/latest-news/florida-department-of-education-announces-additional-guidance-for-the-2019-20-school-year.shtml>.
5. Florida Department of Education. *2020 Florida School District Spring Break and Extra Week Break Schedule as of 3/13/2020*. 2020; Available from: <https://www.fldoe.org/core/fileparse.php/19861/urlt/Florida-2020-BreakDates.pdf>.
6. Re-Open Florida Task Force. *Safe. Smart. Step-by-Step. PLAN FOR FLORIDA'S RECOVERY*. 2020; Available from: <https://www.flgov.com/wp-content/uploads/covid19/Taskforce%20Report.pdf>.