

Table 1 : Demographics of Sri Lankan cutaneous leishmaniasis (CL; *L. donovani*) patients

PID	Age range	Gender	Duration of lesion in months	Comments	Amastigote grade	SSS	PCR	Amastin (by RNA-FISH)	Treatment response at the end of treatment	total SSG doses for cure
P1	>60	M	2	Primary lesion on right arm. Three more on right arm, chest, and back	3+	Positive	Positive	Positive	Complete cure	10
P2	46-60	F	8	Primary lesion on left scapular area	1+	Positive	Positive	Positive	Complete cure	17
P3	46-60	M	5	Primary lesion on right shoulder, another lesion on right arm	2+	Positive	Positive	Positive	Complete cure	7
P4	31-45	M	9	Primary lesion on left arm	2+	Positive	Positive	Positive	Complete cure	21
P5	0-30	M	25	Primary lesion on left forearm	0	Negative	Positive	Positive	Complete cure	7
P6	46-60	F	3	Primary lesion on right upper neck, another on right shoulder	5+	Positive	Positive	Positive	Not completely healed. Still on treatment at 6 mo FU	29
P7	0-30	M	3	Primary lesion on jaw . Three more on chin and forearm.	5+	Positive	Positive	Negative	Complete cure	5
P8	46-60	M	37	Primary lesion on right forearm	0	Negative	Positive (Faintly)	Negative	Complete cure	12
P9	46-60	M	4	Primary lesion on left arm	0	Negative	Positive (Faintly)	Negative	Complete cure	10
P10	31-45	M	13	Primary lesion on left elbow	1+	Positive	Positive	Negative	Complete cure	6
P11	31-45	F	7	Primary lesion on right shoulder	1+	Positive	Positive (Faintly)	Negative	Complete cure	6
P12	31-45	M	7	Primary lesion on left hand	4+	Positive	Positive	Positive	Complete cure	8
P13	31-45	M	3	Primary lesion on right upper back, another on right hand.	2+	Positive	Positive	Negative	Complete cure	9
P14	46-60	M	13	Primary lesion on left forearm	2+	Positive	Positive	Negative	Complete cure	16
P15	31-45	F	2	Primary lesion on left leg, another on right ankle	2+	Positive	Positive	Negative	Complete cure	12
P16	46-60	M	6	Primary lesion on right forearm	5+	Positive	Positive	Negative	Complete cure	13
P17	31-45	M	8	Primary lesion on right forearm	0	Negative	Positive	Negative	Complete cure	12
P18	31-45	M	6	Primary lesion on right forearm	0	Negative	Positive	Negative	Complete cure	9
P19	46-60	M	4	Primary lesion on back of the neck	1+	Positive	Positive	Negative	Complete cure	6
P20	46-60	M	4	Primary lesion on right arm, another on right back abdomen	0	Negative	Positive (Faintly)	Negative	Complete cure	15
P21	>60	M	3	Primary lesion on left leg, another on left leg lower anterior	0	Negative	Positive	Negative	Complete cure	10
P22	31-45	F	3	Primary lesion on left arm	2+	Positive	Positive	Negative	Complete cure	9
P23	>60	M	2	Primary lesion on left leg and another on left cheek	2+	Positive	Positive	Negative	Complete cure	4
P24	46-60	M	5	Primary lesion on right arm and two more on right shoulder and left forearm	2+	Positive	Positive	Negative	Complete cure	26
P25	0-30	M	4	Primary lesion on left forearm	2+	Positive	Positive	Negative	Complete cure	12

Table 2 : Demographics of Brazilian cutaneous leishmaniasis (CL; *L. braziliensis*) patients

PID	Age range	Gender	Lesion size mm2	Lesion duration (in months)	DX PCR	DX IIF	DX ELISA	Treatment; route	Duration of therapy	t/t visual score BT	t/t visual score 1 week	t/t visual score 2 week	t/t visual score 3 week	t/t visual score 4 week	t/t visual score 3 months	t/t visual score 6 months
P1	46-60	F	2400	3 months	PCR +	-	+	liposomal amphotericin B; systemic	10 days	10	10	10	10	9	5	2
P2	31-45	M	1225	2 months	PCR +	+	+	Glucantime (meglumine antimoniate); systemic	21 days	10	10	10	5	3	0	0
P3	31-45	M	5525	6 months	PCR +	+	+	Glucantime (meglumine antimoniate); systemic	20 days	10	10	8	8	8	0	0
P4	>60	M	750	6 months	PCR+	-	+	Glucantime (meglumine antimoniate); intralesional	4 weeks	10	10	8	8	8	5	0

Table 3 : Demographics of Indian post kala-azar leishmniasis (PKDL;*L. donovani*) patients

PID	Age range	Gender	lesion duration	History of VL	Year of VL	Treatment during VL	Year of PKDL	Lag period (in years)	Lesion type	DX ITS-1 PCR
P1	0-30	M	3 years	Yes	2010	SAG	2016	6	Polymorphic	Positive
P2	31-45	M	8 years	Yes	1989	SAG	2013	24	Macular	Positive