

Supplemental Tables

Supplemental Table 1. Human cases of acute alphavirus infection for group 1 virus infection study population.

Virus		MADV Previous Exposure ³	MADV Naïve ⁴	VEEV Previous Exposure ³	VEEV Naïve ⁴	Total
Both	MADV and VEEV Confirmed ¹	N/A	N/A	N/A	N/A	0
	VEEV Confirmed ¹ and MADV Likely ²	N/A	N/A	N/A	N/A	2
	MADV and VEEV Likely ²	N/A	N/A	N/A	N/A	1
MADV	MADV Confirmed ¹	N/A	N/A	1	1	2
	MADV Likely ²	N/A	N/A	3	3	6
VEEV	VEEV Confirmed ¹	15	2	N/A	N/A	17
	VEEV Likely ²	2	3	N/A	N/A	5

¹ Confirmed infection determined by IgM and PRNT positivity.

² Likely infection determined by either IgM or PRNT positivity, but not both.

³ Previous exposure determined by IgG positivity.

⁴ Naïve indicates no antibodies detected.

Supplemental Table 2. Associations between group 1 virus infection subgroups and biomarkers.

Protein	Infection	Adj variance	z	P-value
GFAP	Acute alphavirus	8119.16	-3.474	0.0005
	Acute MADV	3875.05	-2.940	0.0033
	Acute VEEV	6511.54	-1.834	0.0513
UCH-L1	Acute alphavirus	8139.75	3.486	0.0005
	Acute MADV	3884.88	-0.610	0.5421
	Acute VEEV	7535.43	4.810	<0.0001

Wilcoxon rank-sum tests of GFAP/UCHL1 and alphaviral status