

Supplementary Tables

Table S1. Variables in the Cancer Risk in Vegetarians Consortium and the corresponding questionnaire information from the individual cohorts.	3
Table S2. List of food groups requested from the individual cohorts.	9
Table S3. Food group intake criteria for the classification of diet groups in each cohort.	10
Table S4. Number of participants in each diet group by sex and cohort.	13
Table S5. Baseline characteristics of women by cohort.	15
Table S6. Baseline characteristics of men by cohort.	18
Table S7. Baseline food intakes by diet group and cohort.	19
Table S8. Baseline nutrient intakes by diet group and cohort.	30
Table S9. Number of participants in each diet group at resurvey by baseline diet group.	34
Table S10. Number of participants of each ethnicity by diet group and cohort.	36

Supplementary Figures

Figure S1. Flow diagram of exclusion criteria in Adventist Health Study-2.....	38
Figure S2. Flow diagram of exclusion criteria in Centre for cArdiometabolic Risk Reduction in South Asia 1.	39
Figure S3. Flow diagram of exclusion criteria in Centre for cArdiometabolic Risk Reduction in South Asia 2.	40
Figure S4. Flow diagram of exclusion criteria in EPIC-Oxford.	41
Figure S5. Flow diagram of exclusion criteria in Oxford Vegetarian Study.	42
Figure S6. Flow diagram of exclusion criteria in Tzu Chi Health Study.....	43
Figure S7. Flow diagram of exclusion criteria in UK Women’s Cohort Study.	44
Figure S8. Flow diagram of exclusion criteria in China Kadoorie Biobank.	45
Figure S9. Flow diagram of exclusion criteria in Million Women Study.....	46
Figure S10. Flow diagram of exclusion criteria in NIH-AARP Diet and Health Study.	47
Figure S11. Flow diagram of exclusion criteria in UK Biobank.	48

Table S1. Variables in the Cancer Risk in Vegetarians Consortium and the corresponding questionnaire information from the individual cohorts.

Variable categories	Cohorts with large proportions of vegetarians							Very large cohorts			
	AHS-2	CARRS-1	CARRS-2	EPIC-Oxford	OVS	TCHS	UKWCS	CKB	MWS	NIH-AARP	UK Biobank
Marital status (living with a partner)											
	What is your marital status?	What is your marital status?	What is your marital status?	What is your marital status?	What is your spouse's occupation? (if applicable)	What is your marital status?	What is your marital status?	What is your current marital status?	Are you currently married or living with a partner?	What is your current marital status?	How are people in household related to participant?
Yes	<ul style="list-style-type: none"> • First marriage • Remarried • Common law marriage 	<ul style="list-style-type: none"> • Married 	<ul style="list-style-type: none"> • Married 	<ul style="list-style-type: none"> • Married or living as married 	<ul style="list-style-type: none"> • Married 	<ul style="list-style-type: none"> • Married • Remarried 	<ul style="list-style-type: none"> • Married or living as married 	<ul style="list-style-type: none"> • Married 	<ul style="list-style-type: none"> • Yes 	<ul style="list-style-type: none"> • Married or living as married 	<ul style="list-style-type: none"> • Husband, wife or partner
No	<ul style="list-style-type: none"> • Never married • Separated • Divorced • Widowed 	<ul style="list-style-type: none"> • Single • Widow/ Widower • Separated/ Divorced 	<ul style="list-style-type: none"> • Single • Widow/ Widower • Separated/ Divorced 	<ul style="list-style-type: none"> • Widowed • Separated • Divorced • Single 	<ul style="list-style-type: none"> • Unmarried 	<ul style="list-style-type: none"> • Unmarried • Separated • Divorced • Widowed 	<ul style="list-style-type: none"> • Divorced • Widowed • Single • Separated 	<ul style="list-style-type: none"> • Widowed • Separated/divorced • Never married 	<ul style="list-style-type: none"> • No 	<ul style="list-style-type: none"> • Widowed • Separated • Never married 	<ul style="list-style-type: none"> • Husband, wife or partner • Son and/or daughter (including step-children) • Brother and/or sister • Mother and/or father • Grandparent • Grandchild
Not known	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing/ prefer not to answer
Educational status											
	What is the highest grade of school or year of college that you completed?	Educational status (highest attained degree)	Educational status (highest attained degree)	Do you have any of the following qualifications?	What is your occupation? (used as a proxy for educational status)	What is your educational level?	Do you have any of the following qualifications?	What is the highest level of school education you ever received?	What qualification(s) do you have from school, college or the equivalent?	What is the highest grade or level of schooling you completed?	Which of the following qualifications do you have?
Less than secondary/high school or equivalent	<ul style="list-style-type: none"> • Grade school • Some high school 	<ul style="list-style-type: none"> • Illiterate • Literate, no formal education • Primary school 	<ul style="list-style-type: none"> • Illiterate • Literate, no formal education • Primary school 	<ul style="list-style-type: none"> • No qualification 		<ul style="list-style-type: none"> • Illiterate • Elementary school 	<ul style="list-style-type: none"> • No qualification 	<ul style="list-style-type: none"> • No formal school • Primary school 	<ul style="list-style-type: none"> Derived from age left school, compulsory school leaving age and qualifications 	<ul style="list-style-type: none"> • Less than 8 years • 8-11 years 	<ul style="list-style-type: none"> • No qualifications

Secondary/high school or equivalent	<ul style="list-style-type: none"> High school diploma Trade school diploma Some college 	<ul style="list-style-type: none"> Secondary school High school 	<ul style="list-style-type: none"> Secondary school High school 	<ul style="list-style-type: none"> CSE GCE "O" level "A" level, Highers 	<ul style="list-style-type: none"> Senior high school Junior college 	<ul style="list-style-type: none"> CSE GCE "O" level "A" level, Highers 	<ul style="list-style-type: none"> Middle school High school 	<ul style="list-style-type: none"> 12 years or completed high school 	<ul style="list-style-type: none"> CSEs or equivalent O levels/ GCSEs or equivalent A levels/ AS levels or equivalent College or University Degree NVQ or HND or HNC or equivalent Other professional qualifications Missing/ prefer not to answer/none of the above
University degree or equivalent	<ul style="list-style-type: none"> Associate degree Bachelor's degree Master's degree Doctoral degree 	<ul style="list-style-type: none"> Professional degree/post graduate Graduate 	<ul style="list-style-type: none"> Professional degree/post graduate Graduate 	<ul style="list-style-type: none"> Teaching, diploma Degree 	<ul style="list-style-type: none"> University Master or above 	<ul style="list-style-type: none"> Teaching, diploma City & Guilds Degree 	<ul style="list-style-type: none"> Technical school/college University 	<ul style="list-style-type: none"> Post-high school or some college College and post graduate 	
Not known	<ul style="list-style-type: none"> Missing 	<ul style="list-style-type: none"> Missing 	<ul style="list-style-type: none"> Missing 	<ul style="list-style-type: none"> Missing 	<ul style="list-style-type: none"> Missing 	<ul style="list-style-type: none"> Missing 	<ul style="list-style-type: none"> Missing 	<ul style="list-style-type: none"> Missing 	<ul style="list-style-type: none"> Missing

Ethnic group

	In the table below, select the group(s) that best describes the racial origin or ethnicity of yourself:	To which of these groups do you consider you belong?	Which of these groups would consider you belong to?	To which ethnic group do you consider you belong?	Which of these best describes your race?	What is your ethnic group?
White	<ul style="list-style-type: none"> White non-Hispanic 	<ul style="list-style-type: none"> White 	<ul style="list-style-type: none"> White 	<ul style="list-style-type: none"> White 	<ul style="list-style-type: none"> Non-Hispanic White 	<ul style="list-style-type: none"> White
Black	<ul style="list-style-type: none"> African American West Indian/Caribbean African 	<ul style="list-style-type: none"> Black - Caribbean Black other 	<ul style="list-style-type: none"> Black - Caribbean Black other 	<ul style="list-style-type: none"> Black 	<ul style="list-style-type: none"> Non-Hispanic Black 	<ul style="list-style-type: none"> Black or Black British Mixed
Hispanic	<ul style="list-style-type: none"> Latino/Mexican Puerto Rican Cuban Central American South American Other Hispanic 				<ul style="list-style-type: none"> Hispanic 	

Asian	<ul style="list-style-type: none"> • Asian Indian • Chinese • Filipino • Japanese • Korean • Vietnamese • Other Asian 	<ul style="list-style-type: none"> • Indian • Pakistani • Bangladeshi • Chinese 	<ul style="list-style-type: none"> • Bangladeshi • Indian • Chinese • Pakistan • Black Caribbean 	<ul style="list-style-type: none"> • Indian • Pakistani • Bangladeshi • Chinese 	<ul style="list-style-type: none"> • Asian 	<ul style="list-style-type: none"> • Asian, Pacific Islander, or American Indian/Alaskan Native 	<ul style="list-style-type: none"> • Asian or Asian British • Chinese
Other	<ul style="list-style-type: none"> • Native Hawaiian/other Pacific Islander • American Indian 	<ul style="list-style-type: none"> • Other 	<ul style="list-style-type: none"> • Black-other • Other 	<ul style="list-style-type: none"> • Other 	<ul style="list-style-type: none"> • Other 	<ul style="list-style-type: none"> • American Indian/Alaskan Native 	<ul style="list-style-type: none"> • Mixed • Other ethnic group
Not known	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing/do not know/prefer not to answer

Cigarette smoking

	Have you ever smoked regularly?/ If you have ever smoked cigarettes regularly, please mark the number you smoke(d) per day	Derived from multiple questions	Derived from multiple questions	Derived from multiple questions	Derived from multiple questions	What is your smoking habit?	Which one of the following best describes you?	Have you smoked any tobacco today?/ How often do you smoke tobacco now?	Have you ever been a smoker?/ Are you a smoker now?	Derived from multiple questions	Do you smoke now? In the past, how often have you smoked tobacco?
Never	<ul style="list-style-type: none"> • No 					<ul style="list-style-type: none"> • No cigarette smoking habit 	<ul style="list-style-type: none"> • Never smoked 	<ul style="list-style-type: none"> • Never smoker 	<ul style="list-style-type: none"> • Never 	<ul style="list-style-type: none"> • Never smoked 	<ul style="list-style-type: none"> • Never
Previous	<ul style="list-style-type: none"> • Yes, none in past 12 months • 2-5 years ago • 6-10 years ago • 11-15 years ago • 16+ years ago 					<ul style="list-style-type: none"> • Used to smoke but have already quit 	<ul style="list-style-type: none"> • Used to smoke every day, but do not smoke at all now 	<ul style="list-style-type: none"> • Ex regular smoker 	<ul style="list-style-type: none"> • Past 	<ul style="list-style-type: none"> • Former smoker 	<ul style="list-style-type: none"> • Previous
Current	<ul style="list-style-type: none"> • Yes, cigars • Yes, pipe • Yes, cigarettes 					<ul style="list-style-type: none"> • Have a smoking habit 	<ul style="list-style-type: none"> • I smoke every day • I smoke occasionally, but not every day 	<ul style="list-style-type: none"> • Occasional smoker • Smoker 	<ul style="list-style-type: none"> • Current 	<ul style="list-style-type: none"> • Current smoker 	<ul style="list-style-type: none"> • Current
Not known	<ul style="list-style-type: none"> • Missing 					<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing 	<ul style="list-style-type: none"> • Missing/prefer not to answer

History of diabetes											
	If you have never been told by a doctor that you had any of the conditions on this page, only fill the last circle for question 9, and go to question 10 below. Otherwise, fill circles for any condition diagnosed by a physician	Have you ever been told by a doctor that you have any of the following diseases?	Have you ever been told by a doctor that you have any of the following diseases?	Have you ever been told by a doctor that you have, or had, any of the following conditions?	Have you ever had any of the following complaints?	Have you ever had any of the following conditions?	Have you ever been told by a doctor that you have, or had, any of the following conditions?	Has a doctor ever told that you had had the following disease?	In the last 5 years has a doctor told you that you have had any of the following conditions?	Have you ever been told by a doctor that you had any of the following conditions?	Has a doctor ever told you that you have diabetes?
Yes	<ul style="list-style-type: none"> • <5 years ago • 5-9 years ago • 10-14 years ago • 15-19 years ago • 20+ years ago 	• Yes	• Yes	• Yes	• Yes	• Yes	• Yes	• Yes	• Yes	• Yes	• Yes
No	• Never	• No	• No	• No	• No	• No	• No	• No	• Missing	• No	• No
Not known	• Missing	• Missing	• Missing	• Missing	• Missing	• Missing	• Missing	• Missing		• Missing	• Missing/do not know/prefer not to answer

Menopausal status (women only)											
	Derived from multiple questions	Derived from multiple questions	Derived from multiple questions	How many natural periods have you had in the last 12 months?	Derived using age at recruitment	Have you had your menopause?	How many natural menstrual periods have you had in the last 12 months?	Have you had your menopause?	Have you had your menopause?	Derived from multiple questions	Have you had your menopause (periods stopped)?
Premenopausal				<ul style="list-style-type: none"> • 1 to 3 • 4 to 5 • 6 to 9 • 10 or more 	<50 years	• No	<ul style="list-style-type: none"> • 1 to 3 • 4 to 5 • 6 to 9 • 10 or more 	• No	• No		
Postmenopausal				• None	≥50 years	• Yes	• None	<ul style="list-style-type: none"> • Yes, currently • Yes, had menopause 	<ul style="list-style-type: none"> • Not sure • Yes 		• Yes

Ever used oral contraceptives (women only)

	In the table below, please mark how long you took birth control pills during each of the stated age?	Hormonal drugs or oral contraceptive pills?	Have you used hormonal drugs or oral contraceptive pills?	Have you ever used contraceptives (the pill)?	Have you ever taken the contraceptive pill?	Have you ever used an oral contraceptive?	Have you ever used contraceptives (the pill)?	Have you ever used oral contraceptive pills?	Have you ever used the pill (oral contraceptive) ?	Have you ever taken oestrogen hormone pills?/ Have you ever taken progesterone or progestin hormone pills?	Have you ever taken the contraceptive pill?
Yes	<ul style="list-style-type: none"> • Yes, but only around menopause • Yes, taking now • Yes, but not taking them at this time 	<ul style="list-style-type: none"> • Yes, current use • Yes, past use 	<ul style="list-style-type: none"> • Yes, current use • Yes, past use 	• Yes	• Yes	• Ever	• Yes	<ul style="list-style-type: none"> • Past use • Current use 	• Yes	<ul style="list-style-type: none"> • Yes, oestrogen use • Yes, progesterone use 	• Yes
No	• No	• No	• No	• No	• No	• Never	• No	• Never	• No	<ul style="list-style-type: none"> • No, oestrogen use • No, progesterone use 	• No
Not known	• Missing	• Missing	• Missing	• Missing	• Missing	• Missing	• Missing	• Missing	• Missing	• Missing	• Missing/do not know/prefer not to answer

Ever used hormone replacement therapy (women only)

	Have you ever used an oestrogen pill or patch around the time that your natural periods were stopping or after they stopped?	Have you ever used hormone replacement therapy?	Have you ever supplemented female hormones?	Have you ever used hormone replacement therapy?	Have you ever used hormone replacement therapy?	Are you currently taking replacement hormones?/ How many years have you taken replacement hormones?	Have you ever used hormone replacement therapy?
Yes	<ul style="list-style-type: none"> • Yes, I am using oestrogens now • Yes, I used them in the past, but not now 	• Yes	• Ever	• Yes	<ul style="list-style-type: none"> • Past • Current • Ever 	<ul style="list-style-type: none"> • Less than 5 years • 5 to 9 years • 10 or more years 	• Yes
No	• No, I have never taken	• No	• Never	• No	• Never	• Never	• No
Not known	• Missing	• Missing	• Missing	• Missing	• Missing	• Missing	• Missing/do not know/prefer not to answer

Abbreviations: AHS-2, Adventist Health Study-2; CARRS, Centre for cArdiometabolic Risk Reduction in South Asia; CKB, China Kadoorie Biobank; CSE, Certificate of Secondary Education; EPIC, European Prospective Investigation into Cancer and Nutrition; GCE, General Certificate of Education; GCSE, General Certificate of Secondary Education; HNC, Higher National Certificate; HND, Higher National Diploma; MWS, Million Women Study; NIH-AARP, National Institutes of Health-AARP Diet and Health Study; NVQ, National Vocational Qualification; OVS, Oxford Vegetarian Study; TCHS, Tzu Chi Health Study; UKWCS, UK Women's Cohort Study.

Table S2. List of food groups requested from the individual cohorts.

Food groups (g/day)
Refined grains (e.g. white pasta/noodles/couscous, bread and rice)
Wholegrains (e.g. wholemeal pasta/noodles/couscous and bread, and brown rice)
Meat substitute dishes (e.g. vegetable burgers, textured vegetable proteins, soy-based foods)
Total vegetables
Potatoes
Legumes (green beans, sugar snap peas, pulses, etc.)
Fresh fruit
Fruit smoothie or fruit juice
Nuts and seeds
Sweets, preserves, cakes & confectionery (e.g. biscuits, desserts, chocolate)
Tea and/or coffee
Plant milks
Sugar sweetened beverages, including diet versions
Red meat
Processed meat
Poultry
Offal
Oily fish
Non-oily fish
Total fish (including shellfish)
Dairy milk
Cheese
Yogurt
Total dairy products (includes other dairy products, e.g. butter, dairy ice cream)
Egg & egg dishes

Table S3. Food group intake criteria for the classification of diet groups in each cohort.

Food group intake	Diet groups					
	Poultry eaters	Pescatarians	Lacto-ovo vegetarians	Lacto vegetarians	Ovo vegetarians	Vegans
Adventist Health Study–2						
Red and processed meat	Never/rarely	Never/rarely	Never/rarely	Never/rarely	Never/rarely	Never/rarely
Poultry	≥1–3/month	Never/rarely	Never/rarely	Never/rarely	Never/rarely	Never/rarely
Fish		≥1–3/month	Never/rarely	Never/rarely	Never/rarely	Never/rarely
Dairy products			≥1–3/month	≥1–3/month	Never/rarely	Never/rarely
Eggs			≥1–3/month	Never/rarely	≥1–3/month	Never/rarely
Centre for cArdiometabolic Risk Reduction in South Asia–1						
Red and processed meat	Never/<1/month	Never/<1/month	Never/<1/month	Never/<1/month	Never/<1/month	Never/<1/month
Poultry	≥Monthly	Never/<1/month	Never/<1/month	Never/<1/month	Never/<1/month	Never/<1/month
Fish		≥Monthly	Never/<1/month	Never/<1/month	Never/<1/month	Never/<1/month
Dairy products			≥Monthly	≥Monthly	Never/<1/month	Never/<1/month
Eggs			≥Monthly	Never/<1/month	≥Monthly	Never/<1/month
Centre for cArdiometabolic Risk Reduction in South Asia–2						
Red and processed meat	Never/<1/month	Never/<1/month	Never/<1/month	Never/<1/month	Never/<1/month	Never/<1/month
Poultry	≥Monthly	Never/<1/month	Never/<1/month	Never/<1/month	Never/<1/month	Never/<1/month
Fish		≥Monthly	Never/<1/month	Never/<1/month	Never/<1/month	Never/<1/month
Dairy products			≥Monthly	≥Monthly	Never/<1/month	Never/<1/month
Eggs			≥Monthly	Never/<1/month	≥Monthly	Never/<1/month
European Prospective Investigation into Cancer and Nutrition–Oxford						
Red and processed meat	Never	Never	Never	Never	Never	Never
Poultry	≥1–3/month	Never	Never	Never	Never	Never
Fish		Yes in question 1, or >Never	Never	Never	Never	Never
Dairy products			Yes in question 1, or >Never	Yes in question 1, or >Never	Never	Never
Eggs			Yes in question 1, or >Never	Never	Yes in question 1, or >Never	Never
Oxford Vegetarian Study						
Red and processed meat	–	Never	Never	Never	Never	Never
Fish	–	>Never	Never	Never	Never	Never
Dairy products			>Never	>Never	Never	Never
Eggs			>Never	Never	>Never	Never

Tzu Chi Health Study						
Red and processed meat	No intake or <1/month	No intake or <1/month	No intake or <1/month	No intake or <1/month	No intake or <1/month	No intake or <1/month
Poultry	≥1/month	No intake or <1/month	No intake or <1/month	No intake or <1/month	No intake or <1/month	No intake or <1/month
Fish		≥1/month	No intake or <1/month	No intake or <1/month	No intake or <1/month	No intake or <1/month
Dairy products			≥1/month	≥1/month	No intake or <1/month	No intake or <1/month
Eggs			≥1/month	No intake or <1/month	≥1/month	No intake or <1/month
UK Women's Cohort Study						
Red and processed meat	Never	Never	Never	Never	Never	Never
Poultry	>Never	Never	Never	Never	Never	Never
Fish		>Never	Never	Never	Never	Never
Dairy products			>Never	>Never	Never	Never
Eggs			>Never	Never	>Never	Never
China Kadoorie Biobank						
Red and processed meat	Never/rarely	Never/rarely	Never/rarely	Never/rarely	Never/rarely	Never/rarely
Poultry	≥Monthly	Never/rarely	Never/rarely	Never/rarely	Never/rarely	Never/rarely
Fish		≥Monthly	Never/rarely	Never/rarely	Never/rarely	Never/rarely
Dairy products			≥Monthly	≥Monthly	Never/rarely	Never/rarely
Eggs			≥Monthly	Never/rarely	≥Monthly	Never/rarely
Million Women Study						
Red and processed meat	Never	Never	Never	Never	Never	Never
Poultry	≥1/week	Never	Never	Never	Never	Never
Fish		≥1/week	Never	Never	Never	Never
Dairy products			≥1/week	≥1/week	Never	Never
Eggs			≥1/week	Never	≥1/week	Never
National Institutes of Health-AARP Diet and Health Study						
Red and processed meat	≤10 g/day	≤10 g/day	≤10 g/day	≤10 g/day	≤10 g/day	≤10 g/day
Poultry	>0 g/day	0 g/day	0 g/day	0 g/day	0 g/day	0 g/day
Fish		>0 g/day	0 g/day	0 g/day	0 g/day	0 g/day
Dairy products			>5 g/day	>5 g/day	≤5 g/day	≤5 g/day
Eggs			>0 g/day	0 g/day	>0 g/day	0 g/day
UK Biobank						
Red and processed meat	Never	Never	Never	Never	Never	Never
Poultry	>Never	Never	Never	Never	Never	Never

Fish	>Never	Never	Never	Never	Never
Dairy products		>Never	>Never	Never	Never
Eggs		>Never	Never	>Never	Never

Table S4. Number of participants in each diet group by sex and cohort (n = 2,337,152).

Cohort	Meat eaters	Poultry eaters	Pescatarians	Vegetarians				Vegans
				Lacto-ovo vegetarians	Lacto vegetarians	Ovo vegetarians	All vegetarians	
Women, N (%)								
<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	14,711 (34.9)	7,451 (17.7)	4,215 (10.0)	8,156 (19.3)	3,826 (9.1)	446 (1.1)	12,428 (29.5)	3,389 (8.0)
CARRS-1	3,561 (55.9)	1,036 (16.3)	123 (1.9)	199 (3.1)	1,113 (17.5)	56 (0.88)	1,368 (21.5)	284 (4.5)
CARRS-2	2,292 (45.3)	1,077 (21.3)	111 (2.2)	159 (3.1)	1,249 (24.7)	29 (0.57)	1,437 (28.4)	148 (2.9)
EPIC-Oxford	20,156 (48.8)	1,404 (3.4)	6,685 (16.2)	8,708 (21.1)	3,046 (7.4)	74 (0.18)	11,828 (28.6)	1,262 (3.1)
Oxford Vegetarian Study ¹	2,939 (45.4)	-	724 (11.2)	2,367 (36.5)	232 (3.6)	38 (0.59)	2,637 (40.7)	180 (2.8)
Tzu Chi Health Study	1,827 (54.9)	84 (2.5)	162 (4.9)	967 (29.0)	183 (5.5)	73 (2.2)	1,223 (36.7)	33 (0.99)
UK Women's Cohort Study	21,180 (70.3)	929 (3.1)	3,804 (12.6)	3,300 (10.9)	743 (2.5)	32 (0.11)	4,075 (13.5)	160 (0.53)
<i>Very large cohort studies</i>								
China Kadoorie Biobank	284,030 (94.4)	1,302 (0.43)	1,290 (0.43)	1,536 (0.51)	563 (0.19)	8,504 (2.8)	10,603 (3.5)	3,684 (1.2)
Million Women Study	618,450 (96.8)	3,414 (0.53)	10,947 (1.7)	5,361 (0.84)	742 (0.12)	33 (0.01)	6,136 (0.96)	79 (0.01)
NIH-AARP	193,341 (89.5)	20,664 (9.6)	981 (0.45)	483 (0.22)	370 (0.17)	10 (0.00)	863 (0.40)	56 (0.03)
UK Biobank	237,928 (93.1)	4,100 (1.6)	7,692 (3.0)	4,778 (1.9)	575 (0.23)	117 (0.05)	5,470 (2.1)	264 (0.10)
Total	1,400,415 (90.6)	41,461 (2.7)	36,734 (2.4)	36,014 (2.3)	12,642 (0.82)	9,412 (0.61)	58,068 (3.8)	9,539 (0.62)
Men, N (%)								
<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	8,534 (38.2)	3,043 (13.6)	1,987 (8.9)	4,642 (20.8)	2,089 (9.3)	230 (1.0)	6,961 (31.1)	1,836 (8.2)
CARRS-1	3,653 (62.5)	922 (15.8)	57 (0.98)	166 (2.8)	807 (13.8)	73 (1.2)	1,046 (17.9)	168 (2.9)
CARRS-2	2,494 (55.9)	861 (19.3)	56 (1.3)	164 (3.7)	812 (18.2)	18 (0.40)	994 (22.3)	60 (1.3)
EPIC-Oxford	6,342 (51.1)	299 (2.4)	1,443 (11.6)	2,682 (21.6)	902 (7.3)	21 (0.17)	3,605 (29.0)	728 (5.9)
Oxford Vegetarian Study ¹	2,241 (55.4)	-	274 (6.8)	1,209 (29.9)	156 (3.9)	14 (0.35)	1,379 (34.1)	153 (3.8)
Tzu Chi Health Study	1,692 (77.2)	36 (1.6)	71 (3.2)	310 (14.1)	51 (2.3)	20 (0.91)	381 (17.3)	11 (0.50)
<i>Very large cohort studies</i>								
China Kadoorie Biobank	201,766 (96.4)	647 (0.31)	413 (0.20)	916 (0.44)	167 (0.08)	3,901 (1.9)	4,984 (2.4)	1,426 (0.68)
NIH-AARP	297,757 (95.5)	12,296 (3.9)	709 (0.23)	486 (0.16)	472 (0.15)	4 (0.00)	962 (0.31)	62 (0.02)
UK Biobank	211,243 (96.6)	1,338 (0.61)	3,036 (1.4)	2,362 (1.1)	365 (0.17)	58 (0.03)	2,785 (1.3)	184 (0.08)
Total	735,722 (93.0)	19,442 (2.5)	8,046 (1.0)	12,937 (1.6)	5,821 (0.74)	4,339 (0.55)	23,097 (2.9)	4,628 (0.59)

Abbreviations: CARRS, Centre for cArdiometabolic Risk Reduction in South Asia; EPIC, European Prospective Investigation into Cancer and Nutrition; NIH-AARP, National Institutes of Health-AARP Diet and Health Study.

¹In the Oxford Vegetarian Study, poultry eaters could not be determined as poultry intake was not assessed.

Table S5. Baseline characteristics of women by cohort¹.

	Total	AHS-2	CARRS-1	CARRS-2	EPIC-Oxford	OVS	TCHS	UKWCS	CKB	MWS	NIH-AARP	UK Biobank
N	1,546,217	42,194	6,372	5,065	41,335	6,480	3,329	30,148	300,909	639,026	215,905	255,454
Living with partner												
Yes	1,145,967 (74.1)	27,503 (65.2)	5,671 (89.0)	4,332 (85.5)	27,614 (66.8)	3,497 (54.0)	2824 (84.8)	22,282 (73.9)	267,799 (89.0)	511,789 (80.1)	95,749 (44.3)	176,907 (69.3)
No	336,711 (21.8)	13,937 (33.0)	701 (11.0)	733 (14.5)	13,649 (33.0)	2,934 (45.3)	504 (15.1)	7,415 (24.6)	33,110 (11.0)	118,337 (18.5)	118,140 (54.7)	27,251 (10.7)
Unknown	63,539 (4.1)	754 (1.8)	0 (0.00)	0 (0.00)	72 (0.17)	49 (0.76)	1 (0.00)	451 (1.5)	0 (0.00)	8,900 (1.4)	2,016 (0.93)	51,296 (20.1)
Educational status												
Less than secondary/high school	514,795 (33.3)	3,052 (7.2)	1,568 (24.6)	1,271 (25.1)	5,426 (13.1)	309 (4.8)	1023 (30.7)	4,671 (15.5)	170,715 (56.7)	217,050 (34.0)	67,342 (31.2)	42,368 (16.6)
Secondary/high school or equivalent	572,012 (37.0)	18,125 (43.0)	3,859 (60.6)	2,908 (57.4)	16,422 (39.7)	4,573 (70.6)	1636 (49.1)	15,539 (51.5)	116,872 (38.8)	305,150 (47.8)	22,927 (10.6)	64,001 (25.1)
University degree or equivalent	430,226 (27.8)	20,431 (48.4)	945 (14.8)	884 (17.5)	16,406 (39.7)	434 (6.7)	670 (20.1)	7,372 (24.5)	13,322 (4.4)	106,496 (16.7)	118,637 (54.9)	144,629 (56.6)
Unknown	29,184 (1.9)	586 (1.4)	0 (0.00)	2 (0.04)	3,081 (7.5)	1,164 (18.0)	0 (0.00)	2,566 (8.5)	0 (0.00)	10,330 (1.6)	6,999 (3.2)	4,456 (1.7)
Cigarette smoking												
Never	974,560 (63.0)	35,304 (83.7)	6,094 (95.6)	4,985 (98.4)	25,457 (61.6)	3,595 (55.5)	3274 (98.3)	16,851 (55.9)	285,673 (94.9)	346,928 (54.3)	94,000 (43.5)	152,399 (59.7)
Previous	406,326 (26.3)	6,166 (14.6)	5 (0.08)	21 (0.41)	11,253 (27.2)	1,809 (27.9)	40 (1.20)	9,148 (30.3)	2,619 (0.87)	211,953 (33.2)	84,058 (38.9)	79,254 (31.0)
Current	146,379 (9.5)	410 (0.97)	58 (0.91)	59 (1.2)	4,439 (10.7)	1,049 (16.2)	15 (0.45)	3,224 (10.7)	12,617 (4.2)	71,277 (11.2)	30,343 (14.1)	22,888 (9.0)
Unknown	18,952 (1.2)	314 (0.74)	215 (3.4)	0 (0.00)	186 (0.45)	27 (0.42)	0 (0.00)	925 (3.1)	0 (0.00)	8,868 (1.4)	7,504 (3.5)	913 (0.36)
Physical activity												
Inactive	357,643 (23.1)	8,553 (20.3)	2,681 (42.1)	3,815 (75.3)	23,253 (56.3)	2,596 (40.1)	1248 (37.5)	22,033 (73.1)	99,953 (33.2) ²	36,813 (5.8)	79,280 (36.7)	77,418 (30.3)
Moderately active	426,785 (27.6)	13,711 (32.5)	797 (12.5)	491 (9.7)	6,931 (16.8)	1,871 (28.9)	1082 (32.5)	7,074 (23.5)	100,654 (33.4) ²	70,898 (11.1)	99,164 (45.9)	124,112 (48.6)
Highly active	570,911 (36.9)	17,753 (42.1)	1,494 (23.4)	40 (0.79)	4,770 (11.5)	1,831 (28.3)	999 (30.0)	1,032 (3.4)	100,302 (33.3) ²	364,921 (57.1)	34,746 (16.1)	43,023 (16.8)
Unknown	190,878 (12.3)	2,177 (5.2)	1,400 (22.0)	719 (14.2)	6,381 (15.4)	182 (2.8)	0 (0.00)	9 (0.03)	0 (0.00)	166,394 (26.0)	2,715 (1.3)	10,901 (4.3)
History of diabetes												
Yes	71,748 (4.6)	3,195 (7.6)	777 (12.2)	830 (16.4)	459 (1.1)	33 (0.51)	155 (4.7)	544 (1.8)	18,426 (6.1)	21,570 (3.4)	16,204 (7.5)	9,555 (3.7)
No	1,466,761 (94.9)	38,512 (91.3)	5,569 (87.4)	4,231 (83.5)	36,684 (88.7)	6,419 (99.1)	3174 (95.3)	27,293 (90.5)	282,483 (93.9)	617,456 (96.6)	199,701 (92.5)	245,239 (96.0)

Unknown	7,708 (0.50)	487 (1.2)	26 (0.41)	4 (0.08)	4,192 (10.1)	28 (0.43)	0 (0.00)	2,311 (7.7)	0 (0.00)	0 (0.00)	0 (0.00)	660 (0.26)
Age at menarche												
≤10 years	60,622 (3.9)	3,658 (8.7)	16 (0.25)	18 (0.36)	1,800 (4.4)	-	3 (0.09)	1,760 (5.8)	278 (0.09)	26,924 (4.2)	14,720 (6.8)	11,445 (4.5)
11–12 years	457,022 (29.6)	18,046 (42.8)	759 (11.9)	635 (12.5)	14,635 (35.4)	-	282 (8.47)	10,787 (35.8)	16,130 (5.4)	220,840 (34.6)	90,177 (41.8)	84,731 (33.2)
13–14 years	624,908 (40.4)	15,807 (37.5)	3,931 (61.7)	2,817 (55.6)	18,925 (45.8)	-	1482 (44.5)	13,111 (43.5)	84,506 (28.1)	285,866 (44.7)	89,002 (41.2)	109,461 (42.8)
≥15 years	375,784 (24.3)	4,365 (10.3)	1,664 (26.1)	1,570 (31.0)	5,399 (13.1)	-	1536 (46.1)	3,877 (12.9)	199,947 (66.4)	95,559 (15.0)	19,860 (9.2)	42,007 (16.4)
Unknown	27,881 (1.8)	318 (0.75)	2 (0.03)	25 (0.49)	576 (1.4)	6,480 (100)	26 (0.8)	613 (2.0)	48 (0.02)	9,837 (1.5)	2,146 (0.99)	7,810 (3.1)
Parity												
None	187,425 (12.1)	6,542 (15.5)	329 (5.2)	295 (5.8)	15,748 (38.1)	3,244 (50.1)	255 (7.66)	3,739 (12.4)	3,956 (1.3)	72,831 (11.4)	32,816 (15.2)	47,670 (18.7)
One	254,901 (16.5)	5,457 (12.9)	546 (8.6)	385 (7.6)	5,357 (13.0)	917 (14.2)	184 (5.53)	3,748 (12.4)	103,690 (34.5)	78,095 (12.2)	22,460 (10.4)	34,062 (13.3)
Two	593,107 (38.4)	13,342 (31.6)	1,692 (26.6)	1,287 (25.4)	12,261 (29.7)	1,386 (21.4)	1148 (34.5)	11,668 (38.7)	95,596 (31.8)	287,141 (44.9)	55,974 (25.9)	111,612 (43.7)
3–4	430,594 (27.8)	13,045 (30.9)	2,489 (39.1)	1,983 (39.2)	7,062 (17.1)	714 (11.0)	1550 (46.6)	7,255 (24.1)	77,933 (25.9)	182,369 (28.5)	78,618 (36.4)	57,576 (22.5)
5–9	70,558 (4.6)	3,066 (7.3)	1,211 (19.0)	1,042 (20.6)	526 (1.3)	63 (0.97)	173 (5.20)	603 (2.0)	19,542 (6.5)	17,126 (2.7)	23,014 (10.7)	4,192 (1.6)
≥10	1,305 (0.08)	133 (0.32)	59 (0.93)	52 (1.0)	2 (0.00)	1 (0.02)	0 (0.00)	12 (0.04)	192 (0.06)	63 (0.01)	746 (0.35)	45 (0.02)
Unknown	8,327 (0.54)	609 (1.4)	46 (0.72)	21 (0.41)	379 (0.92)	155 (2.4)	19 (0.6)	3,123 (10.4)	0 (0.00)	1,401 (0.22)	2,277 (1.1)	297 (0.12)
Age at first birth												
≤19 years	157,185 (10.2)	5,947 (14.1)	-	-	1,489 (3.6)	195 (3.0)	-	1,661 (5.5)	28,021 (9.3)	62,803 (9.8)	37,301 (17.3)	19,768 (7.7)
20–24 years	619,652 (40.1)	13,002 (30.8)	-	-	7,934 (19.2)	967 (14.9)	-	8,101 (26.9)	170,982 (56.8)	258,825 (40.5)	92,737 (43.0)	67,104 (26.3)
25–29 years	401,728 (26.0)	8,627 (20.4)	-	-	9,889 (23.9)	1,259 (19.4)	-	8,883 (29.5)	86,929 (28.9)	173,713 (27.2)	38,202 (17.7)	74,226 (29.1)
30–34 years	108,882 (7.0)	3,479 (8.2)	-	-	4,444 (10.8)	490 (7.6)	-	3,434 (11.4)	9,222 (3.1)	45,920 (7.2)	9,717 (4.5)	32,176 (12.6)
35–39 years	30,023 (1.9)	1,049 (2.5)	-	-	1,248 (3.0)	134 (2.1)	-	1,025 (3.4)	1,433 (0.48)	11,223 (1.8)	2,387 (1.1)	11,524 (4.5)
≥40 years	5,511 (0.36)	236 (0.56)	-	-	193 (0.47)	23 (0.35)	-	157 (0.52)	218 (0.07)	2,002 (0.31)	413 (0.19)	2,269 (0.89)
No children	187,425 (12.1)	6,542 (15.5)	329 (5.2)	295 (5.8)	15,748 (38.1)	3,244 (50.1)	255 (7.7)	3,739 (12.4)	3,956 (1.3)	72,831 (11.4)	32,816 (15.2)	47,670 (18.7)
Unknown	35,811 (2.3)	3,312 (7.8)	6,043 (94.8)	4,770 (94.2)	390 (0.94)	168 (2.6)	3074 (92.3)	3,148 (10.4)	148 (0.05)	11,709 (1.8)	2,332 (1.1)	717 (0.28)

Menopausal status												
Pre-menopausal	244,562 (15.8)	9,689 (23.0)	4,018 (63.1)	2,941 (58.1)	24,718 (59.8)	4,754 (73.4)	1232 (37.0)	11,796 (39.1)	128,741 (42.8)	1 (0.00)	0 (0.00)	56,672 (22.2)
Post-menopausal	1,301,655 (84.2)	32,505 (77.0)	2,354 (36.9)	2,124 (41.9)	16,617 (40.2)	1,726 (26.6)	2097 (63.0)	18,352 (60.9)	172,168 (57.2)	639,025 (100.0)	215,905 (100)	198,782 (77.8)
Age at menopause (postmenopausal women only)												
<40 years	77,087 (5.9)	2,594 (8.0)	406 (17.2)	292 (13.7)	0 (0.00)	- (6.2)	131 (10.9)	2,004 (3.8)	6,464 (3.3)	21,158 (17.8)	38,407 (17.8)	5,631 (2.8)
40–44 years	124,498 (9.6)	3,005 (9.2)	639 (27.1)	518 (24.4)	1,508 (9.1)	- (12.0)	251 (10.9)	2,008 (10.6)	18,184 (8.2)	52,184 (15.5)	33,393 (23.8)	12,808 (6.4)
45–49 years	296,861 (22.8)	5,383 (16.6)	757 (32.2)	653 (30.7)	3,142 (18.9)	- (26.5)	556 (21.5)	3,953 (37.8)	65,017 (20.7)	132,074 (23.8)	51,357 (23.8)	33,969 (17.1)
50–54 years	438,854 (33.7)	7,762 (23.9)	340 (14.4)	375 (17.7)	4,893 (29.4)	- (46.0)	964 (34.3)	6,294 (34.9)	60,141 (35.0)	223,470 (30.6)	66,050 (30.6)	68,565 (34.5)
≥55 years	104,681 (8.0)	12,232 (37.6)	103 (4.4)	73 (3.4)	739 (4.4)	- (8.2)	173 (5.7)	1,051 (4.5)	7,779 (7.2)	46,200 (6.8)	14,617 (6.8)	21,714 (10.9)
Unknown	259,674 (19.9)	1,529 (4.7)	109 (4.6)	213 (10.0)	6,335 (38.1)	1,726 (100)	22 (1.0)	3,042 (16.6)	14,583 (8.5)	163,939 (25.7)	12,081 (5.6)	56,095 (28.2)
Ever used oral contraceptives												
Yes	782,773 (50.6)	24,802 (58.8)	223 (3.5)	349 (6.9)	30,475 (73.7)	3,582 (55.3)	523 (15.7)	20,167 (66.9)	29,611 (9.8)	391,488 (61.3)	74,501 (34.5)	207,052 (81.1)
No	621,155 (40.2)	17,392 (41.2)	6,148 (96.5)	4,688 (92.6)	10,503 (25.4)	2,848 (44.0)	2778 (83.4)	9,521 (31.6)	271,252 (90.1)	243,805 (38.2)	4,671 (2.2)	47,549 (18.6)
Unknown	142,289 (9.2)	-	1 (0.02)	28 (0.55)	357 (0.86)	50 (0.77)	28 (0.01)	460 (1.5)	46 (0.02)	3,733 (0.58)	136,733 (63.3)	853 (0.33)
Ever used hormone replacement therapy												
Yes	584,677 (37.8)	16,619 (39.4)	-	-	7,506 (18.2)	-	654 (19.6)	8,198 (27.2)	-	341,137 (53.4)	114,186 (52.9)	96,377 (37.7)
No	628,851 (40.7)	24,294 (57.6)	-	-	33,239 (80.4)	-	1432 (43.0)	20,997 (69.6)	-	289,096 (45.2)	101,719 (47.1)	158,074 (61.9)
Unknown	332,689 (21.5)	1,281 (3.0)	6,372 (100)	5,065 (100)	590 (1.4)	6,480 (100)	1243 (37.3)	953 (3.2)	300,909 (100)	8,793 (1.4)	0 (0.00)	1,003 (0.39)

Abbreviations: AHS-2, Adventist Health Study-2; CARRS, Centre for cArdiometabolic Risk Reduction in South Asia; CKB, China Kadoorie Biobank; EPIC, European Prospective Investigation into Cancer and Nutrition; MWS, Million Women Study; NIH-AARP, National Institutes of Health-AARP Diet and Health Study; OVS, Oxford Vegetarian Study; TCHS, Tzu Chi Health Study; UKWCS, UK Women's Cohort Study.

¹All values are N (%).

²Sex-specific tertiles of metabolic equivalents.

c indicates that no information was available for this variable in the specified cohort.

Table S6. Baseline characteristics of men by cohort.

	Total	AHS-2	CARRS-1	CARRS-2	EPIC-Oxford	OVS	TCHS	CKB	NIH-AARP	UK Biobank
N	790,935	22,361	5,846	4,465	12,417	4,047	2,191	209,236	311,786	218,586
Living with partner										
Yes	670,475 (84.8)	19,077 (85.3)	5,225 (89.4)	3,924 (87.9)	8,885 (71.6)	2,449 (60.5)	2,012 (91.8)	194,417 (92.9)	267,667 (85.8)	166,819 (76.3)
No	79,323 (10.0)	2,946 (13.2)	621 (10.6)	540 (12.1)	3,505 (28.2)	1,582 (39.1)	178 (8.1)	14,819 (7.1)	42,262 (13.6)	12,870 (5.9)
Unknown	41,137 (5.2)	338 (1.5)	0 (0.00)	1 (0.02)	27 (0.22)	16 (0.40)	1 (0.00)	0 (0.00)	1,857 (0.60)	38,897 (17.8)
Educational status										
Less than secondary/high school	197,732 (25.0)	1,553 (6.9)	744 (12.7)	504 (11.3)	1,529 (12.3)	34 (0.84)	354 (16.2)	88,290 (42.2)	67,682 (21.7)	37,042 (16.9)
Secondary/high school or equivalent	195,929 (24.8)	7,867 (35.2)	3,850 (65.9)	2,892 (64.8)	3,598 (29.0)	2,604 (64.3)	1,045 (47.7)	104,506 (49.9)	29,002 (9.3)	40,565 (18.6)
University degree or equivalent	383,487 (48.5)	12,713 (56.9)	1,252 (21.4)	1,069 (23.9)	6,409 (51.6)	640 (15.8)	792 (36.2)	16,440 (7.9)	207,254 (66.5)	136,918 (62.6)
Unknown	13,787 (1.7)	228 (1.0)	0 (0.00)	0 (0.00)	881 (7.1)	769 (19.0)	0 (0.00)	0 (0.00)	7,848 (2.5)	0 (0.00)
Cigarette smoking										
Never	260,434 (32.9)	16,316 (73.0)	3,420 (58.5)	3,065 (68.6)	6,501 (52.4)	1,668 (41.2)	1,328 (60.6)	30,156 (14.4)	90,924 (29.2)	107,056 (49.0)
Previous	299,946 (37.9)	5,172 (23.1)	209 (3.6)	311 (7.0)	4,225 (34.0)	1,364 (33.7)	647 (29.5)	27,486 (13.1)	177,428 (56.9)	83,104 (38.0)
Current	216,513 (27.4)	258 (1.2)	1,628 (27.8)	1,086 (24.3)	1,648 (13.3)	1,006 (24.9)	216 (9.9)	151,594 (72.5)	31,497 (10.1)	27,580 (12.6)
Unknown	14,042 (1.8)	615 (2.8)	589 (10.1)	3 (0.07)	43 (0.35)	9 (0.22)	0 (0.00)	0 (0.00)	11,937 (3.8)	0 (0.00)
Physical activity										
Inactive	235,008 (29.7)	3,588 (16.0)	1,990 (34.0)	3,164 (70.9)	6,736 (54.2)	1,380 (34.1)	672 (30.7)	69,414 (33.2) ²	87,726 (28.1)	60,338 (27.6)
Moderately active	343,204 (43.4)	7,281 (32.6)	1,362 (23.3)	475 (10.6)	2,383 (19.2)	1,213 (30.0)	685 (31.3)	69,869 (33.4) ²	155,271 (49.8)	104,665 (47.9)
Highly active	198,300 (25.1)	10,605 (47.4)	1,097 (18.8)	156 (3.5)	2,201 (17.7)	1,417 (35.0)	834 (38.1)	69,953 (33.4) ²	66,132 (21.2)	45,905 (21.0)
Unknown	14,423 (1.8)	887 (4.0)	1,397 (23.9)	670 (15.0)	1,097 (8.8)	37 (0.91)	0 (0.00)	0 (0.00)	2,657 (0.85)	0 (0.00)
History of diabetes										
Yes	62,379 (7.9)	1,880 (8.4)	696 (11.9)	696 (15.6)	263 (2.1)	29 (0.72)	139 (6.3)	11,579 (5.5)	31,927 (10.2)	15,170 (6.9)
No	726,764 (91.9)	20,189 (90.3)	5,111 (87.4)	3,762 (84.3)	11,645 (93.8)	4,009 (99.1)	2,052 (97.7)	197,657 (94.5)	279,859 (89.8)	202,480 (92.6)
Unknown	1,792 (0.23)	292 (1.3)	39 (0.67)	7 (0.16)	509 (4.1)	9 (0.22)	0 (0.00)	0 (0.00)	0 (0.00)	936 (0.43)

Abbreviations: AHS-2, Adventist Health Study-2; CARRS, Centre for cArdiometabolic Risk Reduction in South Asia; CKB, China Kadoorie Biobank; EPIC, European Prospective Investigation into Cancer and Nutrition; NIH-AARP, National Institutes of Health-AARP Diet and Health Study; OVS, Oxford Vegetarian Study; TCHS, Tzu Chi Health Study.

¹All values are N (%).

²Sex-specific tertiles of metabolic equivalents.

Table S7. Baseline food intakes by diet group and cohort (n = 2,337,152)¹.

Cohort	Meat eaters	Poultry eaters	Pescatarians	Vegetarians				Vegans
				Lacto-ovo vegetarians	Lacto vegetarians	Ovo vegetarians	All vegetarians ²	
Refined grains, g/day								
<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	107.2 (100.0)	93.6 (91.7)	93.6 (98.3)	86.9 (78.2)	76.5 (75.0)	75.0 (80.8)	83.3 (77.5)	67.8 (78.7)
CARRS-1	403.7 (201.0)	432.0 (180.6)	452.3 (161.8)	259.4 (237.2)	209.7 (228.0)	249.3 (240.8)	219.4 (230.8)	244.3 (236.8)
CARRS-2	737.0 (654.1)	605.4 (592.7)	718.8 (529.5)	248.7 (388.5)	192.9 (330.8)	267.0 (323.1)	201.7 (339.4)	246.2 (336.7)
EPIC-Oxford	91.1 (62.2)	83.1 (70.3)	95.1 (67.0)	102.1 (70.0)	93.5 (71.1)	79.9 (71.9)	99.8 (70.4)	78.6 (76.0)
Oxford Vegetarian Study ³	110.4 (66.2)	-	114.3 (65.9)	116.9 (66.2)	113.8 (72.5)	132.8 (74.9)	116.8 (66.9)	134.5 (76.5)
Tzu Chi Health Study	369.1 (247.8)	304.4 (235.6)	303.6 (239.5)	349.0 (240.2)	341.1 (265.6)	345.4 (257.1)	347.7 (244.9)	374.8 (289.5)
UK Women's Cohort Study	91.6 (65.6)	81.6 (69.3)	94.1 (68.2)	95.7 (69.6)	83.5 (70.1)	83.1 (74.9)	93.4 (69.9)	71.1 (72.1)
<i>Very large cohorts</i>								
China Kadoorie Biobank ⁴	307.2 (69.4)	301.5 (89.1)	319.4 (101.5)	252.8 (62.5)	267.5 (80.8)	238.8 (33.6)	242.3 (43.3)	237.9 (36.8)
Million Women Study	97.3 (58.6)	97.9 (63.6)	103.9 (62.9)	112.4 (64.1)	108.7 (75.3)	109.1 (68.4)	111.9 (65.6)	102.6 (63.5)
NIH-AARP	91.6 (66.7)	97.3 (83.9)	133.5 (110.1)	122.1 (88.5)	144.2 (109.1)	143.7 (117.1)	132.4 (99.3)	169.3 (109.3)
UK Biobank ⁴	147.4 (19.5)	140.0 (14.9)	139.9 (15.2)	141.7 (16.5)	145.5 (17.2)	141.9 (14.3)	142.2 (16.6)	138.8 (14.4)
Wholemeal grains, g/day								
<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	126.2 (113.6)	158.2 (127.9)	180.8 (143.1)	164.9 (122.0)	196.0 (139.7)	214.3 (143.2)	176.1 (129.4)	242.5 (157.3)
CARRS-1	81.9 (82.2)	74.8 (78.6)	62.1 (71.5)	121.4 (88.4)	129.7 (89.7)	100.6 (90.0)	126.9 (89.7)	117.7 (92.3)
CARRS-2	80.2 (106.4)	95.5 (111.7)	64.7 (101.3)	170.5 (113.2)	179.4 (123.4)	166.8 (118.1)	178.0 (122.0)	163.9 (113.1)
EPIC-Oxford	82.7 (63.5)	111.1 (73.5)	112.5 (77.0)	113.0 (76.0)	116.2 (81.7)	117.9 (83.0)	113.8 (77.5)	152.1 (95.3)
Oxford Vegetarian Study ³	24.4 (24.7)	-	28.6 (24.3)	30.0 (24.7)	25.7 (25.4)	20.8 (24.4)	29.5 (24.8)	26.8 (25.4)
Tzu Chi Health Study	46.0 (60.3)	54.6 (75.4)	60.4 (60.8)	65.2 (71.4)	72.2 (84.4)	68.2 (89.8)	66.4 (74.6)	101.7 (116.2)
UK Women's Cohort Study	75.8 (64.0)	100.4 (72.0)	100.7 (71.3)	100.8 (71.4)	104.5 (88.0)	113.5 (84.1)	101.5 (74.8)	119.9 (79.4)
<i>Very large cohorts</i>								
China Kadoorie Biobank ⁴	35.6 (43.7)	51.1 (54.8)	36.2 (38.8)	73.2 (64.8)	57.4 (58.7)	95.1 (66.5)	89.9 (66.7)	86.1 (66.2)
Million Women Study	81.6 (57.7)	98.4 (63.2)	102.3 (63.3)	100.2 (63.5)	90.7 (66.0)	146.8 (97.3)	99.3 (64.2)	111.6 (77.1)
NIH-AARP	48.2 (58.0)	67.2 (80.3)	79.6 (93.6)	86.9 (92.0)	92.9 (105.1)	147.3 (296.1)	90.1 (101.2)	137.5 (143.1)
UK Biobank ⁴	85.9 (28.4)	89.9 (25.8)	94.6 (24.8)	92.6 (26.8)	76.5 (29.5)	81.2 (30.5)	90.6 (27.7)	95.0 (28.2)

	Vegetable intake, g/day							
<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	264.9 (190.7)	301.5 (213.5)	342.6 (235.2)	296.9 (183.9)	320.4 (212.7)	322.5 (215.9)	304.9 (194.6)	370.6 (253.8)
CARRS-1	420.7 (220.5)	435.4 (212.0)	433.0 (214.9)	477.7 (179.0)	443.6 (206.6)	448.4 (204.1)	449.0 (202.8)	427.0 (218.6)
CARRS-2	355.5 (245.5)	376.7 (233.5)	359.3 (235.1)	412.7 (219.3)	406.5 (226.5)	359.9 (175.7)	406.4 (224.7)	361.0 (225.6)
EPIC-Oxford	230.6 (122.0)	268.3 (144.9)	273.9 (141.3)	270.8 (141.9)	277.5 (166.5)	338.8 (174.5)	272.9 (148.9)	322.5 (176.9)
Oxford Vegetarian Study ³	91.5 (49.3)	-	118.1 (55.3)	119.7 (56.7)	121.8 (62.3)	129.4 (56.1)	120.1 (57.3)	122.6 (59.8)
Tzu Chi Health Study	427.5 (291.9)	491.2 (366.2)	510.1 (300.5)	519.6 (343.9)	529.0 (374.0)	502.1 (321.7)	519.9 (347.1)	633.4 (447.4)
UK Women's Cohort Study	245.3 (127.3)	305.0 (175.8)	287.4 (150.6)	277.4 (133.0)	294.9 (173.1)	317.0 (158.4)	280.9 (141.5)	342.3 (185.4)
<i>Very large cohorts</i>								
China Kadoorie Biobank ⁴	236.6 (8.5)	237.3 (6.0)	237.5 (5.6)	236.1 (8.8)	236.0 (8.6)	235.4 (10.4)	235.6 (10.1)	234.8 (12.0)
Million Women Study	99.0 (67.6)	108.2 (77.0)	124.8 (84.6)	134.6 (88.2)	131.9 (103.9)	198.7 (125.4)	134.7 (90.6)	175.9 (114.5)
NIH-AARP	290.9 (183.0)	321.2 (248.4)	462.2 (361.0)	445.8 (302.7)	500.3 (331.1)	509.1 (337.6)	471.4 (317.4)	801.7 (439.0)
UK Biobank ⁴	190.3 (46.5)	204.7 (48.5)	208.4 (47.5)	209.2 (48.1)	218.5 (50.3)	219.5 (52.8)	210.4 (48.6)	224.6 (47.8)
	Legumes, g/day							
<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	59.9 (68.0)	77.2 (81.5)	98.4 (100.7)	89.4 (78.7)	100.7 (90.1)	95.5 (87.0)	93.1 (82.8)	109.5 (105.2)
CARRS-1	71.7 (85.5)	66.0 (80.4)	65.6 (80.9)	134.9 (111.5)	137.0 (111.6)	125.1 (110.3)	136.1 (111.5)	117.3 (109.4)
CARRS-2	104.5 (112.0)	106.2 (103.8)	95.6 (96.2)	136.1 (110.1)	138.5 (108.0)	92.4 (74.6)	137.2 (107.9)	143.9 (112.7)
EPIC-Oxford	55.1 (37.2)	58.8 (41.2)	67.9 (46.1)	74.6 (48.9)	75.4 (60.5)	89.2 (51.8)	74.9 (52.2)	97.8 (66.5)
Oxford Vegetarian Study ³	63.6 (34.4)	-	83.8 (43.9)	81.0 (42.2)	86.9 (58.7)	94.1 (57.4)	81.7 (44.3)	110.0 (55.6)
Tzu Chi Health Study	15.0 (25.3)	15.4 (25.8)	18.1 (33.8)	21.0 (37.3)	17.7 (29.5)	15.9 (31.6)	20.2 (36.0)	17.2 (20.6)
UK Women's Cohort Study	65.9 (39.9)	81.3 (50.8)	86.4 (51.6)	94.2 (55.3)	90.7 (59.4)	122.6 (62.4)	93.8 (56.2)	110.8 (64.6)
<i>Very large cohorts</i>								
China Kadoorie Biobank ⁴	NA	NA	NA	NA	NA	NA	NA	NA
Million Women Study	18.0 (15.2)	18.8 (17.7)	21.4 (18.4)	23.7 (20.6)	23.5 (22.2)	33.8 (25.3)	23.8 (20.8)	28.9 (24.9)
NIH-AARP	25.5 (31.5)	28.6 (45.5)	62.5 (78.3)	69.0 (80.7)	79.6 (87.4)	112.5 (114.4)	74.2 (84.4)	132.0 (135.4)
UK Biobank ⁴	NA	NA	NA	NA	NA	NA	NA	NA
	Fruit intake, g/day							
<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	258.7 (246.6)	328.8 (285.3)	377.1 (311.1)	310.3 (235.6)	372.6 (286.5)	406.9 (305.1)	332.7 (256.8)	454.5 (321.3)
CARRS-1	38.4 (71.6)	39.5 (73.0)	38.7 (72.4)	67.0 (89.2)	67.8 (89.3)	39.1 (73.3)	66.1 (88.7)	44.8 (77.0)

CARRS-2	70.0 (93.7)	61.6 (86.0)	46.7 (70.6)	104.8 (122.9)	100.7 (130.3)	34.6 (44.5)	100.0 (128.5)	32.4 (77.6)
EPIC-Oxford	258.5 (202.5)	315.0 (229.3)	292.1 (228.7)	268.6 (212.5)	298.2 (242.9)	315.2 (236.5)	276.4 (221.2)	351.0 (349.1)
Oxford Vegetarian Study ³	67.0 (37.5)	-	83.5 (34.2)	86.1 (33.6)	82.9 (38.0)	86.0 (31.8)	85.8 (34.0)	94.0 (32.2)
Tzu Chi Health Study	153.3 (153.9)	173.6 (146.2)	175.8 (175.5)	155.4 (136.0)	157.9 (159.6)	139.6 (236.8)	154.9 (147.2)	146.7 (118.1)
UK Women's Cohort Study	308.7 (217.9)	364.6 (260.1)	351.7 (252.0)	339.5 (243.3)	369.4 (279.2)	403.1 (236.7)	345.4 (250.4)	432.3 (369.6)
Very large cohorts								
China Kadoorie Biobank ⁴	84.8 (35.1)	91.6 (39.7)	102.9 (41.6)	74.2 (33.3)	77.7 (36.9)	62.5 (24.1)	65.0 (27.0)	59.0 (25.8)
Million Women Study	281.2 (175.2)	330.9 (208.1)	345.7 (201.4)	354.8 (214.8)	363.1 (253.8)	475.2 (252.4)	356.5 (220.2)	439.6 (220.9)
NIH-AARP	356.9 (307.4)	456.4 (376.5)	465.4 (385.5)	481.7 (364.0)	508.9 (416.8)	474.1 (446.1)	494.2 (389.9)	691.8 (634.7)
UK Biobank ⁴	191.5 (84.0)	225.9 (88.8)	214.7 (86.1)	206.4 (87.8)	209.1 (92.1)	226.0 (94.0)	207.2 (88.4)	228.3 (92.6)

Nuts and seeds, g/day

Cohorts with large proportions of vegetarians								
Adventist Health Study-2	17.6 (20.8)	20.2 (23.3)	23.6 (24.3)	25.4 (24.2)	27.8 (25.7)	29.3 (27.9)	26.2 (24.8)	34.4 (31.1)
CARRS-1	4.5 (7.4)	3.8 (7.1)	3.1 (6.1)	6.8 (9.7)	7.2 (9.7)	4.0 (7.7)	6.9 (9.6)	5.0 (8.7)
CARRS-2	2.9 (14.9)	2.9 (16.4)	1.2 (3.6)	4.8 (17.0)	4.1 (25.2)	1.0 (3.2)	4.1 (24.1)	0.9 (3.1)
EPIC-Oxford	4.4 (8.8)	7.0 (12.2)	7.9 (11.6)	9.2 (13.7)	9.9 (15.1)	15.4 (23.6)	9.5 (14.2)	19.8 (26.0)
Oxford Vegetarian Study ³	8.5 (10.8)	-	18.4 (15.2)	19.3 (16.0)	21.2 (17.8)	29.1 (21.7)	19.6 (16.3)	29.7 (19.4)
Tzu Chi Health Study	4.0 (9.7)	2.7 (5.5)	4.3 (11.5)	5.8 (11.7)	5.3 (10.3)	4.1 (7.9)	5.6 (11.4)	6.4 (13.3)
UK Women's Cohort Study	6.2 (9.0)	9.5 (12.3)	11.1 (14.3)	11.7 (14.2)	13.1 (18.7)	17.4 (13.1)	12.0 (15.1)	21.4 (27.2)
Very large cohorts								
China Kadoorie Biobank ⁴	NA	NA	NA	NA	NA	NA	NA	NA
Million Women Study	4.0 (8.9)	6.9 (12.5)	9.3 (14.0)	10.9 (15.0)	12.1 (17.9)	19.0 (24.9)	11.0 (15.5)	20.7 (18.3)
NIH-AARP	5.7 (10.8)	4.0 (10.4)	7.8 (16.1)	11.6 (19.8)	9.5 (17.3)	10.0 (15.2)	10.6 (18.7)	14.6 (28.3)
UK Biobank ⁴	NA	NA	NA	NA	NA	NA	NA	NA

Sweets, preserves, cakes & confectionery, g/day

Cohorts with large proportions of vegetarians								
Adventist Health Study-2	23.2 (32.4)	16.6 (24.8)	14.8 (24.1)	18.9 (24.8)	14.8 (21.9)	10.3 (17.7)	17.4 (23.8)	7.5 (15.0)
CARRS-1	32.9 (44.2)	29.0 (45.0)	35.2 (50.2)	46.6 (49.6)	50.7 (49.5)	31.2 (42.0)	49.0 (49.4)	39.1 (47.8)
CARRS-2	19.8 (47.1)	15.9 (35.9)	13.6 (30.5)	22.1 (43.7)	21.8 (35.8)	9.7 (20.0)	21.6 (36.7)	17.4 (173.3)
EPIC-Oxford	79.0 (61.8)	61.6 (54.2)	65.1 (51.8)	70.6 (55.0)	63.2 (51.3)	50.9 (53.8)	68.6 (54.2)	46.8 (43.0)
Oxford Vegetarian Study ³	33.9 (25.7)	-	31.6 (24.7)	32.4 (25.7)	26.7 (24.9)	29.3 (26.3)	31.8 (25.7)	23.4 (23.4)
Tzu Chi Health Study	10.2 (18.4)	6.1 (10.7)	7.1 (14.2)	12.2 (19.6)	9.1 (17.1)	0.0 (0.0)	11.1 (18.9)	0.0 (0.0)

UK Women's Cohort Study	77.0 (57.0)	61.7 (52.5)	64.3 (49.7)	67.6 (51.4)	54.8 (51.9)	49.8 (62.6)	65.1 (51.9)	41.1 (45.6)
Very large cohorts								
China Kadoorie Biobank ⁴	NA	NA	NA	NA	NA	NA	NA	NA
Million Women Study	43.2 (42.1)	34.5 (38.5)	36.8 (39.5)	40.4 (40.8)	30.5 (41.6)	32.5 (43.2)	39.1 (41.1)	19.4 (41.6)
NIH-AARP	44.1 (41.5)	25.1 (31.6)	29.8 (39.4)	35.2 (40.1)	30.0 (35.9)	11.5 (15.1)	32.6 (38.2)	17.2 (27.1)
UK Biobank ⁴	NA	NA	NA	NA	NA	NA	NA	NA

Plant milk, g/day

Cohorts with large proportions of vegetarians								
Adventist Health Study-2	42.8 (108.9)	87.6 (152.7)	116.0 (162.4)	100.2 (149.7)	144.5 (177.8)	159.0 (177.1)	115.8 (161.2)	162.1 (176.2)
CARRS-1	NA	NA	NA	NA	NA	NA	NA	NA
CARRS-2	NA	NA	NA	NA	NA	NA	NA	NA
EPIC-Oxford	4.6 (38.2)	18.4 (73.2)	21.1 (78.7)	25.5 (86.5)	48.8 (119.3)	184.9 (163.7)	32.4 (97.8)	221.7 (187.7)
Oxford Vegetarian Study ³	NA	-	NA	NA	NA	NA	NA	NA
Tzu Chi Health Study	79.6 (112.8)	80.2 (103.4)	73.9 (95.8)	88.0 (126.8)	77.2 (122.1)	76.6 (139.8)	85.7 (126.9)	51.2 (83.2)
UK Women's Cohort Study	2.6 (30.0)	9.9 (58.6)	15.2 (71.1)	19.0 (76.0)	44.1 (122.3)	155.4 (206.7)	24.7 (89.2)	192.9 (166.9)
Very large cohorts								
China Kadoorie Biobank ⁴	NA	NA	NA	NA	NA	NA	NA	NA
Million Women Study	4.3 (26.0)	15.1 (47.5)	18.1 (50.3)	22.7 (57.8)	29.8 (70.5)	119.6 (102.8)	24.1 (60.2)	80.6 (94.5)
NIH-AARP	NA	NA	NA	NA	NA	NA	NA	NA
UK Biobank ⁴	NA	NA	NA	NA	NA	NA	NA	NA

Sugar-sweetened beverages, g/day

Cohorts with large proportions of vegetarians								
Adventist Health Study-2	232.2 (425.5)	110.2 (292.6)	58.5 (183.1)	88.3 (236.4)	56.3 (197.0)	24.1 (122.5)	76.3 (222.6)	12.6 (100.1)
CARRS-1	51.9 (61.8)	38.9 (56.8)	46.3 (61.5)	52.8 (64.0)	54.0 (59.9)	47.4 (59.4)	53.5 (60.5)	45.1 (56.2)
CARRS-2	24.5 (54.5)	17.8 (37.7)	18.1 (39.5)	19.7 (37.9)	19.1 (42.9)	10.3 (20.3)	19.0 (41.9)	9.3 (20.9)
EPIC-Oxford	88.6 (166.7)	74.1 (157.3)	74.3 (145.4)	94.8 (166.1)	95.4 (173.9)	52.5 (146.5)	94.7 (168.1)	70.1 (149.2)
Oxford Vegetarian Study ³	NA	-	NA	NA	NA	NA	NA	NA
Tzu Chi Health Study	24.7 (103.7)	7.7 (32.5)	7.3 (44.3)	14.5 (79.0)	5.8 (28.0)	18.8 (112.4)	13.5 (76.3)	0.4 (2.5)
UK Women's Cohort Study	63.6 (123.6)	50.6 (115.3)	48.7 (105.6)	54.0 (119.0)	54.6 (129.0)	32.9 (62.0)	54.0 (120.6)	55.1 (182.4)
Very large cohorts								
China Kadoorie Biobank ⁴	NA	NA	NA	NA	NA	NA	NA	NA
Million Women Study	114.9 (207.8)	104.1 (216.4)	89.3 (184.3)	97.9 (202.1)	122.0 (279.3)	169.7 (594.6)	101.2 (216.9)	77.0 (191.5)

NIH-AARP	895.7 (1,093.9)	630.5 (905.3)	588.0 (922.8)	585.6 (881.6)	639.5 (1,079.6)	472.7 (804.5)	609.6 (977.4)	446.9 (660.6)
UK Biobank ⁴	NA	NA	NA	NA	NA	NA	NA	NA

Total red and processed meat, g/day (includes red meat, processed meat, and offal)

<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	23.6 (27.2)	-	-	-	-	-	-	-
CARRS-1	44.0 (38.9)	-	-	-	-	-	-	-
CARRS-2	44.9 (71.4)	-	-	-	-	-	-	-
EPIC-Oxford	49.7 (34.6)	-	-	-	-	-	-	-
Oxford Vegetarian Study ³	76.2 (39.3)	-	-	-	-	-	-	-
Tzu Chi Health Study	29.5 (41.3)	-	-	-	-	-	-	-
UK Women's Cohort Study	70.8 (45.2)	-	-	-	-	-	-	-
<i>Very large cohorts</i>								
China Kadoorie Biobank ⁴	54.6 (14.2)	-	-	-	-	-	-	-
Million Women Study	37.9 (27.5)	-	-	-	-	-	-	-
NIH-AARP	68.0 (50.7)	-	-	-	-	-	-	-
UK Biobank ⁴	58.9 (14.1)	-	-	-	-	-	-	-

Red meat, g/day

<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	20.6 (24.2)	-	-	-	-	-	-	-
CARRS-1	38.1 (33.7)	-	-	-	-	-	-	-
CARRS-2	38.9 (64.8)	-	-	-	-	-	-	-
EPIC-Oxford	27.7 (24.7)	-	-	-	-	-	-	-
Oxford Vegetarian Study ³	69.1 (38.0)	-	-	-	-	-	-	-
Tzu Chi Health Study	26.1 (38.4)	-	-	-	-	-	-	-
UK Women's Cohort Study	48.1 (36.6)	-	-	-	-	-	-	-
<i>Very large cohorts</i>								
China Kadoorie Biobank ⁴	NA	-	-	-	-	-	-	-
Million Women Study	26.8 (23.2)	-	-	-	-	-	-	-
NIH-AARP	50.6 (39.7)	-	-	-	-	-	-	-
UK Biobank ⁴	40.2 (11.5)	-	-	-	-	-	-	-

		Processed meat, g/day							
Cohorts with large proportions of vegetarians									
Adventist Health Study-2	3.0 (5.4)	-	-	-	-	-	-	-	-
CARRS-1	NA	-	-	-	-	-	-	-	-
CARRS-2	NA	-	-	-	-	-	-	-	-
EPIC-Oxford	20.0 (16.4)	-	-	-	-	-	-	-	-
Oxford Vegetarian Study ³	NA	-	-	-	-	-	-	-	-
Tzu Chi Health Study	2.3 (5.5)	-	-	-	-	-	-	-	-
UK Women's Cohort Study	18.9 (14.2)	-	-	-	-	-	-	-	-
Very large cohorts									
China Kadoorie Biobank ⁴	NA	-	-	-	-	-	-	-	-
Million Women Study	10.0 (10.7)	-	-	-	-	-	-	-	-
NIH-AARP	16.2 (18.4)	-	-	-	-	-	-	-	-
UK Biobank ⁴	18.6 (6.4)	-	-	-	-	-	-	-	-

		Offal, g/day							
Cohorts with large proportions of vegetarians									
Adventist Health Study-2	NA	-	-	-	-	-	-	-	-
CARRS-1	5.9 (13.6)	-	-	-	-	-	-	-	-
CARRS-2	5.9 (20.1)	-	-	-	-	-	-	-	-
EPIC-Oxford	2.0 (3.3)	-	-	-	-	-	-	-	-
Oxford Vegetarian Study ³	7.1 (7.6)	-	-	-	-	-	-	-	-
Tzu Chi Health Study	1.1 (4.1)	-	-	-	-	-	-	-	-
UK Women's Cohort Study	3.9 (4.5)	-	-	-	-	-	-	-	-
Very large cohorts									
China Kadoorie Biobank ⁴	NA	-	-	-	-	-	-	-	-
Million Women Study	1.1 (4.4)	-	-	-	-	-	-	-	-
NIH-AARP	1.2 (3.2)	-	-	-	-	-	-	-	-
UK Biobank ⁴	NA	-	-	-	-	-	-	-	-

		Poultry, g/day							
Cohorts with large proportions of vegetarians									
Adventist Health Study-2	20.6 (22.7)	16.6 (23.0)	-	-	-	-	-	-	-
CARRS-1	45.8 (47.1)	46.2 (33.3)	-	-	-	-	-	-	-

CARRS-2	78.5 (114.0)	69.9 (104.7)	-	-	-	-	-	-
EPIC-Oxford	26.7 (22.0)	22.3 (24.2)	-	-	-	-	-	-
Oxford Vegetarian Study ³	NA	NA	-	-	-	-	-	-
Tzu Chi Health Study	13.2 (21.6)	6.6 (11.8)	-	-	-	-	-	-
UK Women's Cohort Study	23.1 (18.5)	19.0 (25.6)	-	-	-	-	-	-
<i>Very large cohorts</i>								
China Kadoorie Biobank ⁴	14.5 (6.8)	17.0 (5.4)	-	-	-	-	-	-
Million Women Study	21.1 (16.1)	13.8 (20.6)	-	-	-	-	-	-
NIH-AARP	39.6 (39.4)	38.0 (48.4)	-	-	-	-	-	-
UK Biobank ⁴	32.0 (9.4)	27.6 (11.8)	-	-	-	-	-	-

Total fish, g/day (includes oily fish, non-oily fish, and shellfish if available)

<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	16.9 (21.0)	16.6 (23.3)	19.0 (24.6)	-	-	-	-	-
CARRS-1	33.6 (39.8)	30.2 (29.6)	41.0 (42.3)	-	-	-	-	-
CARRS-2	45.0 (71.1)	30.1 (59.7)	56.3 (113.9)	-	-	-	-	-
EPIC-Oxford	41.8 (28.8)	49.1 (35.0)	39.0 (33.6)	-	-	-	-	-
Oxford Vegetarian Study ³	28.4 (20.3)	-	21.7 (21.9)	-	-	-	-	-
Tzu Chi Health Study	31.8 (41.3)	24.2 (40.4)	25.3 (57.6)	-	-	-	-	-
UK Women's Cohort Study	32.5 (22.5)	39.7 (30.9)	32.4 (28.6)	-	-	-	-	-
<i>Very large cohorts</i>								
China Kadoorie Biobank ⁴	23.6 (19.7)	23.2 (22.1)	33.7 (22.2)	-	-	-	-	-
Million Women Study	33.7 (22.6)	41.4 (29.7)	43.8 (29.3)	-	-	-	-	-
NIH-AARP	19.4 (20.7)	19.0 (25.8)	23.4 (34.9)	-	-	-	-	-
UK Biobank ⁴	23.1 (8.7)	27.6 (10.5)	27.5 (10.4)	-	-	-	-	-

Oily fish, g/day

<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	5.0 (8.8)	5.6 (10.1)	7.0 (11.8)	-	-	-	-	-
CARRS-1	NA	NA	NA	-	-	-	-	-
CARRS-2	NA	NA	NA	-	-	-	-	-
EPIC-Oxford	14.8 (17.1)	19.7 (20.2)	15.9 (19.5)	-	-	-	-	-
Oxford Vegetarian Study ³	NA	-	NA	-	-	-	-	-
Tzu Chi Health Study	NA	NA	NA	-	-	-	-	-

UK Women's Cohort Study	10.1 (11.3)	14.2 (16.6)	12.2 (17.1)	-	-	-	-	-
Very large cohorts								
China Kadoorie Biobank ⁴	NA	NA	NA	-	-	-	-	-
Million Women Study	18.1 (18.5)	25.4 (23.9)	26.7 (23.2)	-	-	-	-	-
NIH-AARP	5.6 (8.9)	5.6 (11.5)	6.0 (12.7)	-	-	-	-	-
UK Biobank ⁴	11.2 (6.5)	14.4 (7.6)	14.2 (7.4)	-	-	-	-	-

Non-oily fish, g/day

Cohorts with large proportions of vegetarians								
Adventist Health Study-2	12.0 (16.3)	11.0 (17.9)	12.1 (18.5)	-	-	-	-	-
CARRS-1	NA	NA	NA	-	-	-	-	-
CARRS-2	37.1 (61.1)	24.8 (42.6)	49.6 (111.3)	-	-	-	-	-
EPIC-Oxford	18.6 (15.0)	20.9 (18.6)	14.7 (15.3)	-	-	-	-	-
Oxford Vegetarian Study ³	NA	-	NA	-	-	-	-	-
Tzu Chi Health Study	NA	NA	NA	-	-	-	-	-
UK Women's Cohort Study	17.3 (14.5)	19.8 (19.1)	14.8 (14.9)	-	-	-	-	-
Very large cohorts								
China Kadoorie Biobank ⁴	NA	NA	NA	-	-	-	-	-
Million Women Study	13.5 (13.0)	13.5 (13.9)	14.1 (14.3)	-	-	-	-	-
NIH-AARP	13.8 (17.7)	13.4 (21.6)	17.4 (30.2)	-	-	-	-	-
UK Biobank ⁴	12.0 (4.2)	13.2 (5.0)	13.3 (4.9)	-	-	-	-	-

Total dairy, g/day

Cohorts with large proportions of vegetarians								
Adventist Health Study-2	186.5 (218.0)	128.2 (185.3)	96.0 (167.0)	133.2 (193.9)	54.5 (133.9)	-	104.6 (178.8)	-
CARRS-1	124.2 (141.8)	132.3 (145.8)	128.0 (146.3)	227.4 (130.2)	229.9 (128.4)	-	217.3 (135.2)	-
CARRS-2	109.9 (148.1)	107.1 (138.7)	112.1 (148.3)	235.6 (217.4)	233.1 (185.4)	-	229.0 (190.8)	-
EPIC-Oxford	439.8 (215.4)	404.9 (240.7)	396.0 (230.5)	396.9 (235.3)	324.4 (244.4)	-	376.0 (240.8)	-
Oxford Vegetarian Study ³	170.7 (104.6)	-	162.9 (102.4)	165.5 (107.6)	130.9 (114.3)	-	160.0 (109.6)	-
Tzu Chi Health Study	50.5 (79.4)	43.2 (59.7)	45.2 (68.8)	46.7 (69.3)	34.7 (59.2)	-	42.3 (66.8)	-
UK Women's Cohort Study	424.3 (202.5)	385.8 (224.0)	384.3 (220.8)	385.2 (219.2)	298.9 (239.8)	-	366.4 (227.0)	-
Very large cohorts								
China Kadoorie Biobank ⁴	46.4 (37.6)	58.1 (47.2)	62.6 (48.5)	91.3 (40.6)	92.0 (40.3)	-	38.9 (32.3)	-
Million Women Study	377.4 (194.8)	344.5 (207.2)	357.2 (212.0)	355.9 (210.8)	287.9 (220.8)	-	345.9 (214.0)	-

NIH-AARP	341.9 (316.5)	300.1 (308.8)	269.7 (300.2)	320.1 (395.8)	287.6 (384.5)	-	302.7 (390.2)	-
UK Biobank ⁴	NA	NA	NA	NA	NA	-	NA	-
Dairy milk, g/day								
<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	137.4 (200.3)	83.1 (161.3)	58.0 (144.2)	87.6 (173.2)	29.7 (114.7)	-	66.9 (157.0)	-
CARRS-1	NA	NA	NA	NA	NA	-	NA	-
CARRS-2	66.1 (118.7)	60.7 (112.3)	63.7 (111.9)	147.7 (186.4)	146.4 (152.9)	-	143.8 (157.5)	-
EPIC-Oxford	325.7 (186.7)	275.7 (195.2)	269.1 (191.4)	274.1 (201.2)	212.2 (202.4)	-	256.6 (203.7)	-
Oxford Vegetarian Study ³	137.4 (102.3)	-	114.3 (96.0)	117.9 (102.4)	90.9 (106.3)	-	113.8 (103.2)	-
Tzu Chi Health Study	41.0 (72.6)	35.6 (53.4)	35.4 (63.2)	36.2 (57.9)	28.2 (55.7)	-	33.0 (56.5)	-
UK Women's Cohort Study	316.5 (184.4)	267.6 (199.7)	266.9 (195.9)	268.0 (195.6)	198.3 (204.5)	-	253.1 (199.6)	-
<i>Very large cohorts</i>								
China Kadoorie Biobank ⁴	NA	NA	NA	NA	NA	-	NA	-
Million Women Study	268.9 (176.1)	232.8 (179.4)	236.1 (186.2)	229.9 (184.9)	188.3 (190.7)	-	223.8 (186.3)	-
NIH-AARP	242.1 (302.2)	213.6 (291.5)	166.1 (271.7)	207.2 (368.4)	185.6 (353.5)	-	195.6 (360.6)	-
UK Biobank ⁴	NA	NA	NA	NA	NA	-	NA	-
Cheese, g/day								
<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	19.3 (25.7)	14.8 (23.9)	12.2 (21.3)	19.9 (26.3)	8.0 (17.4)	-	15.6 (24.2)	-
CARRS-1	NA	NA	NA	NA	NA	-	NA	-
CARRS-2	NA	NA	NA	NA	NA	-	NA	-
EPIC-Oxford	20.5 (18.3)	22.3 (21.6)	27.3 (23.9)	31.4 (24.7)	27.1 (26.1)	-	30.1 (25.2)	-
Oxford Vegetarian Study ³	33.3 (21.5)	-	48.6 (27.5)	47.6 (26.1)	40.0 (31.2)	-	46.2 (27.1)	-
Tzu Chi Health Study	0.7 (2.4)	0.5 (2.2)	0.8 (2.5)	1.2 (3.8)	1.2 (3.5)	-	1.1 (3.6)	-
UK Women's Cohort Study	22.9 (21.9)	30.3 (27.7)	32.8 (28.6)	36.4 (30.8)	29.2 (31.5)	-	34.8 (31.1)	-
<i>Very large cohorts</i>								
China Kadoorie Biobank ⁴	NA	NA	NA	NA	NA	-	NA	-
Million Women Study	19.5 (16.3)	20.1 (18.1)	26.6 (19.1)	32.5 (20.8)	22.4 (23.9)	-	31.1 (21.5)	-
NIH-AARP	8.7 (9.6)	4.6 (7.7)	8.2 (13.1)	10.9 (15.6)	7.2 (11.1)	-	9.1 (13.7)	-
UK Biobank ⁴	16.4 (6.5)	14.4 (7.5)	18.3 (6.2)	19.2 (5.2)	14.9 (6.6)	-	18.3 (6.1)	-

	Yogurt, g/day							
Cohorts with large proportions of vegetarians								
Adventist Health Study-2	29.7 (58.7)	30.3 (61.5)	25.9 (57.1)	25.7 (51.2)	16.9 (45.9)	-	22.1 (49.1)	-
CARRS-1	NA	NA	NA	NA	NA	-	NA	-
CARRS-2	43.9 (74.1)	46.4 (69.5)	48.4 (73.6)	87.9 (94.4)	86.6 (89.7)	-	85.2 (90.3)	-
EPIC-Oxford	34.3 (40.0)	41.1 (46.8)	37.7 (42.5)	34.6 (40.2)	32.6 (44.2)	-	33.8 (41.3)	-
Oxford Vegetarian Study ³	NA	-	NA	NA	NA	-	NA	-
Tzu Chi Health Study	9.2 (26.4)	6.5 (16.4)	9.1 (27.3)	9.4 (30.8)	8.5 (45.3)	-	8.7 (32.5)	-
UK Women's Cohort Study	58.0 (62.4)	67.4 (73.2)	62.9 (68.4)	58.5 (64.4)	53.4 (86.9)	-	57.1 (69.0)	-
Very large cohorts								
China Kadoorie Biobank ⁴	NA	NA	NA	NA	NA	-	NA	-
Million Women Study	75.0 (68.7)	82.9 (75.9)	84.3 (75.4)	83.1 (77.6)	69.3 (84.6)	-	81.0 (78.6)	-
NIH-AARP	15.4 (38.4)	32.9 (60.5)	35.9 (67.2)	32.3 (60.7)	35.0 (68.9)	-	33.3 (64.5)	-
UK Biobank ⁴	NA	NA	NA	NA	NA	-	NA	-
	Eggs, g/day							
Cohorts with large proportions of vegetarians								
Adventist Health Study-2	15.4 (20.8)	10.7 (16.0)	8.4 (12.7)	11.3 (15.0)	-	8.5 (12.0)	7.8 (13.5)	-
CARRS-1	23.4 (13.3)	21.9 (13.0)	19.2 (14.0)	18.2 (14.0)	-	21.0 (13.9)	4.3 (9.8)	-
CARRS-2	22.2 (31.5)	18.4 (23.2)	13.5 (27.3)	18.8 (39.4)	-	20.8 (25.2)	3.9 (16.1)	-
EPIC-Oxford	11.5 (11.1)	9.8 (10.9)	11.5 (11.1)	13.8 (12.5)	-	15.0 (13.1)	10.6 (12.1)	-
Oxford Vegetarian Study ³	29.2 (20.8)	-	29.4 (22.2)	28.4 (20.9)	-	28.6 (25.2)	25.7 (21.6)	-
Tzu Chi Health Study	20.7 (19.1)	13.8 (12.6)	16.4 (16.2)	19.2 (16.4)	-	18.9 (17.5)	16.4 (16.7)	-
UK Women's Cohort Study	18.7 (15.5)	15.3 (14.2)	17.5 (15.6)	17.8 (14.9)	-	24.2 (41.1)	14.7 (15.4)	-
Very large cohorts								
China Kadoorie Biobank ⁴	33.3 (9.1)	35.0 (11.4)	36.5 (11.6)	36.4 (10.3)	-	33.1 (8.9)	33.0 (9.5)	-
Million Women Study	17.4 (12.9)	14.4 (12.9)	17.3 (14.0)	18.1 (14.4)	-	18.4 (20.8)	15.9 (14.8)	-
NIH-AARP	11.1 (13.5)	5.1 (10.0)	7.5 (13.2)	9.8 (13.7)	-	10.2 (26.1)	5.3 (11.3)	-
UK Biobank ⁴	NA	NA	NA	NA	NA	-	NA	-

Abbreviations: CARRS, Centre for cArdiometabolic Risk Reduction in South Asia; CKB, EPIC, European Prospective Investigation into Cancer and Nutrition; NIH-AARP, National Institutes of Health-AARP Diet and Health Study.

¹All values are mean (SD).

²All vegetarians include lacto-ovo, lacto and ovo vegetarians.

³Poultry eaters could not be determined as poultry intake was not assessed.

⁴Mean intakes assessed at resurvey have been assigned to baseline categories based on quintiles of intakes to estimate the baseline intakes.

NA indicates that no information was available; – indicates that this food was not applicable for the corresponding diet group.

Table S8. Baseline nutrient intakes by diet group and cohort (where nutrient data were available)¹.

Cohort	Meat eaters	Poultry eaters	Pescatarians	Vegetarians				Vegans
				Lacto-ovo vegetarians	Lacto vegetarians	Ovo vegetarians	All vegetarians ²	
Energy, kcal/day								
<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	1,799 (681)	1,720 (653)	1,790 (668)	1,797 (635)	1,745 (636)	1,711 (653)	1,778 (637)	1,760 (646)
EPIC-Oxford	1,992 (536)	1,825 (530)	1,896 (528)	1,923 (529)	1,769 (515)	1,586 (459)	1,881 (530)	1,752 (555)
UK Women's Cohort Study	2,226 (549)	2,160 (561)	2,228 (563)	2,223 (555)	2,048 (607)	2,195 (639)	2,191 (569)	2,100 (613)
<i>Very large cohorts</i>								
Million Women Study	1,663 (420)	1,492 (410)	1,585 (412)	1,567 (413)	1,387 (442)	1,394 (420)	1,544 (421)	1,178 (308)
NIH-AARP	1,822 (669)	1,370 (533)	1,555 (629)	1,629 (622)	1,619 (618)	1,446 (751)	1,623 (621)	1,604 (637)
Protein, g/day								
<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	68.9 (28.4)	64.8 (27.4)	65.9 (28.3)	63.8 (25.7)	62.1 (26.4)	57.8 (24.5)	63.1 (25.9)	62.0 (26.1)
EPIC-Oxford	82.3 (21.6)	72.5 (20.6)	67.7 (19.2)	64.1 (17.7)	58.2 (17.8)	50.6 (14.6)	62.5 (17.9)	56.7 (19.0)
UK Women's Cohort Study	89.9 (23.3)	80.1 (22.1)	77.3 (21.1)	73.6 (19.6)	65.8 (20.8)	68.9 (20.5)	72.1 (20.0)	65.1 (21.2)
<i>Very large cohorts</i>								
Million Women Study	67.0 (17.2)	56.0 (16.0)	57.4 (15.0)	50.8 (13.8)	42.1 (14.3)	40.3 (12.0)	49.7 (14.2)	33.7 (10.8)
NIH-AARP	70.0 (28.4)	51.0 (23.2)	50.9 (23.6)	49.4 (22.4)	48.6 (22.0)	41.9 (25.3)	48.9 (22.3)	45.8 (20.3)
Carbohydrates, g/day								
<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	238 (101)	243 (102)	258 (105)	251 (95)	260 (102)	256 (103)	254 (97)	274 (106)
EPIC-Oxford	248 (74)	244 (76)	252 (74)	260 (74)	249 (75)	231 (74)	257 (74)	252 (79)
UK Women's Cohort Study	290 (81)	303 (85)	306 (85)	309 (86)	296 (93)	316 (87)	307 (87)	308 (96)
<i>Very large cohorts</i>								
Million Women Study	207 (58)	201 (60)	208 (58)	216 (60)	203 (63)	214 (73)	215 (61)	178 (52)
NIH-AARP	233 (91)	217 (93)	249 (105)	258 (99)	271 (108)	260 (150)	264 (104)	293 (120)
Total fat, g/day								
<i>Cohorts with large proportions of vegetarians</i>								

Adventist Health Study-2	69.2 (32.1)	61.3 (29.5)	62.9 (30.6)	67.5 (29.5)	59.1 (27.3)	59.3 (32.2)	64.7 (29.2)	56.0 (28.1)
EPIC-Oxford	72.4 (26.4)	61.7 (25.3)	66.8 (25.7)	68.1 (26.0)	59.8 (25.5)	51.8 (20.8)	65.9 (26.1)	56.8 (26.9)
UK Women's Cohort Study	80.2 (25.7)	73.2 (25.9)	79.4 (26.7)	80.0 (26.4)	71.1 (28.4)	78.1 (31.7)	78.4 (27.0)	70.9 (29.4)
Very large cohorts								
Million Women Study	63.2 (21.7)	52.5 (20.5)	58.2 (21.5)	56.4 (21.1)	47.2 (21.8)	44.0 (19.8)	55.2 (21.4)	37.3 (15.3)
NIH-AARP	63.0 (29.5)	33.8 (17.6)	41.2 (23.7)	48.0 (26.5)	42.0 (23.1)	33.0 (16.3)	45.2 (25.1)	33.4 (21.9)

Saturated fat, g/day

Cohorts with large proportions of vegetarians

Adventist Health Study-2	19.4 (10.0)	15.0 (7.9)	14.3 (7.9)	16.3 (8.0)	12.5 (6.3)	10.7 (5.4)	15.0 (7.7)	9.8 (4.9)
EPIC-Oxford	26.7 (11.6)	20.9 (10.4)	23.1 (10.9)	24.1 (10.9)	20.5 (10.7)	12.1 (5.4)	23.1 (11.0)	13.2 (6.9)
UK Women's Cohort Study	28.4 (11.0)	23.6 (10.3)	25.8 (10.7)	26.6 (10.9)	21.8 (11.5)	16.2 (7.3)	25.7 (11.2)	13.4 (6.2)

Very large cohorts

Million Women Study	22.1 (9.9)	17.6 (8.9)	20.0 (9.4)	20.8 (9.5)	16.5 (9.9)	10.0 (4.0)	20.2 (9.7)	8.2 (3.8)
NIH-AARP	19.8 (10.2)	9.7 (5.6)	11.8 (7.7)	14.3 (9.0)	12.2 (8.0)	7.3 (3.8)	13.3 (8.6)	7.2 (4.2)

Monounsaturated fat, g/day

Cohorts with large proportions of vegetarians

Adventist Health Study-2	27.8 (14.4)	25.4 (14.2)	26.7 (15.3)	27.9 (13.9)	25.1 (13.4)	26.7 (18.4)	27.0 (14.0)	24.9 (14.9)
EPIC-Oxford	24.5 (9.5)	20.4 (9.0)	21.6 (8.9)	21.8 (9.2)	19.0 (9.1)	17.7 (9.0)	21.0 (9.2)	19.0 (10.6)
UK Women's Cohort Study	26.5 (8.8)	23.6 (9.1)	25.7 (9.4)	25.6 (9.2)	22.4 (9.8)	24.2 (10.2)	25.0 (9.4)	22.2 (10.8)

Very large cohorts

Million Women Study	23.1 (8.4)	19.2 (8.2)	21.2 (8.5)	19.9 (8.3)	17.1 (8.6)	18.1 (10.0)	19.5 (8.4)	15.9 (7.4)
NIH-AARP	23.8 (11.5)	12.2 (6.8)	15.1 (9.2)	17.9 (10.5)	15.5 (9.0)	12.4 (6.8)	16.7 (9.9)	12.6 (9.5)

Polyunsaturated fat, g/day

Cohorts with large proportions of vegetarians

Adventist Health Study-2	16.5 (8.0)	16.1 (8.0)	17.2 (8.4)	18.3 (8.3)	17.1 (8.2)	17.6 (8.8)	17.9 (8.3)	17.0 (8.5)
EPIC-Oxford	14.3 (6.3)	13.8 (6.5)	15.0 (6.8)	15.1 (7.0)	13.8 (7.0)	16.3 (6.6)	14.8 (7.0)	18.4 (9.2)
UK Women's Cohort Study	14.8 (5.3)	15.8 (6.5)	16.9 (6.4)	16.7 (6.5)	15.9 (7.2)	22.5 (9.2)	16.6 (6.7)	21.5 (9.5)

Very large cohorts

Million Women Study	11.8 (4.7)	10.0 (4.4)	10.9 (4.6)	10.0 (4.3)	8.8 (4.6)	12.3 (5.5)	9.8 (4.4)	10.1 (4.1)
NIH-AARP	14.3 (7.0)	9.0 (5.1)	11.0 (6.6)	12.2 (7.2)	11.1 (6.7)	10.3 (5.1)	11.7 (6.9)	10.5 (7.5)

	Dietary fibre, g/day							
<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	26.5 (13.2)	31.1 (14.8)	35.6 (16.5)	33.1 (14.1)	37.1 (15.8)	38.5 (16.1)	34.5 (14.8)	43.2 (17.3)
EPIC-Oxford	18.6 (6.7)	20.7 (7.5)	21.2 (7.6)	21.5 (7.5)	21.8 (8.3)	23.7 (8.5)	21.6 (7.7)	26.1 (9.3)
UK Women's Cohort Study	23.0 (8.3)	27.4 (9.7)	27.3 (9.2)	27.3 (9.1)	26.9 (10.1)	32.0 (9.3)	27.3 (9.3)	31.6 (10.8)
<i>Very large cohorts</i>								
Million Women Study	13.8 (4.7)	14.6 (5.1)	15.7 (5.2)	16.3 (5.4)	15.6 (6.5)	19.9 (6.8)	16.3 (5.6)	17.9 (5.6)
NIH-AARP	18.9 (8.7)	20.7 (11.0)	26.6 (14.6)	27.2 (13.3)	29.4 (14.6)	34.2 (22.9)	28.3 (14.1)	40.7 (17.8)
	Vitamin C, mg/day							
<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	152 (109)	181 (122)	201 (133)	170 (103)	188 (121)	187 (129)	176 (110)	206 (129)
EPIC-Oxford	132 (63)	146 (73)	144 (69)	142 (69)	146 (77)	151 (74)	143 (72)	163 (93)
UK Women's Cohort Study	162 (74)	178 (81)	175 (81)	173 (80)	169 (89)	189 (88)	172 (82)	203 (116)
<i>Very large cohorts</i>								
Million Women Study	96 (47)	104 (54)	112 (54)	116 (57)	114 (67)	146 (74)	116 (59)	138 (59)
NIH-AARP	156 (107)	182 (130)	203 (145)	203 (130)	212 (138)	178 (149)	207 (134)	305 (197)
	Vitamin B12, µg/day							
<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	4.0 (2.6)	3.6 (3.0)	3.6 (2.9)	3.4 (2.7)	2.8 (2.8)	2.1 (2.6)	3.2 (2.7)	1.9 (2.6)
EPIC-Oxford	7.1 (3.4)	5.7 (2.7)	4.9 (2.7)	2.7 (1.3)	2.0 (1.2)	0.7 (0.4)	2.5 (1.3)	0.4 (0.6)
UK Women's Cohort Study	6.5 (2.8)	4.4 (2.1)	4.1 (2.1)	2.6 (1.1)	1.9 (1.1)	1.1 (1.1)	2.5 (1.2)	0.8 (0.6)
<i>Very large cohorts</i>								
Million Women Study	4.6 (2.3)	3.7 (1.9)	3.9 (1.9)	2.0 (0.9)	1.4 (0.9)	0.6 (0.4)	1.9 (0.9)	0.2 (0.5)
NIH-AARP	4.8 (3.1)	2.8 (1.9)	2.6 (2.0)	2.1 (1.8)	1.9 (1.9)	0.7 (0.6)	2.0 (1.8)	0.5 (0.6)
	Folate, µg/day							
<i>Cohorts with large proportions of vegetarians</i>								
Adventist Health Study-2	468 (229)	514 (248)	573 (274)	549 (250)	591 (291)	591 (321)	564 (267)	667 (341)
EPIC-Oxford	323 (100)	329 (107)	346 (112)	357 (117)	344 (128)	383 (129)	354 (120)	419 (159)
UK Women's Cohort Study	379 (112)	405 (123)	404 (122)	405 (121)	383 (137)	433 (124)	401 (125)	453 (159)
<i>Very large cohorts</i>								

Million Women Study	251 (70)	245 (74)	262 (78)	269 (81)	243 (94)	289 (86)	266 (84)	250 (84)
NIH-AARP	408 (170)	405 (198)	506 (259)	508 (232)	546 (250)	549 (327)	526 (242)	705 (309)

Vitamin D, µg/day

Cohorts with large proportions of vegetarians

Adventist Health Study-2	4.0 (3.2)	3.2 (3.2)	2.9 (2.9)	2.2 (2.7)	1.4 (2.5)	0.7 (1.3)	1.9 (2.6)	0.6 (1.9)
EPIC-Oxford	3.3 (1.9)	3.1 (2.0)	2.8 (2.0)	1.6 (1.2)	1.2 (1.1)	1.2 (1.1)	1.5 (1.2)	0.9 (1.0)
UK Women's Cohort Study	3.2 (1.5)	3.1 (1.9)	3.0 (1.9)	1.9 (1.1)	1.4 (0.9)	2.1 (1.6)	1.8 (1.1)	1.4 (1.2)

Very large cohorts

Million Women Study	3.1 (1.7)	3.1 (2.0)	3.1 (2.0)	1.4 (1.0)	1.0 (1.1)	1.0 (0.6)	1.4 (1.0)	0.6 (0.5)
NIH-AARP	4.6 (3.1)	3.6 (3.0)	3.3 (3.1)	2.8 (3.5)	2.5 (3.3)	0.6 (0.5)	2.6 (3.4)	0.5 (0.5)

Calcium, mg/day

Cohorts with large proportions of vegetarians

Adventist Health Study-2	776 (401)	734 (385)	730 (365)	752 (361)	675 (340)	552 (239)	722 (354)	609 (273)
EPIC-Oxford	1,007 (312)	969 (348)	1,031 (348)	1,069 (363)	932 (364)	523 (190)	1,031 (369)	590 (237)
UK Women's Cohort Study	1,095 (328)	1,109 (354)	1,149 (372)	1,153 (357)	997 (379)	712 (253)	1,121 (367)	686 (240)

Very large cohorts

Million Women Study	836 (284)	799 (304)	876 (315)	893 (316)	723 (331)	378 (136)	870 (324)	328 (155)
NIH-AARP	767 (420)	700 (409)	745 (425)	801 (507)	776 (507)	423 (291)	786 (507)	551 (252)

Iron, mg/day

Cohorts with large proportions of vegetarians

Adventist Health Study-2	16.1 (7.7)	16.9 (8.0)	18.4 (8.6)	18.0 (7.9)	19.0 (8.6)	18.4 (8.7)	18.3 (8.1)	20.1 (9.0)
EPIC-Oxford	12.4 (3.5)	12.2 (3.7)	12.6 (3.8)	12.7 (3.8)	12.2 (4.1)	13.1 (4.0)	12.6 (3.9)	14.3 (4.6)
UK Women's Cohort Study	17.2 (6.5)	18.0 (7.0)	17.8 (6.6)	17.6 (6.4)	16.7 (7.0)	18.8 (5.5)	17.4 (6.5)	19.6 (6.5)

Very large cohorts

Million Women Study	-	-	-	-	-	-	-	-
NIH-AARP	14.9 (6.0)	13.3 (6.3)	15.1 (7.1)	15.3 (6.8)	16.4 (7.6)	17.1 (13.1)	15.8 (7.3)	19.2 (8.7)

Abbreviations: EPIC, European Prospective Investigation into Cancer and Nutrition; NIH-AARP, National Institutes of Health-AARP Diet and Health Study.

¹All values are mean (SD).

“-” indicates that no information was available.

Table S9. Number and percentage of participants in each diet group at resurvey categorized by their baseline diet group (n = 104,944)¹.

		CARRS-1	EPIC-Oxford	Oxford Vegetarian Study ²	UK Women's Cohort Study	China Kadoorie Biobank	Million Women Study ³	UK Biobank
N with resurvey dietary data (% of baseline)		7,389 (60.5)	27,529 (51.2)	2,837 (26.9)	1,652 (5.5)	24,586 (4.8)	23,525 (3.7)	17,426 (3.7)
Median (IQR) time between baseline and resurvey (years)		5.9 (5.4–6.2)	14.3 (13.4–15.2)	13.6 (12.3–14.0)	4.8 (4.6–5.1)	8.0 (7.4–8.6)	13.0 (11.1–14.2)	4.4 (3.7–5.0)
Baseline diet group	Resurvey diet group	N (%) in the same diet group as at baseline						
Meat eater	Meat eater	3,072 (71.7)	12,730 (96.3)	1,075 (87.2)	728 (96.4)	21,286 (90.4)	19,975 (90.8)	17,426 (99.2)
	Poultry eater	969 (22.6)	137 (1.0)	28 (2.3)	11 (1.5)	904 (3.8)	1,265 (5.8)	83 (0.47)
	Pescatarian	71 (1.7)	251 (1.9)	82 (6.7)	11 (1.5)	314 (1.3)	626 (2.8)	51 (0.29)
	Vegetarian ⁵	164 (3.8)	100 (0.76)	46 (3.7)	5 (0.66)	817 (3.5)	129 (0.59)	13 (0.07)
	Vegan	9 (0.21)	6 (0.05)	2 (0.2)	0 (0.00)	229 (0.97)	2 (0.01)	2 (0.01)
Poultry eater	Meat eater	630 (51.5)	644 (74.3)	-	30 (35.3)	64 (78.0)	54 (38.3)	67 (38.3)
	Poultry eater	517 (42.2)	114 (13.1)	-	46 (54.1)	10 (12.2)	58 (41.1)	97 (55.4)
	Pescatarian	19 (1.6)	89 (10.3)	-	8 (9.4)	4 (4.9)	19 (13.5)	8 (4.6)
	Vegetarian ⁵	51 (4.2)	19 (2.2)	-	1 (1.2)	4 (4.9)	10 (7.1)	3 (1.7)
	Vegan	7 (0.57)	1 (0.12)	-	0 (0.00)	0 (0.00)	0 (0.00)	0 (0.00)
Pescatarian	Meat eater	46 (45.5)	1,394 (31.4)	66 (21.6)	35 (10.5)	27 (45.8)	139 (16.6)	44 (7.3)
	Poultry eater	20 (19.8)	151 (3.4)	14 (4.6)	5 (1.5)	0 (0.00)	53 (6.3)	14 (2.3)
	Pescatarian	23 (22.8)	2,506 (56.4)	145 (47.4)	276 (82.6)	25 (42.4)	525 (62.6)	522 (87.1)
	Vegetarian ⁵	10 (9.9)	378 (8.5)	77 (25.2)	16 (4.8)	5 (8.5)	122 (14.5)	18 (3.0)
	Vegan	2 (2.0)	16 (0.36)	4 (1.3)	2 (0.60)	2 (3.4)	0 (0.00)	1 (0.17)
Vegetarian⁵	Meat eater	98 (6.5)	991 (12.2)	72 (5.9)	14 (3.1)	427 (68.5)	22 (4.1)	4 (1.0)
	Poultry eater	81 (5.3)	85 (1.0)	15 (1.2)	3 (0.66)	34 (5.5)	10 (1.9)	4 (1.0)
	Pescatarian	7 (0.46)	1,252 (15.4)	125 (10.3)	49 (10.8)	5 (0.80)	82 (15.2)	27 (6.9)
	Vegetarian⁵	1,303 (86.0)	5,557 (68.3)	950 (78.2)	353 (77.9)	119 (19.1)	420 (77.8)	350 (89.3)
	Vegan	26 (1.7)	247 (3.0)	53 (4.4)	34 (7.5)	38 (6.1)	6 (1.1)	7 (1.8)
Vegan	Meat eater	17 (6.4)	79 (9.2)	2 (2.4)	2 (8.0)	178 (65.4)	0 (0.00)	0 (0.00)
	Poultry eater	17 (6.4)	8 (0.93)	0 (0.0)	0 (0.00)	15 (5.5)	0 (0.00)	0 (0.00)
	Pescatarian	2 (0.76)	73 (8.5)	3 (3.6)	1 (4.0)	0 (0.00)	0 (0.00)	0 (0.00)
	Vegetarian ⁵	210 (79.5)	224 (26.0)	17 (20.5)	6 (24.0)	46 (16.9)	6 (75.0)	7 (18.4)
	Vegan	18 (6.8)	477 (55.4)	61 (73.5)	16 (64.0)	33 (12.1)	2 (25.0)	31 (81.6)

¹Values are N in baseline diet group or N (% of baseline diet group).

²There are 2,837 participants in the Oxford Vegetarian Study who also took part in EPIC-Oxford, therefore the baseline survey in EPIC-Oxford is considered as a resurvey for this subsample of Oxford Vegetarian Study participants. In the Oxford vegetarian Study, poultry eaters at baseline could not be determined as poultry intake was not assessed.

³In the Million Women Study, diet groups at baseline (“baseline” in this study is taken as the date of completion of the questionnaire on diet, which was ~3 years after the recruitment questionnaire) were determined using a food frequency questionnaire while diet groups at resurvey were determined using a minimum of three 24-hour dietary assessments.

⁴All vegetarians include lacto-ovo, lacto, and ovo vegetarians.

Table S10. Number of participants of each ethnicity by diet group and cohort¹.

Ethnicity	Meat eaters	Poultry eaters	Pescatarians	Vegetarians				Vegans
				Lacto-ovo vegetarians	Lacto vegetarians	Ovo vegetarians	All vegetarians ²	
Adventist Health Study-2								
White	14,421 (62.0)	5,409 (51.5)	3,070 (49.5)	10,779 (84.2)	4,593 (77.7)	491 (72.6)	15,863 (81.8)	3,727 (71.3)
Black	6,384 (27.5)	3,978 (37.9)	2,381 (38.4)	1,341 (10.5)	966 (16.3)	126 (18.6)	2,433 (12.5)	1,127 (21.6)
Hispanic	1,151 (5.0)	575 (5.5)	318 (5.1)	323 (2.5)	204 (3.4)	22 (3.3)	549 (2.8)	173 (3.3)
Asian	56 (0.24)	38 (0.36)	28 (0.45)	23 (0.18)	7 (0.12)	1 (0.15)	31 (0.16)	9 (0.17)
Other	1,233 (5.3)	494 (4.7)	405 (6.5)	332 (2.6)	145 (2.5)	36 (5.3)	513 (2.6)	189 (3.6)
European Prospective Investigation into Cancer and Nutrition-Oxford								
White	25,560 (96.5)	1,635 (96.0)	7,799 (96.0)	10,949 (96.1)	3,663 (92.8)	88 (92.6)	14,700 (95.3)	1,852 (93.1)
Black	84 (0.32)	13 (0.76)	31 (0.38)	22 (0.19)	19 (0.48)	1 (1.1)	42 (0.27)	11 (0.55)
Asian	92 (0.35)	8 (0.47)	41 (0.50)	64 (0.56)	112 (2.8)	0 (0.00)	176 (1.1)	6 (0.30)
Other	185 (0.70)	16 (0.94)	104 (1.3)	116 (1.0)	62 (1.6)	2 (2.1)	180 (1.2)	43 (2.2)
Not known	577 (2.2)	31 (1.8)	153 (1.9)	239 (2.1)	92 (2.3)	4 (4.2)	335 (2.2)	78 (3.9)
UK Women's Cohort Study								
White	20,466 (96.6)	877 (94.4)	3,635 (95.6)	3,147 (95.4)	646 (86.9)	29 (90.6)	3,822 (93.8)	153 (95.6)
Black	26 (0.12)	2 (0.22)	10 (0.26)	1 (0.03)	1 (0.13)	0 (0.00)	2 (0.05)	1 (0.62)
Asian	53 (0.25)	5 (0.54)	12 (0.32)	35 (1.1)	59 (7.9)	1 (3.1)	95 (2.3)	0 (0.00)
Other	99 (0.47)	6 (0.65)	35 (0.92)	24 (0.73)	13 (1.7)	0 (0.00)	37 (0.91)	2 (1.2)
Not known	536 (2.5)	39 (4.2)	112 (2.9)	93 (2.8)	24 (3.2)	2 (6.2)	119 (2.9)	4 (2.5)
Million Women Study								
White	607,129 (98.2)	3,330 (97.5)	10,741 (98.1)	5,206 (97.1)	606 (81.7)	33 (100)	5,845 (95.3)	76 (96.2)
Black	1,084 (0.18)	9 (0.26)	17 (0.16)	1 (0.02)	1 (0.13)	0 (0.00)	2 (0.03)	0 (0.00)
Asian	1,531 (0.25)	23 (0.67)	41 (0.37)	97 (1.8)	122 (16.4)	0 (0.00)	219 (3.6)	0 (0.00)
Other	1,914 (0.31)	18 (0.53)	47 (0.43)	19 (0.35)	5 (0.67)	0 (0.00)	24 (0.39)	1 (1.3)
Not known	6,792 (1.1)	34 (1.00)	101 (0.92)	38 (0.71)	8 (1.1)	0 (0.00)	46 (0.75)	2 (2.5)
National Institutes of Health-AARP Diet and Health Study								
White	452,695 (92.2)	28,546 (86.6)	1,457 (86.2)	839 (86.6)	661 (78.5)	10 (71.4)	1,510 (82.7)	107 (90.7)
Black	16,893 (3.4)	2,017 (6.1)	81 (4.8)	35 (3.6)	35 (4.2)	0 (0.00)	70 (3.8)	5 (4.2)

Hispanic	8,622 (1.8)	846 (2.6)	34 (2.0)	21 (2.2)	9 (1.1)	1 (7.1)	31 (1.7)	2 (1.7)
Asian	5,277 (1.1)	780 (2.4)	47 (2.8)	53 (5.5)	112 (13.3)	0 (0.00)	165 (9.0)	1 (0.85)
Other	1,871 (0.38)	149 (0.45)	4 (0.24)	1 (0.10)	4 (0.48)	0 (0.00)	5 (0.27)	0 (0.00)
Not known	5,740 (1.2)	622 (1.9)	67 (4.0)	20 (2.1)	21 (2.5)	3 (21.4)	44 (2.4)	3 (2.5)

UK Biobank

White	424,669 (94.5)	4,819 (88.6)	9,961 (92.9)	6,126 (85.8)	282 (30.0)	105 (60.0)	6,513 (78.9)	399 (89.1)
Black	7,352 (1.6)	174 (3.2)	168 (1.6)	24 (0.34)	10 (1.1)	4 (2.3)	38 (0.46)	11 (2.5)
Asian	8,865 (2.0)	289 (5.3)	360 (3.4)	825 (11.6)	626 (66.6)	65 (37.1)	1,516 (18.4)	19 (4.2)
Other	6,752 (1.5)	133 (2.4)	173 (1.6)	117 (1.6)	18 (1.9)	0 (0.00)	135 (1.6)	13 (2.9)
Not known	1,533 (0.34)	23 (0.42)	66 (0.62)	48 (0.67)	4 (0.43)	1 (0.57)	53 (0.64)	6 (1.3)

¹This table only presents cohort that have collected data on ethnicity. All values are N (%).

²All vegetarians include lacto-ovo, lacto, and ovo vegetarians.




Figure S1. Flow diagram of exclusion criteria in Adventist Health Study-2.
¹Initial exclusions refer to those made by collaborators prior to sharing the data.




Figure S2. Flow diagram of exclusion criteria in Centre for cArdiometabolic Risk Reduction in South Asia 1.




Figure S3. Flow diagram of exclusion criteria in Centre for cArdiometabolic Risk Reduction in South Asia 2.




Figure S4. Flow diagram of exclusion criteria in EPIC-Oxford.

¹Initial exclusions refer to those made by collaborators prior to sharing the data.




Figure S5. Flow diagram of exclusion criteria in Oxford Vegetarian Study.




Figure S6. Flow diagram of exclusion criteria in Tzu Chi Health Study.




Figure S7. Flow diagram of exclusion criteria in UK Women's Cohort Study.

¹Initial exclusions refer to those made by collaborators prior to sharing the data.




Figure S8. Flow diagram of exclusion criteria in China Kadoorie Biobank.




Figure S9. Flow diagram of exclusion criteria in Million Women Study.
¹Initial exclusions refer to those made by collaborators prior to sharing the data.




Figure S10. Flow diagram of exclusion criteria in NIH-AARP Diet and Health Study.




Figure S11. Flow diagram of exclusion criteria in UK Biobank.

¹Initial exclusions refer to those made by collaborators prior to sharing the data.