

Article: A quasi-experimental study in South Africa of four interventions using behavioural economics insights to increase demand for medical male circumcision using the MoyaApp

Supplementary Materials

Table S1. Sequencing of VMMC study forms on the MoyaApp

	Monday	Wednesday	Friday
W1	Stand Proud (SP)	Active Choice (AC)	Reserved for You (RFY)
W2	Foot in the Door (FITD)	Standard of Care (SOC)	Stand Proud (SP)
W3	Active Choice (AC)	Reserved for You (RFY)	Foot in the Door (FITD)
W4	Standard of Care (SOC)	Stand Proud (SP)	Active Choice (AC)
W5	Reserved for You (RFY)	Foot in the Door (FITD)	Standard of Care (SOC)
W6	Stand Proud (SP)	Active Choice (AC)	Reserved for You (RFY)
W7	Foot in the Door (FITD)	Standard of Care (SOC)	Reserved for You (RFY)*
W8	Active Choice (AC)	Reserved for You (RFY)	Foot in the Door (FITD)
W9	Standard of Care (SOC)	Stand Proud (SP)	Active Choice (AC)
W10	Reserved for You (RFY)	Foot in the Door (FITD)	Standard of Care (SOC)
W11	Stand Proud (SP)	Active Choice (AC)	Stand Proud (SP)*
W12	Foot in the Door (FITD)	Standard of Care (SOC)	Stand Proud (SP)
W13	Active Choice (AC)	Reserved for You (RFY)	Foot in the Door (FITD)
W14	Standard of Care (SOC)	Stand Proud (SP)	Active Choice (AC)
W15	Reserved for You (RFY)	Foot in the Door (FITD)	Standard of Care (SOC)

*Deviation in form rotation in W7 compensated for in W11

Table S2 Ordinary least squares regression models assessing the association between VMMC forms submitted across five study groups by adults who viewed the forms during August and November 2022 in South Africa (N=118,337)

	N	% Submissions	Submitted Forms	
			Unadjusted (Model 1) β [95% CI]	Adjusted (Model 2) β [95% CI]
Study groups (ref: Standard of Care, SOC)	24,459	6.3		
Foot-in-the-Door	22,351	7.4	0.012*** [0.004 - 0.019]	0.013*** [0.009 - 0.017]
Stand Proud	23,195	5.8	-0.005 [-0.012 - 0.002]	-0.002 [-0.008 - 0.003]
Reserved for You	24,178	5.6	-0.007* [-0.014 - 0.000]	-0.005** [-0.009 - -0.001]
Active Choice	24,154	5.0	-0.013*** [-0.019 - -0.006]	-0.011*** [-0.017 - -0.006]
Day of the week controls (ref Monday)				
Wednesday			0.004***	[0.001 - 0.007]
Friday			0.002	[-0.001 - 0.005]
Study week controls (ref week 1)				
Week 2				0.001 [-0.007 - 0.009]
Week 3				0.013*** [0.006 - 0.019]
Week 4				0.012*** [0.006 - 0.019]
Week 5				0.012*** [0.007 - 0.018]
Week 6				0.015*** [0.011 - 0.018]
Week 7				0.011*** [0.007 - 0.015]
Week 8				0.012*** [0.009 - 0.015]
Week 9				0.016*** [0.010 - 0.023]
Week 10				0.021*** [0.017 - 0.024]
Week 11				0.013*** [0.009 - 0.017]
Week 12				0.019*** [0.014 - 0.024]
Week 13				0.016*** [0.009 - 0.023]
Week 14				0.016*** [0.006 - 0.025]

Week 15		0.016***
		[0.008 - 0.024]
Observations	118,337	118,337
R-squared	0.001	0.002

* p<0.1, ** p<0.05, *** p<0.01

Table S3 Logistic regression models assessing the association between VMMC forms submitted across five study groups by adults who viewed the forms during August and November 2022 in South Africa (N=118,337)

	N	% Submissions	Submitted Forms	
			Unadjusted (Model 1) Odds ratio [95% CI]	Adjusted (Model 2) Odds ratio [95% CI]
Study groups (ref: Standard of Care, SOC)	24,459	6.3		
Foot-in-the-Door	22,351	7.4	1.204*** [1.071 - 1.353]	1.220*** [1.145 - 1.300]
Stand Proud	23,195	5.8	0.915 [0.810 - 1.033]	0.956 [0.871 - 1.049]
Reserved for You	24,178	5.6	0.884* [0.781 - 1.000]	0.913** [0.852 - 0.980]
Active Choice	24,154	5.0	0.789*** [0.701 - 0.887]	0.806*** [0.729 - 0.892]
Day of the week controls (ref Monday)				
Wednesday				1.070** [1.016 - 1.128]
Friday				1.031 [0.979 - 1.086]
Study week controls (ref week 1)				
Week 2				1.057 [0.911 - 1.226]
Week 3				1.317*** [1.176 - 1.475]
Week 4				1.312*** [1.161 - 1.482]
Week 5				1.302*** [1.179 - 1.439]
Week 6				1.369*** [1.265 - 1.482]
Week 7				1.278*** [1.189 - 1.375]
Week 8				1.306*** [1.226 - 1.392]
Week 9				1.410*** [1.250 - 1.589]
Week 10				1.491*** [1.384 - 1.606]
Week 11				1.330*** [1.221 - 1.450]
Week 12				1.460*** [1.338 - 1.594]
Week 13				1.399***

Week 14		[1.237 - 1.581] 1.390***
Week 15		[1.166 - 1.657] 1.391***
Observations	118,337	[1.221 - 1.585] 118,337

* p<0.1, ** p<0.05, *** p<0.01

Table S4 Ordinary least squares regression on factors associated with not being included on the contact list

	N	Contacts Attempted	
		% Contacts Attempted	Adjusted (Model 2) β [95% CI]
Study groups (ref: Standard of Care, SOC)	1,433	51.8	
Foot-in-the-Door	1,576	62.1	0.129*** [0.093 - 0.166]
Stand Proud	1,262	70.9	0.181*** [0.140 - 0.223]
Reserved for You	1,261	64.4	0.109*** [0.069 - 0.148]
Active Choice	1,120	64.8	0.117*** [0.075 - 0.159]
Day of the week controls (ref: Monday)			
Wednesday			-0.029** [-0.058 - -0.000]
Friday			-0.039*** [-0.066 - -0.011]
Study week controls (ref 1)			
Week 2			-0.113*** [-0.187 - -0.039]
Week 3			0.052 [-0.019 - 0.123]
Week 4			-0.072** [-0.142 - -0.002]
Week 5			0.013 [-0.058 - 0.085]
Week 6			0.076** [0.007 - 0.145]
Week 7			0.009 [-0.060 - 0.078]
Week 8			-0.244*** [-0.314 - -0.174]
Week 9			0.111*** [0.037 - 0.186]
Week 10			-0.066* [-0.135 - 0.004]
Week 11			0.050 [-0.021 - 0.121]
Week 12			-0.195*** [-0.266 - -0.124]
Week 13			-0.103*** [-0.177 - -0.029]
Week 14			-0.045 [-0.119 - 0.030]
Week 15			0.091** [0.018 - 0.165]
Observations			6,652
R-squared			0.060

* $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$

A total of 2,498 out of 6652 submitted forms were not included in the contact list due to an administrative error (i.e., no contact attempts were made based on these form)

Table S5 Ordinary least squares regression models of the impact of the study forms on secondary study outcomes: successful contact by the call centre, booking/referral complete, circumcision complete

	N	% Contacted	Contacted		% Booked/Referred	Booked/Referred		% Circumcised	Circumcised	
			Unadjusted (Model 1) β [95% CI]	Adjusted (Model 2) β [95% CI]		Unadjusted (Model 3) β [95% CI]	Adjusted (Model 4) β [95% CI]		Unadjusted (Model 5) β [95% CI]	Adjusted (Model 6) β [95% CI]
Study groups (ref: Standard of Care, SOC)	743	54.9%			14.4%			0.7%		
Foot-in-the-Door	978	56.3%	0.014 [-0.053 - 0.081]	-0.016 [-0.068 - 0.037]	11.3%	-0.031 [-0.073 - 0.012]	-0.050** [-0.092 - -0.009]	1.1%	0.005 [-0.004 - 0.013]	0.002 [-0.007 - 0.011]
Stand Proud	895	47.3%	-0.076** [-0.145 - -0.008]	-0.038 [-0.091 - 0.016]	14.5%	0.001 [-0.041 - 0.043]	-0.031 [-0.081 - 0.018]	1.1%	0.004 [-0.005 - 0.014]	0 [-0.012 - 0.011]
Reserved for You	812	58.1%	0.032 [-0.048 - 0.112]	0.040* [-0.007 - 0.087]	16.6%	0.022 [-0.029 - 0.073]	0.01 [-0.032 - 0.053]	0.9%	0.002 [-0.007 - 0.011]	0.001 [-0.008 - 0.011]
Active Choice	726	55.0%	0 [-0.066 - 0.067]	0.036 [-0.021 - 0.093]	17.2%	0.028 [-0.016 - 0.073]	0.011 [-0.038 - 0.059]	2.1%	0.014** [0.000 - 0.027]	0.012* [-0.000 - 0.025]
Day of the week controls (ref: Monday)										
Wednesday				0.021 [-0.011 - 0.053]			0.000 [-0.032 - 0.033]			-0.005 [-0.012 - 0.003]
Friday				-0.037** [-0.073 - -0.000]			-0.019 [-0.051 - 0.013]			-0.003 [-0.011 - 0.006]

Study week controls (ref 1)			
Week 2	0.045 [-0.095 - 0.185]	0.002 [-0.135 - 0.138]	0.001 [-0.030 - 0.032]
Week 3	0.107*** [0.045 - 0.168]	-0.026 [-0.120 - 0.068]	-0.004 [-0.028 - 0.020]
Week 4	0.053 [-0.025 - 0.130]	-0.002 [-0.103 - 0.098]	-0.004 [-0.029 - 0.021]
Week 5	0.124*** [0.057 - 0.192]	-0.046 [-0.157 - 0.066]	-0.002 [-0.028 - 0.024]
Week 6	0.077*** [0.021 - 0.134]	-0.023 [-0.113 - 0.066]	-0.013 [-0.037 - 0.011]
Week 7	0.140*** [0.048 - 0.231]	-0.041 [-0.142 - 0.060]	-0.005 [-0.030 - 0.020]
Week 8	-0.072 [-0.161 - 0.017]	-0.057 [-0.155 - 0.042]	-0.003 [-0.029 - 0.023]
Week 9	0.052 [-0.013 - 0.117]	-0.062 [-0.164 - 0.039]	-0.005 [-0.030 - 0.020]
Week 10	0.143*** [0.069 - 0.218]	-0.030 [-0.130 - 0.070]	-0.003 [-0.028 - 0.021]
Week 11	0.051* [-0.010 - 0.113]	-0.010 [-0.111 - 0.091]	0.010 [-0.014 - 0.033]
Week 12	0.109***	0.009	-0.005

		[0.043 - 0.175]		[-0.080 - 0.097]		[-0.031 - 0.021]
Week 13		0.252***		0.018		0.009
		[0.187 - 0.316]		[-0.100 - 0.136]		[-0.025 - 0.043]
Week 14		0.112*		-0.045		-0.008
		[-0.001 - 0.225]		[-0.142 - 0.052]		[-0.036 - 0.020]
Week 15		0.090**		-0.091*		-0.009
		[0.004 - 0.176]		[-0.183 - 0.002]		[-0.033 - 0.015]
Observations	4,154	4,154	4,154	4,154	4,154	4,154
R-squared	0.006	0.021	0.004	0.009	0.002	0.005

* p<0.1, ** p<0.05, *** p<0.01

Table S6 Logistic regression models of VMMC engagement in the MoyaApp (dependent variables: successful contact, booking/referral, circumcision) (N=4,154)

		Contacted		Booked/Referred		Circumcised	
	N	% Contacted	Adjusted (Model 1) Odds ratio [95% CI]	% Booked/Referred	Adjusted (Model 2) Odds ratio [95% CI]	% Circumcised	Adjusted (Model 3) Odds ratio [95% CI]
Study groups (ref: Standard of Care, SOC)	743	54.9%		14.4%		0.7%	
Foot-in-the- Door	978	56.3%	0.924 [0.750 - 1.139]	11.3%	0.642*** [0.462 - 0.892]	1.1%	1.333 [0.473 - 3.755]
Stand Proud	895	47.3%	0.825* [0.669 - 1.018]	14.5%	0.737* [0.520 - 1.044]	1.1%	0.910 [0.253 - 3.267]
Reserved for You	812	58.1%	1.169* [0.971 - 1.407]	16.6%	1.062 [0.769 - 1.467]	0.9%	1.145 [0.361 - 3.637]
Active Choice	726	55.0%	1.100 [0.883 - 1.370]	17.2%	0.994 [0.699 - 1.414]	2.1%	2.263 [0.815 - 6.284]
Day of the week controls (ref: Monday)							
Wednesday			1.096 [0.960 - 1.251]		0.979 [0.776 - 1.237]		0.638 [0.326 - 1.248]
Friday			0.861**		0.866		0.847

	[0.747 - 0.993]	[0.675 - 1.112]	[0.456 - 1.575]
Study week controls (ref Week 1)			
Week 2	1.209 [0.695 - 2.105]	1.031 [0.386 - 2.754]	1.059 [0.136 - 8.226]
Week 3	1.573*** [1.209 - 2.046]	0.823 [0.425 - 1.595]	0.664 [0.133 - 3.303]
Week 4	1.266 [0.919 - 1.746]	1.025 [0.512 - 2.049]	0.754 [0.119 - 4.788]
Week 5	1.651*** [1.240 - 2.199]	0.687 [0.296 - 1.596]	0.791 [0.117 - 5.337]
Week 6	1.394*** [1.098 - 1.769]	0.868 [0.468 - 1.611]	0.183 [0.019 - 1.800]
Week 7	1.803*** [1.238 - 2.626]	0.756 [0.369 - 1.547]	0.627 [0.095 - 4.149]
Week 8	0.761 [0.526 - 1.101]	0.672 [0.334 - 1.350]	0.758 [0.141 - 4.085]
Week 9	1.233 [0.951 - 1.597]	0.605 [0.297 - 1.234]	0.624 [0.105 - 3.713]
Week 10	1.813***	0.807	0.750

	[1.328 - 2.475]	[0.413 - 1.580]	[0.129 - 4.358]
Week 11	1.310** [1.009 - 1.701]	1.028 [0.509 - 2.075]	2.052 [0.470 - 8.948]
Week 12	1.645*** [1.247 - 2.168]	1.190 [0.645 - 2.193]	0.721 [0.086 - 6.013]
Week 13	3.097*** [2.295 - 4.179]	1.235 [0.570 - 2.678]	1.778 [0.288 - 10.957]
Week 14	1.672** [1.084 - 2.578]	0.787 [0.406 - 1.525]	0.618 [0.073 - 5.218]
Week 15	1.520** [1.072 - 2.155]	0.474** [0.254 - 0.886]	0.326 [0.030 - 3.537]
Multiple submissions (ref single submission)	2.610*** [1.968 - 3.462]	3.206*** [2.402 - 4.279]	4.798*** [2.619 - 8.789]
Observations	4,154	4,154	4,154

* p<0.1, ** p<0.05, *** p<0.01

Table S7 Ordinary least squares regression models of VMMC engagement in the MoyaApp (dependent variables: successful contact, booking/referral, circumcision) (N=4,154) with controls for multiple submitters

	N	% Contacted	Contacted Adjusted (Model 1) β [95% CI]	% Booked/Referred	Booked/Referred Adjusted (Model 2) β [95% CI]	% Circumcised	Circumcised Adjusted (Model 3) β [95% CI]
Study groups (ref: Standard of Care, SOC)	743	54.9%		14.4%		0.7%	
Foot-in-the- Door	978	56.3%	-0.017	11.3%	-0.052***	1.1%	0.002
			[-0.069 - 0.035]		[-0.090 - -0.014]		[-0.007 - 0.011]
Stand Proud	895	47.3%	-0.047*	14.5%	-0.040*	1.1%	-0.002
			[-0.100 - 0.006]		[-0.086 - 0.007]		[-0.013 - 0.010]
Reserved for You	812	58.1%	0.036	16.6%	0.007	0.9%	0.001
			[-0.010 - 0.081]		[-0.035 - 0.049]		[-0.009 - 0.011]
Active Choice	726	55.0%	0.023	17.2%	-0.001	2.1%	0.011*
			[-0.032 - 0.078]		[-0.048 - 0.046]		[-0.002 - 0.023]
Day of the week controls (ref: Monday)							
Wednesday			0.022		0.001		-0.005
			[-0.011 - 0.054]		[-0.030 - 0.032]		[-0.012 - 0.003]
Friday			-0.035*		-0.018		-0.002
			[-0.071 - 0.000]		[-0.049 - 0.014]		[-0.011 - 0.006]
Study week controls (ref 1)							
Week 2			0.044		0.001		0.001
			[-0.093 - 0.182]		[-0.132 - 0.134]		[-0.030 - 0.032]
Week 3			0.108***		-0.025		-0.004
			[0.044 - 0.172]		[-0.122 - 0.072]		[-0.028 - 0.020]
Week 4			0.057		0.002		-0.003

Week 5	0.121*** [-0.023 - 0.137] [0.050 - 0.192]	-0.049 [-0.102 - 0.105] [-0.164 - 0.066]	-0.003 [-0.029 - 0.023] [-0.029 - 0.024]
Week 6	0.081*** [0.022 - 0.140]	-0.020 [-0.113 - 0.072]	-0.013 [-0.037 - 0.012]
Week 7	0.143*** [0.049 - 0.236]	-0.039 [-0.141 - 0.064]	-0.004 [-0.030 - 0.021]
Week 8	-0.066 [-0.157 - 0.024]	-0.052 [-0.153 - 0.049]	-0.002 [-0.028 - 0.024]
Week 9	0.050 [-0.014 - 0.114]	-0.064 [-0.165 - 0.037]	-0.005 [-0.030 - 0.020]
Week 10	0.143*** [0.067 - 0.219]	-0.030 [-0.130 - 0.071]	-0.003 [-0.028 - 0.022]
Week 11	0.064** [0.000 - 0.129]	0.002 [-0.100 - 0.104]	0.012 [-0.012 - 0.036]
Week 12	0.119*** [0.051 - 0.188]	0.018 [-0.073 - 0.109]	-0.003 [-0.029 - 0.023]
Week 13	0.262*** [0.195 - 0.329]	0.027 [-0.094 - 0.148]	0.011 [-0.024 - 0.046]
Week 14	0.125** [0.016 - 0.234]	-0.033 [-0.131 - 0.064]	-0.006 [-0.033 - 0.022]
Week 15	0.101** [0.014 - 0.188]	-0.081* [-0.176 - 0.014]	-0.007 [-0.032 - 0.017]
Multiple submissions (ref single submission)	0.215*** [0.157 - 0.273]	0.194*** [0.134 - 0.254]	0.032*** [0.010 - 0.055]
Observations	4,154	4,154	4,154
R-squared	0.034	0.030	0.011

* p<0.1, ** p<0.05, *** p<0.01