


Supplementary Material

Content

- Supplementary Figure 1. SDQ symptom distributions across diagnostic categories in HBN
- Supplementary Table 1. Demographic table with clinical values scoring over cut-off
- Supplementary references

Supplementary Figure 1. SDQ symptom distributions across diagnostic categories in HBN



Supplementary Table 1. Demographic table with clinical values scoring over cut-off

	HBN (n = 1666)	Brainmint (n = 531)
Demographic information		
Age	10.91 ± 3.14	17.69 ± 2.83
Sex (n female)	641	390
SDQ sumscores		
Peer problems	2.19 ± 2.06 [419]	2.54 ± 1.88 [136]
Hyperactivity	5.3 ± 2.84 [599]	4.38 ± 2.58 [121]
Anxiety	2.43 ± 2.23 [301]	4.4 ± 2.68 [245]
Conduct problems	1.96 ± 1.96 [321]	1.61 ± 1.49 [59]
Prosociality	7.78 ± 2.09 [124]	8.56 ± 1.56 [10]

Note. Mean ± standard deviation [Number of participants scoring above clinical cut-off] (Bryant et al., 2020). HBN; Healthy brain network. Brainmint; Brains and minds in transition study. SDQ; Strength and difficulties questionnaire.

Supplementary references

Bryant, A., Guy, J., & Holmes, J. (2020). The Strengths and Difficulties Questionnaire Predicts Concurrent Mental Health Difficulties in a Transdiagnostic Sample of Struggling Learners. *Front Psychol, 11*, 587821. <https://doi.org/10.3389/fpsyg.2020.587821>