# Supplementary Appendix

Patient digital twins: an introduction based on a scoping review

# Supplementary material table of contents

FULL SEARCH STRATEGIES	3
EMBASE via OVID	3
Google scholar	3
IEEĔ	3
MEDLINE via Pubmed	3
Scopus	4
Web of science:	
FINAL DATA CHARTING	
LIST OF STUDIES EXCLUDED AT THE FULL-STAGE SCREENING STAGE AND REASONS.	7
List of records not retrievable	7
List of excluded articles at full-text screening stage.	7
NUMBER OF STUDIES CLAIMING TO BE DEVELOPING OR TO HAVE DEVELOPED/EVALUATED A PATIENT DIGITAL	
TWIN PUBLISHED PER YEAR.	12
GEOGRAPHIC DISTRIBUTION OF STUDIES CLAIMING TO BE DEVELOPING OR TO HAVE DEVELOPED/EVALUATED A	
PATIENT DIGITAL TWIN	12
DEFINITIONS OF DIGITAL TWIN PROVIDED BY AUTHORS	13
ORGANS AND SYSTEMS REPRESENTED BY THE CLAIMED DIGITAL TWINS.	17
MEDICAL DISCIPLINES REPRESENTED.	18
DATA USED TO DEVELOP AND/OR RUN THE 80 CLAIMED DIGITAL TWINS.	19
UPDATE FREQUENCY	20
UNSUPERVISED CLASSIFICATION OF CLAIMED DIGITAL TWINS	

#### Full search strategies EMBASE via OVID

# 1. exp digital twin/

- 2. ("digital" and "twin\*").ab,ti.
- 3. exp medicine/
- 4. medic\*.ab,ti.
- 5. exp surgery/
- 6. surg\*.ab,ti.
- exp radiology/
- 8. exp radiography/
- 9. radiolog\*.ab.ti.
- 10. exp diseases/
- 11. diseas\*.ab.ti.
- 12. exp diagnosis/
- 13. diagnos\*.ab,ti.
- 14. exp therapy/
- 15. treat\*.ab,ti.
- 16. exp prognosis/
- 17. prognos\*.ab,ti.
- 18. exp health/
- 19. health\*.ab,ti.
- 20. exp patient/
- 21. patient\*.ab,ti.
- 22. exp personalized medicine/
- exp personalized medicine/
  "precision medicine".ab,ti.
- 24. "personalized medicine".ab,ti.
- 24. personalized medicine .ab,ti.25. "personalised medicine".ab,ti.
- 26. 1 or 2
- 27. 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25
- 28. 26 and 27

## **Google scholar**

digital twin medicine OR surgery OR radiology OR disease OR diagnosis OR treatment OR prognosis OR health OR patient OR "precision medicine" OR "personalised medicine" OR "personalized medicine"

## IEEE

(Abstract:"digital" AND Abstract:"twin\*") AND ("medic\*" OR "surg\*" OR "radiol\*" OR "disease\*" OR "treat\*" OR "prognos\*" OR "health\*")

AND (research made in two times because IEEE allow only a finite number of search terms)

(Abstract:"digital" AND Abstract:"twin\*") AND ("patient\*" OR "precision medicine" OR "personalised medicine") OR "personalized medicine")

## **MEDLINE via Pubmed**

"digital"[Title/Abstract] AND "twin\*"[Title/Abstract] AND ("medicine"[MeSH Terms] OR "medic\*"[All Fields] OR ("surgery"[MeSH Subheading] OR "surg\*"[All Fields]) OR ("radiology"[MeSH Terms] OR "radiography"[MeSH Terms] OR "radiolog\*"[All Fields]) OR ("disease"[MeSH Terms] OR "diseas\*"[All Fields]) OR ("diagnosis"[MeSH Terms] OR "diagnos\*"[All Fields]) OR ("therapeutics"[MeSH Terms] OR "treat\*"[All Fields]) OR ("prognosis"[MeSH Terms] OR "prognos\*"[All Fields]) OR ("therapeutics"[MeSH Terms] OR "treat\*"[All Fields]) OR ("prognosis"[MeSH Terms] OR "prognos\*"[All Fields]) OR ("health"[MeSH Terms] OR "treat\*"[All Fields]) OR ("patients"[MeSH Terms] OR "prognos\*"[All Fields]) OR ("health"[MeSH Terms] OR "health\*"[All Fields]) OR ("patients"[MeSH Terms] OR "prognos\*"[All Fields]) OR ("precision medicine"[MeSH Terms] OR "patients s"[All Fields]) OR ("precision medicine"[MeSH Terms] OR "precision medicine"[MeSH Terms] OR ("precision medicine"[MeSH Terms] OR "precision medicine"[MeSH Terms] OR ("precision medicine"[All Fields]) OR "precision medicine"[All Fields] OR "patients"[All Fields] AND "medicine"[All Fields]) OR "precision medicine"[All Fields] OR ("precision"[All Fields]) OR "precision"[All Fields]) OR "personalised medicine"[All Fields] OR ("precision medicine"[All Fields]) OR "personalised medicine"[All Fields]) OR ("precision medicine"[All Fields]] OR ("precision"[All Fields]] OR "personalised medicine"[All Fields]] OR ("precision medicine"[All Fields]] OR ("precision"[All Fields]] AND "medicine"[All Fields]]) OR "personalised medicine"[All Fields]] OR ("precision medicine"[All Fields]] OR ("precision"[All Fields]]]) OR "personalised medicine"[All Fields]])))

#### Scopus

TITLE-ABS-KEY ("digital" AND "twin\*")

#### AND

 $(\ \text{TITLE-ABS-KEY}\ (\ \text{medic}^*\ ) \ \ \text{OR} \ \ \text{TITLE-ABS-KEY}\ (\ \text{surg}^*\ ) \ \ \text{OR} \ \ \text{TITLE-ABS-KEY}\ (\ \text{radiolog}^*\ ) \ \ \text{OR}$ TITLE-ABS-KEY (disease\*) OR TITLE-ABS-KEY (diagnos\*) OR TITLE-ABS-KEY (treat\*) OR TITLE-ABS-KEY (prognos\*) OR TITLE-ABS-KEY (health\*) OR TITLE-ABS-KEY (patient\*) OR TITLE-ABS-KEY ("precision medicine") OR TITLE-ABS-KEY ("personalised medicine") OR TITLE-ABS-KEY ( "personalized medicine"))

#### Web of science:

- 1: TS=("digital" and "twin\*") OR TI=("digital" and "twin\*")
- 2: (TS=("medic\*")) OR TI=("medic\*")
- 3: (TS=("surg\*")) OR TI=("surg\*")
- 4: (TS=("radiolog\*")) OR TI=("radiolog\*") 5: (TS=("disease\*")) OR TI=("disease\*") 6: (TS=("diagnos\*")) OR TI=("diagnos\*") 7: (TS=("treat\*")) OR TI=("treat\*") 0: (TS=("treat\*")) OR TI=("treat\*")

- 8: (TS=("prognos\*")) OR TI=("prognos\*")
- 9: (TS=("health\*")) OR TI=("health\*")
- 10: (TS=("patient\*")) OR TI=("patient\*")
- 11: (TS=("precision medicine")) OR TI=("precision medicine")
- 12: (TS=("personalised medicine")) OR TI=("personalised medicine")
- 13: (TS=("personalized medicine")) OR TI=("personalized medicine")
- 14: #13 OR #12 OR #11 OR #10 OR #9 OR #8 OR #7 OR #6 OR #5 OR #4 OR #3 OR #2
- 15: #14 AND #1

## Final data charting

Variable	Explanation
Study ID	Study ID attributed by our team
Reference	PMID reference or DOI if PMID not available
Author	First author name
Year	Year of publication
Country	Country of the corresponding author
Unique	Yes: unique digital twin; no: the same digital twin was already used in a previous study included in this review
Definition	Definition of digital twin by the study authors
Definition: yes or no	Yes: the authors provided a definition of digital twin
Definition: digital replica	Yes: the authors refer to a digital replica, virtual counterpart, or similar description in their definition of digital twin
Definition: high fidelity	Yes: the authors refer to an accurate, high-fidelity or similar description in their definition of digital twin
Definition: multiscale	Yes: the authors refer to a multiscale or combination of information at different levels (e.g. cellular, tissue, and organ) in their definition of digital twin.
Definition: two ways	Yes: the authors refer to a two-way communication between the physical and the digital twin, or include the notion of feedback to the physical object in their definition of digital twin
Definition: real time	Yes: the authors refer to real-time update, or continuous stream of information from the physical to the digital twin in their definition of digital twin.
Definition: patient specific	Yes: the authors refer to a patient in their definition of digital twin.
Type: System/organ*	Organ: digital twin of an organ or part of the body (e.g. vertebra)
- )F 2 )= 8	System: digital twin of a biological system (e.g. immune system)
	Other: prediction models, pharmacological models, etc.
Medical discipline	Medical discipline of the digital twin (e.g. cardiology for digital twins of the heart)
Data: notes	Yes: the digital twin presented required patient data from clinical notes (demographics or medical history) to be developed and/or used
Data: laboratory	Yes: the digital twin presented required patient data from laboratory results (e.g. results from blood tests) to be developed and/or used
Data: imaging	Yes: the digital twin presented required patient data from imaging (e.g. CT, MRI images) to be developed and/or used
Data: wearable	Yes: the digital twin presented required patient data from wearable devices (e.g. activity trackers, continuous glucose monitoring) to be developed and/or used
Data: other	Yes: the digital twin presented required patient data from other sources (e.g. ECG data, optical tracking data, diet data) to be developed and/or used.
Multimodal data*	Yes: different types and/or sources of patient data were required to develop and/or use the digital twin presented (e.g. clinical and laboratory data, or CT and MRI imaging data).
Model type*	Anatomical: the digital twin presented involves only anatomical data, usually a 3D representation of the organ.
51	Physiological: the digital twin presented involves only physiological processes.
	Both: the digital twin presented combines anatomical and physiological models
	Other: the digital twin presented do not involve an anatomical or physiological model. Often it refers to a prediction model using data-driven approaches.
Multiphysics*	Yes: at least two physics disciplines were involved in the development of the digital twin presented.
Multiscale*	Yes: at least two scales are involved in the digital twin presented among molecular, cellular, tissue, organ, system, patient
Approach*	Mechanistic: An approach that uses mathematical equations and scientific first principles to explicitly model expected relationships between system variables.
	Data-driven: An approach that applies machine learning algorithms to derive predictive models purely from patterns in collected data.
	Both: An approach that integrates mechanistic frameworks with data-driven optimization of model parameters
	Other: No such approaches were used (e.g. visualisation only)
Model for simulation*	Yes: The digital twin presented represents an entity (organ, biological system) that can be used to simulate different states. No: Otherwise. For example - monitoring systems relying on wearable devices and alerts.
Intent to update DT*	The authors intention is to develop a digital twin which is:
<u>r</u>	Static: for a one-time use with the patient data
	Dynamic: for regular use with the patient data
	Not patient specific: no update is possible because no patient data are linked.
Frequency of data update	For dynamic digital twins, the frequency of update of data entry: in real-time (several times per second), hour (several times per hours), day (several times per day), not
1	specified.

Frequency of output update	For dynamic digital twins, the frequency of the digital twin output (e.g. recommendation, haptic feedback during surgery): in real-time (several times per second), hour (several times per hours), day (several times per day), not specified.
DT: one way/two way*	No: no communication between the physical and digital twin
	One: communication from the physical to the digital twin, but not the reverse.
	Two: two-way communication between the physical and the digital twin.
DT: feedback	Type of feedback provided by two-ways digital twin systems
	Recommendation: for physician or patient
	Surgical navigation: haptic feedback, visual feedback, etc.
DT: patient specific output*	Yes: the digital twin presented is patient-specific, i.e. its output is specific to a patient or intended to be specific to a patient.
DT: phase	Clinical research phase based on <sup>1</sup> :
Ĩ	0 (discovery/invention): prototype design
	1 (safety/dosage): in-silico optimization and usability testing
	2 (efficacy/side-effects): clinical assessments
	3 (efficacy): clinical trials
	4 (safety/effectiveness): post-deployment surveillance
Advanced analytics*	Yes: the digital twin presented involved data analytics
Advanced visualisation*	Yes: the digital twin presented involved some form of advanced visualisation, i.e. the digital replica of the cell, tissue, organ, system or patient can be "viewable" in 2D or
	3D
Objective: simulation*	Yes: one of the objectives of the digital twin presented is simulation
Objective: prediction*	Yes: one of the objectives of the digital twin presented is prediction
Objective: monitoring*	Yes: one of the objectives of the digital twin presented is monitoring
Objective: visualisation*	Yes: one of the objectives of the digital twin presented is visualisation
Objective: generation*	Yes: one of the objectives of the digital twin presented is to generate synthetic patient data

\* Variables that were included for the clustering of the different digital twins. 1 Park Y, Jackson GP, Foreman MA, Gruen D, Hu J, Das AK. Evaluating artificial intelligence in medicine: phases of clinical research. *JAMIA Open* 2020; **3**: 326-31.

## List of studies excluded at the full-stage screening stage and reasons.

## List of records not retrievable.

1. Díaz RG, Laamarti F, El Saddik A. DTCoach: Your Digital Twin Coach on the Edge During COVID-19 and Beyond. IEEE Instrum Meas Mag. 2021 Sep;24(6):22–8.

2. Li X. Real-time digital twins end-to-end multi-branch object detection with feature level selection for healthcare. J Real-Time Image Process. 2022 Oct 1;19(5):921–30.

3. Wang W, He Y, Li F, Li J, Liu J, Wu X. Digital twin rehabilitation system based on self-balancing lower limb exoskeleton. Technol Health Care Off J Eur Soc Eng Med. 2023;31(1):103–15.

4. Marty P, Boehm C, Paverd C, Rominger M, Fichtner A. Full-waveform ultrasound modeling of soft tissue-bone interactions using conforming hexahedral meshes. In: Medical Imaging 2022: Physics of Medical Imaging [Internet]. SPIE; 2022 [cited] 2024 Jan 25]. p. 877–91. Available from: https://www.spiedigitallibrary.org/conference-proceedings-of-spie/12031/120313H/Full-waveform-ultrasoundmodeling-of-soft-tissue-bone-interactions-using/10.1117/12.2611548.full

## List of excluded articles at full-text screening stage.

Wrong study type (conference paper, commentary, book chapter, abstract)

1. Kalozoumis PG, Marino M, Carniel EL, Iakovidis DK. Towards the Development of a Digital Twin for Endoscopic Medical Device Testing. In: Hassanien AE, Darwish A, Snasel V, editors. Digital Twins for Digital Transformation: Innovation in Industry [Internet]. Cham: Springer International Publishing; 2022 [cited 2024 Jan 25]. p. 113–45. (Studies in Systems, Decision and Control). Available from: https://doi.org/10.1007/978-3-030-96802-1\_7

2. Gorelova A, Meliá S. Applying a Healthcare Web of Things Framework for Infertility Treatments. In: Di Noia T, Ko IY, Schedl M, Ardito C, editors. Web Engineering. Cham: Springer International Publishing; 2022. p. 426–31. (Lecture Notes in Computer Science).

3. Baumgartner C. The world's first digital cell twin in cancer electrophysiology: a digital revolution in cancer research? J Exp Clin Cancer Res. 2022 Oct 11;41(1):298.

4. Palaniappan R, Surendran S. A Digital Twin Approach for deepened Classification of Patients with Hepatitis, Fibrosis and Cirrhosis. J Phys Conf Ser. 2022 Sep;2335(1):012034.

5. Data-Driven Digital Twins in Surgery utilizing Augmented Reality and Machine Learning | IEEE Conference Publication | IEEE Xplore [Internet]. [cited 2024 Jan 25]. Available from: https://ieeexplore.ieee.org/document/9814537

6. Camps J, Wang ZJ, Sebastian R, Zhou X, Lawson B, Berg LA, et al. Inference of Number and Location of Purkinje Root Nodes and Ventricular Conduction Properties from Clinical 12-Lead ECGs for Cardiac Digital Twinning. In: 2022 Computing in Cardiology (CinC) [Internet]. 2022 [cited 2024 Jan 25]. p. 1–4. Available from: https://ieeexplore.ieee.org/document/10081602

7. Jamshidi MB, Ebadpour M, Moghani MM. Cancer Digital Twins in Metaverse. In: 2022 20th International Conference on Mechatronics - Mechatronika (ME) [Internet]. 2022 [cited 2024 Jan 25]. p. 1–6. Available from: https://ieeexplore.ieee.org/document/9983328

8. Lai M, Yang H, Gu J, Chen X, Jiang Z. Digital-twin-based Online Parameter Personalization for Implantable Cardiac Defibrillators. Annu Int Conf IEEE Eng Med Biol Soc IEEE Eng Med Biol Soc Annu Int Conf. 2022 Jul;2022:3007–10.

9. Das T, Wang Z, Sun J. TWIN: Personalized Clinical Trial Digital Twin Generation. In: Proceedings of the 29th ACM SIGKDD Conference on Knowledge Discovery and Data Mining [Internet]. New York, NY, USA: Association for Computing Machinery; 2023 [cited 2024 Jan 25]. p. 402–13. (KDD '23). Available from: https://dl.acm.org/doi/10.1145/3580305.3599534

10. Design of Precision Medicine Web-service Platform Towards Health Care Digital Twin | IEEE Conference Publication | IEEE Xplore [Internet]. [cited 2024 Jan 25]. Available from: https://ieeexplore.ieee.org/document/10199942 11. Transforming AI Solutions in Healthcare—The Medical Information Tokens | IEEE Conference Publication | IEEE Xplore [Internet]. [cited 2024 Jan 25]. Available from: https://ieeexplore.ieee.org/document/10195110

12. Digital Twin of a Musculoskeletal System | IEEE Conference Publication | IEEE Xplore [Internet]. [cited 2024 Jan 25]. Available from: https://ieeexplore.ieee.org/document/10169727

Chen Y, Wang W, Diao J, Wang D, Jian Z, Wang Y, et al. Digital-Twin-Based Patient Evaluation during 13. Stroke Rehabilitation. In: Proceedings of the ACM/IEEE 14th International Conference on Cyber-Physical Systems (with CPS-IoT Week 2023) [Internet]. New York, NY, USA: Association for Computing Machinery; 2023 [cited 2024 22-33. (ICCPS Available from: Jan 25]. '23). p. https://dl.acm.org/doi/10.1145/3576841.3585923

14. Wang W, He Y, Li F, Li J, Liu J, Wu X. Digital twin rehabilitation system based on self-balancing lower limb exoskeleton. Technol Health Care Off J Eur Soc Eng Med. 2023;31(1):103–15.

15.Dervişoğlu H, Ülver B, Yurtoğlu R, Halepmollası R, Haklıdır M. A Comparative Study on Cloud-based<br/>and Edge-Based Digital Twin Frameworks for Prediction of Cardiovascular Disease: In: Proceedings of the 9th<br/>International Conference on Information and Communication Technologies for Ageing Well and e-Health<br/>[Internet]. Prague, Czech Republic: SCITEPRESS - Science and Technology Publications; 2023 [cited 2024 Jan<br/>25].p.159–69.Availablefrom:<br/>https://www.scitepress.org/DigitalLibrary/Link.aspx?doi=10.5220/0011859400003476

16. Leal MOC, Díaz DM, Romo CO, Herrera AJA, Herrera JEM, Ramírez AEM, et al. Biomechanics Digital Twin: Markerless Joint Acceleration Prediction Using Machine Learning and Computer Vision. In: 2023 Future of Educational Innovation-Workshop Series Data in Action [Internet]. 2023 [cited 2024 Jan 25]. p. 1–8. Available from: https://ieeexplore.ieee.org/document/10104757

17. Oppus CM, Santiago PRA, Torres JBM, Mercado NAM, Cabacungan PM, Cao RP, et al. A Digital Twin Approach of A-vent Wireless Sensor for Real-Time and Predictive Monitoring of Patient Ventilator Asynchrony. In: 2023 15th International Conference on Electronics, Computers and Artificial Intelligence (ECAI) [Internet]. 2023 [cited 2024 Jan 25]. p. 1–5. Available from: https://ieeexplore.ieee.org/document/10194042

18. Grob M, Seisl P, Rappelsberger A, Adlassnig KP. Health Digital Twins with Clinical Decision Support. Stud Health Technol Inform. 2023 Jun 29;305:151–2.

19. Hyun SM, Lee K. The study on TAVR Medical Twin Method Based on Real World Data(RWD). In: 2023 International Conference on Information Networking (ICOIN) [Internet]. 2023 [cited 2024 Jan 25]. p. 678–82. Available from: https://ieeexplore.ieee.org/document/10049049

20. Hwang T, Kwon O, Lim B, Jin Z, Yang S, Kim D, et al. Clinical application of virtual antiarrhythmic drug test using digital twins in patients who recurred atrial fibrillation after catheter ablation. EP Eur. 2023 Jun 1;25(Supplement\_1):euad122.076.

21. Servin F, Collins JA, Heiselman JS, Frederick-Dyer KC, Planz VB, Geevarghese SK, et al. Digital twin forecasting of microwave ablation via fat quantification image-to-grid computational methods. 2023 Apr 1;12466:1246619.

## Retracted articles

22. Jiang J, Li Q, Yang F. TCM Physical Health Management Training and Nursing Effect Evaluation Based on Digital Twin. Sci Program. 2022 Sep 27;2022:e3907481.

23. Chen J. 3D Visualization Analysis of Motion Trajectory of Knee Joint in Sports Training Based on Digital Twin. Comput Intell Neurosci. 2022;2022:3988166.

#### Articles not peer-reviewed

24. Cockrell C, Schobel-McHugh S, Lisboa F, Vodovotz Y, An G. Generating synthetic data with a mechanism-based Critical Illness Digital Twin: Demonstration for Post Traumatic Acute Respiratory Distress Syndrome [Internet]. bioRxiv; 2022 [cited 2024 Jan 25]. p. 2022.11.22.517524. Available from: https://www.biorxiv.org/content/10.1101/2022.11.22.517524v1

25. Zhang Y, Zhang K, Prakosa A, James C, Zimmerman SL, Carrick R, et al. Predicting Ventricular Tachycardia Circuits in Patients with Arrhythmogenic Right Ventricular Cardiomyopathy using Genotype-specific Heart Digital Twins. MedRxiv Prepr Serv Health Sci. 2023 Aug 1;2023.05.31.23290587.

26. Herrgårdh T, Simonsson C, Ekstedt M, Lundberg P, Stenkula KG, Nyman E, et al. A multi-scale digital twin for adiposity-driven insulin resistance in humans: diet and drug effects. Diabetol Metab Syndr. 2023 Dec 4;15(1):250.

#### No claimed digital twin

27. Renaudin CP, Barbier B, Roriz R, Revel D, Amiel M. Coronary arteries: new design for three-dimensional arterial phantoms. Radiology. 1994 Feb;190(2):579–82.

28. Lauzeral N, Borzacchiello D, Kugler M, George D, Rémond Y, Hostettler A, et al. A model order reduction approach to create patient-specific mechanical models of human liver in computational medicine applications. Comput Methods Programs Biomed. 2019 Mar 1;170:95–106.

29. Defraeye T, Bahrami F, Ding L, Malini RI, Terrier A, Rossi RM. Predicting Transdermal Fentanyl Delivery Using Mechanistic Simulations for Tailored Therapy. Front Pharmacol. 2020;11:585393.

30. Romero P, Lozano M, Martínez-Gil F, Serra D, Sebastián R, Lamata P, et al. Clinically-Driven Virtual Patient Cohorts Generation: An Application to Aorta. Front Physiol. 2021;12:713118.

31. Calka M, Perrier P, Ohayon J, Grivot-Boichon C, Rochette M, Payan Y. Machine-Learning based model order reduction of a biomechanical model of the human tongue. Comput Methods Programs Biomed. 2021 Jan;198:105786.

32. Qu S, Zhuo W, Xie T. Construction of patient-specific computational twins model based on low dose CT images. Chin J Radiol Med Prot. 2021;765–71.

33. Lei IM, Jiang C, Lei CL, de Rijk SR, Tam YC, Swords C, et al. 3D printed biomimetic cochleae and machine learning co-modelling provides clinical informatics for cochlear implant patients. Nat Commun. 2021 Oct 29;12(1):6260.

34. Digital Twin Model: A Real-Time Emotion Recognition System for Personalized Healthcare | IEEE Journals & Magazine | IEEE Xplore [Internet]. [cited 2024 Jan 25]. Available from: https://ieeexplore.ieee.org/document/9840353

35. Batch KE, Yue J, Darcovich A, Lupton K, Liu CC, Woodlock DP, et al. Developing a Cancer Digital Twin: Supervised Metastases Detection From Consecutive Structured Radiology Reports. Front Artif Intell. 2022 Mar 2;5:826402.

36. Islam MN, Hasan M, Hossain MK, Alam MGR, Uddin MZ, Soylu A. Vision transformer and explainable transfer learning models for auto detection of kidney cyst, stone and tumor from CT-radiography. Sci Rep. 2022 Jul 6;12(1):11440.

37. Intraoperative Data-Based Haptic Feedback for Arthroscopic Partial Meniscectomy Punch Simulation | IEEE Journals & Magazine | IEEE Xplore [Internet]. [cited 2024 Jan 25]. Available from: https://ieeexplore.ieee.org/document/9913437

38. Su P, Yue C, Cui L, Zhang Q, Liu B, Liu T. Quasi-Static Mechanical Properties and Continuum Constitutive Model of the Thyroid Gland. J Funct Biomater. 2022 Dec 8;13(4):283.

39. Amara K, Kerdjidj O, Ramzan N. Emotion Recognition for Affective Human Digital Twin by Means of Virtual Reality Enabling Technologies. IEEE Access. 2023;11:74216–27.

40. Cho RY, Byun SH, Yi SM, Ahn HJ, Nam YS, Park IY, et al. Comparative Analysis of Three Facial Scanners for Creating Digital Twins by Focusing on the Difference in Scanning Method. Bioeng Basel Switz. 2023 Apr 29;10(5):545.

41. Abeltino A, Bianchetti G, Serantoni C, Riente A, De Spirito M, Maulucci G. Putting the Personalized Metabolic Avatar into Production: A Comparison between Deep-Learning and Statistical Models for Weight Prediction. Nutrients. 2023 Feb 27;15(5):1199.

42. Aluvalu R, Mudrakola S, V UM, Kaladevi AC, Sandhya MVS, Bhat CR. The novel emergency hospital services for patients using digital twins. Microprocess Microsyst. 2023 Apr 1;98:104794.

43. Kandil K, Zaïri F, Zaïri F. A Microstructure-Based Mechanistic Approach to Detect Degeneration Effects on Potential Damage Zones and Morphology of Young and Old Human Intervertebral Discs. Ann Biomed Eng. 2023 Aug;51(8):1747–58.

Not a patient digital twin

44. Hirschvogel M, Jagschies L, Maier A, Wildhirt SM, Gee MW. An in silico twin for epicardial augmentation of the failing heart. Int J Numer Methods Biomed Eng. 2019 Oct;35(10):e3233.

45. Masison J, Beezley J, Mei Y, Ribeiro H, Knapp AC, Sordo Vieira L, et al. A modular computational framework for medical digital twins. Proc Natl Acad Sci U S A. 2021 May 18;118(20):e2024287118.

46. Kawada T, Miyamoto T, Mukkamala R, Saku K. Linear and nonlinear identification of the carotid sinus baroreflex in the very low-frequency range. Physiol Rep. 2022 Jul;10(14):e15392.

47. Joslyn LR, Linderman JJ, Kirschner DE. A virtual host model of Mycobacterium tuberculosis infection identifies early immune events as predictive of infection outcomes. J Theor Biol. 2022 Apr 21;539:111042.

48. Shi Y, Deng X, Tong Y, Li R, Zhang Y, Ren L, et al. Synergistic Digital Twin and Holographic Augmented-Reality-Guided Percutaneous Puncture of Respiratory Liver Tumor. IEEE Trans Hum-Mach Syst. 2022 Dec;52(6):1364–74.

49. Tivay A, Kramer GC, Hahn JO. Collective Variational Inference for Personalized and Generative Physiological Modeling: A Case Study on Hemorrhage Resuscitation. IEEE Trans Biomed Eng. 2022 Feb;69(2):666–77.

50. Dichamp J, Cellière G, Ghallab A, Hassan R, Boissier N, Hofmann U, et al. In vitro to in vivo acetaminophen hepatotoxicity extrapolation using classical schemes, pharmacodynamic models and a multiscale spatial-temporal liver twin. Front Bioeng Biotechnol. 2023;11:1049564.

51. Männle D, Pohlmann J, Monji-Azad S, Hesser J, Rotter N, Affolter A, et al. Artificial intelligence directed development of a digital twin to measure soft tissue shift during head and neck surgery. PloS One. 2023;18(8):e0287081.

52. Wang C, Yoo SJ, Tanabe S ichi, Ito K. Investigation of transient and heterogeneous micro-climate around a human body in an enclosed personalized work environment. Energy Built Environ. 2020 Oct 1;1(4):423–31.

53. Wan Z, Dong Y, Yu Z, Lv H, Lv Z. Semi-Supervised Support Vector Machine for Digital Twins Based Brain Image Fusion. Front Neurosci. 2021 Jul 9;15:705323.

54. Wang Y. Image 3D Reconstruction and Interaction Based on Digital Twin and Visual Communication Effect. Mob Inf Syst. 2022 Jul 23;2022:e8510369.

55. Wang J, Qiao L, Lv H, Lv Z. Deep Transfer Learning-Based Multi-Modal Digital Twins for Enhancement and Diagnostic Analysis of Brain MRI Image. IEEE/ACM Trans Comput Biol Bioinform. 2023;20(4):2407–19.

56. Talukder AK, Schriml L, Ghosh A, Biswas R, Chakrabarti P, Haas RE. Diseasomics: Actionable machine interpretable disease knowledge at the point-of-care. PLOS Digit Health. 2022 Oct;1(10):e0000128.

57. Dang Z, Yang Q, Deng Z, Han J, He Y, Wang S. Digital Twin-Based Skill Training With a Hands-On User Interaction Device to Assist in Manual and Robotic Ultrasound Scanning. IEEE J Radio Freq Identif. 2022;6:787–93.

58. Lv Z, Qiao L, Lv H. Cognitive Computing for Brain–Computer Interface-Based Computational Social Digital Twins Systems. IEEE Trans Comput Soc Syst. 2022 Dec;9(6):1635–43.

59. Yuan X, Zhang J, Luo J, Chen J, Shi Z, Qin M. An Efficient Digital Twin Assisted Clustered Federated Learning Algorithm for Disease Prediction. In: 2022 IEEE 95th Vehicular Technology Conference: (VTC2022-Spring) [Internet]. 2022 [cited 2024 Jan 25]. p. 1–6. Available from: https://ieeexplore.ieee.org/document/9860704

60. A 3D-printed phantom twin and multi-transducer holder for dynamic anatomical ultrasonography of the lower limb | Journal of 3D Printing in Medicine [Internet]. [cited 2024 Jan 25]. Available from: https://www.futuremedicine.com/doi/10.2217/3dp-2023-0004

61. Uhlenberg L, Derungs A, Amft O. Co-simulation of human digital twins and wearable inertial sensors to analyse gait event estimation. Front Bioeng Biotechnol [Internet]. 2023 [cited 2024 Jan 25];11. Available from: https://www.frontiersin.org/articles/10.3389/fbioe.2023.1104000

62. Wang J, Qiao L, Lv H, Lv Z. Deep Transfer Learning-Based Multi-Modal Digital Twins for Enhancement and Diagnostic Analysis of Brain MRI Image. IEEE/ACM Trans Comput Biol Bioinform. 2023;20(4):2407–19.

63. Khan S, Ullah S, Khan HU, Rehman IU. Digital-Twins-Based Internet of Robotic Things for Remote Health Monitoring of COVID-19 Patients. IEEE Internet Things J. 2023 Sep;10(18):16087–98.

#### Development limited to a framework or a technology

64. Keller J, Lindenmeyer A, Blattmann M, Gaebel J, Schneider D, Neumuth T, et al. Using Digital Twins to Support Multiple Stages of the Patient Journey. Stud Health Technol Inform. 2023 May 2;301:227–32.


65. Feng Y. Create the Individualized Digital Twin for Noninvasive Precise Pulmonary Healthcare. Significances Bioeng Biosci [Internet]. 2018 Jan 19 [cited 2024 Jan 25];1(2). Available from: https://crimsonpublishers.com/sbb/fulltext/SBB.000507.php

66. Biancolini ME, Capellini K, Costa E, Groth C, Celi S. Fast interactive CFD evaluation of hemodynamics assisted by RBF mesh morphing and reduced order models: the case of aTAA modelling. Int J Interact Des Manuf IJIDeM. 2020 Dec 1;14(4):1227–38.


67. Xing X, Ser JD, Wu Y, Li Y, Xia J, Xu L, et al. HDL: Hybrid Deep Learning for the Synthesis of Myocardial Velocity Maps in Digital Twins for Cardiac Analysis. IEEE J Biomed Health Inform. 2023 Oct;27(10):5134–42.

68. Chakshu NK, Sazonov I, Nithiarasu P. Towards enabling a cardiovascular digital twin for human systemic circulation using inverse analysis. Biomech Model Mechanobiol. 2021 Apr 1;20(2):449–65.

Number of studies claiming to be developing or to have developed/evaluated a patient digital twin published per year.



Geographic distribution of studies claiming to be developing or to have developed/evaluated a patient digital twin.



Study ID	Reference	Author	Year	Definition of digital twin provided by authors
				The digital twin concept can be broadly described by three characterisations: active, where a digital replica (digital twin)
				of a physical system (physical twin) is continuously updated by information and data collected from the physical twin;
				semi-active, where time-varying data are collected, but rather than performing a continuous update, the information is
				analysed after the data are collected; and passive, where the digital twin utilises measurements from a physical twin which
3	30648344	Chaksu	2019	are not continuously updated, which may include some modelling assumptions
				At present, one commonly used defnition from NASA is, "A Digital Twin is an integrated Multiphysics, multiscale,
				probabilistic simulation of an as-built vehicle or system that uses the best available physical models, sensor updates, fleet
				history, etc., to mirror the life of its corresponding flying twin." A digital twin consists of three parts: physical objects,
				virtual objects, and connected data. From the description of the digital twin, it has the following characteristics :(1) Real- time reflection: Various types of physical object data should be integrated, and it can keep real-time mapping of physical
				objects. (2) Interaction and convergence: It exists in and co-evolves with the full lifecycle of physical objects. (3)
				Evolution and iteration: It can not only describe physical objects, but also optimize physical objects based on the iterative
				virtual model. DTH is a new medical simulation approach for a medical activity or a medical system to provide fast,
				accurate and efficient medical services using DT technology with multiscience, multi-physics and multi-scale models.
				DTH mainly consists of three parts: physical object, virtual object and healthcare data. The physical object may be a
				medical device or a wearable device for the elderly, a patient, an external factor such as social behavior, weather or
				government policy influencing their health, or a system consisting of several or all of these unit objects. The virtual object
				is the medical device model, wearable device model, digital person model, external factor model, and the digital system
				model, respectively. The healthcare data includes detection data from medical devices or external systems, real-time
				monitoring data from wearable devices, simulation data from digital models, historical data and medical records from
				medical institutions, and service data from service platforms or systems that connect the physical and virtual spaces. The
				operation mechanism of DTH consists of four main stages. First, accurate digital twin models should be established
				corresponding to the physical entity objects (unit level object or system level object) by means of advanced modeling techniques or tools such as SysML, Modelica, SolidWorks, 3DMAX and AutoCAD. Second, data connection should be
				done through health IoT and mobile internet technologies in order to maintain the interaction between physical and virtual
				objects in real time. Third, simulation is validated by quick execution and calibration to ensure that the model is correct.
				Fourth, according to the needs and actual conditions, model evolution should be carried out continuously to optimize and
				iterate the DT models. Then, data from DT models are fedback to the physical objects and the service systems to provide
4	10.1109/ACCESS.2019.2909828	Liu	2019	better solutions for elderly healthcare services.
5	10.1007/s00772-019-00569-4	Hemmler	2019	The digital twin, as a digital replica of this real entity
				DT is defined as the virtual (digital) counterpart of a physical system. The DT starts living as the physical is being
				prototyped, dies when it is disassembled, and follows its physical twin during its whole life, resembling its status and
				being continuously connected and synchronized with it. Thanks to AI, the DT continuously controls and monitors its
				physical twin status, with the aim of optimizing its performance by triggering self-optimization and self-healing
				mechanisms. The digital-physical twins interaction is based on a ``closed-loop", which refers to the continuous exchange
				of data between the cyber and physical worlds in order to continuously optimize the physical side. receives data from its
				physical twin, reconfigures itself to be synchronized with it, applies AI algorithms to detect anomalies and then suggests
				self-healing or optimization actions. Thanks to the DT, all stakeholders have a quick and easy access to the physical object status, to monitor and control it and eventually trigger required actions. The success of DT technology in manufacturing,
				documented in the extensive survey reported in [4], has motivated several studies aimed at extending it to humans, by
				designing, human DTs, that is computer models of humans tailored to any patient to allow researchers and clinicians to
				monitor the patient's health, for providing and test treatment protocols. Human DTs differ from DTs developed and used in
				Industry 4.0 because they are not continuously connected to their physical twin. In this case, users and experts are meant to
8	31267697	Hirschvogel	2020	continuously update the DT with the input of medical digital, data describing the health condition of the physical twin.
				The digital twin concept was proposed in 2002 and referred to the digital replica of a physical object. A new vision of the
9	10.1109/ACCESS.2020.2971576	Barricelli	2020	digital twin was introduced in to re-de ne it as a digital replication of a living or nonliving physical entity. By bridging the

				physical and virtual worlds, data are transmitted seamlessly, which enables the virtual entity to exist simultaneously with the physical entity. Digital twin facilitates the means to monitor, understand, and optimize the functions of the physical entity and provides continuous feedback to improve the quality of life and well-being. A digital twin is hence the convergence of several technologies, such as data analytics and artificial intelligence, haptics and the Internet of Things, data visualization techniques, cybersecurity and communication networks. The digital twin, as defined in [2], has multiple characteristics. Other than a unique identifier, the digital twin uses sensors and actuators, which enables it to continuously collect data and renders it an accurate replica of the real twin at any given time, as well as conveys feedback to the real twin. These sensors and actuators can have the form of wearables and personal health devices, which use has exploded in recent years. In this paper, we use the digital twin in its more recent and much broader definition, which considers the digital twin as a replica of any living or nonliving entity. We use sensors for the digital twin as humans use their five senses. These sensors are used by the digital twin to learn as much information as available about the real twin. Data processing by means of artificial intelligence algorithms and data analytics is the mapping for the digital twin of human intelligence. This process enables decision-making and feedback transmission to the real twin. Feedback can take the form of actuation, such as haptic actuation or notifications or manipulation of a home environment to improve the health and well-being of the real twin.
10	22225202	T -1	2020	Digital twin allows clinical or research interventions to be tested first in a virtual environment, minimizing safety concerns
10	33225302 10.1016/j.bspc.2019.101813	Lal Goodwin	2020	to real patients A digital twin associated with a physical system is a mathematical model that represents the system.
12	10.1007/s41745-020-00185-2	Subramian	2020	Digital replicas of processes, systems or devices used for understanding study or prediction
10	10.3233/FI-2020-1943	Stefano	2020	A digital representation of that patient physiology.
18	33651703	Fu	2020	Digital representations of clinical cases
10	55051705	1 u	2021	A mathematical model of the ``(biological stimulus)-(sensor)-(processor)'' system, whose computer implementation
				defines a digital twin that can generate, based on physical input parameters, a wide variety of physically plausible
20	10.1109/ACCESS.2021.3063786	Béthencout	2021	situations.
21	33360683	Zhou	2021	Patient-specific digital twins or virtual patients built on clinical data
				A comprehensive virtual tool that coherently integrates a patient's clinical data with mechanistic physiological knowledge
22	34271532	Camps	2021	and that can inform therapeutic and diagnostic decision-making through simulations.
				A virtual prototype of patients mirroring the underlying biological system (Gelernter, 1993; Laubenbacher et al., 2021)
23	34603366	Barbiero	2021	combining information at organ, tissue, and cellular level.
29	34351462	Hernigou	2021	Near real-time digital image of a physical human
34	33805617	Cho	2021	Data reconstructed in the virtual environment to reproduce reality, which provides answers to a range of clinical questions
35	33975097	Gilette	2021	Digital replicas of patient [hearts] derived from clinical data that match like-for-like all available clinical observations.
37	34431016	Gilette	2021	Digital replicas of a patient that match all available clinical observations with high fidelity
38	10.1186/s13634-020-00715-1	Conte Alcaraz	2021	Digital counterpart of body
				Dynamic digital representation of the patient's anatomy and physiology through computational models which are
41	10.3390/electronics10182220	Gonzalze-Abril	2021	continuously updated from clinical data. () Highly capable simulation models, especially those that consume streaming data from sensors to anticipate maintenance issues, impending failure of components and improving performance.
41	10.3370/6166010116810162220	Guizaize-AUIII	2021	A digital twin of a patient is a simulation of the patient's trajectory that behaves identically to the patient in terms of
44	10.3390/app11125576	Allen	2021	outcomes.
				A virtual replica of a physical asset that reflects the current status through real-time transformed data. () The concept of this technology refers to a digital replica of the physical object. DT combines Artificial Intelligence (AI), Data Analyt ics, IoT, Virtual and Augmented Reality paired with digital and physical objects. This integration allows real-time data analysis, status monitoring to head off problems before they even occur, risk management, cost reduction, and future
46	10.1109/JIOT.2021.3051158	Elayan	2021	opportunities prediction
				A digital replica (digital twin) of a physical entity or process is virtually recreated, with similar elements and dynamics, to
47	25442211	Tordini	2022	perform real-time optimization and testing. In health care, coupled digital twins, that is, digital twin dyads, could be
47	35442211	Tardini	2022	created for both patients and for the therapy process and used to inform in a quantitative manner adaptive therapy decision-

				making and allow personalization and optimization of health outcomes, prediction and prevention of adverse events, and
				planning interventions
				A digital twin combines various advanced technologies to create actual mapped devices in the virtual space, reflecting the
				relevant physical devices throughout the life cycle process. Continuous fine-tuning and optimization are performed to
48	10.1109/JIOT.2022.3176300	Tai	2022	optimize the actual devices.
				Concept for modeling and integrating physics and heterogeneity, allowing simulation and optimization with multiscale
55	35138455	Hernigou	2022	systems.
1				The in-silico representation of a complex system which serves as a virtual model to analyze the current condition and
57	35403831	Ahmadian	2022	predict its future performance based on real-time data characterizing the system condition.
60	10.3390/machines10070530	Ouin	2022	The virtual analogy of the physical object, which can be used to simulate, analyze, and monitor the physical object
61	35581423	Venkatapurapu	2022	An instance of the model that mimics a real patient
01	55501425	venkatapurapu	2022	Virtual representation of a physical product [] developed to monitor real-time the product and obtain virtual insights and
63	10.3390/electronics11030502	Poletti	2022	data for the optimization of design or control processes.
03	10.3390/electrollics11030302	Foletti	2022	Key tools include digital-twins, which are digital replicas of complex systems which can be safely manipulated and
i i				
1				optimized in a virtual world and then deployed in the physical world afterwards, reducing costs of experiments and
i i				accelerating development of new technologies. This process involves the application of machine-learning to digital-twins,
1				whereby they learn from their mistakes/errors and constantly evolve to improve in a virtual environment. Digital-twins can
65	10.1016/j.cma.2022.115315	Zohdi	2022	also run in tandem with real systems and thereby serve as controllers.
				Virtual and precise depiction of a physical system, allowing real-time analysis for detection, prediction, prevention, and
68	10.1109/ACCESS.2022.3145984	Sharotry	2022	optimization to increase productivity
69	10.1080/09540091.2021.2013443	Zhang and Tai	2022	Virtual replicas of many physical entities, such as systems, devices, people and even places.
70	35295404	Jung	2022	Models that replicate all available observations with high accuracy
				An in silico model that brings together the technology to map, monitor, and control real-world entities by continually
71	10.1186/s13073-022-01048-4	Li	2022	receiving and integrating data from the physical twin to provide an up-to-date digital representation of the physical entity
				Digital twins come in different categories, e.g. online twins, which are updated in real time by connecting with a sensor,
				and offline twins, which are only occasionally updated using new data. Another distinction is between black box twins,
				utilising machine learning and statistical models, and physiologically based twins. A physiologically based digital twin is a
78	36094958	Silfvergren	2022	personalised computer model that describes the underlying physiology in a specific person or patient
70	50071750	Shivergrein	2022	A human digital-twin is one such model, widely used in other areas,23–25 which is a digital replica of a human system or
				sub-system. This replica is a personalised digital representation, in terms of structure or functioning or both, of an
				individual or patient's system. It can provide real-time feedback on how a patient's health is likely to vary based on their
84	36121054	Chakshu	2022	current known condition using periodic input data from the patient's vitals
04	50121054	Cliaksliu	2022	
104	2(10)252		2022	Digital copy of a physical system capable of accurately simulating, replicating, and predicting the behaviour of the
104	36191352	Ang	2022	physical system in various scenarios
1				The virtual representation of a living entity (e.g., human beings, animals, plants, etc.) or nonliving entity (e.g., business
				model, product, process, system, event, machine, building, etc.) that allows real-time interaction and communication
				between both the real twin and the digital twin to help with the modelling, monitoring, understanding, and optimization of
105	36560115	Al-Zyoud	2022	the functions and behaviour of the real twin
				A virtual presentation of the real-world patient that contains all his/hers organs and processes, and it is connected to the
109	36897525	Bahrami	2023	real world by sensor data or patient feedback.
				Virtual mirror of ourselves that allows us to simulate our personal medical history and state of health using data-driven
110	10.1038/s41598-023-43618-5	Cen	2023	analytical algorithms and theory-driven physical knowledge
				The digital twin (DT) is a framework that could fuse multiple models, data, and provide interfaces to virtualize physical
				entities with different viewpoints. In essence, the DT creates a digital replica of a physical object, process, or system
				orchestrated through a suite of models that exchange information with physical entities in real-time. The DT integrates
				these technologies appropriately for real-time data aggregation, system analysis, status monitoring, knowledge creation,
1				providing deeper insights, risk management, bespoke displays, informed actions, agile situation management strategies,
115	36983097	Thamotharan	2023	prediction, and others. The health digital twin (HDT) has three parts: patient (PT), virtual digital twin (VT), and PT–VT
115	30703077	manounaran	2023	production, and others. The nearth digital twin $(1DT)$ has unce parts, patient $(1T)$ , virtual digital twin $(VT)$ , and $TT-VT$

166	37160583	Shu	2023	feedback, which is dificult to obtain otherwise.
				Receiving continuous measurements from sensor-rich environments, digital twins can conversely provide computational
103	31303928	Strocchi	2023	A patient-specific anatomical heart model, or digital twin, Digital twins are virtual counterparts of real-world processes, modeling dynamics and properties in real-time [1].
160 165	36908269 37363928	Susilo	2023	mosunetuzumab QSP model
				A virtual representation of a mosunetuzumab-treated clinical patient that integrates patient-specific clinical data (i.e., pharmacokinetics [PKs], tumor size, and biomarker data) alongside other in vitro/in vivo data within the established
158	10.3390/fi15070223	Avanzato	2023	Digital replicas of patients' hearts, thus assisting in clinical decision making and testing of new therapies.
155	10.1016/j.knosys.2022.110138	Manocha	2023	an event by changing the information in real time.
				Refers to the digital replication of the actual object. DT has the capability to combine physical objects and their digital replica with different modern techniques such as IoT, Artificial Intelligence (AI), virtual reality, and many others to increase its utility in different domains. DT is generating a virtual imitation of a physical object that mimics the status of
153	37392493	Azzolin	2023	Digital replicas of patient hearts systematically integrating clinical data that match like-for-like all available clinical observations
151	37549083	Sarp	2023	A virtual replica
150	37008895	Batagov	2023	particular time point.
				A mechanistic numerical model of a particular patient calibrated to the individual's phenotypic and clinical data at a
147	37391453	Lee	2023	options for each patient and predict the outcomes
146	37217483	Viola	2023	provided with appropriate input parameters, they can be used to surrogate real patients with 'on demand' features. Data that is recreated in a virtual setting to mimic reality. It can help develop and select the most efficacious treatment
				The generation of synthetic data by high-fidelity computer models might be an effective strategy to mitigate the above issues and this is one of the main aims of digital medicine. In fact, these models are referred to as digital twins and, when
143	37189587	Moztarzadeh	2023	Digital representations of physical objects or systems, providing a way to monitor, control, and optimize their performance in real time
142	37106642	Moztarzadeh	2023	and provide recommendations for clinical questions. These digital replicas can be used to predict the outcome of certain procedures, such as lung cancer diagnosis
				virtual twin is a virtual replica of a physical object that is connected to the original information operations. The virtual twin should closely mimic the behavior of the physical object, providing real-time data and allowing for the timely identification and resolution of errors. Ultimately, the digital twin should be able to sustain itself and improve the physical model through the incorporation of digital intelligence and iterative improvement. A healthcare digital twin is a virtual representation of a person that utilizes a lifetime of data and AI-powered models to predict the individual's health status
127	10.1109/TIM.2023.3298389	Zhu	2023	A virtual replica of physical objects. Digital twin technology, which uses real-world data to create a virtual replica of physical objects, has been rapidly growing in popularity, particularly in the medical field Digital twin is a virtual replica of a physical object that is connected to the original through a system of operations. The
125	37488327	Chasseloup	2023	A way to mirror a real life system (e.g., a plane or any part of it such as an engine). The model integrates historical and real time data to enable informed and tailored predictions under multiple conditions.
				interactions. However, orchestrating an HDT requires novel data sources, new models, and techniques to achieve personalized management. The main advantage of an HDT is its ability to handle both historical and real-time data that is missing in current approaches. With an HDT, management could be tailored to focus on a particular individual's contextual data.

Organs and systems represented by the claimed digital twins.

Organ	n = 48
Heart	15 (31%)
Bones and joints	10 (21%)
Lung	6 (12%)
Arteries	5 (10%)
Craniofacial structure – Skull - Teeth	3 (6%)
Multiple organs	3 (6%)
Gastrointestinal tract	2 (4%)
Brain	1 (2%)
Breast	1 (2%)
Liver	1 (2%)
Skin	1 (2%)
System	n = 11
Endocrine system	4 (36%)
Immune system	3 (27%)
Haematological system	1 (9%)
Lymphatic system	1 (9%)
Neuromuscular system	1 (9%)
Reproductive system	1 (9%)

# Medical disciplines represented.

Medical disciplines	Total n = 80
Cardiology	16 (20 %)
Oncology	10 (12.5%)
• General	3
• Breast	3
• Haematological (lymphoma and leukaemia)	2
• Colorectal	1
• Prostate	1
Orthopaedics	9 (11%)
Intensive care	5 (6.2%)
Diabetology	4 (5.0%)
Neurology	4 (5.0%)
Vascular medicine	4 (5.0%)
Immunology	3 (3.8%)
Pharmacology	3 (3.8%)
Radiology	3 (3.8%)
Dentistry/Orthodontics	3 (3.8%)
Surgery	3 (3.8%)
• General	1
• Lung	1
• Neurosurgery	1
Endocrinology	2 (2.5%)
Gastroenterology	2 (2.5%)
Geriatrics	2 (2.5%)
Obstetrics and gynecology	2 (2.5%)
Dermatology	1 (1.3%)
Hepatology	1 (1.3%)
Other (not classifiable)	3 (3.8%)
Emotion recognition	1
Sports medicine	1
• Well-being	1

Data used to develop and/or run the 80 claimed digital twins.

Data used to	develop and/or run the claimed digital twins	Total n = 80
Data from cl	inical notes	15 (19%)
Laboratory o	lata	13 (16%)
Imaging data		35 (44%)
• C.	ſ	13/35 (37%)
• M	RI	9/35 (26%)
• C.	Γ + MRI	4/35 (11%)
• X-	rays	3/35 (8.6%)
• US	3	2/35 (5.7%)
• C.	$\Gamma + US$	1/35 (2.9%)
• 00	CT	1/35 (2.9%)
• 00	CT + Angiography	1/35 (2.9%)
• No	ot specified	1/35 (2.9%)
Wearable de	vice data	12 (15%)
• Co	ontinuous glucose monitoring	4/12 (33.3%)
	mbination of actimeters, mobile apps, $\pm$ other wearables (smartscales, continuous glucose onitoring)	2/12 (16.6%)
• Co	nnected sleeve	1/12 (9.1%)
• Sn	nartwatches	1/12 (9.1%)
• In	ertial measurement units	1/12 (9.1%)
• Sn	nart insole	1/12 (9.1%)
• Ac	timeters	1/12 (9.1%)
Other data s	ources*	32 (40%)
• E <b>C</b>	CG	5/32 (15.6%)
• In	vasive pressure measurements	4/32 (12.5%)
• O <u>I</u>	tical tracking and motion capture	4/32 (12.5%)
• Tr	eatment data	4/32 (12.5%)
• Ve	ntilators parameters	4/32 (12.5%)
• Di	et data	3/32 (9.4%)
• Vi	tal signs	3/32 (9.4%)
• El	ectro-anatomical mapping data	2/32 (6.3%)
• Vi	deo data	2/32 (6.3%)
• Ca	rdiotocography recordings	1/32 (3.1%)
• Er	doscopic evaluation	1/32 (3.1%)
• Ge	enotype	1/32 (3.1%)
• Im	pedance tomography data	1/32 (3.1%)
• Lu	ng function test	1/32 (3.1%)
• Pa	thological data	1/32 (3.1%)
• Pa	tient report of exertion	1/32 (3.1%)
• Pe	rformance metrics evaluated by coaches	1/32 (3.1%)
• Si	nulated data	1/32 (3.1%)
• W	ound pictures	1/32 (3.1%)

\*The sum of each data sources exceeds 32 because one claimed digital twin could include several other data sources CT: computed tomography, MRI: Magnetic Resonance Imaging, OCT: Optical coherence tomography, US: ultrasound.

# Update Frequency

Frequency of input of new data into the digital twin	Total n = 20
Real-time	14 (70%)
Iour	2 (10%)
Day	4 (20%)
ntended output frequency for the dynamic digital twin	
Real-time	7 (35%)
Iour	2 (10%)
Day	7 (35%)
Not specified	4 (20%)

Unsupervised	l classification	of claimed	digital twins
--------------	------------------	------------	---------------

Characteristic	Cluster 1 n = 43	Cluster 2 n = 22	<b>Cluster 3</b> n = 15	p-value
Multimodal data	11 10	11 22	11 10	< 0.001
• yes	27 (63%)	12 (55%)	0 (0%)	
• no	16 (37%)	10 (45%)	13 (87%)	
• unclear	0 (0%)	0 (0%)	2 (13%)	
Multiscale (yes)	4 (9.3%)	0 (0%)	5 (33%)	0.007
Multiphysics (yes)	5 (12%)	0 (0%)	3 (20%)	0.094
Type of model (organ, system or other)				< 0.001
• Organ	36 (84%)	8 (36%)	4 (27%)	
• System	6 (14%)	1 (4.5%)	4 (27%)	
• Other	1 (2.3%)	13 (59%)	7 (47%)	
Type of model (anatomical and/or physiological)				< 0.001
Anatomical	7 (16%)	3 (14%)	0 (0%)	
Physiological	13 (30%)	1 (4.5%)	8 (53%)	
• Both	23 (53%)	0 (0%)	5 (33%)	
• Other	0 (0%)	18 (82%)	2 (13%)	
Approach				< 0.001
• Data-driven	1 (2.3%)	20 (91%)	1 (6.7%)	
Mechanistic	31 (72%)	0 (0%)	9 (60%)	
• Both	10 (23%)	2 (9.1%)	5 (33%)	
• Other	1 (2.3%)	0 (0%)	0 (0%)	
Model for simulation (versus simulation itself)	42 (98%)	2 (9.1%)	12 (80%)	< 0.001
Type of CDT (static or dynamic)				< 0.001
• Static	36 (84%)	8 (36%)	0 (0%)	
• Dynamic	6 (14%)	13 (59%)	1 (6.7%)	
• Not classifiable (not patient specific)	1 (2.3%)	1 (4.5%)	14 (93%)	
Type of data exchange				< 0.001
• One-way	39 (91%)	16 (73%)	3 (20%)	
• Two-way	3 (7.0%)	5 (23%)	1 (6.7%)	
• No	1 (2.3%)	1 (4.5%)	11 (73%)	
Patient-specific CDT (yes)	42 (98%)	21 (95%)	1 (6.7%)	< 0.001
Data analytics (yes)	41 (95%)	22 (100%)	15 (100%)	0.7
Advanced visualisation (yes)	26 (60%)	0 (0%)	3 (20%)	< 0.001
Objective: simulation (yes)	37 (86%)	1 (4.5%)	14 (93%)	< 0.001
Objective: prediction (yes)	34 (79%)	18 (82%)	9 (60%)	0.3
Objective: monitoring (yes)	4 (9.3%)	7 (32%)	0 (0%)	0.014
Objective: visualisation (yes)	10 (23%)	0 (0%)	0 (0%)	0.007
Objective: generation (yes)	3 (7.0%)	0 (0%)	5 (33%)	0.004

Please refer to appendix pp 5-6 for more explanations on the variables used.