

Supplementary Table 1: PubMed search terms

Layer	Search terms	Purpose	Papers identified; <i>n</i>
A	Humans[mesh]	Limits the search to studies of human participants	7,245,671
AND			
B	Wearable electronic devices[mesh] OR Wireless technology[mesh] OR Remote sensing technology[mesh] OR Digital technology[mesh]	MeSH terms relevant to digital health technologies	20,896
AND			
C	BioMeT[tiab] OR Biometric monitor*[tiab] OR Digital health[tiab] OR Digital med*[tiab] OR Digital sens*[tiab] OR Biosensor[tiab] OR Transducer[tiab] OR Ingest*[tiab] OR Implant*[tiab] OR Wear*[tiab] OR Worn[tiab] OR Nearable[tiab] OR Tracker[tiab] OR Smart*[tiab] OR Mobile[tiab] OR Remote[tiab] OR Home-based[tiab] OR In-home[tiab] OR Portable[tiab] OR Ambulatory[tiab] OR Wireless[tiab] OR Connected[tiab] OR Wifi[tiab] OR Bluetooth[tiab] OR Cloud[tiab]	Keywords relevant to digital health technologies	697,121
AND			
D	Usab*[tiab] OR	Keywords relevant to human-centered design,	47,375

	Ergonomic*[tiab] OR Human-factor*[tiab] OR User-cent*[tiab] OR Human-cent*[tiab] OR Wearability[tiab] OR Summative[tiab] OR Formative[tiab] OR User-experience*[tiab]	human factors, usability, and related concepts	
NOT			
E	Case Reports[pt] OR Clinical Trial Protocol[pt] OR Comment[pt] OR Editorial[pt] OR English Abstract[pt] OR Letter[pt] OR Meta-Analysis[pt] OR Review[pt] OR Systematic Review[pt]	Excludes publication types other than clinical research studies	3,140,569
AND			
F	2013/01/01:2023/05/30[pdat]	Limits the search to a 10-year date range	13,190,723

Complete search string returning 442 results as of June 1st, 2023:

(((((Humans[mesh]) AND (Wearable electronic devices[mesh] OR Wireless technology[mesh] OR Remote sensing technology[mesh] OR Digital technology[mesh])) AND (BioMeT[tiab] OR Biometric monitor*[tiab] OR Digital health[tiab] OR Digital med*[tiab] OR Digital sens*[tiab] OR Biosensor[tiab] OR Transducer[tiab] OR Ingest*[tiab] OR Implant*[tiab] OR Wear*[tiab] OR Worn[tiab] OR Nearable[tiab] OR Tracker[tiab] OR Smart*[tiab] OR Mobile[tiab] OR Remote[tiab] OR Home-based[tiab] OR In-home[tiab] OR Portable[tiab] OR Ambulatory[tiab] OR Wireless[tiab] OR Connected[tiab] OR Wifi[tiab] OR Bluetooth[tiab] OR Cloud[tiab])) AND (Usab*[tiab] OR Ergonomic*[tiab] OR Human-factor*[tiab] OR User-cent*[tiab] OR Human-cent*[tiab] OR Wearability[tiab] OR Summative[tiab] OR Formative[tiab] OR User-experience*[tiab])) NOT (Case Reports[pt] OR Clinical Trial Protocol[pt] OR Comment[pt] OR Editorial[pt] OR English Abstract[pt] OR Letter[pt] OR Meta-Analysis[pt] OR Review[pt] OR Systematic Review[pt])) AND (2013/01/01:2023/05/30[pdat]))

Search tags in square brackets are as follows: mesh = Medical subject headings; tiab = Title and abstract*; pt = Publication type; pdat = Publication date.

* Keywords are searched within the citation title, collection title, abstract, and author keywords.

Supplementary Table 2: All included studies

Title	Authors	Citation	DOI	Pubmed ID
Continuous Monitoring of Vital Signs in the General Ward Using Wearable Devices: Randomized Controlled Trial	Weenk M, Bredie SJ, Koeneman M, Hesselink G, van Goor H, van de Belt TH.	J Med Internet Res. 2020 Jun 10;22(6):e15471. doi: 10.2196/15471.	10.2196/15471	32519972
Remote Health Monitoring for Older Adults and Those with Heart Failure: Adherence and System Usability	Evans J, Papadopoulos A, Silvers CT, Charness N, Boot WR, Schlachta-Fairchild L, Crump C, Martinez M, Ent CB.	Telemed J E Health. 2016 Jun;22(6):480-8. doi: 10.1089/tmj.2015.0140. Epub 2015 Nov 5.	10.1089/tmj.2015.0140	26540369
The Use of a Smartphone App and an Activity Tracker to Promote Physical Activity in the Management of Chronic Obstructive Pulmonary Disease: Randomized Controlled Feasibility Study	Bentley CL, Powell L, Potter S, Parker J, Mountain GA, Bartlett YK, Farwer J, O'Connor C, Burns J, Cresswell RL, Dunn HD, Hawley MS.	JMIR Mhealth Uhealth. 2020 Jun 3;8(6):e16203. doi: 10.2196/16203.	10.2196/16203	32490838
User experiences and perceptions of health wearables: an exploratory study in Cambodia	Liverani M, Ir P, Wiseman V, Perel P.	Glob Health Res Policy. 2021 Sep 23;6(1):33. doi: 10.1186/s41256-021-00221-3.	10.1186/s41256-021-00221-3	34556184
Signal quality and patient experience with wearable devices for epilepsy management	Nasseri M, Nurse E, Glasstetter M, Böttcher S, Gregg NM, Laks Nandakumar A, Joseph B, Pal Attia T, Viana PF, Bruno E, Biondi A, Cook M, Worrell GA, Schulze-Bonhage A, Dümpelmann M, Freestone DR, Richardson MP, Brinkmann BH.	Epilepsia. 2020 Nov;61 Suppl 1:S25-S35. doi: 10.1111/epi.16527. Epub 2020 Jun 4.	10.1111/epi.16527	32497269
Digital technology for anaphylaxis management impact on patient behaviour: A randomized clinical trial	Sala-Cunill A, Luengo O, Curran A, Moreno N, Labrador-Horrillo M, Guilarte M, Gonzalez-Medina M, Galvan-Blasco P, Cardona V.	Allergy. 2021 May;76(5):1507-1516. doi: 10.1111/all.14626. Epub 2020 Nov 4.	10.1111/all.14626	33043475
Mobile Health Technology for Pediatric Symptom Monitoring: A Feasibility Study	Vaughn J, Gollarahalli S, Shaw RJ, Docherty S, Yang Q, Malhotra C, Summers-Goeckerman E, Shah N.	Nurs Res. 2020 Mar/Apr;69(2):142-148. doi: 10.1097/NNR.0000000000000403.	10.1097/NNR.0000000000000403	31972852
Wearable gait analysis systems: ready to be used by medical practitioners in geriatric wards?	Ollenschläger M, Kluge F, Müller-Schulz M, Püllen R, Möller C, Klucken J, Eskofier BM.	Eur Geriatr Med. 2022 Aug;13(4):817-824. doi: 10.1007/s41999-022-00629-1. Epub 2022 Mar 3.	10.1007/s41999-022-00629-1	35243600
Predictors of engagement with remote sensing technologies for symptom measurement in Major Depressive Disorder	Matcham F, Carr E, White KM, Leightley D, Lamers F, Siddi S, Annas P, de Girolamo G, Haro JM, Horsfall M, Ivan A, Lavelle G, Li Q, Lombardini F, Mohr DC, Narayan VA, Penninx BWHJ, Oetzmann C, Coromina M, Simblett SK, Weyer J, Wykes T, Zorbas S, Brasen JC, Myin-Germeys I, Conde P, Dobson RJB, Folarin AA, Ranjan Y, Rashid	J Affect Disord. 2022 Aug 1;310:106-115. doi: 10.1016/j.jad.2022.05.005. Epub 2022 May 5.	10.1016/j.jad.2022.05.005	35525507

	Z, Cummins N, Dineley J, Vairavan S, Hotopf M; RADAR-CNS consortium.			
Patients self-mastery of wearable devices for seizure detection: A direct user-experience	Bruno E, Biondi A, Thorpe S, Richardson MP; RADAR-CNS Consortium.	Seizure. 2020 Oct;81:236-240. doi: 10.1016/j.seizure.2020.08.023. Epub 2020 Aug 23.	10.1016/j.seizure.2020.08.023	32889512
Wearable Inertial Sensor System Towards Daily Human Kinematic Gait Analysis: Benchmarking Analysis to MVN BIOMECH	Figueiredo J, Carvalho SP, Vilas-Boas JP, Gonçalves LM, Moreno JC, Santos CP.	Sensors (Basel). 2020 Apr 12;20(8):2185. doi: 10.3390/s20082185.	10.3390/s20082185	32290636
Feasibility and Acceptability of Wearable Sleep Electroencephalogram Device Use in Adolescents: Observational Study	Lunsford-Avery JR, Keller C, Kollins SH, Krystal AD, Jackson L, Engelhard MM.	JMIR Mhealth Uhealth. 2020 Oct 1;8(10):e20590. doi: 10.2196/20590.	10.2196/20590	33001035
A Smart Wearable Sensor System for Counter-Fighting Overweight in Teenagers	Standoli CE, Guarneri MR, Perego P, Mazzola M, Mazzola A, Andreoni G.	Sensors (Basel). 2016 Aug 10;16(8):1220. doi: 10.3390/s16081220.	10.3390/s16081220	27517929
Tolerability and Functionality of a Wireless 24-Hour Ocular Telemetry Sensor in African American Glaucoma Patients	Marando CM, Mansouri K, Kahook MY, Seibold LK.	J Glaucoma. 2019 Feb;28(2):119-124. doi: 10.1097/IJG.0000000000001141.	10.1097/IJG.0000000000001141	30688840
Feasibility and Usability Aspects of Continuous Remote Monitoring of Health Status in Palliative Cancer Patients Using Wearables	Pavic M, Klaas V, Theile G, Kraft J, Tröster G, Guckenberger M.	Oncology. 2020;98(6):386-395. doi: 10.1159/000501433. Epub 2019 Jul 23.	10.1159/000501433	31336377
Development of User-Friendly Wearable Electronic Textiles for Healthcare Applications	Yang K, Meadmore K, Freeman C, Grabham N, Hughes AM, Wei Y, Torah R, Glanc-Gostkiewicz M, Beeby S, Tudor J.	Sensors (Basel). 2018 Jul 25;18(8):2410. doi: 10.3390/s18082410.	10.3390/s18082410	30044382
Continuous Noninvasive Remote Automated Blood Pressure Monitoring With Novel Wearable Technology: A Preliminary Validation Study	McGillion MH, Dvirnik N, Yang S, Belley-Côté E, Lamy A, Whitlock R, Marcucci M, Borges FK, Duceppe E, Ouellette C, Bird M, Carroll SL, Conen D, Tarride JE, Harsha P, Scott T, Good A, Gregus K, Sanchez K, Benoit P, Owen J, Harvey V, Peter E, Petch J, Vincent J, Graham M, Devreaux PJ.	JMIR Mhealth Uhealth. 2022 Feb 28;10(2):e24916. doi: 10.2196/24916.	10.2196/24916	34876396
Physical Activity Monitoring and Acceptance of a Commercial Activity Tracker in Adult Patients with Haemophilia	Carrasco JJ, Pérez-Alenda S, Casaña J, Soria-Olivas E, Bonanad S, Querol F.	Int J Environ Res Public Health. 2019 Oct 12;16(20):3851. doi: 10.3390/ijerph16203851.	10.3390/ijerph16203851	31614706
Wearable Sensor-Based Exercise Biofeedback for Orthopaedic Rehabilitation: A Mixed Methods User Evaluation of a Prototype System	Argent R, Slevin P, Bevilacqua A, Neligan M, Daly A, Caulfield B.	Sensors (Basel). 2019 Jan 21;19(2):432. doi: 10.3390/s19020432.	10.3390/s19020432	30669657
A Mixed-Methods Study of Users' Journey Mapping Experience and Acceptance of Telehealthcare Technology in Taiwan	Tsung-Yin O, Chih-Young H, Che-Wei L.	Telemed J E Health. 2019 Nov;25(11):1057-1070. doi: 10.1089/tmj.2018.0155. Epub 2019 Jan 29.	10.1089/tmj.2018.0155	30694730
Patients' experience of wearing	Simblett SK, Biondi A, Bruno E, Ballard D,	Epilepsy Behav. 2020 Jan;102:106717. doi:	10.1016/j.yebeh.	31785481

multimodal sensor devices intended to detect epileptic seizures: A qualitative analysis	Stoneman A, Lees S, Richardson MP, Wykes T; RADAR-CNS consortium.	10.1016/j.yebeh.2019.106717. Epub 2019 Nov 27.	2019.106717	
Feasibility of remote digital monitoring using wireless Bluetooth monitors, the Smart Angel™ app and an original web platform for patients following outpatient surgery: a prospective observational pilot study	Chevallier T, Buzancais G, Occean BV, Rataboul P, Boisson C, Simon N, Lannelongue A, Chaniaud N, Gricourt Y, Lefrant JY, Cuvillon P.	BMC Anesthesiol. 2020 Oct 8;20(1):259. doi: 10.1186/s12871-020-01178-5.	10.1186/s12871-020-01178-5	33032541
Body-Worn Sensors for Parkinson's disease: A qualitative approach with patients and healthcare professionals	Virbel-Fleischman C, Rétory Y, Hardy S, Huiban C, Corvol JC, Grabli D.	PLoS One. 2022 May 5;17(5):e0265438. doi: 10.1371/journal.pone.0265438. eCollection 2022.	10.1371/journal.pone.0265438	35511812
User-based evaluation of applicability and usability of a wearable accelerometer device for detecting bilateral tonic-clonic seizures: A field study	Meritam P, Ryvlin P, Beniczky S.	Epilepsia. 2018 Jun;59 Suppl 1:48-52. doi: 10.1111/epi.14051.	10.1111/epi.14051	29873828
Safety and usability of wearable accelerometers for stroke detection the STROKE ALARM PRO 1 study	Esbjörnsson M, Ullberg T.	J Stroke Cerebrovasc Dis. 2022 Nov;31(11):106762. doi: 10.1016/j.jstrokecerebrovasdis.2022.106762. Epub 2022 Sep 15.	10.1016/j.jstrokecerebrovasdis.2022.106762	36115106
Design of a Low-Cost, Wearable Device for Kinematic Analysis in Physical Therapy Settings	Hua A, Johnson N, Quinton J, Chaudhary P, Buchner D, Hernandez ME.	Methods Inf Med. 2020 Feb;59(1):41-47. doi: 10.1055/s-0040-1710380. Epub 2020 Jun 14.	10.1055/s-0040-1710380	32535880
Usability, Acceptability, and Satisfaction of a Wearable Activity Tracker in Older Adults: Observational Study in a Real-Life Context in Northern Portugal	Domingos C, Costa P, Santos NC, Pêgo JM.	J Med Internet Res. 2022 Jan 26;24(1):e26652. doi: 10.2196/26652.	10.2196/26652	35080503
Recommendations for Identifying Valid Wear for Consumer-Level Wrist-Worn Activity Trackers and Acceptability of Extended Device Deployment in Children	Wing D, Godino JG, Baker FC, Yang R, Chevance G, Thompson WK, Reuter C, Bartsch H, Wilbur A, Straub LK, Castro N, Higgins M, Colrain IM, de Zambotti M, Wade NE, Lisdahl KM, Squeglia LM, Ortigara J, Fuemmeler B, Patrick K, Mason MJ, Tapert SF, Bagot KS.	Sensors (Basel). 2022 Nov 26;22(23):9189. doi: 10.3390/s22239189.	10.3390/s22239189	36501894
Lumbatex: A Wearable Monitoring System Based on Inertial Sensors to Measure and Control the Lumbar Spine Motion	Cortell-Tormo JM, Garcia-Jaen M, Ruiz-Fernandez D, Fuster-Lloret V.	IEEE Trans Neural Syst Rehabil Eng. 2019 Aug;27(8):1644-1653. doi: 10.1109/TNSRE.2019.2927083. Epub 2019 Jul 5.	10.1109/TNSRE.2019.2927083	31283484
Comparing the Usability and Acceptability of Wearable Sensors Among Older Irish Adults in a Real-World Context: Observational Study	Keogh A, Dorn JF, Walsh L, Calvo F, Caulfield B.	JMIR Mhealth Uhealth. 2020 Apr 20;8(4):e15704. doi: 10.2196/15704.	10.2196/15704	32310149
Usability of affordable feedback-based	Hamilton C, Lovarini M, van den Berg M,	Disabil Rehabil. 2022	10.1080/096382	33645384

technologies to improve mobility and physical activity in rehabilitation: a mixed methods study	McCluskey A, Hassett L.	Jul;44(15):4029-4038. doi: 10.1080/09638288.2021.1884904. Epub 2021 Feb 28.	88.2021.1884904	
Measure It Super Simple (MISS) activity tracker: (re)design of a user-friendly interface and evaluation of experiences in daily life	Ummels D, Braun S, Stevens A, Beekman E, Beurskens A.	Disabil Rehabil Assist Technol. 2022 Oct;17(7):767-777. doi: 10.1080/17483107.2020.1815089. Epub 2020 Sep 24.	10.1080/17483107.2020.1815089	32970493
Older Women's Experiences of a Community-Led Walking Programme Using Activity Trackers	O'Brien J, Mason A, Cassarino M, Chan J, Setti A.	Int J Environ Res Public Health. 2021 Sep 17;18(18):9818. doi: 10.3390/ijerph18189818.	10.3390/ijerph18189818	34574741
Usability and Interoperability in Wireless Sensor Networks for Patient Telemonitoring in Chronic Disease Management	Jiménez-Fernández S, de Toledo P, del Pozo F.	IEEE Trans Biomed Eng. 2013 Dec;60(12):3331-9. doi: 10.1109/TBME.2013.2280967. Epub 2013 Sep 5.	10.1109/TBME.2013.2280967	24021636
Wearability Testing of Ambulatory Vital Sign Monitoring Devices: Prospective Observational Cohort Study	Areia C, Young L, Vollam S, Ede J, Santos M, Tarassenko L, Watkinson P.	JMIR Mhealth Uhealth. 2020 Dec 16;8(12):e20214. doi: 10.2196/20214.	10.2196/20214	33325827
Day and night comfort and stability on the body of four wearable devices for seizure detection: A direct user-experience	Bruno E, Biondi A, Böttcher S, Lees S, Schulze-Bonhage A, Richardson MP; RADAR-CNS Consortium.	Epilepsy Behav. 2020 Nov;112:107478. doi: 10.1016/j.yebeh.2020.107478. Epub 2020 Sep 28.	10.1016/j.yebeh.2020.107478	33181896
Assessing the Clinical Utility of a Wearable Device for Physiological Monitoring of Heart Rate Variability in Military Service Members with Traumatic Brain Injury	Uomoto JM, Skopp N, Jenkins-Guarnieri M, Reini J, Thomas D, Adams RJ, Tsui M, Miller SR, Scott BR, Pasquina PF.	Telemed J E Health. 2022 Oct;28(10):1496-1504. doi: 10.1089/tmj.2021.0627. Epub 2022 Feb 28.	10.1089/tmj.2021.0627	35231193
NeuroSuitUp: System Architecture and Validation of a Motor Rehabilitation Wearable Robotics and Serious Game Platform	Mitsopoulos K, Fiska V, Tagaras K, Papias A, Antoniou P, Nizamis K, Kasimis K, Sarra PD, Mylopoulou D, Savvidis T, Praftsiotis A, Arvanitidis A, Lyssas G, Chasapis K, Moraitopoulos A, Astaras A, Bamidis PD, Athanasiou A.	Sensors (Basel). 2023 Mar 20;23(6):3281. doi: 10.3390/s23063281.	10.3390/s23063281	36991992
Feasibility of smart wristbands for continuous monitoring during pregnancy and one month after birth	Grym K, Niela-Vilén H, Ekholm E, Hamari L, Azimi I, Rahmani A, Liljeberg P, Löyttyniemi E, Axelin A.	BMC Pregnancy Childbirth. 2019 Jan 17;19(1):34. doi: 10.1186/s12884-019-2187-9.	10.1186/s12884-019-2187-9	30654747
Quantifying physical activity in early Parkinson disease using a commercial activity monitor	Pradhan S, Kelly VE.	Parkinsonism Relat Disord. 2019 Sep;66:171-175. doi: 10.1016/j.parkreldis.2019.08.001. Epub 2019 Aug 3.	10.1016/j.parkreldis.2019.08.001	31420310
Realization and Technology Acceptance Test of a Wearable Cardiac Health Monitoring and Early Warning System with Multi-Channel MCGs and ECG	Lin WY, Ke HL, Chou WC, Chang PC, Tsai TH, Lee MY.	Sensors (Basel). 2018 Oct 19;18(10):3538. doi: 10.3390/s18103538.	10.3390/s18103538	30347695
Effect of Fitbit and iPad Wearable Technology in Health-Related Quality of	Yurkiewicz IR, Simon P, Liedtke M, Dahl G, Dunn T.	J Adolesc Young Adult Oncol. 2018 Oct;7(5):579-583. doi:	10.1089/jayao.2018.0022	29924668

Life in Adolescent and Young Adult Cancer Patients		10.1089/jayao.2018.0022. Epub 2018 Jun 20.		
Parental Perspectives of a Wearable Activity Tracker for Children Younger Than 13 Years: Acceptability and Usability Study	Mackintosh KA, Chappel SE, Salmon J, Timperio A, Ball K, Brown H, Macfarlane S, Ridgers ND.	JMIR Mhealth Uhealth. 2019 Nov 4;7(11):e13858. doi: 10.2196/13858.	10.2196/13858	31682585
Feasibility of a Sensor-Based Technological Platform in Assessing Gait and Sleep of In-Hospital Stroke and Incomplete Spinal Cord Injury (iSCI) Patients	Hendriks MMS, Vos-van der Hulst M, Keijsers NLW.	Sensors (Basel). 2020 May 12;20(10):2748. doi: 10.3390/s20102748.	10.3390/s20102748	32408490
Community-Based ECG Monitoring System for Patients with Cardiovascular Diseases	Lin BS, Wong AM, Tseng KC.	J Med Syst. 2016 Apr;40(4):80. doi: 10.1007/s10916-016-0442-4. Epub 2016 Jan 22.	10.1007/s10916-016-0442-4	26802010
Home rehabilitation supported by a wearable soft-robotic device for improving hand function in older adults: A pilot randomized controlled trial	Radder B, Prange-Lasonder GB, Kottink AIR, Holmberg J, Sletta K, van Dijk M, Meyer T, Melendez-Calderon A, Buurke JH, Rietman JS.	PLoS One. 2019 Aug 6;14(8):e0220544. doi: 10.1371/journal.pone.0220544. eCollection 2019.	10.1371/journal.pone.0220544	31386685
Verification of a Portable Motion Tracking System for Remote Management of Physical Rehabilitation of the Knee	Bell KM, Onyeukwu C, McClincy MP, Allen M, Bechard L, Mukherjee A, Hartman RA, Smith C, Lynch AD, Irgang JJ.	Sensors (Basel). 2019 Feb 28;19(5):1021. doi: 10.3390/s19051021.	10.3390/s19051021	30823373
Novel Bluetooth-Enabled Tubeless Insulin Pump: A User Experience Design Approach for a Connected Digital Diabetes Management Platform	Pillalamarri SS, Huyett LM, Abdel-Malek A.	J Diabetes Sci Technol. 2018 Nov;12(6):1132-1142. doi: 10.1177/1932296818804802. Epub 2018 Oct 11.	10.1177/1932296818804802	30304951
The mobile sleep lab app: An open-source framework for mobile sleep assessment based on consumer-grade wearable devices	Burgdorf A, Güthe I, Jovanović M, Kutafina E, Kohlschein C, Bitsch JÁ, Jonas SM.	Comput Biol Med. 2018 Dec 1;103:8-16. doi: 10.1016/j.compbiomed.2018.09.025. Epub 2018 Oct 6.	10.1016/j.compbiomed.2018.09.025	30316065
Comparison of Collaborative and Cooperative Schemes in Sensor Networks for Non-Invasive Monitoring of People at Home	Del-Valle-Soto C, Valdivia LJ, López-Pimentel JC, Visconti P.	Int J Environ Res Public Health. 2023 Mar 27;20(7):5268. doi: 10.3390/ijerph20075268.	10.3390/ijerph20075268	37047884
Feasibility of a Secure Wireless Sensing Smartwatch Application for the Self-Management of Pediatric Asthma	Hosseini A, Buonocore CM, Hashemzadeh S, Hojaji H, Kalantarian H, Sideris C, Bui AAT, King CE, Sarrafzadeh M.	Sensors (Basel). 2017 Aug 3;17(8):1780. doi: 10.3390/s17081780.	10.3390/s17081780	28771168
Development of a Wearable Instrumented Vest for Posture Monitoring and System Usability Verification Based on the Technology Acceptance Model	Lin WY, Chou WC, Tsai TH, Lin CC, Lee MY.	Sensors (Basel). 2016 Dec 17;16(12):2172. doi: 10.3390/s16122172.	10.3390/s16122172	27999324
Preferred Placement and Usability of a Smart Textile System vs. Inertial Measurement Units for Activity Monitoring	Mokhlespour Esfahani MI, Nussbaum MA.	Sensors (Basel). 2018 Aug 1;18(8):2501. doi: 10.3390/s18082501.	10.3390/s18082501	30071635

Biofeedback Treatment App for Pediatric Migraine: Development and Usability Study	Stubberud A, Tronvik E, Olsen A, Gravidahl G, Linde M.	Headache. 2020 May;60(5):889-901. doi: 10.1111/head.13772. Epub 2020 Feb 13.	10.1111/head.13772	32052871
Community-dwelling older adults' acceptance of smartwatches for health and location tracking	Chung J, Brakey HR, Reeder B, Myers O, Demiris G.	Int J Older People Nurs. 2023 Jan;18(1):e12490. doi: 10.1111/opn.12490. Epub 2022 Jul 12.	10.1111/opn.12490	35818900
A formative study exploring perceptions of physical activity and physical activity monitoring among children and young people with cystic fibrosis and health care professionals	Shelley J, Fairclough SJ, Knowles ZR, Southern KW, McCormack P, Dawson EA, Graves LEF, Hanlon C.	BMC Pediatr. 2018 Oct 23;18(1):335. doi: 10.1186/s12887-018-1301-x.	10.1186/s12887-018-1301-x	30352564
Application of Activity Trackers among Nursing Home Residents-A Pilot and Feasibility Study on Physical Activity Behavior, Usage Behavior, Acceptance, Usability and Motivational Impact	Auerswald T, Meyer J, von Holdt K, Voelcker-Rehage C.	Int J Environ Res Public Health. 2020 Sep 14;17(18):6683. doi: 10.3390/ijerph17186683.	10.3390/ijerph17186683	32937840
Multimodal Remote Home Monitoring of Lung Transplant Recipients during COVID-19 Vaccinations: Usability Pilot Study of the COVIDA Desk Incorporating Wearable Devices	Schuurmans MM, Muszynski M, Li X, Marcinkevičs R, Zimmerli L, Monserrat Lopez D, Michel B, Weiss J, Hage R, Roeder M, Vogt JE, Brunschweiler T.	Medicina (Kaunas). 2023 Mar 20;59(3):617. doi: 10.3390/medicina59030617.	10.3390/medicina59030617	36984618
A Wearable Device for Breathing Frequency Monitoring: A Pilot Study on Patients with Muscular Dystrophy	Cesareo A, Nido SA, Biffi E, Gandossini S, D'Angelo MG, Aliverti A.	Sensors (Basel). 2020 Sep 18;20(18):5346. doi: 10.3390/s20185346.	10.3390/s20185346	32961986
An Integrated Multi-Sensor Approach for the Remote Monitoring of Parkinson's Disease	Albani G, Ferraris C, Nerino R, Chimienti A, Pettiti G, Parisi F, Ferrari G, Cau N, Cimolin V, Azzaro C, Priano L, Mauro A.	Sensors (Basel). 2019 Nov 2;19(21):4764. doi: 10.3390/s19214764.	10.3390/s19214764	31684020
Older Adults' Experience with a Novel Fall Detection Device	Demiris G, Chaudhuri S, Thompson HJ.	Telemed J E Health. 2016 Sep;22(9):726-32. doi: 10.1089/tmj.2015.0218. Epub 2016 Mar 9.	10.1089/tmj.2015.0218	26959299
Acceptability and utility of the mySentry remote glucose monitoring system	Kaiserman K, Buckingham BA, Prakasam G, Gunville F, Slover RH, Wang Y, Nguyen X, Welsh JB.	J Diabetes Sci Technol. 2013 Mar 1;7(2):356-61. doi: 10.1177/193229681300700211.	10.1177/193229681300700211	23566993
Using the Technology Acceptance Model to Explore Adolescents' Perspectives on Combining Technologies for Physical Activity Promotion Within an Intervention: Usability Study	Drehlich M, Naraine M, Rowe K, Lai SK, Salmon J, Brown H, Koorts H, Macfarlane S, Ridgers ND.	J Med Internet Res. 2020 Mar 6;22(3):e15552. doi: 10.2196/15552.	10.2196/15552	32141834
A qualitative evaluation of breast cancer survivors' acceptance of and preferences for consumer wearable technology activity trackers	Nguyen NH, Hadgraft NT, Moore MM, Rosenberg DE, Lynch C, Reeves MM, Lynch BM.	Support Care Cancer. 2017 Nov;25(11):3375-3384. doi: 10.1007/s00520-017-3756-y. Epub 2017 May 24.	10.1007/s00520-017-3756-y	28540402
Multimodal nocturnal seizure detection in	Arends J, Thijs RD, Gutter T, Ungureanu C,	Neurology. 2018 Nov	10.1212/WNL.00	30355702

a residential care setting: A long-term prospective trial	Cluitmans P, Van Dijk J, van Andel J, Tan F, de Weerd A, Vledder B, Hofstra W, Lazeron R, van Thiel G, Roes KCB, Leijten F; the Dutch Tele-Epilepsy Consortium.	20;91(21):e2010-e2019. doi: 10.1212/WNL.0000000000006545. Epub 2018 Oct 24.	00000000006545	
Feasibility of Interactive Resistance Chair in Older Adults with Diabetes	Finkelstein J, Cisse P, Jeong IC.	Stud Health Technol Inform. 2015;213:61-4.		26152953
Usability of a wearable fall detection prototype from the perspective of older people-A real field testing approach	Thilo FJS, Hahn S, Halfens RJG, Schols JMGA.	J Clin Nurs. 2019 Jan;28(1-2):310-320. doi: 10.1111/jocn.14599. Epub 2018 Aug 1.	10.1111/jocn.14599	29964344
Older Adults' Acceptance of Activity Trackers	Preusse KC, Mitzner TL, Fausset CB, Rogers WA.	J Appl Gerontol. 2017 Feb;36(2):127-155. doi: 10.1177/0733464815624151. Epub 2016 Jul 7.	10.1177/0733464815624151	26753803
How is the usability of commercial activity monitors perceived by older adults and by researchers? A cross-sectional evaluation of community-living individuals	Hofbauer LM, Rodriguez FS.	BMJ Open. 2022 Nov 2;12(11):e063135. doi: 10.1136/bmjopen-2022-063135.	10.1136/bmjopen-2022-063135	36323474
StraightenUp+: Monitoring of Posture during Daily Activities for Older Persons Using Wearable Sensors	Cajamarca G, Rodríguez I, Herskovic V, Campos M, Riofrio JC.	Sensors (Basel). 2018 Oct 11;18(10):3409. doi: 10.3390/s18103409.	10.3390/s18103409	30314352
Patient Engagement in Medical Device Design: Refining the Essential Attributes of a Wearable, Pre-Void, Ultrasound Alarm for Nocturnal Enuresis	Caswell N, Kuru K, Ansell D, Jones MJ, Watkinson BJ, Leather P, Lancaster A, Sugden P, Briggs E, Davies C, Oh C, Bennett K, DeGoede C.	Pharmaceut Med. 2020 Feb;34(1):39-48. doi: 10.1007/s40290-019-00324-w.	10.1007/s40290-019-00324-w	31970684
Multisensory Cues for Gait Rehabilitation with Smart Glasses: Methodology, Design, and Results of a Preliminary Pilot	Imbesi S, Corzani M.	Sensors (Basel). 2023 Jan 12;23(2):874. doi: 10.3390/s23020874.	10.3390/s23020874	36679671
Exoscore: A Design Tool to Evaluate Factors Associated With Technology Acceptance of Soft Lower Limb Exosuits by Older Adults	Shore L, Power V, Hartigan B, Schülein S, Graf E, de Eyto A, O'Sullivan L.	Hum Factors. 2020 May;62(3):391-410. doi: 10.1177/0018720819868122. Epub 2019 Aug 16.	10.1177/0018720819868122	31419179
The design and evaluation of an activity monitoring user interface for people with stroke	Hart P, Bierwirth R, Fulk G, Sazonov E.	Annu Int Conf IEEE Eng Med Biol Soc. 2014;2014:5908-11. doi: 10.1109/EMBC.2014.6944973.	10.1109/EMBC.2014.6944973	25571341
The role of individual differences on perceptions of wearable fitness device trust, usability, and motivational impact	Rupp MA, Michaelis JR, McConnell DS, Smither JA.	Appl Ergon. 2018 Jul;70:77-87. doi: 10.1016/j.apergo.2018.02.005. Epub 2018 Feb 21.	10.1016/j.apergo.2018.02.005	29866329
Implementation of Medication Event Reminder Monitors among patients diagnosed with drug susceptible tuberculosis in rural Viet Nam: A qualitative study	Drabarek D, Anh NT, Nhung NV, Hoa NB, Fox GJ, Bernays S.	PLoS One. 2019 Jul 22;14(7):e0219891. doi: 10.1371/journal.pone.0219891. eCollection 2019.	10.1371/journal.pone.0219891	31329610
The Effectiveness of a Web-Based	Vandelanotte C, Duncan MJ, Maher CA,	J Med Internet Res. 2018 Dec	10.2196/11321	30563808

Computer-Tailored Physical Activity Intervention Using Fitbit Activity Trackers: Randomized Trial	Schoeppe S, Rebar AL, Power DA, Short CE, Doran CM, Hayman MJ, Alley SJ.	18;20(12):e11321. doi: 10.2196/11321.		
On-site Evaluation of Rehabilitation Patients Monitoring System Using Distributed Wireless Gateways	Matsunaga K, Ogasawara T, Kodate J, Mukaino M, Saitoh E.	Annu Int Conf IEEE Eng Med Biol Soc. 2019 Jul;2019:3195-3198. doi: 10.1109/EMBC.2019.8856963.	10.1109/EMBC.2019.8856963	31946567
ChroniSense National Early Warning Score Study: Comparison Study of a Wearable Wrist Device to Measure Vital Signs in Patients Who Are Hospitalized	Van Velthoven MH, Oke J, Kardos A.	J Med Internet Res. 2023 Feb 6;25:e40226. doi: 10.2196/40226.	10.2196/40226	36745491
Enhancing Visual Exploration through Augmented Gaze: High Acceptance of Immersive Virtual Biking by Oldest Olds	de'Sperati C, Dalmasso V, Moretti M, Høeg ER, Baud-Bovy G, Cozzi R, Ippolito J.	Int J Environ Res Public Health. 2023 Jan 17;20(3):1671. doi: 10.3390/ijerph20031671.	10.3390/ijerph20031671	36767037
Feasibility of a wearable soft-robotic glove to support impaired hand function in stroke patients	Radder B, Prange-Lasonder G, Kottink AIR, Melendez-Calderon A, Buurke JH, Rietman JS.	J Rehabil Med. 2018 Jul 17;50(7):598-606. doi: 10.2340/16501977-2357.	10.2340/16501977-2357	30003268
Measurement of daily physical activity using the SenseWear Armband: Compliance, comfort, adverse side effects and usability	McNamara RJ, Tsai LL, Wootton SL, Ng LW, Dale MT, McKeough ZJ, Alison JA.	Chron Respir Dis. 2016 May;13(2):144-54. doi: 10.1177/1479972316631138. Epub 2016 Feb 15.	10.1177/1479972316631138	26879695
The effect of a wearable soft-robotic glove on motor function and functional performance of older adults	Radder B, Prange-Lasonder GB, Kottink AIR, Holmberg J, Sletta K, Van Dijk M, Meyer T, Buurke JH, Rietman JS.	Assist Technol. 2020;32(1):9-15. doi: 10.1080/10400435.2018.1453888. Epub 2018 May 24.	10.1080/10400435.2018.1453888	29601251

Supplementary Table 3: Individual conditions falling into each therapeutic area

Therapeutic area	Disease or condition of study
Aging	Older adults; aging adults; elderly.
Cardiovascular	Stroke including transient ischemic attack and minor ischemic stroke; heart failure; heart disease; hypertension.
Endocrine	Diabetes type 1; diabetes type 2; diabetes not further specified.
Neurology	Epilepsy; headaches; Parkinson’s disease; major depressive disorder; glaucoma; seizures; traumatic brain injury.
Oncology	Any form of cancer.
Respiratory	Chronic obstructive pulmonary disease; cystic fibrosis; dust-related respiratory condition; lung transplant recipients; asthma; tuberculosis.
Surgery	Elective abdominal surgery; knee rehabilitation following injury or surgery; knee replacement surgery; post-operative patients.
Healthy	No specific disease or condition
Other	Anaphylaxis, muscular dystrophy, hemophilia, nocturnal enuresis, blood and marrow transplant, overweight/obesity, pregnancy, and non-specific hospitalized or chronic illness. One study recruited clinicians only (no end-users of the sDHT) and is included in this category.

Supplementary Table 4: Study design and sample characteristics across therapeutic areas; complete wear locations and health concepts

This table aligns to Table 4 of the manuscript, and presents both the complete and collapsed lists of wear locations and health concepts across all studies.

Therapeutic area of sDHT users										
	Aging	Cardiovascular	Endocrine	Neurology	Oncology	Respiratory	Surgery	Healthy	Other ^a	Total
	27 sDHTs	12 sDHTs	3 sDHTs	31 sDHTs	8 sDHTs	15 sDHTs	7 sDHTs	35 sDHTs	26 sDHTs	164 sDHTs
sDHT type										
<i>Wearable; n</i>	26	9	1	30	8	11	7	33	16	141
<i>Ambient; n</i>	1	3	2	1		4		2	10	23
sDHT maturity										
<i>Prototype; n</i>	9	5	1	5			2	5	11	38
<i>Final or marketed; n</i>	18	6	2	26	8	15	5	27	12	119
<i>Not reported; n</i>		1						3	3	7
Form factor										
<i>Adhesive patch; n</i>	2		1	5			1	2	1	12
<i>Balance board; n</i>									1	1
<i>Camera; video or still; n</i>		1							2	3
<i>Clip; n</i>	4					1	1	1		7
<i>Clothing or shoes; n</i>	5	3						4	5	17
<i>Contact lens; n</i>				1						1
<i>Cuff/wrap; n</i>		1		1			1	2		5
<i>Electrode/s; n</i>				1				2		3
<i>Exercise equipment; n</i>			1						2	3
<i>Glasses; n</i>	1							1		2
<i>Gloves; n</i>	2	1		1						4
<i>Glucometer; n</i>			1							1

<i>Handheld thermometer; n</i>										1	1
<i>Mattress pad; n</i>		1		1							2
<i>Medication package; n</i>										1	2
<i>Phone or tablet; n</i>									1	4	5
<i>Probe; n</i>				1						1	2
<i>Ring; n</i>											1
<i>Spirometer; n</i>											2
<i>Contactless unit; n</i>	1								1		2
<i>Strap; n</i>	12	4		20	8	9	4	21	9		87
<i>Weight scale; n</i>		1									1

Wear location

<i>Arms/wrists/hands; n</i>	11	5	0	19	8	8	3	19	9		82
<i>Head/face; n</i>	1	0	0	4	0	0	0	3	0		8
<i>Legs/ankles/feet; n</i>	2	2	0	1	0	0	2	3	0		10
<i>Neck/torso/hips; n</i>	10	2	1	3	0	2	2	6	6		32
<i>Multiple locations; n^b</i>	2			3				2	1		8
<i>Not applicable; n^c</i>	1	3	2	1		5		2	10		24

Wear location

<i>Ankle/s; n</i>		1		1							2
<i>Arm; n</i>	1	1		6	1		1	2			12
<i>Chest/torso/trunk; n</i>	6	2	1	2		1	1	4	6		23
<i>Ear/s; n</i>									1		1
<i>Eye/s; n</i>	1			1					1		3
<i>Finger/s; n</i>				1			1				2
<i>Foot/feet; n</i>	1	1							2		4
<i>Hand/s; n</i>	1	1		1		1					4
<i>Head/scalp; n</i>				3					1		4
<i>Hip/s; n</i>	3					1			1		5
<i>Leg/s; n</i>	1						2		1		4

<i>Neck; n</i>							1			1
<i>Waist; n</i>	1			1				1		3
<i>Wrist; n</i>	9	3		11	7	7	1	17	9	64
<i>Multiple locations; n^b</i>	2			3				2	1	8
<i>Not applicable; n^c</i>	1	3	2	1		5		2	10	24
Interaction type^d										
<i>Passive; n</i>	24	7	1	26	8	12	3	30	15	126
<i>Active; n</i>	3	5	2	5		3	4	5	11	38
Health concepts^e										
<i>Activities of daily living; n</i>	6	2		2				1		11
<i>Physical activity; n</i>	16	4	1	6	9	9	1	15	0	61
<i>Adherence; n</i>						1				1
<i>Electrical activity; n</i>	0	0	0	15	0	0	0	1	0	16
<i>Mobility; n</i>	5	4	0	11	0	0	2	13	0	35
<i>Sleep; n</i>	6	1	0	0	1	1	0	5	0	14
<i>Vital signs; n</i>	9	5	2	18	0	5	14	23	0	76
<i>Other; n^f</i>	4	2	0	4	0	2	0	0	0	12
Health concepts^e										
<i>Activities of daily living; n</i>	6	2		2				1		11
<i>Adherence to therapy; n</i>						1				1
<i>Bladder volume; n</i>										0
<i>Blood glucose; n</i>			2							2
<i>Blood oxygen; n</i>	1					1	3	6		11
<i>Blood pressure, volume and/or arterial stiffness; n</i>		2		5			3	1		11
<i>Body habitus; n</i>		1								1
<i>Cardiac output; n</i>		1								1
<i>Electrical activity or abnormalities including seizures; n</i>				11				1		12
<i>Electrodermal activity; n</i>				4						4

<i>Energy expenditure; n</i>	3	1			1	1		1	7
<i>Exercise; n</i>	13	3	1	6	8	8	1	14	54
<i>Fall detection; n</i>	3			1					4
<i>Foot pressure; n</i>								1	1
<i>Gait; n</i>	3	1		3				2	9
<i>Gaze or visual movement; n</i>	1								1
<i>Heart rate/rhythm; n</i>	6	2		10		2	4	11	35
<i>Intraocular pressure; n</i>				1					1
<i>Joint or head kinematics; n</i>		2					2	6	10
<i>Lung/airway function; n</i>						2			2
<i>Mobility; n</i>	1	1		8				2	12
<i>Posture; n</i>	1							2	3
<i>Respiratory rate, pattern, or drive; n</i>	1						2	5	8
<i>Sleep duration and/or continuity; n</i>	6				1	1		3	11
<i>Sleep position or movement; n</i>								1	1
<i>Temperature; n</i>	1	1		3		2	2		9
<i>Tremor detection; n</i>				2					2
<i>Sleep staging; n</i>		1						1	2

^a 'Other' therapeutic area category contains studies with enrollment eligibility focused on anaphylaxis, muscular dystrophy, hemophilia, nocturnal enuresis, blood and marrow transplant, overweight/obesity, pregnancy, and non-specific hospitalized or chronic illness. One study recruited clinicians only (no end-users of the sDHT) and is included in this category.

^b Refers to multi-sensor sDHTs worn on different parts of the body, or sDHTs that can be positioned in one of many locations

^c Wear location is not applicable to ambient sDHTs.

^d Passive: sDHT data are collected over long time periods without user input other than aspects such as charging or changing batteries (such as actigraphy); includes tools for which the absence of data is meaningful (such as smart packaging for adherence monitoring). Active: sDHT data collection requires user engagement at defined timepoints.

^e Health concepts are not mutually exclusive; a single sDHT can capture data in multiple categories.

^f 'Other' health concept categories are described below.

Supplementary Table 5: Study design and sample characteristics across therapeutic areas; Summative studies

This table aligns to Table 3 of the manuscript, and presents data from studies reporting summative evaluations only and studies reporting both summative and formative evaluations.

	Therapeutic area of sDHT end-users									
	Aging	Cardiovascular	Endocrine	Neurology	Oncology	Respiratory	Surgery	Healthy	Other ^a	Total
	9 studies	5 studies	2 studies	11 studies	3 studies	5 studies	3 studies	10 studies	7 studies	55 studies
Study Design										
Observational; n	9	5	2	11	3	4	2	9	7	52
Interventional; n						1	1	1		3
Study Focus^b										
Summative; sample size rationale n	3	3		4		1	2	1	3	17
Summative; no sample size rationale n	6	2	2	7	3	4	1	9	4	38
Formative; sample size rationale n										0
Formative; no sample size rationale n										0
Setting										
Remote; n	5	3	1	5	2	5		6	3	30
On-site; n	2	2		4			2	4	3	17
Both remote and on-site; n	2		1	2	1		1		1	8
Duration of sDHT data collection										
≤1 day; n	1	1		1			1	3		7
>1, ≤7 days; n	1	1		4		2	2	2	2	14
>7, ≤30 days; n	3	2	1	2	1			2		11
>31, ≤90 days; n	3			2	1	3		2		11
>90, ≤180 days; n		1			1				3	5
>180 days; n	1			2					1	4
Not reported; n			1					1	1	3
Study Sample										
Sample size;	30 (8 - 110)	30 (5 - 156)	189 (35 -	60 (20 -	30 (14 - 33)	19 (9 - 314)	60 (29 -	77 (5 - 243)	20 (10 -	30 (5 -

<i>median (min - max)</i>			343)	623)		77)		407)	623)	
<i>End-users; n</i> ^c	9	5	2	11	3	5	3	10	6	54
<i>Carepartner-users; n</i> ^c			1	2				3		6
<i>Clinician-users; n</i> ^c	1	2	1	2		1	1	1	1	10
<i>Experts; n</i> ^c			1					1		2
<i>Adults only; n</i>	9	5		9	2	3	3	6	5	42
<i>Children only; n</i>			1			1		3	2	7
<i>Both adults and children; n</i>				2	1	1		1		5
<i>Not reported; n</i>			1							1
<i>Males/men only; n</i>									2	2
<i>Females/women only; n</i>	1				1				1	3
<i>Both or all sexes/genders; n</i>	8	5	1	11	2	5	3	9	4	48
<i>Not reported; n</i>			1					1		2
<i>Race/ethnicity reported; n</i>	1	1		4		1		2	1	10
<i>Race/ethnicity not reported; n</i>	8	4	2	7	3	4	3	8	6	45
Number of sDHTs assessed										
<i>Range (min - max)</i>	1 - 7	1 - 3	1 - 1	1 - 5	1 - 6	1 - 5	1 - 2	1 - 7	1 - 11	1 - 11

^a 'Other' therapeutic area category contains studies with enrollment eligibility focused on anaphylaxis, muscular dystrophy, hemophilia, nocturnal enuresis, blood and marrow transplant, overweight/obesity, pregnancy, and non-specific hospitalized or chronic illness. One study recruited clinicians only (no end-users of the sDHT) and is included in this category.

^b Studies reporting formative evaluations only are described in Supplementary Table 8.

^c Categories are not mutually-exclusive

Supplementary Table 6: Sensor-based digital health technology descriptive information across therapeutic areas; Summative studies

This table aligns to Table 4 of the manuscript, and presents data from studies reporting summative evaluations only and studies reporting both summative and formative evaluations. Complete lists of wear locations and health concepts are provided, aligned to Supplementary Table 4.

	Therapeutic area of sDHT users									Total
	Aging 9 studies	Cardiovascular 5 studies	Endocrine 2 studies	Neurology 11 studies	Oncology 3 studies	Respiratory 5 studies	Surgery 3 studies	Healthy 10 studies	Other ^a 7 studies	
sDHT type										
Wearable; n	17	6	1	25	8	10	5	26	14	112
Ambient; n		1	1	1		3			9	15
sDHT maturity										
Prototype; n	1	2		3				1	8	15
Final or marketed; n	16	4	2	23	8	13	5	24	12	107
Not reported; n		1						1	3	5
Form factor										
Adhesive patch; n	1		1	4			1	2	1	10
Balance board; n									1	1
Camera; video or still; n									2	2
Clip; n	2					1	1	1		5
Clothing or shoes; n	2	1						3	4	10
Contact lens; n				1						1
Cuff/wrap; n		1		1			1	1		4
Electrode/s; n				1				1		2
Exercise equipment; n									2	2
Glasses; n								1		1
Gloves; n	1	1								2
Glucometer; n			1							1

<i>Handheld thermometer; n</i>										1	1
<i>Mattress pad; n</i>			1								1
<i>Medication package; n</i>										1	1
<i>Phone or tablet; n</i>									4		4
<i>Probe; n</i>											0
<i>Ring; n</i>										1	1
<i>Spirometer; n</i>										1	1
<i>Contactless unit; n</i>											0
<i>Strap; n</i>	11	3		18	8	8	2	17	9		76
<i>Weight scale; n</i>		1									1

Wear location

<i>Arms/wrists/hands; n</i>	11	5	0	16	8	8	3	17	9		77
<i>Head/face; n</i>	0	0	0	4	0	0	0	2	0		6
<i>Legs/ankles/feet; n</i>											5
<i>Neck/torso/hips; n</i>	5	0	1	3	0	2	2	4	5		22
<i>Multiple locations; n^b</i>				1				1			2
<i>Not applicable; n^c</i>		1	1	1		3			9		15

Wear location

<i>Ankle/s; n</i>				1							1
<i>Arm; n</i>	1	1		6	1		1	1			11
<i>Chest/torso/trunk; n</i>	2		1	2		1	1	3	5		15
<i>Ear/s; n</i>								1			1
<i>Eye/s; n</i>				1				1			2
<i>Finger/s; n</i>							1				1
<i>Foot/feet; n</i>	1	1						2			4
<i>Hand/s; n</i>	1	1				1					3
<i>Head/scalp; n</i>				3							3
<i>Hip/s; n</i>	2					1		1			4
<i>Leg/s; n</i>											0

<i>Neck; n</i>							1			1
<i>Waist; n</i>	1			1						2
<i>Wrist; n</i>	9	3		10	7	7	1	16	9	62
<i>Multiple locations; n^b</i>				1				1		2
<i>Not applicable; n^c</i>		1	1	1		3			9	15
Interaction type^d										
<i>Passive; n</i>	15	3	1	26	8	11	3	25	13	105
<i>Active; n</i>	2	4	1	0	0	2	2	1	10	22
Health concepts^e										
<i>Activities of daily living; n</i>	4	2						1		7
<i>Physical activity; n</i>	15	4	0	6	9	8	0	14	0	56
<i>Adherence; n</i>						1				1
<i>Electrical activity; n</i>	0	0	0	14	0	0	0	0	0	14
<i>Mobility; n</i>	1	2	0	9	0	0	0	7	0	19
<i>Sleep; n</i>	6	0	0	0	1	1	0	2	0	10
<i>Vital signs; n</i>	8	4	2	16	0	4	14	21	0	69
<i>Other; n^f</i>	0	1	0	4	0	1	0	0	0	6
Health concepts^e										
<i>Activities of daily living; n</i>	4	2						1		7
<i>Adherence to therapy; n</i>						1				1
<i>Bladder volume; n</i>										0
<i>Blood glucose; n</i>			2							2
<i>Blood oxygen; n</i>	1					1	3	6		11
<i>Blood pressure, volume and/or arterial stiffness; n</i>		2		5			3	1		11
<i>Body habitus; n</i>		1								1
<i>Cardiac output; n</i>										0
<i>Electrical activity or abnormalities including seizures; n</i>				10						10
<i>Electrodermal activity; n</i>				4						4

<i>Energy expenditure; n</i>	3	1		1	1		1	7
<i>Exercise; n</i>	12	3	6	8	7		13	49
<i>Fall detection; n</i>			1					1
<i>Foot pressure; n</i>							1	1
<i>Gait; n</i>	1		2				1	4
<i>Gaze or visual movement; n</i>								0
<i>Heart rate/rhythm; n</i>	5	1	9		1	4	9	29
<i>Intraocular pressure; n</i>			1					1
<i>Joint or head kinematics; n</i>		1					2	3
<i>Lung/airway function; n</i>					1			1
<i>Mobility; n</i>		1	7				1	9
<i>Posture; n</i>							2	2
<i>Respiratory rate, pattern, or drive; n</i>	1					2	5	8
<i>Sleep duration and/or continuity; n</i>	6			1	1		2	10
<i>Sleep position or movement; n</i>								0
<i>Temperature; n</i>	1	1	2		2	2		8
<i>Tremor detection; n</i>			2					2
<i>Sleep staging; n</i>								0

^a 'Other' therapeutic area category contains studies with enrollment eligibility focused on anaphylaxis, muscular dystrophy, hemophilia, nocturnal enuresis, blood and marrow transplant, overweight/obesity, pregnancy, and non-specific hospitalized or chronic illness. One study recruited clinicians only (no end-users of the sDHT) and is included in this category.

^b Refers to multi-sensor sDHTs worn on different parts of the body, or sDHTs that can be positioned in one of many locations

^c Wear location is not applicable to ambient sDHTs.

^d Passive: sDHT data are collected over long time periods without user input other than aspects such as charging or changing batteries (such as actigraphy); includes tools for which the absence of data is meaningful (such as smart packaging for adherence monitoring). Active: sDHT data collection requires user engagement at defined timepoints.

^e Health concepts are not mutually exclusive; a single sDHT can capture data in multiple categories.

^f 'Other' health concept categories are described below.

Supplementary Table 7: Methodological approaches to human factors data collection; Summative studies

This table aligns to Table 5 of the manuscript, and presents data from studies reporting summative evaluations only and studies reporting both summative and formative evaluations.

	sDHT type		
	Ambient 15 sDHTs	Wearable 112 sDHTs	Total 127 sDHTs
Data collection environment			
<i>Actual environment; n</i>	15	88	103
<i>Simulated environment; n</i>		19	19
<i>Both actual and simulated; n</i>		5	5
Interactions with sDHT			
<i>Look-and-feel; n</i>		12	12
<i>Actual use; n</i>	15	100	115
Human factors evaluation methods ^a			
<i>Interviews; n</i>	2	38	40
<i>Focus groups; n</i>	10	17	27
<i>Surveys - referenced; n</i>	11	55	66
<i>Surveys - in-house; n</i>	3	61	64
<i>Think-aloud; n</i>		14	14
<i>Observation (direct or video); n</i>	1	23	24
<i>Measured by the sDHT; n</i>		4	4
<i>Heuristic analysis; n</i>	1	1	2
Type/s of human factors data reported			
<i>Mixed methods; n</i>	12	53	65
<i>Quantitative only; n</i>	2	40	42
<i>Qualitative only; n</i>	1	19	20
Categories of human factors and related data reported			0

<i>User satisfaction; n</i>	14	94	108
<i>Comfort; n</i>	3	91	94
<i>Ease of use; self-report; n</i>	15	93	108
<i>Ease of use; objectively-captured; n</i>		4	4
<i>Learnability; n</i>		10	10
<i>Efficiency; n</i>		4	4
<i>Memorability; n</i>		2	2
<i>Usefulness; n</i>	11	77	88
<i>Use errors; n</i>	4	19	23
<i>User trust; n</i>	10	44	54
<i>Information readability; n</i>			0
<i>Information understandability and/or actionability; n</i>		8	8
<i>Technical performance or product-errors; n</i>	13	68	81
Adherence to sDHT reported			
<i>Objectively-measured by the sDHT; n</i>	4	37	41
<i>Self/carepartner report; n</i>		13	13
<i>Both objective and self/carepartner; n</i>		4	4
<i>Reported but method not described; n</i>	1	6	7
<i>Adherence not reported; n</i>	10	52	62

^a categories are not mutually exclusive

Supplementary Table 8: Study design and sample characteristics across therapeutic areas; Formative studies

This table aligns to Table 3 of the manuscript, and presents data from studies reporting formative evaluations only.

	Therapeutic area of sDHT end-users									Total
	Aging 10 studies	Cardiovascular 4 studies	Endocrine 1 studies	Neurology 2 studies	Oncology 0 studies	Respiratory 1 studies	Surgery 2 studies	Healthy 5 studies	Other ^a 3 studies	
Study Design										
Observational; n	8	4	1	2		1	2	5	3	26
Interventional; n	2									2
Study Focus^b										
Summative; sample size rationale n										0
Summative; no sample size rationale n										0
Formative; sample size rationale n	2	1							1	4
Formative; no sample size rationale n	8	3	1	2		1	2	5	2	24
Setting										
Remote; n	6					1	1	1	3	12
On-site; n	2	4	1	1			1	4		13
Both remote and on-site; n	2			1						3
Duration of sDHT data collection										
≤1 day; n	4	2	1	1			1	4	2	15
>1, ≤7 days; n	1	2								3
>7, ≤30 days; n	3			1			1			5
>31, ≤90 days; n						1		1	1	3
>90, ≤180 days; n	1									1
>180 days; n										0
Not reported; n	1									1
Study Sample										
Sample size; median (min - max)	23 (8 - 125)	17 (5 - 48)	5 (5 - 5)	22.5 (5 - 40)	#N/A	1 (1 - 1)	12.5 (10 - 15)	11 (1 - 50)	22 (3 - 99)	15 (1 - 125)

<i>End-users; n</i> ^c	10	4	1	2		1	2	5	3	28
<i>Carepartner-users; n</i> ^c		1							1	2
<i>Clinician-users; n</i> ^c	1	1								2
<i>Experts; n</i> ^c	1									1
<i>Adults only; n</i>	10	2	1	1			2	5	2	23
<i>Children only; n</i>				1		1			1	3
<i>Both adults and children; n</i>		1								1
<i>Not reported; n</i>		1								1
<i>Males/men only; n</i>								1		1
<i>Females/women only; n</i>						1			1	2
<i>Both or all sexes/genders; n</i>	10	2	1	2			2	4	2	23
<i>Not reported; n</i>		2								2
<i>Race/ethnicity reported; n</i>	1					1		1	1	4
<i>Race/ethnicity not reported; n</i>	9	4	1	2			2	4	2	24
Number of sDHTs assessed										
<i>Range (min - max)</i>	1 - 1	1 - 2	1 - 1	2 - 3	#N/A	2 - 2	1 - 1	1 - 5	1 - 1	1 - 5

^a 'Other' therapeutic area category contains studies with enrollment eligibility focused on anaphylaxis, muscular dystrophy, hemophilia, nocturnal enuresis, blood and marrow transplant, overweight/obesity, pregnancy, and non-specific hospitalized or chronic illness. One study recruited clinicians only (no end-users of the sDHT) and is included in this category.

^b Studies reporting summative evaluations only and both summative and formative evaluations are described in Supplementary Table 5.

^c Categories are not mutually-exclusive

Supplementary Table 9: Sensor-based digital health technology descriptive information across therapeutic areas; Formative studies

This table aligns to Table 4 of the manuscript, and presents data from studies reporting formative evaluations only. Complete lists of wear locations and health concepts are provided, aligned to Supplementary Table 4.

	Therapeutic area of sDHT users									
	Aging	Cardiovascular	Endocrine	Neurology	Oncology	Respiratory	Surgery	Healthy	Other ^a	Total
	10 studies	4 studies	1 studies	2 studies	0 studies	1 studies	2 studies	5 studies	3 studies	28 studies
sDHT type										
<i>Wearable; n</i>	9	3		5		1	2	7	2	29
<i>Ambient; n</i>	1	2	1			1		2	1	8
sDHT maturity										
<i>Prototype; n</i>	8	3	1	2			2	4	3	23
<i>Final or marketed; n</i>	2	2		3		2		3		12
<i>Not reported; n</i>								2		2
Form factor										
<i>Adhesive patch; n</i>	1			1						2
<i>Balance board; n</i>										0
<i>Camera; video or still; n</i>		1								1
<i>Clip; n</i>	2									2
<i>Clothing or shoes; n</i>	3	2						1	1	7
<i>Contact lens; n</i>										0
<i>Cuff/wrap; n</i>								1		1
<i>Electrode/s; n</i>								1		1
<i>Exercise equipment; n</i>			1							1
<i>Glasses; n</i>	1									1
<i>Gloves; n</i>	1			1						2
<i>Glucometer; n</i>										0

<i>Handheld thermometer; n</i>										0
<i>Mattress pad; n</i>		1								1
<i>Medication package; n</i>									1	1
<i>Phone or tablet; n</i>								1		1
<i>Probe; n</i>				1					1	2
<i>Ring; n</i>										0
<i>Spirometer; n</i>						1				1
<i>Contactless unit; n</i>	1							1		2
<i>Strap; n</i>	1	1		2		1	2	4		11
<i>Weight scale; n</i>										0

Wear location

<i>Arms/wrists/hands; n</i>	0	0	0	3		0	0	2	0	5
<i>Head/face; n</i>										2
<i>Legs/ankles/feet; n</i>										5
<i>Neck/torso/hips; n</i>										10
<i>Multiple locations; n^b</i>	2			2				1	1	6
<i>Not applicable; n^c</i>	1	2	1			2		2	1	9

Wear location

<i>Ankle/s; n</i>		1								1
<i>Arm; n</i>								1		1
<i>Chest/torso/trunk; n</i>	4	2						1	1	8
<i>Ear/s; n</i>										0
<i>Eye/s; n</i>	1									1
<i>Finger/s; n</i>				1						1
<i>Foot/feet; n</i>										0
<i>Hand/s; n</i>				1						1
<i>Head/scalp; n</i>								1		1
<i>Hip/s; n</i>	1									1
<i>Leg/s; n</i>	1					2		1		4

<i>Neck; n</i>											0
<i>Waist; n</i>								1			1
<i>Wrist; n</i>				1				1			2
<i>Multiple locations; n^b</i>	2			2				1	1		6
<i>Not applicable; n^c</i>	1	2	1				2	2	1		9
Interaction type^d											
<i>Passive; n</i>	9	4					1		5	2	21
<i>Active; n</i>	1	1	1	5			1	2	4	1	16
Health concepts^e											
<i>Activities of daily living; n</i>	2			2							4
<i>Physical activity; n</i>	1	0	1	0	0	1	1	1	0		5
<i>Adherence; n</i>											0
<i>Electrical activity; n</i>	0	0	0	1	0	0	0	1	0		2
<i>Mobility; n</i>	4	2	0	2	0	0	2	6	0		16
<i>Sleep; n</i>	0	1	0	0	0	0	0	3	0		4
<i>Vital signs; n</i>	1	1	0	2	0	1	0	2	0		7
<i>Other; n^f</i>	4	1	0	0	0	1	0	0	0		6
Health concepts^e											
<i>Activities of daily living; n</i>	2			2							4
<i>Adherence to therapy; n</i>											0
<i>Bladder volume; n</i>											0
<i>Blood glucose; n</i>											0
<i>Blood oxygen; n</i>											0
<i>Blood pressure, volume and/or arterial stiffness; n</i>											0
<i>Body habitus; n</i>											0
<i>Cardiac output; n</i>		1									1
<i>Electrical activity or abnormalities including seizures; n</i>				1				1			2
<i>Electrodermal activity; n</i>											0

<i>Energy expenditure; n</i>							0
<i>Exercise; n</i>	1	1		1	1	1	5
<i>Fall detection; n</i>	3						3
<i>Foot pressure; n</i>							0
<i>Gait; n</i>	2	1	1			1	5
<i>Gaze or visual movement; n</i>	1						1
<i>Heart rate/rhythm; n</i>	1	1	1	1		2	6
<i>Intraocular pressure; n</i>							0
<i>Joint or head kinematics; n</i>		1			2	4	7
<i>Lung/airway function; n</i>				1			1
<i>Mobility; n</i>	1		1			1	3
<i>Posture; n</i>	1						1
<i>Respiratory rate, pattern, or drive; n</i>							0
<i>Sleep duration and/or continuity; n</i>						1	1
<i>Sleep position or movement; n</i>						1	1
<i>Temperature; n</i>			1				1
<i>Tremor detection; n</i>							0
<i>Sleep staging; n</i>		1				1	2

^a 'Other' therapeutic area category contains studies with enrollment eligibility focused on anaphylaxis, muscular dystrophy, hemophilia, nocturnal enuresis, blood and marrow transplant, overweight/obesity, pregnancy, and non-specific hospitalized or chronic illness. One study recruited clinicians only (no end-users of the sDHT) and is included in this category.

^b Refers to multi-sensor sDHTs worn on different parts of the body, or sDHTs that can be positioned in one of many locations

^c Wear location is not applicable to ambient sDHTs.

^d Passive: sDHT data are collected over long time periods without user input other than aspects such as charging or changing batteries (such as actigraphy); includes tools for which the absence of data is meaningful (such as smart packaging for adherence monitoring). Active: sDHT data collection requires user engagement at defined timepoints.

^e Health concepts are not mutually exclusive; a single sDHT can capture data in multiple categories.

^f 'Other' health concept categories are described below.

Supplementary Table 10: Methodological approaches to human factors data collection; Formative studies

This table aligns to Table 5 of the manuscript, and presents data from studies reporting formative evaluations only..

	sDHT type		
	Ambient 8 sDHTs	Wearable 29 sDHTs	Total 37 sDHTs
Data collection environment			
<i>Actual environment; n</i>	8	19	27
<i>Simulated environment; n</i>		6	6
<i>Both actual and simulated; n</i>		4	4
Interactions with sDHT			
<i>Look-and-feel; n</i>	1	3	4
<i>Actual use; n</i>	7	26	33
Human factors evaluation methods ^a			
<i>Interviews; n</i>	3	6	9
<i>Focus groups; n</i>		2	2
<i>Surveys - referenced; n</i>	3	17	20
<i>Surveys - in-house; n</i>	4	13	17
<i>Think-aloud; n</i>	1		1
<i>Observation (direct or video); n</i>		11	11
<i>Measured by the sDHT; n</i>			0
<i>Heuristic analysis; n</i>		2	2
Type/s of human factors data reported			
<i>Mixed methods; n</i>	2	5	7
<i>Quantitative only; n</i>	4	20	24
<i>Qualitative only; n</i>	2	4	6
Categories of human factors and related data reported			
<i>User satisfaction; n</i>	5	23	28

<i>Comfort; n</i>	2	16	18
<i>Ease of use; self-report; n</i>	8	29	37
<i>Ease of use; objectively-captured; n</i>	1		1
<i>Learnability; n</i>	1		1
<i>Efficiency; n</i>			0
<i>Memorability; n</i>			0
<i>Usefulness; n</i>	5	19	24
<i>Use errors; n</i>	2	7	9
<i>User trust; n</i>	2	9	11
<i>Readability; n</i>			0
<i>Understandability and/or actionability; n</i>	1	5	6
<i>Technical performance or product-errors; n</i>	6	11	17
<hr/>			
Adherence to sDHT reported			
<i>Objectively-measured by the sDHT; n</i>	2	7	9
<i>Self/carepartner report; n</i>	1	1	2
<i>Both objective and self/carepartner; n</i>			0
<i>Reported but method not described; n</i>		1	1
<i>Adherence not reported; n</i>	5	20	25
<hr/>			

^a categories are not mutually exclusive