

Supplementary Material

Percentage of the population to have a diagnosis of the 35 most common conditions in the UK. For the autistic population, both unadjusted and age-adjusted values are given.

	Whole population					Positive COVID-19 test				
	General population (n = 48,383,130)	Autistic population (n = 180,860)				General population (n = 8,422,375)	Autistic population (n = 32,375)			
		Adjusted	P-value	Unadjusted	P-value		Adjusted	P-value	Unadjusted	P-value
Alcohol problems	4.0	6.4	<0.001	3.5	<0.001	5.2	7.7	<0.001	4.6	<0.001
Anorexia or bulimia	0.2	0.5	<0.001	0.5	<0.001	0.3	1.0	<0.001	0.9	<0.001
Anxiety & other neurotic	4.9	12.6	<0.001	9.3	<0.001	7.5	17.3	<0.001	12.3	<0.001
Asthma (currently treated)	4.3	6.5	<0.001	5.0	<0.001	5.7	9.9	<0.001	6.6	<0.001
Atrial fibrillation	2.8	4.7	<0.001	0.7	<0.001	3.5	4.8	<0.001	1.0	<0.001
Blindness and low vision	0.8	1.5	<0.001	0.4	<0.001	1.1	1.5	.02	0.7	<0.001
Bronchiectasis	0.2	0.3	.02	0.1	<0.001	0.3	0.3	.10	0.1	<0.001
Cancer - [New]Diagnosis in last five years	8.9	8.6	<0.001	3.5	<0.001	12.2	10.3	<0.001	4.4	<0.001

Coronary heart disease	3.6	6.5	<0.001	1.1	<0.001	4.9	7.6	<0.001	1.7	<0.001
Chronic kidney disease	0.1	0.2	.002	0.1	.001	0.1	0.2	.11	0.1	.23
Chronic Liver Disease and Viral Hepatitis	4.7	8.8	<0.001	3.4	<0.001	6.2	10.2	<0.001	4.9	<0.001
COPD	2.9	4.5	<0.001	0.8	<0.001	2.9	4.2	<0.001	1.0	<0.001
Dementia	3.9	10.0	<0.001	4.8	<0.001	5.6	13.6	<0.001	6.8	<0.001
Depression	4.6	14.0	<0.001	12.5	<0.001	6.6	18.6	<0.001	14.6	<0.001
Diabetes	9.8	15.4	<0.001	4.1	<0.001	11.0	16.6	<0.001	5.0	<0.001
Diverticular disease of intestine	3.0	6.3	<0.001	2.1	<0.001	4.3	8.1	<0.001	3.1	<0.001
Epilepsy (currently treated)	1.6	5.5	<0.001	1.7	.01	2.7	7.3	<0.001	2.2	<0.001
Heart failure	5.2	8.5	<0.001	1.3	<0.001	6.8	9.7	<0.001	2.0	<0.001
Hearing loss	0.9	2.1	<0.001	0.4	<0.001	1.2	2.4	<0.001	0.6	<0.001
Hypertension	8.0	11.6	<0.001	2.3	<0.001	9.1	12.5	<0.001	3.0	<0.001
Inflammatory bowel disease	1.4	2.8	<0.001	1.1	<0.001	2.1	3.9	<0.001	1.7	<0.001
Irritable bowel syndrome	0.9	1.9	<0.001	0.8	.001	1.2	2.6	<0.001	1.2	.45
Migraine	0.7	1.3	<0.001	0.5	<0.001	1.0	1.6	<0.001	0.8	<0.001
Multiple sclerosis	0.1	0.1	.60	0.1	.001	0.1	0.2	.20	0.1	.57
Peptic Ulcer Disease	1.4	2.8	<0.001	0.9	<0.001	1.9	3.6	<0.001	1.4	<0.001

Parkinson's disease	0.3	1.1	<0.001	0.1	<0.001	0.4	1.2	<0.001	0.2	<0.001
Prostate disorders	0.8	2.3	<0.001	0.4	<0.001	1.1	2.8	<0.001	0.6	<0.001
Psychoactive substance misuse (not alcohol)	5.9	12.5	<0.001	6.6	<0.001	7.4	15.7	<0.001	9.1	<0.001
Psoriasis or eczema	0.6	1.4	<0.001	0.5	<0.001	1.0	2.1	<0.001	0.7	<0.001
Peripheral vascular disease	1.5	2.8	<0.001	0.5	<0.001	2.0	3.4	<0.001	0.7	<0.001
Rheumatoid arthritis	2.4	3.7	<0.001	1.4	<0.001	3.3	4.9	<0.001	1.9	<0.001
Schizophrenia (and related non-organic psychosis) or bipolar disorder	4.0	22.5	<0.001	16.1	<0.001	5.9	29.6	<0.001	20.2	<0.001
Chronic sinusitis	0.2	0.3	<0.001	0.2	.69	0.2	0.3	<0.001	0.2	.68
Stroke & transient ischaemic attack	4.2	9.8	<0.001	4.3	.32	6.1	13.4	<0.001	6.3	.08
Thyroid disorders	1.5	2.5	<0.001	0.8	<0.001	1.9	2.8	<0.001	1.0	<0.001