

Title: Lipoprotein(a) testing in Patients with Atherosclerotic Cardiovascular Disease in Five Large U.S. Health Systems

Authors: Nishant P. Shah^{a,b}, Hillary Mulder^b, Betsy Lydon^b, Karen Chiswell^b, Xingdi Hu^c, Zachary Lampron^b, Lauren Cohen^b, Manesh R. Patel^{a,b}, Susan Taubes^c, Wenliang Song^d, Suresh R. Mulukutla^e, Anum Saeed^e, Daniel P. Morin^f, Steven M. Bradley^g, Adrian F. Hernandez^{a,b}, Neha J. Pagidipati^{a,b}

Affiliations:

- a) Duke University Hospital, Division of Cardiology, Durham, NC
- b) Duke Clinical Research Institute, Durham, NC
- c) Novartis Pharmaceuticals Corporation, East Hanover, NJ
- d) Vanderbilt University, Division of Cardiology, Nashville, TN
- e) University of Pittsburgh, Division of Cardiology, Pittsburgh, PA
- f) Ochsner Medical Center, Division of Cardiology, New Orleans, LA
- g) Allina Health Minneapolis Heart Institute, Minneapolis, MN

Corresponding Author:

Nishant P. Shah, MD
Duke Hospital North
2301 Erwin Road, Suite 7400, Cubicle 13
Durham, NC 27710
919-801-6013
nishant.shah@duke.edu

Abstract:

Introduction:

Lipoprotein (a) [Lp(a)] is an independent, causal risk factor for atherosclerotic cardiovascular disease (ASCVD). However, testing patterns remain variable and it is unclear what patient level factors are associated with Lp(a) testing, and if testing changes clinical management.

Methods:

A retrospective study using electronic medical record data from five health systems in the CardioHealth Alliance identified an ASCVD cohort that was divided into those with a Lp(a) test and those without a Lp(a) test between 2019-2021. Baseline characteristics and initiation of lipid lowering therapy (LLT) was assessed. Multivariable regression modeling was used to determine factors associated with Lp(a) testing.

Results:

Among 595,684 ASCVD patients, only 2,587 (0.4%) were tested for Lp(a) between 2019 and 2021. In adjusted models, those who were older or Black were less likely to have Lp(a) testing, while those with familial hypercholesterolemia, ischemic stroke/TIA, PAD, prior LLT, or LDL-C ≥ 130 mg/dL were more likely to be tested. Those with a Lp(a) test, regardless of the Lp(a) value, were more frequently initiated on any statin therapy (30.3% vs. 10.6%, $p < 0.001$), ezetimibe (7.65 vs. 0.8%, $p < 0.001$), or PCSK9i (6.7% vs. 0.3%, $p < 0.001$) compared with those without a test. Those with an elevated Lp(a) level more frequently initiated ezetimibe (11.5% vs. 5.9%, $P < 0.001$) or PCSK9i (10.9% vs. 4.8%, $P < 0.001$), but not statin therapy.

Conclusions

Lp(a) testing in ASCVD patients is infrequent, with evidence of disparities among older or Black individuals. Testing for Lp(a), regardless of level, is associated with greater initiation of any LLT, while elevated Lp(a) is associated with greater initiation of non-statin LLT. Overall, initiation of LLT remained low, despite guideline indications for LLT in ASCVD patients. There is a critical need for multidisciplinary and inclusive approaches to raise awareness for Lp(a) testing and its implications on management.

Keywords: ASCVD, lipoprotein (a), Lipids

Introduction:

Despite advancements in treatment, atherosclerotic cardiovascular disease (ASCVD) remains the leading cause of morbidity and mortality across the world^{1,2}. Multiple societal guidelines recommend aggressive lowering of low-density lipoprotein cholesterol (LDL-C) in patients with ASCVD^{3,4}, yet residual risk still remains. One major contributor to residual risk is elevated lipoprotein (a) [Lp(a)], an apolipoprotein B100 (apoB)-containing lipoprotein bound with apolipoprotein (a) [apo(a)] which has been shown to have an independent and causal effect on early onset atherosclerosis^{5,6}. Lp(a) is primarily genetically determined^{7,8} and elevated levels affect one in five individuals⁶.

Current guideline recommendations regarding Lp(a) vary across societies. The American College of Cardiology/American Heart Association (ACC/AHA) recommend testing for Lp(a) in primary prevention individuals at borderline or intermediate risk in order to reclassify risk, and testing in all individuals (both primary and secondary prevention) with a premature family history of ASCVD³. The European Society of Cardiology/European Atherosclerosis Society (ESC/EAS) guidelines recommend measurement of Lp(a) once in a lifetime in all individuals to identify those with extremely elevated levels (>180mg/dL or >430 nmol/L) which could serve as an equivalent lifetime ASCVD risk to those with heterozygous familial hypercholesterolemia (FH)⁴. Additionally the ESC/EAS recommend testing in all individuals with a premature family history of ASCVD, and to reclassify risk in those at moderate and high risk⁴. Furthermore, the National Lipid Association (NLA)⁹ recommends testing for Lp(a) in those with first degree relatives with premature ASCVD, a personal history of premature ASCVD, or primary severe hypercholesterolemia.

Testing for patients with elevated Lp(a) is important for many reasons. First, elevated Lp(a) is considered a risk enhancer which may warrant aggressive LDL-C lowering therapy^{3,4,9}. Second, given that Lp(a) production is primarily genetically mediated, elevated levels in patients could have implications for cascade screening of first degree relatives who may benefit from earlier preventive interventions^{10,11}. Third, knowing an Lp(a) level can help determine how aggressive patients and clinicians need to be in optimizing modifiable cardiovascular risk factors in addition to LDL-C, such as diabetes, hypertension, and obesity.^{10,12} Additionally, there may be a role for aspirin therapy in primary prevention for patients with elevated Lp(a) if the bleeding risks are low^{13,14}. Fourth, knowing an Lp(a) level may identify eligibility in currently enrolling clinical trials for therapies targeting Lp(a)^{15,16} or may identify individuals who could benefit from future therapies, should they become available. Finally, in secondary prevention populations, higher Lp(a) levels predict subsequent cardiovascular events and may warrant aggressive combination lipid lowering therapy¹⁷.

However, it is unclear how often and what types of populations are being tested for Lp(a) in contemporary real-world clinical practice. The literature also remains limited on whether knowing an Lp(a) value has an impact on clinical management. To address these questions, we assessed data from five large health systems across the United States participating in the CardioHealth Alliance. The CardioHealth Alliance is a consortium established in 2021 with the goal of improving the implementation of evidence-based practices to improve the care and health of patients with cardiovascular, renal, and metabolic diseases ([CardioHealthAlliance.org](https://www.CardioHealthAlliance.org))

Methods:

A retrospective analysis was conducted using electronic health record (EHR) data from five large health systems within the CardioHealth Alliance, including Allina Health, Duke University Medical Center, University of Pittsburgh Medical Center, Vanderbilt University Medical Center, and Ochsner Health System. Each health system participated in the Patient-Centered Clinical Research Network

(PCORnet©) and EHR data was mapped into a common data model for analysis. Data elements include diagnosis and procedure codes, laboratory data, demographics, health system encounters, and medication data.

For the current analysis we included adults ≥ 18 years of age with established ASCVD defined as acute coronary syndrome (ACS), (myocardial infarction and unstable angina), stable angina, transient ischemic attack (TIA), ischemic heart disease, peripheral arterial disease (PAD), or revascularization procedures (coronary revascularization such as percutaneous coronary interventions (PCI) or coronary artery bypass grafting (CABG), peripheral and cerebrovascular revascularization procedures). The diagnosis and procedure codes used for the analysis can be seen in the supplementary materials.

Patients must have also had an ASCVD event within 5 years prior to an index date. For patients with a Lp(a) test, the index date was defined as date of the first Lp(a) test result in 2019-2021. Patients without any Lp(a) test from 2015 to 2021 formed the non-Lp(a) test group. To permit comparisons of change in LLT following Lp(a) testing, the index date for this group was defined as the date of a randomly selected outpatient encounter in 2019-2021. Additionally, patients were required to have at least 2 encounters of any kind within the health system in the 2 years prior to the index date. The follow-up period ranged from the index date to 6 months after until the end of study period (6/30/2022).

Variables collected for the study included age, sex, race, ethnicity, vitals, medical history, medications, and laboratory data (Lp(a) level, LDL-C, total cholesterol, high density lipoprotein cholesterol (HDL-C), triglyceride levels, glycosylated hemoglobin (HbA1c), and creatinine). Lipid lowering therapy (LLT) was defined as either statin at any dose, high intensity statin (Rosuvastatin 20-40mg daily or Atorvastatin 40-80mg daily), monoclonal antibody based proprotein convertase subtilisin/kexin type 9 inhibitors (PCSK9i), ezetimibe, bempedoic acid, bile acid sequestrants, and fenofibrates. Medical history, medication prescriptions, labs and vitals were assessed based on EHR records in the 12 months prior to the index date.

Baseline characteristics for the overall cohort, including demographics, medical history, lab values, and concomitant medications, were stratified by the presence and absence of an Lp(a) test result. Continuous variables were summarized as median (25th, 75th percentile) and categorical variables were presented as frequencies (%). A robust Poisson multivariable regression model was used to determine factors associated with obtaining an Lp(a) test. Factors were pre-specified for inclusion in the model based on clinical relevance. Regression estimates were adjusted for site. Missing values for covariates that had $\leq 10\%$ missingness were imputed via a single random draw from regression-based chained equations. Missingness $>10\%$ for important covariates resulted in the creation of a "Missing" category, and categorization of the continuous covariate when applicable. Relative risks with 95% confidence intervals (CI) and p-values were presented for all variables in the model except for site, in order to maintain site confidentiality. Continuous variables were checked for linearity with respect to the outcome; all relationships were linear.

Initiation of a medication was based on the presence of prescription within 6 months following the index date, and was assessed among patients without a corresponding prescription in the prior 12 months. Initiation of LLT within 6 months after the index date was described and compared for patients with vs without Lp(a) testing and for those with Lp(a) testing, elevated values (defined as Lp(a) ≥ 50 mg/dL or ≥ 125 nmol/L) vs non-elevated, as well as by Lp(a) level (<50 mg/dL, 50-100 mg/dL, >100 mg/dL, among those with Lp(a) measured in mg/dL). P-values for comparisons between groups were calculated using Chi-squared or Fisher's exact tests, as appropriate.

A two-sided p value of < 0.05 was considered nominally statistically significant. All analyses were performed by the Duke Clinical Research Institute (Durham, NC) using SAS v9.4 (SAS Institute, Inc. Cary, NC). The data were extracted through SAS queries that were distributed to health systems and executed against the most recent PCORnet [Common Data Model](#). Limited data sets were delivered through site approved secure file transfer methods. The study was approved by the Duke University institutional review board under a waiver of HIPAA authorization and informed consent.

Results:

Among 707,212 ASCVD patients in the five health systems, 3,437 (0.5%) had an Lp(a) test between 2019 and 2021. Of the patients with an Lp(a) test, 2,781 had an ASCVD event or diagnosis in the 5 years prior to the Lp(a) test and at least 2 encounters in the health system 2 years prior to the Lp(a) test. After excluding patients with a prior Lp(a) test between 2015-2018, 2,587 (0.4% of the study cohort) remained in the Lp(a) testing cohort. For the cohort of patients without Lp(a) testing, 670,138 had at least 1 outpatient encounter between 2019 and 2021. Among these patients without Lp(a) testing, 593,097 had a diagnosis of ASCVD in 5 years prior to the outpatient encounter and at least 2 encounters in the health system in the 2 years prior to the outpatient encounter. This created an overall study cohort of 595,684 ASCVD patients active in the health systems with and without a Lp(a) test (Figure 1).

Baseline characteristics of the overall study cohort stratified by presence or absence of Lp(a) testing are presented in Table 1. The median age of the overall cohort was 70 (Q1,Q3: 62,78) years. The cohort consisted of 45.0% female, and 84.5%, 13.0%, 1.4% White, Black, and Hispanic individuals, respectively. The majority of the study population had established coronary artery disease (75.4%), followed by peripheral arterial disease (31%), and stroke or TIA (20.4%). In terms of risk factors, 84.0% had hypertension, 78.0% had hyperlipidemia (with 3.7% diagnosed with FH), and 35.9% had diabetes mellitus. The median LDL-C was 81 (Q1,Q3:62,107) mg/dL, and only 48.9% of the study cohort were on any statin therapy. Furthermore, 3.0% were on ezetimibe, 0.9% were on PCSK9i, 1.8% were on fenofibrate, and $<0.01\%$ were on bempedoic acid.

The population with an Lp(a) test were younger (median age 61 vs 70 years), more frequently male (45.0% vs 41.1%), and less frequently Black (11.6% vs 13.0%) compared with patients without an Lp(a) test. In terms of medical co-morbidities, patients with an Lp(a) test had higher rates of ischemic stroke (25.2% vs 20.3%), hyperlipidemia (87.0% vs 78%), and FH (7.7% vs 3.7%) compared with those without an Lp(a) test. In contrast, patients with an Lp(a) test had lower rates of atrial fibrillation (17.7% vs 23.0%), hypertension (75.1% vs 84.1%), and diabetes (30.2% vs 35.9%) compared with those without an Lp(a) test. LDL-C was higher in those with Lp(a) testing (87 vs. 81 mg/dL), and a greater proportion were on statin therapy (70% vs 48.8%). Additionally, more patients with an Lp(a) test were on ezetimibe (12.1% vs 2.9%) and PCSK9i (6.9% vs 0.8%) (Table 1).

Multivariable analysis suggested that several factors were independently associated with the likelihood of Lp(a) testing, including diagnosis of CAD, ischemic stroke/TIA, PAD, or heart failure (Figure 3, Supplemental Table 3). A diagnosis of FH or hyperlipidemia, along with use of any prior LLT, were also positively associated with Lp(a) testing. Of note, LDL-C level appeared to be associated with Lp(a) testing in a graded relationship, such that lower levels below 130 mg/dL were not associated with Lp(a) testing, but higher levels were increasingly associated with higher likelihood of receiving a Lp(a) test (Figure 3). In contrast, older age, Black race, higher BMI, current smoking status, and diagnosis of hypertension or

diabetes were associated with a lower likelihood of Lp(a) testing. Missing HbA1c and lipid laboratory values in the 12 months prior to index date were also associated with lower likelihood of Lp(a) testing.

The majority of Lp(a) testing was reported in mg/dL (74.4%) compared with nmol/L (25.6%). Those with elevated values, defined as Lp(a) ≥ 50 mg/dL or ≥ 125 nmol/L, (n=821, 31.7%) were more frequently Black (18.2% vs. 8.6%), with higher LDL-C values (91 vs. 85 mg/dL) and higher rates of LLT use (78.1% vs. 73.5%) than those without elevated Lp(a) (Supplemental Table 1). Specifically, ezetimibe (16.3% vs. 10.1%) and PCSK9i (8.5% vs. 6.1%) were used at index more frequently in those with elevated Lp(a).

With regard to initiation of LLT, those with a Lp(a) test, regardless of the Lp(a) value, more often initiated LLT within 6 months of the index date (Table 2). Specifically, patients with a Lp(a) test were more frequently initiated on any statin therapy (30.3% vs. 10.6%, $p < 0.001$), or high intensity statin therapy (14.6% vs. 5.1%, $p < 0.001$) compared with those without a test. Initiation of PCSK9i (6.7% vs. 0.3%, $p < 0.001$) and ezetimibe (7.65 vs. 0.8%, $p < 0.001$) were more often in the group with Lp(a) testing as well.

The Lp(a) value itself was associated with initiation of non-statin LLT (Figure 2). Among patients with Lp(a) values, there was no difference in the initiation of any statin (32.1% vs. 29.7%, $p = 0.51$), high intensity statin (16.2% vs. 14.0%, $p = 0.29$), or in up-titration from regular- to high-intensity statin dosing (49.3% vs. 41.1%, $p = 0.27$) in those with elevated vs non-elevated Lp(a) levels (Table 3). However, initiation rates of PCSK9i (10.9% vs. 4.8%, $P < 0.001$) and ezetimibe (11.5% vs. 5.9%, $P < 0.001$) were significantly higher in those with elevated Lp(a) levels. Of note, there appeared to be a graded relationship such that those with highly elevated Lp(a) levels (≥ 100 mg/dL) were more likely to initiate PCSK9i or ezetimibe than those with Lp(a) 50-100 mg/dL or Lp(a) < 50 mg/dL, respectively (PCSK9i: 15.5% vs 7.4% vs 5.5%, $p < 0.001$; ezetimibe: 15.6% vs 12.8% vs 7.3%, $p < 0.001$) (Supplemental Table 2). This trend was not present for statin initiation.

Discussion:

Across five large U.S. health systems within the CardioHealth Alliance, the frequency of Lp(a) testing was very low (0.4%) among patients with ASCVD. Disparities in Lp(a) testing were apparent, as older age, Black race, higher BMI, current smoking status, and diagnosis of hypertension or diabetes were associated with a lower likelihood of Lp(a) testing. Testing for Lp(a), regardless of Lp(a) level, was associated with greater initiation of LLT, including statin, ezetimibe, and PCSK9i. Interestingly, an elevated Lp(a) result was associated with ezetimibe and PCSK9i initiation, but not statin initiation or up-titration.

The low observed rate of Lp(a) testing among a secondary prevention population is consistent with previous reports. In a large claims data analysis performed on 4 million patient records in Germany, the frequency of Lp(a) testing was similarly low at 0.34%¹⁸. An analysis of U.S. claims data revealed that only 0.7% of secondary prevention patients were tested for Lp(a).¹⁹ Reasons behind the consistently low testing rates for Lp(a) in patients with ASCVD are likely multifactorial, and may include lack of clinician understanding or awareness of Lp(a) as a prevalent and causal risk factor for ASCVD²⁰. Further, current clinical guidelines are inconsistent about recommendations for Lp(a) testing, though most recommend

testing in high-risk patients^{3,9}, if not all patients at least once in a lifetime⁴. In addition, there are no available therapies that are currently indicated to lower Lp(a), though several are in clinical trials (NCT04023552; NCT05581303)^{21,22}. However, even in the absence of Lp(a)-lowering therapies, testing for Lp(a) is still clinically relevant for risk stratification, aggressive preventive management such as early use of statins, and testing of first-degree relatives.^{6,11}

Those who did undergo Lp(a) testing in our study population were different in important ways from those who did not undergo testing, revealing potential disparities in testing patterns. Older age was associated with a lower likelihood of Lp(a) testing; this may be related to the NLA guidelines which specifically recommend Lp(a) testing for individuals with premature ASCVD, and who are therefore young by definition⁹. Black race was also associated with a 24% lower likelihood of Lp(a) testing; this likely represents a disparity in care, as Black individuals are known to have generally higher Lp(a) levels than White individuals, with correspondingly higher Lp(a)-related ASCVD risk^{19,23}. As far as we are aware, this disparity in Lp(a) testing has not been shown before, and is important for addressing health equity in ASCVD prevention and management. Unsurprisingly, individuals with missing HbA1c and lipid levels were less likely to undergo Lp(a) testing, potentially because they were not receiving routine preventive care.

In contrast, several factors were associated with greater likelihood of Lp(a) testing, including prior CAD, ischemic stroke/TIA, PAD, or heart failure. This pattern is consistent with prior studies^{18,24} likely because of guideline recommendations for testing in high-risk populations^{3,9}. Similarly, those with hyperlipidemia or FH were more likely to undergo testing, which also has been seen in prior studies and is consistent with guideline recommendations and the observation that elevated Lp(a) is more common in individuals with elevated LDL-C and/or FH^{25,26}. Interestingly, LDL-C level appeared to have a graded relationship with Lp(a) testing, with increasing levels beyond 130 mg/dL being associated with greater likelihood of Lp(a) testing.

We also found that Lp(a) testing regardless of Lp(a) level, along with the level itself, are both associated with changes in LLT in the 6 months after testing. Lp(a) testing (compared with no testing) was associated with initiation of both statins and non-statin therapies, while an elevated Lp(a) level (compared with a non-elevated level) was associated only with initiation of PCSK9i and ezetimibe. These results suggest that clinicians may be acting on Lp(a) results with more aggressive therapies, indicating that testing may have an impact on clinical management (though causality cannot be established in this observational analysis). This is consistent with a prior study from Germany which showed increased treatment intensity after Lp(a) testing¹⁸; our study extends these results to the U.S. Further, our finding that statins were initiated regardless of Lp(a) result may reflect overall clinician concern and/or better care in those with an Lp(a) result, given that all of these individuals have a clear indication for statin therapy. Notably, however, only 30% of individuals with an Lp(a) test were initiated on a statin after testing, compared with 11% in those without testing, reflective of a continued gap in guideline-based care. In contrast with statins, PCSK9i and ezetimibe were more likely to be initiated in those with Lp(a) testing than in those without, but among those with testing, were only more likely to be initiated in those with an elevated Lp(a) level. This may indicate that clinicians are responding to the level itself by initiating more advanced LLT, which is consistent with guidelines that recommend more aggressive LDL-C lowering in those with elevated Lp(a)^{3,9}. Again, however, the overall rate of initiation of these therapies was relatively low, with 11% and 12% of individuals with elevated Lp(a) initiating PCSK9i and ezetimibe, respectively.

Our study has several limitations that are important to note. First, this was a retrospective analysis that evaluated EHR data, so there is the potential for missing data, especially data generated outside the studied health systems; we attempted to minimize this risk by ensuring that all individuals in the study received regular care within these systems. Second, our study period overlapped with the advent of the COVID-19 pandemic period, which could have decreased the frequency of encounters and lab values. Third, adherence patterns and intolerance to LLT could not be captured, which could have influenced the distribution of various LLT medications.

Conclusion:

Across 5 large US health systems, the frequency of Lp(a) testing among patients with ASCVD remains low at 0.4%. Additionally, disparities exist as individuals who are older or Black were particularly unlikely to have a Lp(a) test. Those with Lp(a) testing were more likely to initiate any LLT regardless of Lp(a) level, including statins, while those with an elevated Lp(a) level were more likely to initiate PCSK9i or ezetimibe. However, the overall initiation of LLT remained low in this population, despite clear guidelines indications for LLT in patients with ASCVD. Thus, there is a critical need for multidisciplinary and inclusive approaches to raise awareness of Lp(a) testing and its implications for aggressive preventive management. Such awareness may increase if Lp(a)-lowering therapies, which are currently being tested, are shown to provide clinical benefit.

References:

1. Virani SS, Alonso A, Benjamin EJ, Bittencourt MS, Callaway CW, Carson AP, Chamberlain AM, Chang AR, Cheng S, Dellings FN, Djousse L, Elkind MSV, Ferguson JF, Fornage M, Khan SS, Kissela BM, Knutson KL, Kwan TW, Lackland DT, Lewis TT, Lichtman JH, Longenecker CT, Loop MS, Lutsey PL, Martin SS, Matsushita K, Moran AE, Mussolino ME, Perak AM, Rosamond WD, Roth GA, Sampson UKA, Satou GM, Schroeder EB, Shah SH, Shay CM, Spartano NL, Stokes A, Tirschwell DL, VanWagner LB, Tsao CW. Heart disease and stroke statistics—2020 update a report from the American Heart Association. *Circulation*. 2020;141(9). doi:10.1161/CIR.0000000000000757
2. Weir HK, Anderson RN, King SMC, Soman A, Thompson TD, Hong Y, Moller B, Leadbetter S. Heart Disease and Cancer Deaths — Trends and Projections in the United States, 1969–2020. *Prev Chronic Dis*. 2016;13. doi:10.5888/PCD13.160211
3. Grundy SM, Stone NJ, Bailey AL, Beam C, Birtcher KK, Blumenthal RS, Braun LT, De Ferranti S, Faiella-Tommasino J, Forman DE, Goldberg R, Heidenreich PA, Hlatky MA, Jones DW, Lloyd-Jones D, Lopez-Pajares N, Ndumele CE, Orringer CE, Peralta CA, Saseen JJ, Smith SC, Sperling L, Virani SS, Yeboah J. 2018 AHA/ACC/AACVPR/AAPA/ABC/ACPM/ADA/AGS/APhA/ASPC/NLA/PCNA Guideline on the Management of Blood Cholesterol: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Circulation*. 2019;139(25). doi:10.1161/CIR.0000000000000624
4. Mach F, Baigent C, Catapano AL, Koskinas KC, Casula M, Badimon L, Chapman MJ, De Backer GG, Delgado V, Ference BA, Graham IM, Halliday A, Landmesser U, Mihaylova B, Pedersen TR, Riccardi G, Richter DJ, Sabatine MS, Taskinen MR, Tokgozoglul, Wiklund O, Mueller C, Drexel H, Aboyans V, Corsini A, Doehner W, Farnier M, Gigante B, Kayikcioglu M, Krstacic G, Lambrinou E, Lewis BS, Masip J, Moulin P, Petersen S, Petronio AS, Piepoli MF, Pintó X, Räber L, Ray KK, Reiner

- Ž, Riesen WF, Roffi M, Schmid JP, Shlyakhto E, Simpson IA, Stroes E, Sudano I, Tselepis AD, Viigimaa M, Vindis C, Vonbank A, Vrablik M, Vrsalovic M, Zamorano JL, Collet JP, Koskinas KC, Casula M, Badimon L, John Chapman M, De Backer GG, Delgado V, Ference BA, Graham IM, Halliday A, Landmesser U, Mihaylova B, Pedersen TR, Riccardi G, Richter DJ, Sabatine MS, Taskinen MR, Tokgozoglu L, Wiklund O, Windecker S, Aboyans V, Baigent C, Collet JP, Dean V, Delgado V, Fitzsimons D, Gale CP, Grobbee D, Halvorsen S, Hindricks G, Iung B, Jüni P, Katus HA, Landmesser U, Leclercq C, Lettino M, Lewis BS, Merkely B, Mueller C, Petersen S, Petronio AS, Richter DJ, Roffi M, et al. 2019 ESC/EAS Guidelines for the management of dyslipidaemias: lipid modification to reduce cardiovascular risk. *Eur Heart J*. 2020;41(1):111-188. doi:10.1093/eurheartj/ehz455
5. Tsimikas S. A Test in Context: Lipoprotein(a). *J Am Coll Cardiol*. 2017;69(6):692-711. doi:10.1016/j.jacc.2016.11.042
 6. Shah NP, Pajidipati NJ, McGarrah RW, Navar AM, Vemulapalli S, Blazing MA, Shah SH, Hernandez AF, Patel MR. Lipoprotein (a): An Update on a Marker of Residual Risk and Associated Clinical Manifestations. *Am J Cardiol*. 2020;126:94-102. doi:10.1016/j.amjcard.2020.03.043
 7. Kronenberg F. Human Genetics and the Causal Role of Lipoprotein(a) for Various Diseases. *Cardiovasc Drugs Ther*. 2016;30(1):87-100. doi:10.1007/s10557-016-6648-3
 8. Clarke R, Peden JF, Hopewell JC, Kyriakou T, Goel A, Heath SC, Parish S, Barlera S, Franzosi MG, Rust S, Bennett D, Silveira A, Malarstig A, Green FR, Lathrop M, Gigante B, Leander K, de Faire U, Sedorf U, Hamsten A, Collins R, Watkins H, Farrall M. Genetic Variants Associated with Lp(a) Lipoprotein Level and Coronary Disease. *N Engl J Med*. 2009;361(26):2518-2528. doi:10.1056/NEJMoa0902604
 9. Wilson DP, Jacobson TA, Jones PH, Koschinsky ML, McNeal CJ, Nordestgaard BG, Orringer CE. Use of Lipoprotein(a) in clinical practice: A biomarker whose time has come. A scientific statement from the National Lipid Association. *J Clin Lipidol*. 2019;13(3):374-392. doi:10.1016/j.jacl.2019.04.010
 10. Ma GS, Chiou TT, Wilkinson MJ. Is Lipoprotein (a) Clinically Actionable with Today ' s Evidence ? The Answer is Yes. *Curr Cardiol Rep*. Published online 2023. doi:10.1007/s11886-023-01937-z
 11. Reeskamp LF, Tromp TR, Patel AP, Ibrahim S, Trinder M, Haidermota S, Hovingh GK, Stroes ESG, Natarajan P, Khera A V. Concordance of a High Lipoprotein(a) Concentration Among Relatives. *JAMA Cardiol*. 2023;8(12):1111-1118. doi:10.1001/jamacardio.2023.3548
 12. Bittner VA, Szarek M, Aylward PE, Bhatt DL, Diaz R, Edelberg JM, Frasz Z, Goodman SG, Halvorsen S, Hanotin C, Harrington RA, Jukema JW, Loizeau V, Moriarty PM, Moryusef A, Pordy R, Roe MT, Sinnaeve P, Tsimikas S, Vogel R, White HD, Zahger D, Zeiher AM, Steg PG, Schwartz GG. Effect of Alirocumab on Lipoprotein(a) and Cardiovascular Risk After Acute Coronary Syndrome. *J Am Coll Cardiol*. 2020;75(2):133-144. doi:10.1016/j.jacc.2019.10.057
 13. Lacaze P, Bakshi A, Riaz M, Polekhina G, Owen A, Bhatia HS, Natarajan P, Wolfe R, Beilin L, Nicholls SJ, Watts GF, McNeil JJ, Tonkin AM, Tsimikas S. Aspirin for Primary Prevention of Cardiovascular Events in Relation to Lipoprotein(a) Genotypes. *J Am Coll Cardiol*. 2022;80(14). doi:10.1016/j.jacc.2022.07.027
 14. Bhatia HS, Trainor P, Carlisle S, Tsai MY, Criqui MH, DeFilippis A, Tsimikas S. Aspirin and Cardiovascular Risk in Individuals With Elevated Lipoprotein(a): The Multi-Ethnic Study of

- Atherosclerosis. *J Am Heart Assoc.* 2024;13(3):e033562. doi:10.1161/JAHA.123.033562
15. Koren MJ, Moriarty PM, Baum SJ, Neutel J, Hernandez-Illas M, Weintraub HS, Florio M, Kassahun H, Melquist S, Varrieur T, Haldar SM, Sohn W, Wang H, Elliott-Davey M, Rock BM, Pei T, Homann O, Hellawell J, Watts GF. Preclinical development and phase 1 trial of a novel siRNA targeting lipoprotein(a). *Nat Med.* 2022;28(1). doi:10.1038/s41591-021-01634-w
 16. Yeang C, Karwatowska-Prokopczuk E, Su F, Dinh B, Xia S, Witztum JL, Tsimikas S. Effect of Pelacarsen on Lipoprotein(a) Cholesterol and Corrected Low-Density Lipoprotein Cholesterol. *J Am Coll Cardiol.* 2022;79(11). doi:10.1016/j.jacc.2021.12.032
 17. O'Donoghue ML, Fazio S, Giugliano RP, Stroes ESG, Kanevsky E, Gouni-Berthold I, Im K, Lira Pineda A, Wasserman SM, Češka R, Ezhov M V., Jukema JW, Jensen HK, Tokgözoğlu SL, Mach F, Huber K, Sever PS, Keech AC, Pedersen TR, Sabatine MS. Lipoprotein(a), PCSK9 Inhibition, and Cardiovascular Risk Insights from the Fourier Trial. *Circulation.* 2019;139(12):1483-1492. doi:10.1161/CIRCULATIONAHA.118.037184
 18. Stürzebecher PE, Schorr JJ, Klebs SHG, Laufs U. Trends and consequences of lipoprotein(a) testing: Cross-sectional and longitudinal health insurance claims database analyses. *Atherosclerosis.* 2023;367. doi:10.1016/j.atherosclerosis.2023.01.014
 19. Hu X, Cristino J, Gautam R, Mehta R, Amari D, Heo JH, Wang S, Wong ND. Characteristics and lipid lowering treatment patterns in patients tested for lipoprotein(a): A real-world US study. *Am J Prev Cardiol.* 2023;14. doi:10.1016/j.ajpc.2023.100476
 20. Reyes-Soffer G, Ginsberg HN, Berglund L, Duell PB, Heffron SP, Kamstrup PR, Lloyd-Jones DM, Marcovina SM, Yeang C, Koschinsky ML. Lipoprotein(a): A Genetically Determined, Causal, and Prevalent Risk Factor for Atherosclerotic Cardiovascular Disease: A Scientific Statement From the American Heart Association. *Arterioscler Thromb Vasc Biol.* 2022;42(1). doi:10.1161/ATV.000000000000147
 21. Nissen SE, Linnebjerg H, Shen X, Wolski K, Ma X, Lim S, Michael LF, Ruotolo G, Gribble G, Navar AM, Nicholls SJ. Lepodisiran, an Extended-Duration Short Interfering RNA Targeting Lipoprotein(a): A Randomized Dose-Ascending Clinical Trial. *JAMA.* 2023;330(21):2075-2083. doi:10.1001/jama.2023.21835
 22. O'Donoghue ML, G. López JA, Knusel B, Gencer B, Wang H, Wu Y, Kassahun H, Sabatine MS. Study design and rationale for the Olpasiran trials of Cardiovascular Events And lipoprotein(a) reduction-DOSE finding study (OCEAN(a)-DOSE). *Am Heart J.* 2022;251. doi:10.1016/j.ahj.2022.05.004
 23. Patel AP, Wang M, Pirruccello JP, Ellinor PT, Ng K, Kathiresan S, Khera A V. Lp(a) (Lipoprotein[a]) Concentrations and Incident Atherosclerotic Cardiovascular Disease. *Arterioscler Thromb Vasc Biol.* Published online October 29, 2020. doi:10.1161/ATVBAHA.120.315291
 24. Kelsey M, Page C, Alhanti B, Rhodes SL, Kent ST, Peterson E, Pagidipati N. Lipoprotein(a) Testing Patterns in a Large Health System. *Am J Cardiol.* 2021;153. doi:10.1016/j.amjcard.2021.05.018
 25. Ellis KL, Pérez de Isla L, Alonso R, Fuentes F, Watts GF, Mata P. Value of Measuring Lipoprotein(a) During Cascade Testing for Familial Hypercholesterolemia. *J Am Coll Cardiol.* 2019;73(9). doi:10.1016/j.jacc.2018.12.037
 26. Li S, Wu NQ, Zhu CG, Zhang Y, Guo YL, Gao Y, Li XL, Qing P, Cui CJ, Xu RX, Sun J, Liu G, Dong Q, Li

JJ. Significance of lipoprotein(a) levels in familial hypercholesterolemia and coronary artery disease. *Atherosclerosis*. 2017;260. doi:10.1016/j.atherosclerosis.2017.03.021

Disclosures:

The authors would like to provide the following disclosures: Disclosures: NPS: Research Grants: Amgen, Janssen, NIH; Consultant/Advisor: Esperion, Amgen, Novartis; XH: Employed by Novartis Pharmaceuticals Corporation; MRP: Research grants: Amgen, Bayer, Janssen, Heartflow, NIH, Gordon and Betty Moore Foundation; Consultant/Advisor: Bayer, Janssen, Novartis, Amgen; ST: Employed by Novartis Pharmaceuticals Corporation; NJP: Research Grants: Amgen, AstraZeneca, Baseline Study LLC, Boehringer Ingelheim; Duke Clinical Research Institute, Egglund’s Best, Eli Lilly & Company, Novartis, Novo Nordisk Pharmaceutical Company, Sanofi-S.A, Verily Sciences Research Company; Consultant/Advisor: AstraZeneca; Boehringer Ingelheim; Esperion Therapeutics; Eli Lilly & Company; Novo Nordisk Pharmaceutical Company. All other authors do not have disclosures to report.

Tables and Figures:

Table 1: Baseline characteristics of ASCVD Patients with and without a Lp(a) Test

Characteristic	Overall (N=595,684) 100%	No Lp(a) Test (N=593,097) 99.6%	Lp(a) Test (N=2,587) 0.4%
Median Age (Q1:Q3)	70 (62, 78)	70 (62, 78)	61 (52, 69)
Female	268251 (45.0%)	267188 (45.0%)	1063 (41.1%)
Race			
White	499875 (84.5%)	497712 (84.5%)	2163 (84.5%)
Black	76639 (13.0%)	76341 (13.0%)	298 (11.6%)
Other	15129 (2.6%)	15029 (2.6%)	100 (3.9%)
Hispanic	7913 (1.4%)	7876 (1.4%)	37 (1.5%)
Medical History			
Coronary artery disease	449367 (75.4%)	447310 (75.4%)	2057 (79.5%)
Ischemic heart disease	442753 (74.3%)	440710 (74.3%)	2043 (79.0%)
MI	149079 (25.0%)	148312 (25.0%)	767 (29.6%)
Stable angina	48251 (8.1%)	47994 (8.1%)	257 (9.9%)
Unstable angina	18935 (3.2%)	18782 (3.2%)	153 (5.9%)
PCI	137393 (23.1%)	136612 (23.0%)	781 (30.2%)
CABG	78826 (13.2%)	78430 (13.2%)	396 (15.3%)
Ischemic stroke or TIA	121228 (20.4%)	120575 (20.3%)	653 (25.2%)
Ischemic stroke	85942 (14.4%)	85424 (14.4%)	518 (20.0%)
TIA	49803 (8.4%)	49551 (8.4%)	252 (9.7%)
Peripheral artery disease	184582 (31.0%)	183826 (31.0%)	756 (29.2%)
Aortic valve stenosis	39539 (6.6%)	39440 (6.6%)	99 (3.8%)
Heart failure	151534 (25.4%)	150882 (25.4%)	652 (25.2%)

Characteristic	Overall (N=595,684) 100%	No Lp(a) Test (N=593,097) 99.6%	Lp(a) Test (N=2,587) 0.4%
Atrial fibrillation	137133 (23.0%)	136675 (23.0%)	458 (17.7%)
Hypertension	500650 (84.0%)	498707 (84.1%)	1943 (75.1%)
Hyperlipidemia	464866 (78.0%)	462616 (78.0%)	2250 (87.0%)
Diabetes	213859 (35.9%)	213078 (35.9%)	781 (30.2%)
Hypertriglyceridemia	16063 (2.7%)	15930 (2.7%)	133 (5.1%)
Familial Hypercholesterolemia	22308 (3.7%)	22108 (3.7%)	200 (7.7%)
Chronic kidney disease	149861 (25.2%)	149320 (25.2%)	541 (20.9%)
Vitals and Labs			
Median Systolic BP (Q1:Q3)	129 (118, 141)	129 (118, 141)	126 (116, 137)
Median Diastolic BP (Q1:Q3)	74 (67, 80)	74 (67, 80)	76 (68, 82)
Median BMI (Q1:Q3)	29 (25, 33)	29 (25, 33)	29 (26, 33)
Current or former smoker	69350 (13.0%)	69157 (13.0%)	193 (8.1%)
Median Creatinine (Q1:Q3)	1.0 (0.8, 1.2)	1.0 (0.8, 1.2)	1.0 (0.8, 1.2)
Median eGFR (Q1:Q3)	67 (50, 83)	67 (50, 83)	76 (61, 89)
Mean HbA1c (Q1:Q3)	6.2 (5.6, 7.2)	6.2 (5.6, 7.2)	5.8 (5.4, 6.6)
Median Total Cholesterol (Q1:Q3)	156 (131, 187)	156 (131, 187)	162 (132, 201)
Median HDL (Q1:Q3)	46 (37, 57)	46 (37, 57)	46 (38, 57)
Median Triglycerides (Q1:Q3)	111 (80, 159)	111 (80, 159)	110 (77, 169)
Median LDL (Q1:Q3)	81 (62, 107)	81 (62, 107)	87 (63, 120)
Medications			
ACE or ARB	225003 (37.8%)	223839 (37.7%)	1164 (45.0%)
Beta blocker	239708 (40.2%)	238572 (40.2%)	1136 (43.9%)
Statin	291313 (48.9%)	289502 (48.8%)	1811 (70.0%)
PCSK9i	5156 (0.9%)	4978 (0.8%)	178 (6.9%)
Ezetimibe	17592 (3.0%)	17279 (2.9%)	313 (12.1%)
Bempedoic Acid	80 (0.0%)	77 (0.0%)	3 (0.1%)
Fenofibrates	10600 (1.8%)	10528 (1.8%)	72 (2.8%)
SGLT2i	12479 (2.1%)	12377 (2.1%)	102 (3.9%)
GLP1 RA	15769 (2.6%)	15675 (2.6%)	94 (3.6%)
Any LLT	299624 (50.3%)	297685 (50.2%)	1939 (75.0%)
Unit of Lp(a) Test			
mg/dL	1925 (74.4%)	-	1925 (74.4%)
nmol/L	662 (25.6%)	-	662 (25.6%)
Elevated Lp(a)	-	-	821 (33.4%)

ACE/ARB: Angiotensin Converting Enzyme/Angiotensin Receptor Blocker; BMI: Body Mass Index; CAD: Coronary artery disease; CABG: Coronary artery bypass grafting; eGFR: Estimated Glomerular Filtration Rate; GLP1: Glucagon like peptide 1 agonist; HDL: High Density Lipoprotein Cholesterol; HbA1c: Hemoglobin A1c; LDL: Low Density Lipoprotein Cholesterol; LLT: Lipid Lowering Therapy; PCI: Percutaneous coronary intervention; PCSK9i: Monoclonal antibody based proprotein convertase subtilisin/kexin type 9 inhibitor; SGLT2: Sodium Glucose Co-transporter 2 inhibitor. Units: Blood pressure: mmHg; BMI: kg/m², creatinine: mg/dL; eGFR: mL/min/1.73m², Total Cholesterol: mg/dL; HDL: mg/dL; Triglycerides: mg/dL; LDL: mg/dL. Elevated Lp(a) is defined as Lp(a) ≥ 50mg/dL or ≥125 nmol/L.

Table 2: Initiation of lipid lowering therapy within 6 months after index date

LLT	Overall	No Lp(a) Test	Lp(a) Test	p-value
Initiated Statins	32493/304371 (10.7%)	32258/303595 (10.6%)	235/776 (30.3%)	<.001
Initiated High Intensity Statins	22631/441969 (5.1%)	22422/440536 (5.1%)	209/1433 (14.6%)	<.001
Initiated PCSK9	1810/590528 (0.3%)	1648/588119 (0.3%)	162/2409 (6.7%)	<.001
Initiated Ezetimibe	4530/578092 (0.8%)	4357/575818 (0.8%)	173/2274 (7.6%)	<.001
Initiated Bempedoic Acid	57/595604 (0.0%)	53/593020 (0.0%)	4/2584 (0.2%)	--
Initiated Any LLT	33279/296060 (11.2%)	33028/295412 (11.2%)	251/648 (38.7%)	<.001

Initiation defined by no prescription in the year prior to index date but a prescription is present in the 6 months following index date. For patients with Lp(a) test, the index date was the date of the earliest Lp(a) test in 2021. For patients without an Lp(a) test the index date was the date of a randomly selected outpatient visit in 2021. Any LLT indicates a patient was initiated on one or more of the following prescriptions: statins, PCSK9i, ezetimibe, or bempedoic acid. LLT: lipid lowering therapy; PCSK9i: Monoclonal antibody based proprotein convertase subtilisin/kexin type 9 inhibitor

Table 3: Initiation of Lipid Lowering Therapy within 6 months after index date by Elevated Lp(a)

LLT	Overall	Elevated Lp(a)		p-value
		No	Yes	
Initiated Statins	221/726 (30.4%)	145/489 (29.7%)	76/237 (32.1%)	0.507
Initiated High Intensity Statins	198/1351 (14.7%)	129/924 (14.0%)	69/427 (16.2%)	0.288
Initiated PCSK9	158/2289 (6.9%)	76/1538 (4.9%)	82/751 (10.9%)	<.001
Initiated Ezetimibe	171/2153 (7.9%)	92/1466 (6.3%)	79/687 (11.5%)	<.001
Initiated Bempedoic Acid	4/2454 (0.2%)	4/1634 (0.2%)	0/820 (0.0%)	0.210
Initiated Any LLT	238/601 (39.6%)	155/421 (36.8%)	83/180 (46.1%)	0.033

Initiation defined by no prescription in the year prior to index date but a prescription is present in the 6 months following an Lp(a) test. Elevated Lp(a) threshold is defined as Lp(a) \geq 50mg/dL or \geq 125 nmol/L). Any LLT indicates a patient was initiated on one or more of the following prescriptions: statins, PCSK9i, ezetimibe, or bempedoic acid. LLT: lipid lowering therapy; PCSK9i: Monoclonal antibody based proprotein convertase subtilisin/kexin type 9 inhibitor

Figure 1: Consort diagram describing study cohort:






Figure 2: Initiation of Therapy During Follow Up among ASCVD patients with an Lp(a) test



Initiation defined by no prescription in the year prior to index date but a prescription is present in the 6 months following an Lp(a) test. Above Lp(a) threshold is defined as $Lp(a) \geq 50\text{mg/dL}$ or $\geq 125\text{ nmol/L}$. Any LLT indicates a patient was initiated on one or more of the following prescriptions: statins, PCSK9i, ezetimibe, or bempedoic acid. BA: Bempedoic acid; Eze: ezetimibe; LLT: lipid lowering therapy; PCSK9: Monoclonal antibody based proprotein convertase subtilisin/kexin type 9 inhibitor;

Figure 3: Forest plot of Multivariable Regression model describing factors associated with likelihood of testing for Lp(a)



Supplemental Tables:

Supplementary Table 1: Baseline Characteristics based on Elevated Lp(a) status*

Characteristic	Overall		
	Population with Lp(a) Test (N=2,457)	Non-Elevated Lp(a) (N=1,636) 66.6%	Elevated Lp(a) (N=821) 33.4%
Median Age (Q1:Q3)	61 (52, 69)	61 (51, 69)	61 (53, 69)
Female	1013 (41.2%)	667 (40.8%)	346 (42.1%)
Race			
White	2038 (83.8%)	1403 (86.7%)	635 (78.0%)
Black	298 (12.3%)	150 (9.3%)	148 (18.2%)
Other	96 (3.9%)	65 (4.0%)	31 (3.8%)
Hispanic	37 (1.6%)	23 (1.5%)	14 (1.8%)
Insurance			
Government	770 (31.3%)	486 (29.7%)	284 (34.6%)
Missing	652 (26.5%)	483 (29.5%)	169 (20.6%)
Other	651 (26.5%)	402 (24.6%)	249 (30.3%)
Private	384 (15.6%)	265 (16.2%)	119 (14.5%)
Medical History			
Coronary artery disease	1959 (79.7%)	1294 (79.1%)	665 (81.0%)
Ischemic heart disease	1947 (79.2%)	1288 (78.7%)	659 (80.3%)
MI	730 (29.7%)	469 (28.7%)	261 (31.8%)
Stable angina	250 (10.2%)	156 (9.5%)	94 (11.4%)
Unstable angina	153 (6.2%)	94 (5.7%)	59 (7.2%)
PCI	753 (30.6%)	477 (29.2%)	276 (33.6%)
CABG	376 (15.3%)	229 (14.0%)	147 (17.9%)
Ischemic stroke or TIA	629 (25.6%)	406 (24.8%)	223 (27.2%)
Ischemic stroke	502 (20.4%)	326 (19.9%)	176 (21.4%)
TIA	243 (9.9%)	159 (9.7%)	84 (10.2%)
Peripheral artery disease	719 (29.3%)	468 (28.6%)	251 (30.6%)
Aortic valve stenosis	96 (3.9%)	64 (3.9%)	32 (3.9%)
Heart failure	630 (25.6%)	414 (25.3%)	216 (26.3%)
Atrial fibrillation	442 (18.0%)	297 (18.2%)	145 (17.7%)
Hypertension	1849 (75.3%)	1208 (73.8%)	641 (78.1%)
Hyperlipidemia	2134 (86.9%)	1395 (85.3%)	739 (90.0%)
Diabetes	746 (30.4%)	477 (29.2%)	269 (32.8%)
Hypertriglyceridemia	124 (5.0%)	84 (5.1%)	40 (4.9%)
Familial Hypercholesterolemia	190 (7.7%)	122 (7.5%)	68 (8.3%)
Chronic kidney disease	527 (21.4%)	339 (20.7%)	188 (22.9%)
Vitals and Labs			
Median Systolic BP (Q1:Q3)	126 (116, 137)	126 (115, 137)	126 (117, 137)
Median Diastolic BP (Q1:Q3)	76 (68, 82)	76 (68, 82)	76 (68, 83)
Median BMI (Q1:Q3)	29 (26, 33)	29 (26, 33)	29 (26, 33)
Current or former smoker	177 (7.8%)	119 (8.0%)	58 (7.6%)

Characteristic	Overall		
	Population with Lp(a) Test (N=2,457)	Non-Elevated Lp(a) (N=1,636) 66.6%	Elevated Lp(a) (N=821) 33.4%
Median Creatinine (Q1:Q3)	1.0 (0.8, 1.2)	1.0 (0.8, 1.2)	1.0 (0.8, 1.2)
Median eGFR (Q1:Q3)	76 (61, 89)	76 (61, 89)	75 (59, 89)
Mean HbA1c (Q1:Q3)	5.8 (5.4, 6.6)	5.8 (5.4, 6.6)	5.8 (5.5, 6.7)
Median Total Cholesterol (Q1:Q3)	162 (132, 201)	160 (131, 201)	165 (135, 202)
Median HDL (Q1:Q3)	46 (38, 57)	46 (37, 57)	46 (38, 58)
Median Triglycerides (Q1:Q3)	110 (77, 168)	111 (78, 172)	108 (75, 162)
Median LDL (Q1:Q3)	87 (63, 120)	85 (61, 119)	91 (67, 122)
Medications			
ACE or ARB	1107 (45.1%)	732 (44.7%)	375 (45.7%)
Beta blocker	1085 (44.2%)	702 (42.9%)	383 (46.7%)
Statin	1731 (70.5%)	1147 (70.1%)	584 (71.1%)
PCSK9i	168 (6.8%)	98 (6.0%)	70 (8.5%)
Ezetimibe	304 (12.4%)	170 (10.4%)	134 (16.3%)
Bempedoic Acid	3 (0.1%)	2 (0.1%)	1 (0.1%)
Fenofibrates	66 (2.7%)	46 (2.8%)	20 (2.4%)
SGLT2i	98 (4.0%)	69 (4.2%)	29 (3.5%)
GLP1 RA	89 (3.6%)	60 (3.7%)	29 (3.5%)
Any LLT	1856 (75.5%)	1215 (74.3%)	641 (78.1%)
Unit of Lp(a) Test			
mg/dL	1925 (78.3%)	1300 (79.5%)	625 (76.1%)
nmol/L	532 (21.7%)	336 (20.5%)	196 (23.9%)
Year of Index Date			
2019	734 (29.9%)	495 (30.3%)	239 (29.1%)
2020	823 (33.5%)	569 (34.8%)	254 (30.9%)
2021	900 (36.6%)	572 (35.0%)	328 (40.0%)

*Elevated Lp(a) is defined as Lp(a) \geq 50mg/dL or \geq 125 nmol/L. N=130 patients with Lp(a) test but missing value of result were excluded from this table. Demographics are measured on the index date. Medical history, medication prescriptions, labs and vitals were assessed in the 12 months prior to index date. If more than one record for a given lab or vital on the date closest to index, the average was taken. Any LLT indicates a patient was prescribed one or more of the following drugs in the 12 months prior to index date: statins, PCSK9i, ezetimibe, or bempedoic acid. Abbreviations as follows: ACE/ARB: Angiotensin Converting Enzyme/Angiotensin Receptor Blocker; BMI: Body Mass Index; CAD: Coronary artery disease; CABG: Coronary artery bypass grafting; eGFR: Estimated Glomerular Filtration Rate; GLP1: Glucagon like peptide 1 agonist; HDL: High Density Lipoprotein Cholesterol; HbA1c: Hemoglobin A1c; LDL: Low Density Lipoprotein Cholesterol; LLT: Lipid Lowering Therapy; PCI: Percutaneous coronary intervention; PCSK9i: Monoclonal antibody based proprotein convertase subtilisin/kexin type 9 inhibitor; SGLT2: Sodium Glucose Co-transporter 2 inhibitor. Units: Blood pressure: mmHg; BMI: kg/m², creatinine: mg/dL; eGFR: mL/min/1.73m², Total Cholesterol: mg/dL; HDL: mg/dL; Triglycerides: mg/dL; LDL: mg/dL

Supplementary table 2: Initiation of Lipid Lowering Therapy by Lp(a) level

LLT	Lp(a)<50 mg/dL	50-100 mg/dL	Lp(a)>100 mg/dL	p-value
N in group	N=1300	N=374	N=251	
Any LLT	985 (75.8%)	286 (76.5%)	208 (82.9%)	
Initiated Statins	117/368 (31.8%)	42/120 (35.0%)	16/54 (29.6%)	0.734
Initiated High Intensity Statins	104/706 (14.7%)	40/214 (18.7%)	15/114 (13.2%)	0.292
Initiated PCSK9	68/1227 (5.5%)	25/338 (7.4%)	36/233 (15.5%)	<.001
Initiated Ezetimibe	84/1151 (7.3%)	41/321 (12.8%)	30/192 (15.6%)	<.001
Initiated Bempedoic Acid	3/1299 (0.2%)	0/373 (0.0%)	0/251 (0.0%)	0.846
Initiated Any LLT	128/315 (40.6%)	44/88 (50.0%)	18/43 (41.9%)	0.290

Initiation defined by no prescription in the year prior to index date but a prescription is present in the 6 months following an Lp(a) test done in units of mg/dL (N=1,925). Lp(a) level defined as <50mg/dL, 50-100mg/dL, and >100mg/dL Any LLT indicates a patient was initiated on one or more of the following prescriptions: statins, PCSK9i, ezetimibe, or bempedoic acid. For patients on high dose statins and PCSK9i, the proportion of patients on other LLTs prior to their initiation are listed. LLT: lipid lowering therapy; PCSK9i: Monoclonal antibody based proprotein convertase subtilisin/kexin type 9 inhibitor

Supplementary table 3: Multivariable regression analysis of likelihood of testing for Lp(a)

Factor	Relative Risk (95% CI)	P-value
Age (yrs)	0.75 (0.73-0.76)	<.001
Female vs male	0.96 (0.89-1.05)	0.408
Race (ref: white)		<.001
Black	0.76 (0.67-0.87)	<.001
Other	0.98 (0.80-1.19)	0.817
Hispanic vs non-Hispanic	0.84 (0.65-1.09)	0.195
SBP (mmHg)	0.98 (0.97-0.99)	0.002
DBP (mmHg)	1.04 (1.02-1.06)	<.001
BMI	0.89 (0.86-0.91)	<.001
Current smoker vs former/never	0.45 (0.39-0.51)	<.001
CAD	1.78 (1.58-1.99)	<.001
Ischemic stroke or TIA	1.42 (1.29-1.57)	<.001
PAD	1.39 (1.27-1.53)	<.001
Heart failure	1.24 (1.13-1.37)	<.001
Atrial fibrillation	1.08 (0.97-1.20)	0.184
Hypertension	0.69 (0.62-0.77)	<.001
Hyperlipidemia	1.58 (1.38-1.81)	<.001
Diabetes	0.68 (0.61-0.77)	<.001
Hypertriglyceridemia	1.07 (0.90-1.27)	0.472
Familial hypercholesterolemia	1.44 (1.25-1.66)	<.001
CKD	1.02 (0.91-1.14)	0.766
Ace/ARB	1.04 (0.95-1.14)	0.360
Beta blocker	0.74 (0.68-0.81)	<.001
Lipid lowering therapy (ref: none)		<.001
Statin and non-statin LLT	3.62 (3.14-4.19)	<.001
Non-statin LLT only	3.28 (2.73-3.94)	<.001
High-intensity statin only	1.65 (1.46-1.85)	<.001
Moderate or low intensity statin only	1.21 (1.07-1.38)	0.003
HbA1c (ref: < 6.0%)		<.001
Missing	0.56 (0.51-0.62)	<.001
6.5-7.9%	0.81 (0.70-0.95)	0.009
8-10%	0.81 (0.66-1.00)	0.046
>10%	0.85 (0.65-1.11)	0.236
LDL (ref: < 70 mg/dL)		<.001
Missing	0.47 (0.34-0.64)	<.001
70-99 mg/dL	0.90 (0.82-1.00)	0.055
100-129 mg/dL	1.00 (0.89-1.13)	0.955
130-159 mg/dL	1.17 (1.01-1.36)	0.031
160-189 mg/dL	1.68 (1.40-2.02)	<.001
190+ mg/dL	2.29 (1.84-2.83)	<.001
HDL (ref: 41-59 mg/dL)		<.001
Missing	0.49 (0.27-0.90)	0.022
<=40 mg/dL	0.83 (0.75-0.91)	<.001
>=60 mg/dL	1.13 (1.01-1.26)	0.027
Triglycerides (ref: < 150 mg/dL)		<.001

Factor	Relative Risk (95% CI)	P-value
Missing	0.36 (0.20-0.65)	<.001
150-199 mg/dL	0.90 (0.80-1.02)	0.093
200-249 mg/dL	1.03 (0.91-1.16)	0.640
250-500 mg/dL	1.49 (1.04-2.13)	0.029
eGFR (ref: ≥ 90)		0.004
Missing	1.30 (1.07-1.59)	0.009
<60	0.96 (0.83-1.11)	0.539
60-89	1.11 (0.99-1.23)	0.065

Supplementary Table 4: Diagnosis codes used for analyses

DIAGNOSIS	CODE TYPE	CODES
ATRIAL FIBRILLATION	DX09	427.31
ATRIAL FIBRILLATION	DX10	I48.0, I48.1, I48.11, I48.19, I48.2, I48.20, I48.21, I48.91
STABLE ANGINA	DX09	413.0, 413.9
STABLE ANGINA	DX10	I20, I20.1, I20.8, I20.9
UNSTABLE ANGINA	DX09	411.1
UNSTABLE ANGINA	DX10	I20.0
AORTIC VALVE STENOSIS	DX09	395.0, 395.2, 396.0, 396.2, 746.3, 747.22
AORTIC VALVE STENOSIS	DX10	I06.0, I06.2, I35.0, I35.2, Q23.0, Q24.4, Q25.3
CORONARY REVASCULARIZATION, CABG	DX09	V45.81
CORONARY REVASCULARIZATION, CABG	DX10	Z95.1
CHRONIC KIDNEY DISEASE	DX09	285.21, 403, 403.0, 403.00, 403.01, 403.1, 403.10, 403.11, 403.9, 403.90, 403.91, 404, 404.0, 404.00, 404.01, 404.02, 404.03, 404.1, 404.10, 404.11, 404.12, 404.13, 404.9, 404.90, 404.91, 404.92, 404.93, 585, 585.1, 585.2, 585.3, 585.4, 585.5, 585.6, 585.9
CHRONIC KIDNEY DISEASE	DX10	D63.1, E08.22, E09.22, E10.22, E11.22, E13.22, I12, I12.0, I12.9, I13, I13.0, I13.1, I13.10, I13.11, I13.2, N18, N18.1, N18.2, N18.3, N18.30, N18.31, N18.32, N18.4, N18.5, N18.6, N18.9
DIABETES MELLITUS	DX09	250, 250.0, 250.00, 250.01, 250.02, 250.03, 250.1, 250.10, 250.11, 250.12, 250.13, 250.2, 250.20, 250.21, 250.22, 250.23, 250.3, 250.30, 250.31, 250.32, 250.33, 250.4, 250.40, 250.41, 250.42, 250.43, 250.5, 250.50, 250.51, 250.52, 250.53, 250.6, 250.60, 250.61, 250.62, 250.63, 250.7, 250.70, 250.71, 250.72, 250.73, 250.8, 250.80, 250.81, 250.82, 250.83, 250.9, 250.90, 250.91, 250.92, 250.93

DIAGNOSIS	CODE TYPE	CODES
DIABETES MELLITUS	DX10	E10, E10.1, E10.10, E10.11, E10.2, E10.21, E10.22, E10.29, E10.3, E10.31, E10.311, E10.319, E10.32, E10.321, E10.3211, E10.3212, E10.3213, E10.3219, E10.329, E10.3291, E10.3292, E10.3293, E10.3299, E10.33, E10.331, E10.3311, E10.3312, E10.3313, E10.3319, E10.339, E10.3391, E10.3392, E10.3393, E10.3399, E10.34, E10.341, E10.3411, E10.3412, E10.3413, E10.3419, E10.349, E10.3491, E10.3492, E10.3493, E10.3499, E10.35, E10.351, E10.3511, E10.3512, E10.3513, E10.3519, E10.352, E10.3521, E10.3522, E10.3523, E10.3529, E10.353, E10.3531, E10.3532, E10.3533, E10.3539, E10.354, E10.3541, E10.3542, E10.3543, E10.3549, E10.355, E10.3551, E10.3552, E10.3553, E10.3559, E10.359, E10.3591, E10.3592, E10.3593, E10.3599, E10.36, E10.37, E10.37X1, E10.37X2, E10.37X3, E10.37X9, E10.39, E10.4, E10.40, E10.41, E10.42, E10.43, E10.44, E10.49, E10.5, E10.51, E10.52, E10.59, E10.6, E10.61, E10.610, E10.618, E10.62, E10.620, E10.621, E10.622, E10.628, E10.63, E10.630, E10.638, E10.64, E10.641, E10.649, E10.65, E10.69, E10.8, E10.9, E11, E11.0, E11.00, E11.01, E11.1, E11.10, E11.11, E11.2, E11.21, E11.22, E11.29, E11.3, E11.31, E11.311, E11.319, E11.32, E11.321, E11.3211, E11.3212, E11.3213, E11.3219, E11.329, E11.3291, E11.3292, E11.3293, E11.3299, E11.33, E11.331, E11.3311, E11.3312, E11.3313, E11.3319, E11.339, E11.3391, E11.3392, E11.3393, E11.3399, E11.34, E11.341, E11.3411, E11.3412, E11.3413, E11.3419, E11.349, E11.3491, E11.3492, E11.3493, E11.3499, E11.35, E11.351, E11.3511, E11.3512, E11.3513, E11.3519, E11.352, E11.3521, E11.3522, E11.3523, E11.3529, E11.353, E11.3531, E11.3532, E11.3533, E11.3539, E11.354, E11.3541, E11.3542, E11.3543, E11.3549, E11.355, E11.3551, E11.3552, E11.3553, E11.3559, E11.359, E11.3591, E11.3592, E11.3593, E11.3599, E11.36, E11.37, E11.37X1, E11.37X2, E11.37X3, E11.37X9, E11.39, E11.4, E11.40, E11.41, E11.42, E11.43, E11.44, E11.49, E11.5, E11.51, E11.52, E11.59, E11.6, E11.61, E11.610, E11.618, E11.62, E11.620, E11.621, E11.622, E11.628, E11.63, E11.630, E11.638, E11.64, E11.641, E11.649, E11.65, E11.69, E11.8, E11.9, E13, E13.0, E13.00, E13.01, E13.1, E13.10, E13.11, E13.2, E13.21, E13.22, E13.29, E13.3, E13.31, E13.311, E13.319, E13.32, E13.321, E13.3211, E13.3212, E13.3213, E13.3219, E13.329, E13.3291, E13.3292, E13.3293, E13.3299, E13.33, E13.331, E13.3311, E13.3312, E13.3313, E13.3319, E13.339, E13.3391,

DIAGNOSIS	CODE TYPE	CODES
		E13.3392, E13.3393, E13.3399, E13.34, E13.341, E13.3411, E13.3412, E13.3413, E13.3419, E13.349, E13.3491, E13.3492, E13.3493, E13.3499, E13.35, E13.351, E13.3511, E13.3512, E13.3513, E13.3519, E13.352, E13.3521, E13.3522, E13.3523, E13.3529, E13.353, E13.3531, E13.3532, E13.3533, E13.3539, E13.354, E13.3541, E13.3542, E13.3543, E13.3549, E13.355, E13.3551, E13.3552, E13.3553, E13.3559, E13.359, E13.3591, E13.3592, E13.3593, E13.3599, E13.36, E13.37, E13.37X1, E13.37X2, E13.37X3, E13.37X9, E13.39, E13.4, E13.40, E13.41, E13.42, E13.43, E13.44, E13.49, E13.5, E13.51, E13.52, E13.59, E13.6, E13.61, E13.610, E13.618, E13.62, E13.620, E13.621, E13.622, E13.628, E13.63, E13.630, E13.638, E13.64, E13.641, E13.649, E13.65, E13.69, E13.8, E13.9
FAMILIAL HYPERCHOLESTEROLEMIA	DX09	272.0
FAMILIAL HYPERCHOLESTEROLEMIA	DX10	E78.01
HEART FAILURE	DX09	398.91, 402.01, 402.11, 402.91, 404.01, 404.03, 404.11, 404.13, 404.91, 404.93, 428, 428.0, 428.1, 428.2, 428.20, 428.21, 428.22, 428.23, 428.3, 428.30, 428.31, 428.32, 428.33, 428.4, 428.40, 428.41, 428.42, 428.43, 428.9
HEART FAILURE	DX10	I09.81, I11.0, I13.0, I13.2, I50, I50.1, I50.2, I50.20, I50.21, I50.22, I50.23, I50.3, I50.30, I50.31, I50.32, I50.33, I50.4, I50.40, I50.41, I50.42, I50.43, I50.8, I50.81, I50.810, I50.811, I50.812, I50.813, I50.814, I50.82, I50.83, I50.84, I50.89, I50.9
HYPERLIPIDEMIA	DX09	272.0, 272.1, 272.2, 272.3, 272.4
HYPERLIPIDEMIA	DX10	E78.0, E78.00, E78.01, E78.1, E78.2, E78.3, E78.4, E78.41, E78.49, E78.5
HYPERTENSION	DX09	401, 401.0, 401.1, 401.9, 402, 402.0, 402.00, 402.01, 402.1, 402.10, 402.11, 402.9, 402.90, 402.91, 403, 403.0, 403.00, 403.01, 403.1, 403.10, 403.11, 403.9, 403.90, 403.91, 404, 404.0, 404.00, 404.01, 404.02, 404.03, 404.1, 404.10, 404.11, 404.12, 404.13, 404.9, 404.90, 404.91, 404.92, 404.93, 405, 405.0, 405.01, 405.09, 405.1, 405.11, 405.19, 405.9, 405.91, 405.99
HYPERTENSION	DX10	I10, I11, I11.0, I11.9, I12, I12.0, I12.9, I13, I13.0, I13.1, I13.10, I13.11, I13.2, I15, I15.0, I15.1, I15.2, I15.8, I15.9
HYPERTRIGLYCERIDEMIA	DX09	272.1
HYPERTRIGLYCERIDEMIA	DX10	E78.1

DIAGNOSIS	CODE TYPE	CODES
ISCHEMIC HEART DISEASE	DX09	410.00, 410.01, 410.02, 410.10, 410.11, 410.12, 410.20, 410.21, 410.22, 410.30, 410.31, 410.32, 410.40, 410.41, 410.42, 410.50, 410.51, 410.52, 410.60, 410.61, 410.62, 410.70, 410.71, 410.72, 410.80, 410.81, 410.82, 410.90, 410.91, 410.92, 411.0, 411.1, 411.81, 411.89, 412, 413.0, 413.9, 414.00, 414.01, 414.02, 414.03, 414.04, 414.05, 414.06, 414.07, 414.12, 414.2, 414.3, 414.4, 414.8, 414.9
ISCHEMIC HEART DISEASE	DX10	I20.0, I20.8, I20.9, I21.01, I21.02, I21.09, I21.11, I21.19, I21.21, I21.29, I21.3, I21.4, I21.A1, I21.A9, I22.0, I22.1, I22.2, I22.8, I22.9, I23.0, I23.1, I23.2, I23.3, I23.4, I23.5, I23.6, I23.7, I23.8, I24.0, I24.1, I24.8, I24.9, I25.1, I25.10, I25.11, I25.110, I25.111, I25.118, I25.119, I25.2, I25.5, I25.6, I25.70, I25.700, I25.701, I25.708, I25.709, I25.71, I25.710, I25.711, I25.718, I25.719, I25.72, I25.720, I25.721, I25.728, I25.729, I25.73, I25.730, I25.731, I25.738, I25.739, I25.750, I25.751, I25.758, I25.759, I25.760, I25.761, I25.768, I25.769, I25.79, I25.790, I25.791, I25.798, I25.799, I25.8, I25.81, I25.810, I25.811, I25.812, I25.82, I25.83, I25.84, I25.89, I25.9
MYOCARDIAL INFARCTION, EVENT	DX09	410.00, 410.01, 410.10, 410.11, 410.20, 410.21, 410.30, 410.31, 410.40, 410.41, 410.50, 410.51, 410.60, 410.61, 410.70, 410.71, 410.80, 410.81, 410.90, 410.91
MYOCARDIAL INFARCTION, EVENT	DX10	I21, I21.0, I21.01, I21.02, I21.09, I21.1, I21.11, I21.19, I21.2, I21.21, I21.29, I21.3, I21.4
MYOCARDIAL INFARCTION, HISTORY	DX09	410, 410.0, 410.00, 410.01, 410.02, 410.1, 410.10, 410.11, 410.12, 410.2, 410.20, 410.21, 410.22, 410.3, 410.30, 410.31, 410.32, 410.4, 410.40, 410.41, 410.42, 410.5, 410.50, 410.51, 410.52, 410.6, 410.60, 410.61, 410.62, 410.7, 410.70, 410.71, 410.72, 410.8, 410.80, 410.81, 410.82, 410.9, 410.90, 410.91, 410.92, 412, 429.79
MYOCARDIAL INFARCTION, HISTORY	DX10	I21, I21.0, I21.01, I21.02, I21.09, I21.1, I21.11, I21.19, I21.2, I21.21, I21.29, I21.3, I21.4, I21.9, I21.A, I21.A1, I21.A9, I22, I22.0, I22.1, I22.2, I22.8, I22.9, I25.2
PERIPHERAL ARTERIAL DISEASE	DX09	437.0, 440.0, 440.1, 440.2, 440.20, 440.21, 440.22, 440.23, 440.24, 440.29, 440.3, 440.30, 440.31, 440.32, 440.4, 443.2, 443.9, 557.1
PERIPHERAL ARTERIAL DISEASE	DX10	I65.2, I65.21, I65.22, I65.23, I65.29, I67.2, I70.0, I70.1, I70.2, I70.20, I70.201, I70.202, I70.203, I70.208, I70.209, I70.21, I70.211, I70.212, I70.213, I70.218, I70.219, I70.22, I70.221, I70.222, I70.223, I70.228, I70.229, I70.23, I70.231, I70.232, I70.233, I70.234, I70.235, I70.238, I70.239, I70.24, I70.241, I70.242, I70.243, I70.244, I70.245, I70.248, I70.249, I70.25, I70.26, I70.261, I70.262, I70.263, I70.268, I70.269, I70.29, I70.291, I70.292, I70.293, I70.298, I70.299, I70.3, I70.30,

DIAGNOSIS	CODE TYPE	CODES
		I70.301, I70.302, I70.303, I70.308, I70.309, I70.31, I70.311, I70.312, I70.313, I70.318, I70.319, I70.32, I70.321, I70.322, I70.323, I70.328, I70.329, I70.33, I70.331, I70.332, I70.333, I70.334, I70.335, I70.338, I70.339, I70.34, I70.341, I70.342, I70.343, I70.344, I70.345, I70.348, I70.349, I70.35, I70.36, I70.361, I70.362, I70.363, I70.368, I70.369, I70.39, I70.391, I70.392, I70.393, I70.398, I70.399, I70.4, I70.40, I70.401, I70.402, I70.403, I70.408, I70.409, I70.41, I70.411, I70.412, I70.413, I70.418, I70.419, I70.42, I70.421, I70.422, I70.423, I70.428, I70.429, I70.43, I70.431, I70.432, I70.433, I70.434, I70.435, I70.438, I70.439, I70.44, I70.441, I70.442, I70.443, I70.444, I70.445, I70.448, I70.449, I70.45, I70.46, I70.461, I70.462, I70.463, I70.468, I70.469, I70.49, I70.491, I70.492, I70.493, I70.498, I70.499, I70.5, I70.50, I70.501, I70.502, I70.503, I70.508, I70.509, I70.51, I70.511, I70.512, I70.513, I70.518, I70.519, I70.52, I70.521, I70.522, I70.523, I70.528, I70.529, I70.53, I70.531, I70.532, I70.533, I70.534, I70.535, I70.538, I70.539, I70.54, I70.541, I70.542, I70.543, I70.544, I70.545, I70.548, I70.549, I70.55, I70.56, I70.561, I70.562, I70.563, I70.568, I70.569, I70.59, I70.591, I70.592, I70.593, I70.598, I70.599, I70.6, I70.60, I70.601, I70.602, I70.603, I70.608, I70.609, I70.61, I70.611, I70.612, I70.613, I70.618, I70.619, I70.62, I70.621, I70.622, I70.623, I70.628, I70.629, I70.63, I70.631, I70.632, I70.633, I70.634, I70.635, I70.638, I70.639, I70.64, I70.641, I70.642, I70.643, I70.644, I70.645, I70.648, I70.649, I70.65, I70.66, I70.661, I70.662, I70.663, I70.668, I70.669, I70.69, I70.691, I70.692, I70.693, I70.698, I70.699, I70.7, I70.70, I70.701, I70.702, I70.703, I70.708, I70.709, I70.71, I70.711, I70.712, I70.713, I70.718, I70.719, I70.72, I70.721, I70.722, I70.723, I70.728, I70.729, I70.73, I70.731, I70.732, I70.733, I70.734, I70.735, I70.738, I70.739, I70.74, I70.741, I70.742, I70.743, I70.744, I70.745, I70.748, I70.749, I70.75, I70.76, I70.761, I70.762, I70.763, I70.768, I70.769, I70.79, I70.791, I70.792, I70.793, I70.798, I70.799, I70.92, I79.0, Z95.8, Z95.820, Z98.62
CORONARY REVASCULARIZATION, PCI	DX09	V45.82
CORONARY REVASCULARIZATION, PCI	DX10	Z95.5, Z98.61
ISCHEMIC STROKE	DX09	433.01, 433.11, 433.21, 433.31, 433.81, 433.91, 434.01, 434.11, 434.91

DIAGNOSIS	CODE TYPE	CODES
ISCHEMIC STROKE	DX10	I63, I63.0, I63.00, I63.01, I63.011, I63.012, I63.013, I63.019, I63.02, I63.03, I63.031, I63.032, I63.033, I63.039, I63.09, I63.1, I63.10, I63.11, I63.111, I63.112, I63.113, I63.119, I63.12, I63.13, I63.131, I63.132, I63.133, I63.139, I63.19, I63.2, I63.20, I63.21, I63.211, I63.212, I63.213, I63.219, I63.22, I63.23, I63.231, I63.232, I63.233, I63.239, I63.29, I63.3, I63.30, I63.31, I63.311, I63.312, I63.313, I63.319, I63.32, I63.321, I63.322, I63.323, I63.329, I63.33, I63.331, I63.332, I63.333, I63.339, I63.34, I63.341, I63.342, I63.343, I63.349, I63.39, I63.4, I63.40, I63.41, I63.411, I63.412, I63.413, I63.419, I63.42, I63.421, I63.422, I63.423, I63.429, I63.43, I63.431, I63.432, I63.433, I63.439, I63.44, I63.441, I63.442, I63.443, I63.449, I63.49, I63.5, I63.50, I63.51, I63.511, I63.512, I63.513, I63.519, I63.52, I63.521, I63.522, I63.523, I63.529, I63.53, I63.531, I63.532, I63.533, I63.539, I63.54, I63.541, I63.542, I63.543, I63.549, I63.59, I63.8, I63.81, I63.89, I63.9
TRANSIENT ISCHEMIC ATTACK	DX09	435, 435.0, 435.1, 435.2, 435.3, 435.8, 435.9
TRANSIENT ISCHEMIC ATTACK	DX10	G45, G45.0, G45.1, G45.2, G45.3, G45.4, G45.8, G45.9

Supplementary Table 5: Procedure codes used for analysis

CORONARY REVASCULARIZATION, CABG	PX09	36.1, 36.10, 36.11, 36.12, 36.13, 36.14, 36.15, 36.16, 36.17, 36.19, 36.2, 36.31, 36.32
CORONARY REVASCULARIZATION, CABG	PX10	0210083, 0210088, 0210089, 021008C, 021008F, 021008W, 0210093, 0210098, 0210099, 021009C, 021009F, 021009W, 02100A3, 02100A8, 02100A9, 02100AC, 02100AF, 02100AW, 02100J3, 02100J8, 02100J9, 02100JC, 02100JF, 02100JW, 02100K3, 02100K8, 02100K9, 02100KC, 02100KF, 02100KW, 02100Z3, 02100Z8, 02100Z9, 02100ZC, 02100ZF, 0210344, 02103D4, 0210444, 0210483, 0210488, 0210489, 021048C, 021048F, 021048W, 0210493, 0210498, 0210499, 021049C, 021049F, 021049W, 02104A3, 02104A8, 02104A9, 02104AC, 02104AF, 02104AW, 02104D4, 02104J3, 02104J8, 02104J9, 02104JC, 02104JF, 02104JW, 02104K3, 02104K8, 02104K9, 02104KC, 02104KF, 02104KW, 02104Z3, 02104Z8, 02104Z9, 02104ZC, 02104ZF, 0211083, 0211088, 0211089, 021108C, 021108F, 021108W, 0211093, 0211098, 0211099, 021109C, 021109F, 021109W, 02110A3, 02110A8, 02110A9, 02110AC, 02110AF, 02110AW, 02110J3, 02110J8, 02110J9, 02110JC, 02110JF, 02110JW, 02110K3, 02110K8, 02110K9, 02110KC, 02110KF, 02110KW, 02110Z3, 02110Z8, 02110Z9, 02110ZC, 02110ZF, 0211344, 02113D4, 0211444, 0211483, 0211488, 0211489, 021148C, 021148F, 021148W, 0211493, 0211498, 0211499, 021149C, 021149F, 021149W, 02114A3, 02114A8, 02114A9, 02114AC, 02114AF, 02114AW, 02114D4, 02114J3, 02114J8, 02114J9, 02114JC, 02114JF, 02114JW, 02114K3, 02114K8, 02114K9, 02114KC, 02114KF, 02114KW, 02114Z3, 02114Z8, 02114Z9, 02114ZC, 02114ZF, 0212083, 0212088, 0212089, 021208C, 021208F, 021208W, 0212093, 0212098, 0212099, 021209C, 021209F, 021209W, 02120A3, 02120A8, 02120A9, 02120AC, 02120AF, 02120AW, 02120J3, 02120J8, 02120J9, 02120JC, 02120JF, 02120JW, 02120K3, 02120K8, 02120K9, 02120KC, 02120KF, 02120KW, 02120Z3, 02120Z8, 02120Z9, 02120ZC, 02120ZF, 0212344, 02123D4, 0212444, 0212483, 0212488, 0212489, 021248C, 021248F, 021248W, 0212493, 0212498, 0212499, 021249C, 021249F, 021249W, 02124A3, 02124A8, 02124A9, 02124AC, 02124AF, 02124AW, 02124D4, 02124J3, 02124J8, 02124J9, 02124JC, 02124JF, 02124JW, 02124K3, 02124K8, 02124K9, 02124KC, 02124KF, 02124KW, 02124Z3, 02124Z8, 02124Z9, 02124ZC, 02124ZF, 0213083, 0213088, 0213089, 021308C, 021308F,

		021308W, 0213093, 0213098, 0213099, 021309C, 021309F, 021309W, 02130A3, 02130A8, 02130A9, 02130AC, 02130AF, 02130AW, 02130J3, 02130J8, 02130J9, 02130JC, 02130JF, 02130JW, 02130K3, 02130K8, 02130K9, 02130KC, 02130KF, 02130KW, 02130Z3, 02130Z8, 02130Z9, 02130ZC, 02130ZF, 0213344, 02133D4, 0213444, 0213483, 0213488, 0213489, 021348C, 021348F, 021348W, 0213493, 0213498, 0213499, 021349C, 021349F, 021349W, 02134A3, 02134A8, 02134A9, 02134AC, 02134AF, 02134AW, 02134D4, 02134J3, 02134J8, 02134J9, 02134JC, 02134JF, 02134JW, 02134K3, 02134K8, 02134K9, 02134KC, 02134KF, 02134KW, 02134Z3, 02134Z8, 02134Z9, 02134ZC, 02134ZF, 0270046, 027004Z, 0270056, 027005Z, 0270066, 027006Z, 0270076, 027007Z, 02700D6, 02700DZ, 02700E6, 02700EZ, 02700F6, 02700FZ, 02700G6, 02700GZ, 02700T6, 02700TZ, 02700Z6, 02700ZZ, 0271046, 027104Z, 0271056, 027105Z, 0271066, 027106Z, 0271076, 027107Z, 02710D6, 02710DZ, 02710E6, 02710EZ, 02710F6, 02710FZ, 02710G6, 02710GZ, 02710T6, 02710TZ, 02710Z6, 02710ZZ, 0272046, 027204Z, 0272056, 027205Z, 0272066, 027206Z, 0272076, 027207Z, 02720D6, 02720DZ, 02720E6, 02720EZ, 02720F6, 02720FZ, 02720G6, 02720GZ, 02720T6, 02720TZ, 02720Z6, 02720ZZ, 0273046, 027304Z, 0273056, 027305Z, 0273066, 027306Z, 0273076, 027307Z, 02730D6, 02730DZ, 02730E6, 02730EZ, 02730F6, 02730FZ, 02730G6, 02730GZ, 02730T6, 02730TZ, 02730Z6, 02730ZZ, 02C00Z6, 02C00ZZ, 02C10Z6, 02C10ZZ, 02C20Z6, 02C20ZZ, 02C30Z6, 02C30ZZ
CORONARY REVASCULARIZATION, CABG	PXCH	33510, 33511, 33512, 33513, 33514, 33516, 33517, 33518, 33519, 33521, 33522, 33523, 33533, 33534, 33535, 33536, S2205, S2206, S2207, S2208, S2209
CEREBROVASCULAR REVASCULARIZATION	PX09	00.40, 00.61, 00.62, 00.64, 00.65, 17.53, 38.01, 38.02, 38.12, 38.31, 38.32, 38.41, 38.42, 38.52, 38.61, 38.62, 38.81, 38.82, 39.28, 39.29, 39.72, 88.41
CEREBROVASCULAR REVASCULARIZATION	PX10	031209J, 031209K, 03120AJ, 03120AK, 03120JJ, 03120JK, 03120KJ, 03120KK, 03120ZJ, 03120ZK, 031309J, 031309K, 03130AJ, 03130AK, 03130JJ, 03130JK, 03130KJ, 03130KK, 031409J, 031409K, 03140AJ, 03140AK, 03140JJ, 03140JK, 03140KJ, 03140KK, 03140ZJ, 03140ZK, 031509J, 031509K, 03150AJ, 03150AK, 03150JJ, 03150JK, 03150KJ, 03150KK, 03150ZJ, 03150ZK, 031609J, 031609K, 03160AJ, 03160AK, 03160JJ, 03160JK, 03160KJ, 03160KK, 03160ZJ, 03160ZK, 031G09G, 031G0AG, 031G0JG, 031G0KG, 031G0ZG, 037G046, 037G04Z,

		<p>037G056, 037G05Z, 037G066, 037G06Z, 037G076, 037G07Z, 037G0D6, 037G0DZ, 037G0E6, 037G0EZ, 037G0F6, 037G0FZ, 037G0G6, 037G0GZ, 037G0Z6, 037G0ZZ, 037G346, 037G34Z, 037G356, 037G35Z, 037G366, 037G36Z, 037G376, 037G37Z, 037G3D6, 037G3DZ, 037G3E6, 037G3EZ, 037G3F6, 037G3FZ, 037G3G6, 037G3GZ, 037G3Z6, 037G3ZZ, 037G446, 037G44Z, 037G456, 037G45Z, 037G466, 037G46Z, 037G476, 037G47Z, 037G4D6, 037G4DZ, 037G4E6, 037G4EZ, 037G4F6, 037G4FZ, 037G4G6, 037G4GZ, 037G4Z6, 037G4ZZ, 037P046, 037P04Z, 037P056, 037P05Z, 037P066, 037P06Z, 037P076, 037P07Z, 037P0D6, 037P0DZ, 037P0E6, 037P0EZ, 037P0F6, 037P0FZ, 037P0G6, 037P0GZ, 037P0Z6, 037P0ZZ, 037P346, 037P34Z, 037P356, 037P35Z, 037P366, 037P36Z, 037P376, 037P37Z, 037P3D6, 037P3DZ, 037P3E6, 037P3EZ, 037P3F6, 037P3FZ, 037P3G6, 037P3GZ, 037P3Z6, 037P3ZZ, 037P446, 037P44Z, 037P456, 037P45Z, 037P466, 037P46Z, 037P476, 037P47Z, 037P4D6, 037P4DZ, 037P4E6, 037P4EZ, 037P4F6, 037P4FZ, 037P4G6, 037P4GZ, 037P4Z6, 037P4ZZ, 037Q046, 037Q04Z, 037Q056, 037Q05Z, 037Q066, 037Q06Z, 037Q076, 037Q07Z, 037Q0D6, 037Q0DZ, 037Q0E6, 037Q0EZ, 037Q0F6, 037Q0FZ, 037Q0G6, 037Q0GZ, 037Q0Z6, 037Q0ZZ, 037Q346, 037Q34Z, 037Q356, 037Q35Z, 037Q366, 037Q36Z, 037Q376, 037Q37Z, 037Q3D6, 037Q3DZ, 037Q3E6, 037Q3EZ, 037Q3F6, 037Q3FZ, 037Q3G6, 037Q3GZ, 037Q3Z6, 037Q3ZZ, 037Q446, 037Q44Z, 037Q456, 037Q45Z, 037Q466, 037Q46Z, 037Q476, 037Q47Z, 037Q4D6, 037Q4DZ, 037Q4E6, 037Q4EZ, 037Q4F6, 037Q4FZ, 037Q4G6, 037Q4GZ, 037Q4Z6, 037Q4ZZ, 03CG0Z6, 03CG0ZZ, 03CG3Z6, 03CG3Z7, 03CG3ZZ, 03CG4Z6, 03CG4ZZ, 03CP0Z6, 03CP0ZZ, 03CP3Z6, 03CP3Z7, 03CP3ZZ, 03CP4Z6, 03CP4ZZ, 03CQ0Z6, 03CQ0ZZ, 03CQ3Z6, 03CQ3Z7, 03CQ3ZZ, 03CQ4Z6, 03CQ4ZZ</p>
CEREBROVASCULAR REVASCULARIZATION	PXCH	33891, 37217, 37233
CORONARY REVASCULARIZATION, PCI	PX09	00.66, 17.55, 36.01, 36.02, 36.05, 36.06, 36.07, 36.09, 36.33, 36.34

CORONARY REVASCULARIZATION, PCI	PX10	0270346, 027034Z, 0270356, 027035Z, 0270366, 027036Z, 0270376, 027037Z, 02703D6, 02703DZ, 02703E6, 02703EZ, 02703F6, 02703FZ, 02703G6, 02703GZ, 02703T6, 02703TZ, 02703Z6, 02703ZZ, 0270446, 027044Z, 0270456, 027045Z, 0270466, 027046Z, 0270476, 027047Z, 02704D6, 02704DZ, 02704E6, 02704EZ, 02704F6, 02704FZ, 02704G6, 02704GZ, 02704T6, 02704TZ, 02704Z6, 02704ZZ, 0271346, 027134Z, 0271356, 027135Z, 0271366, 027136Z, 0271376, 027137Z, 02713D6, 02713DZ, 02713E6, 02713EZ, 02713F6, 02713FZ, 02713G6, 02713GZ, 02713T6, 02713TZ, 02713Z6, 02713ZZ, 0271446, 027144Z, 0271456, 027145Z, 0271466, 027146Z, 0271476, 027147Z, 02714D6, 02714DZ, 02714E6, 02714EZ, 02714F6, 02714FZ, 02714G6, 02714GZ, 02714T6, 02714TZ, 02714Z6, 02714ZZ, 0272346, 027234Z, 0272356, 027235Z, 0272366, 027236Z, 0272376, 027237Z, 02723D6, 02723DZ, 02723E6, 02723EZ, 02723F6, 02723FZ, 02723G6, 02723GZ, 02723T6, 02723TZ, 02723Z6, 02723ZZ, 0272446, 027244Z, 0272456, 027245Z, 0272466, 027246Z, 0272476, 027247Z, 02724D6, 02724DZ, 02724E6, 02724EZ, 02724F6, 02724FZ, 02724G6, 02724GZ, 02724T6, 02724TZ, 02724Z6, 02724ZZ, 0273346, 027334Z, 0273356, 027335Z, 0273366, 027336Z, 0273376, 027337Z, 02733D6, 02733DZ, 02733E6, 02733EZ, 02733F6, 02733FZ, 02733G6, 02733GZ, 02733T6, 02733TZ, 02733Z6, 02733ZZ, 0273446, 027344Z, 0273456, 027345Z, 0273466, 027346Z, 0273476, 027347Z, 02734D6, 02734DZ, 02734E6, 02734EZ, 02734F6, 02734FZ, 02734G6, 02734GZ, 02734T6, 02734TZ, 02734Z6, 02734ZZ, 02C03Z6, 02C03ZZ, 02C04Z6, 02C04ZZ, 02C13Z6, 02C13ZZ, 02C14Z6, 02C14ZZ, 02C23Z6, 02C23ZZ, 02C24Z6, 02C24ZZ, 02C33Z6, 02C33ZZ, 02C34Z6, 02C34ZZ, X2C0361, X2C1361, X2C2361, X2C3361
CORONARY REVASCULARIZATION, PCI	PXCH	92920, 92921, 92924, 92925, 92928, 92929, 92933, 92934, 92937, 92938, 92941, 92943, 92944, 92980, 92981, 92982, 92984, 92995, 92996, C9600, C9601, C9602, C9603, C9604, C9605, C9606, C9607, C9608, G0290, G0291
PERIPHERAL REVASCULARIZATION	PX09	00.55, 17.56, 38.18, 38.38, 38.48, 39.25

PERIPHERAL REVASCULARIZATION	PX10	041009H, 041009J, 041009K, 041009Q, 041009R, 04100AH, 04100AJ, 04100AK, 04100AQ, 04100JH, 04100JJ, 04100JK, 04100JQ, 04100KH, 04100KJ, 04100KK, 04100KQ, 04100ZH, 04100ZJ, 04100ZK, 04100ZQ, 041049H, 041049J, 041049K, 041049Q, 04104AH, 04104AJ, 04104AK, 04104AQ, 04104JH, 04104JJ, 04104JK, 04104JQ, 04104KH, 04104KJ, 04104KK, 04104KQ, 04104ZH, 04104ZJ, 04104ZK, 04104ZQ, 041C09H, 041C09J, 041C09K, 041C09Q, 041C0AH, 041C0AJ, 041C0AK, 041C0AQ, 041C0JH, 041C0JJ, 041C0JK, 041C0JQ, 041C0KH, 041C0KJ, 041C0KK, 041C0KQ, 041C0ZH, 041C0ZJ, 041C0ZK, 041C0ZQ, 041C49H, 041C49J, 041C49K, 041C49Q, 041C4AH, 041C4AJ, 041C4AK, 041C4AQ, 041C4JH, 041C4JJ, 041C4JK, 041C4JQ, 041C4KH, 041C4KJ, 041C4KK, 041C4KQ, 041C4ZH, 041C4ZJ, 041C4ZK, 041C4ZQ, 041D09H, 041D09J, 041D09K, 041D09Q, 041D0AH, 041D0AJ, 041D0AK, 041D0AQ, 041D0JH, 041D0JJ, 041D0JK, 041D0JQ, 041D0KH, 041D0KJ, 041D0KK, 041D0KQ, 041D0ZH, 041D0ZJ, 041D0ZK, 041D0ZQ, 041D49H, 041D49J, 041D49K, 041D49Q, 041D4AH, 041D4AJ, 041D4AK, 041D4AQ, 041D4JH, 041D4JJ, 041D4JK, 041D4JQ, 041D4KH, 041D4KJ, 041D4KK, 041D4KQ, 041D4ZH, 041D4ZJ, 041D4ZK, 041D4ZQ, 041E09H, 041E09J, 041E09K, 041E09P, 041E09Q, 041E0AH, 041E0AJ, 041E0AK, 041E0AP, 041E0AQ, 041E0JH, 041E0JJ, 041E0JK, 041E0JP, 041E0JQ, 041E0KH, 041E0KJ, 041E0KK, 041E0KP, 041E0KQ, 041E0ZH, 041E0ZJ, 041E0ZK, 041E0ZP, 041E0ZQ, 041E49H, 041E49J, 041E49K, 041E49P, 041E49Q, 041E4AH, 041E4AJ, 041E4AK, 041E4AP, 041E4AQ, 041E4JH, 041E4JJ, 041E4JK, 041E4JP, 041E4JQ, 041E4KH, 041E4KJ, 041E4KK, 041E4KP, 041E4KQ, 041E4ZH, 041E4ZJ, 041E4ZK, 041E4ZP, 041E4ZQ, 041F09H, 041F09J, 041F09K, 041F09P, 041F09Q, 041F0AH, 041F0AJ, 041F0AK, 041F0AP, 041F0AQ, 041F0JH, 041F0JJ, 041F0JK, 041F0JP, 041F0JQ, 041F0KH, 041F0KJ, 041F0KK, 041F0KP, 041F0KQ, 041F0ZH, 041F0ZJ, 041F0ZK, 041F0ZP, 041F0ZQ, 041F49H, 041F49J, 041F49K, 041F49P, 041F49Q, 041F4AH, 041F4AJ, 041F4AK, 041F4AP, 041F4AQ, 041F4JH, 041F4JJ, 041F4JK, 041F4JP, 041F4JQ, 041F4KH, 041F4KJ, 041F4KK, 041F4KP, 041F4KQ, 041F4ZH, 041F4ZJ, 041F4ZK, 041F4ZP, 041F4ZQ, 041H09H, 041H09J, 041H09K, 041H09P, 041H09Q, 041H0AH, 041H0AJ, 041H0AK, 041H0AP, 041H0AQ, 041H0JH, 041H0JJ, 041H0JK, 041H0JP, 041H0JQ, 041H0KH, 041H0KJ, 041H0KK, 041H0KP, 041H0KQ, 041H0ZH, 041H0ZJ, 041H0ZK,
---------------------------------	------	--

		<p>041H0ZP, 041H0ZQ, 041H49H, 041H49J, 041H49K, 041H49P, 041H49Q, 041H4AH, 041H4AJ, 041H4AK, 041H4AP, 041H4AQ, 041H4JH, 041H4JJ, 041H4JK, 041H4JP, 041H4JQ, 041H4KH, 041H4KJ, 041H4KK, 041H4KP, 041H4KQ, 041H4ZH, 041H4ZJ, 041H4ZK, 041H4ZP, 041H4ZQ, 041J09H, 041J09J, 041J09K, 041J09P, 041J09Q, 041J0AH, 041J0AJ, 041J0AK, 041J0AP, 041J0AQ, 041J0JH, 041J0JJ, 041J0JK, 041J0JP, 041J0JQ, 041J0KH, 041J0KJ, 041J0KK, 041J0KP, 041J0KQ, 041J0ZH, 041J0ZJ, 041J0ZK, 041J0ZP, 041J0ZQ, 041J49H, 041J49J, 041J49K, 041J49P, 041J49Q, 041J4AH, 041J4AJ, 041J4AK, 041J4AP, 041J4AQ, 041J4JH, 041J4JJ, 041J4JK, 041J4JP, 041J4JQ, 041J4KH, 041J4KJ, 041J4KK, 041J4KP, 041J4KQ, 041J4ZH, 041J4ZJ, 041J4ZK, 041J4ZP, 041J4ZQ, 041K09H, 041K09J, 041K09K, 041K09L, 041K09M, 041K09N, 041K09P, 041K09Q, 041K09S, 041K0AH, 041K0AJ, 041K0AK, 041K0AL, 041K0AM, 041K0AN, 041K0AP, 041K0AQ, 041K0AS, 041K0JH, 041K0JJ, 041K0JK, 041K0JL, 041K0JM, 041K0JN, 041K0JP, 041K0JQ, 041K0JS, 041K0KH, 041K0KJ, 041K0KK, 041K0KL, 041K0KM, 041K0KN, 041K0KP, 041K0KQ, 041K0KS, 041K0ZH, 041K0ZJ, 041K0ZK, 041K0ZL, 041K0ZM, 041K0ZN, 041K0ZP, 041K0ZQ, 041K0ZS, 041K3JQ, 041K3JS, 041K49H, 041K49J, 041K49K, 041K49L, 041K49M, 041K49N, 041K49P, 041K49Q, 041K49S, 041K4AH, 041K4AJ, 041K4AK, 041K4AL, 041K4AM, 041K4AN, 041K4AP, 041K4AQ, 041K4AS, 041K4JH, 041K4JJ, 041K4JK, 041K4JL, 041K4JM, 041K4JN, 041K4JP, 041K4JQ, 041K4JS, 041K4KH, 041K4KJ, 041K4KK, 041K4KL, 041K4KM, 041K4KN, 041K4KP, 041K4KQ, 041K4KS, 041K4ZH, 041K4ZJ, 041K4ZK, 041K4ZL, 041K4ZM, 041K4ZN, 041K4ZP, 041K4ZQ, 041K4ZS, 041L09H, 041L09J, 041L09K, 041L09L, 041L09M, 041L09N, 041L09P, 041L09Q, 041L09S, 041L0AH, 041L0AJ, 041L0AK, 041L0AL, 041L0AM, 041L0AN, 041L0AP, 041L0AQ, 041L0AS, 041L0JH, 041L0JJ, 041L0JK, 041L0JL, 041L0JM, 041L0JN, 041L0JP, 041L0JQ, 041L0JS, 041L0KH, 041L0KJ, 041L0KK, 041L0KL, 041L0KM, 041L0KN, 041L0KP, 041L0KQ, 041L0KS, 041L0ZH, 041L0ZJ, 041L0ZK, 041L0ZL, 041L0ZM, 041L0ZN, 041L0ZP, 041L0ZQ, 041L0ZS, 041L3JQ, 041L3JS, 041L49H, 041L49J, 041L49K, 041L49L, 041L49M, 041L49N, 041L49P, 041L49Q, 041L49S, 041L4AH, 041L4AJ, 041L4AK, 041L4AL, 041L4AM, 041L4AN, 041L4AP, 041L4AQ, 041L4AS, 041L4JH, 041L4JJ, 041L4JK, 041L4JL, 041L4JM, 041L4JN, 041L4JP, 041L4JQ, 041L4JS, 041L4KH, 041L4KJ, 041L4KK, 041L4KL, 041L4KM, 041L4KN, 041L4KP, 041L4KQ, 041L4KS, 041L4ZH, 041L4ZJ,</p>
--	--	--

		041L4ZK, 041L4ZL, 041L4ZM, 041L4ZN, 041L4ZP, 041L4ZQ, 041L4ZS, 041M09L, 041M09M, 041M09P, 041M09Q, 041M09S, 041M0AL, 041M0AM, 041M0AP, 041M0AQ, 041M0AS, 041M0JL, 041M0JM, 041M0JP, 041M0JQ, 041M0JS, 041M0KL, 041M0KM, 041M0KP, 041M0KQ, 041M0KS, 041M0ZL, 041M0ZM, 041M0ZP, 041M0ZQ, 041M0ZS, 041M3JQ, 041M3JS, 041M49L, 041M49M, 041M49P, 041M49Q, 041M49S, 041M4AL, 041M4AM, 041M4AP, 041M4AQ, 041M4AS, 041M4JL, 041M4JM, 041M4JP, 041M4JQ, 041M4JS, 041M4KL, 041M4KM, 041M4KP, 041M4KQ, 041M4KS, 041M4ZL, 041M4ZM, 041M4ZP, 041M4ZQ, 041M4ZS, 041N09L, 041N09M, 041N09P, 041N09Q, 041N09S, 041N0AL, 041N0AM, 041N0AP, 041N0AQ, 041N0AS, 041N0JL, 041N0JM, 041N0JP, 041N0JQ, 041N0JS, 041N0KL, 041N0KM, 041N0KP, 041N0KQ, 041N0KS, 041N0ZL, 041N0ZM, 041N0ZP, 041N0ZQ, 041N0ZS, 041N3JQ, 041N3JS, 041N49L, 041N49M, 041N49P, 041N49Q, 041N49S, 041N4AL, 041N4AM, 041N4AP, 041N4AQ, 041N4AS, 041N4JL, 041N4JM, 041N4JP, 041N4JQ, 041N4JS, 041N4KL, 041N4KM, 041N4KP, 041N4KQ, 041N4KS, 041N4ZL, 041N4ZM, 041N4ZP, 041N4ZQ, 041N4ZS, 041P0JQ, 041P0JS, 041P3JQ, 041P3JS, 041P4JQ, 041P4JS, 041Q0JQ, 041Q0JS, 041Q3JQ, 041Q3JS, 041Q4JQ, 041Q4JS, 041R0JQ, 041R0JS, 041R3JQ, 041R3JS, 041R4JQ, 041R4JS, 041S0JQ, 041S0JS, 041S3JQ, 041S3JS, 041S4JQ, 041S4JS, 041T09P, 041T09Q, 041T09S, 041T0AP, 041T0AQ, 041T0AS, 041T0JP, 041T0JQ, 041T0JS, 041T0KP, 041T0KQ, 041T0KS, 041T0ZP, 041T0ZQ, 041T0ZS, 041T3JQ, 041T3JS, 041T49P, 041T49Q, 041T49S, 041T4AP, 041T4AQ, 041T4AS, 041T4JP, 041T4JQ, 041T4JS, 041T4KP, 041T4KQ, 041T4KS, 041T4ZP, 041T4ZQ, 041T4ZS, 041U09P, 041U09Q, 041U09S, 041U0AP, 041U0AQ, 041U0AS, 041U0JP, 041U0JQ, 041U0JS, 041U0KP, 041U0KQ, 041U0KS, 041U0ZP, 041U0ZQ, 041U0ZS, 041U3JQ, 041U3JS, 041U49P, 041U49Q, 041U49S, 041U4AP, 041U4AQ, 041U4AS, 041U4JP, 041U4JQ, 041U4JS, 041U4KP, 041U4KQ, 041U4KS, 041U4ZP, 041U4ZQ, 041U4ZS, 041V09P, 041V09Q, 041V09S, 041V0AP, 041V0AQ, 041V0AS, 041V0JP, 041V0JQ, 041V0JS, 041V0KP, 041V0KQ, 041V0KS, 041V0ZP, 041V0ZQ, 041V0ZS, 041V3JQ, 041V3JS, 041V49P, 041V49Q, 041V49S, 041V4AP, 041V4AQ, 041V4AS, 041V4JP, 041V4JQ, 041V4JS, 041V4KP, 041V4KQ, 041V4KS, 041V4ZP, 041V4ZQ, 041V4ZS, 041W09P, 041W09Q, 041W09S, 041W0AP, 041W0AQ, 041W0AS, 041W0JP, 041W0JQ, 041W0JS, 041W0KP,
--	--	--

		041W0KQ, 041W0KS, 041W0ZP, 041W0ZQ, 041W0ZS, 041W3JQ, 041W3JS, 041W49P, 041W49Q, 041W49S, 041W4AP, 041W4AQ, 041W4AS, 041W4JP, 041W4JQ, 041W4JS, 041W4KP, 041W4KQ, 041W4KS, 041W4ZP, 041W4ZQ, 041W4ZS, 0470041, 047C041, 047C046, 047C04Z, 047C056, 047C05Z, 047C066, 047C06Z, 047C076, 047C07Z, 047C0D1, 047C0D6, 047C0DZ, 047C0E6, 047C0EZ, 047C0F6, 047C0FZ, 047C0G6, 047C0GZ, 047C0Z1, 047C0Z6, 047C0ZZ, 047C341, 047C346, 047C34Z, 047C356, 047C35Z, 047C366, 047C36Z, 047C376, 047C37Z, 047C3D1, 047C3D6, 047C3DZ, 047C3E6, 047C3EZ, 047C3F6, 047C3FZ, 047C3G6, 047C3GZ, 047C3Z1, 047C3Z6, 047C3ZZ, 047C441, 047C446, 047C44Z, 047C456, 047C45Z, 047C466, 047C46Z, 047C476, 047C47Z, 047C4D1, 047C4D6, 047C4DZ, 047C4E6, 047C4EZ, 047C4F6, 047C4FZ, 047C4G6, 047C4GZ, 047C4Z1, 047C4Z6, 047C4ZZ, 047D041, 047D046, 047D04Z, 047D056, 047D05Z, 047D066, 047D06Z, 047D076, 047D07Z, 047D0D1, 047D0D6, 047D0DZ, 047D0E6, 047D0EZ, 047D0F6, 047D0FZ, 047D0G6, 047D0GZ, 047D0Z1, 047D0Z6, 047D0ZZ, 047D341, 047D346, 047D34Z, 047D356, 047D35Z, 047D366, 047D36Z, 047D376, 047D37Z, 047D3D1, 047D3D6, 047D3DZ, 047D3E6, 047D3EZ, 047D3F6, 047D3FZ, 047D3G6, 047D3GZ, 047D3Z1, 047D3Z6, 047D3ZZ, 047D441, 047D446, 047D44Z, 047D456, 047D45Z, 047D466, 047D46Z, 047D476, 047D47Z, 047D4D1, 047D4D6, 047D4DZ, 047D4E6, 047D4EZ, 047D4F6, 047D4FZ, 047D4G6, 047D4GZ, 047D4Z1, 047D4Z6, 047D4ZZ, 047E041, 047E046, 047E04Z, 047E056, 047E05Z, 047E066, 047E06Z, 047E076, 047E07Z, 047E0D1, 047E0D6, 047E0DZ, 047E0E6, 047E0EZ, 047E0F6, 047E0FZ, 047E0G6, 047E0GZ, 047E0Z1, 047E0Z6, 047E0ZZ, 047E341, 047E346, 047E34Z, 047E356, 047E35Z, 047E366, 047E36Z, 047E376, 047E37Z, 047E3D1, 047E3D6, 047E3DZ, 047E3E6, 047E3EZ, 047E3F6, 047E3FZ, 047E3G6, 047E3GZ, 047E3Z1, 047E3Z6, 047E3ZZ, 047E441, 047E446, 047E44Z, 047E456, 047E45Z, 047E466, 047E46Z, 047E476, 047E47Z, 047E4D1, 047E4D6, 047E4DZ, 047E4E6, 047E4EZ, 047E4F6, 047E4FZ, 047E4G6, 047E4GZ, 047E4Z1, 047E4Z6, 047E4ZZ, 047F041, 047F046, 047F04Z, 047F056, 047F05Z, 047F066, 047F06Z, 047F076, 047F07Z, 047F0D1, 047F0D6, 047F0DZ, 047F0E6, 047F0EZ, 047F0F6, 047F0FZ, 047F0G6, 047F0GZ, 047F0Z1, 047F0Z6, 047F0ZZ, 047F341, 047F346, 047F34Z, 047F356, 047F35Z, 047F366, 047F36Z,
--	--	---

		047F376, 047F37Z, 047F3D1, 047F3D6, 047F3DZ, 047F3E6, 047F3EZ, 047F3F6, 047F3FZ, 047F3G6, 047F3GZ, 047F3Z1, 047F3Z6, 047F3ZZ, 047F441, 047F446, 047F44Z, 047F456, 047F45Z, 047F466, 047F46Z, 047F476, 047F47Z, 047F4D1, 047F4D6, 047F4DZ, 047F4E6, 047F4EZ, 047F4F6, 047F4FZ, 047F4G6, 047F4GZ, 047F4Z1, 047F4Z6, 047F4ZZ, 047H041, 047H046, 047H04Z, 047H056, 047H05Z, 047H066, 047H06Z, 047H076, 047H07Z, 047H0D1, 047H0D6, 047H0DZ, 047H0E6, 047H0EZ, 047H0F6, 047H0FZ, 047H0G6, 047H0GZ, 047H0Z1, 047H0Z6, 047H0ZZ, 047H341, 047H346, 047H34Z, 047H356, 047H35Z, 047H366, 047H36Z, 047H376, 047H37Z, 047H3D1, 047H3D6, 047H3DZ, 047H3E6, 047H3EZ, 047H3F6, 047H3FZ, 047H3G6, 047H3GZ, 047H3Z1, 047H3Z6, 047H3ZZ, 047H441, 047H446, 047H44Z, 047H456, 047H45Z, 047H466, 047H46Z, 047H476, 047H47Z, 047H4D1, 047H4D6, 047H4DZ, 047H4E6, 047H4EZ, 047H4F6, 047H4FZ, 047H4G6, 047H4GZ, 047H4Z1, 047H4Z6, 047H4ZZ, 047J041, 047J046, 047J04Z, 047J056, 047J05Z, 047J066, 047J06Z, 047J076, 047J07Z, 047J0D1, 047J0D6, 047J0DZ, 047J0E6, 047J0EZ, 047J0F6, 047J0FZ, 047J0G6, 047J0GZ, 047J0Z1, 047J0Z6, 047J0ZZ, 047J341, 047J346, 047J34Z, 047J356, 047J35Z, 047J366, 047J36Z, 047J376, 047J37Z, 047J3D1, 047J3D6, 047J3DZ, 047J3E6, 047J3EZ, 047J3F6, 047J3FZ, 047J3G6, 047J3GZ, 047J3Z1, 047J3Z6, 047J3ZZ, 047J441, 047J446, 047J44Z, 047J456, 047J45Z, 047J466, 047J46Z, 047J476, 047J47Z, 047J4D1, 047J4D6, 047J4DZ, 047J4E6, 047J4EZ, 047J4F6, 047J4FZ, 047J4G6, 047J4GZ, 047J4Z1, 047J4Z6, 047J4ZZ, 047K041, 047K046, 047K04Z, 047K056, 047K05Z, 047K066, 047K06Z, 047K076, 047K07Z, 047K0D1, 047K0D6, 047K0DZ, 047K0E6, 047K0EZ, 047K0F6, 047K0FZ, 047K0G6, 047K0GZ, 047K0Z1, 047K0Z6, 047K0ZZ, 047K341, 047K346, 047K34Z, 047K356, 047K35Z, 047K366, 047K36Z, 047K376, 047K37Z, 047K3D1, 047K3D6, 047K3DZ, 047K3E6, 047K3EZ, 047K3F6, 047K3FZ, 047K3G6, 047K3GZ, 047K3Z1, 047K3Z6, 047K3ZZ, 047K441, 047K446, 047K44Z, 047K456, 047K45Z, 047K466, 047K46Z, 047K476, 047K47Z, 047K4D1, 047K4D6, 047K4DZ, 047K4E6, 047K4EZ, 047K4F6, 047K4FZ, 047K4G6, 047K4GZ, 047K4Z1, 047K4Z6, 047K4ZZ, 047L041, 047L046, 047L04Z, 047L056, 047L05Z, 047L066, 047L06Z, 047L076, 047L07Z, 047L0D1, 047L0D6, 047L0DZ, 047L0E6, 047L0EZ, 047L0F6, 047L0FZ, 047L0G6, 047L0GZ, 047L0Z1, 047L0Z6, 047L0ZZ, 047L341, 047L346, 047L34Z, 047L356, 047L35Z, 047L366, 047L36Z,
--	--	---

		047L376, 047L37Z, 047L3D1, 047L3D6, 047L3DZ, 047L3E6, 047L3EZ, 047L3F6, 047L3FZ, 047L3G6, 047L3GZ, 047L3Z1, 047L3Z6, 047L3ZZ, 047L441, 047L446, 047L44Z, 047L456, 047L45Z, 047L466, 047L46Z, 047L476, 047L47Z, 047L4D1, 047L4D6, 047L4DZ, 047L4E6, 047L4EZ, 047L4F6, 047L4FZ, 047L4G6, 047L4GZ, 047L4Z1, 047L4Z6, 047L4ZZ, 047M041, 047M046, 047M04Z, 047M056, 047M05Z, 047M066, 047M06Z, 047M076, 047M07Z, 047MOD1, 047MOD6, 047MODZ, 047M0E6, 047M0EZ, 047M0F6, 047M0FZ, 047M0G6, 047M0GZ, 047M0Z1, 047M0Z6, 047M0ZZ, 047M341, 047M346, 047M34Z, 047M356, 047M35Z, 047M366, 047M36Z, 047M376, 047M37Z, 047M3D1, 047M3D6, 047M3DZ, 047M3E6, 047M3EZ, 047M3F6, 047M3FZ, 047M3G6, 047M3GZ, 047M3Z1, 047M3Z6, 047M3ZZ, 047M441, 047M446, 047M44Z, 047M456, 047M45Z, 047M466, 047M46Z, 047M476, 047M47Z, 047M4D1, 047M4D6, 047M4DZ, 047M4E6, 047M4EZ, 047M4F6, 047M4FZ, 047M4G6, 047M4GZ, 047M4Z1, 047M4Z6, 047M4ZZ, 047N041, 047N046, 047N04Z, 047N056, 047N05Z, 047N066, 047N06Z, 047N076, 047N07Z, 047N0D1, 047N0D6, 047N0DZ, 047N0E6, 047N0EZ, 047N0F6, 047N0FZ, 047N0G6, 047N0GZ, 047N0Z1, 047N0Z6, 047N0ZZ, 047N341, 047N346, 047N34Z, 047N356, 047N35Z, 047N366, 047N36Z, 047N376, 047N37Z, 047N3D1, 047N3D6, 047N3DZ, 047N3E6, 047N3EZ, 047N3F6, 047N3FZ, 047N3G6, 047N3GZ, 047N3Z1, 047N3Z6, 047N3ZZ, 047N441, 047N446, 047N44Z, 047N456, 047N45Z, 047N466, 047N46Z, 047N476, 047N47Z, 047N4D1, 047N4D6, 047N4DZ, 047N4E6, 047N4EZ, 047N4F6, 047N4FZ, 047N4G6, 047N4GZ, 047N4Z1, 047N4Z6, 047N4ZZ, 047P041, 047P046, 047P04Z, 047P056, 047P05Z, 047P066, 047P06Z, 047P076, 047P07Z, 047P0D1, 047P0D6, 047P0DZ, 047P0E6, 047P0EZ, 047P0F6, 047P0FZ, 047P0G6, 047P0GZ, 047P0Z1, 047P0Z6, 047P0ZZ, 047P341, 047P346, 047P34Z, 047P356, 047P35Z, 047P366, 047P36Z, 047P376, 047P37Z, 047P3D1, 047P3D6, 047P3DZ, 047P3E6, 047P3EZ, 047P3F6, 047P3FZ, 047P3G6, 047P3GZ, 047P3Z1, 047P3Z6, 047P3ZZ, 047P441, 047P446, 047P44Z, 047P456, 047P45Z, 047P466, 047P46Z, 047P476, 047P47Z, 047P4D1, 047P4D6, 047P4DZ, 047P4E6, 047P4EZ, 047P4F6, 047P4FZ, 047P4G6, 047P4GZ, 047P4Z1, 047P4Z6, 047P4ZZ, 047Q041, 047Q046, 047Q04Z, 047Q056, 047Q05Z, 047Q066, 047Q06Z, 047Q076, 047Q07Z, 047Q0D1, 047Q0D6, 047Q0DZ, 047Q0E6, 047Q0EZ, 047Q0F6, 047Q0FZ, 047Q0G6,
--	--	--

		047Q0GZ, 047Q0Z1, 047Q0Z6, 047Q0ZZ, 047Q341, 047Q346, 047Q34Z, 047Q356, 047Q35Z, 047Q366, 047Q36Z, 047Q376, 047Q37Z, 047Q3D1, 047Q3D6, 047Q3DZ, 047Q3E6, 047Q3EZ, 047Q3F6, 047Q3FZ, 047Q3G6, 047Q3GZ, 047Q3Z1, 047Q3Z6, 047Q3ZZ, 047Q441, 047Q446, 047Q44Z, 047Q456, 047Q45Z, 047Q466, 047Q46Z, 047Q476, 047Q47Z, 047Q4D1, 047Q4D6, 047Q4DZ, 047Q4E6, 047Q4EZ, 047Q4F6, 047Q4FZ, 047Q4G6, 047Q4GZ, 047Q4Z1, 047Q4Z6, 047Q4ZZ, 047R041, 047R046, 047R04Z, 047R056, 047R05Z, 047R066, 047R06Z, 047R076, 047R07Z, 047R0D1, 047R0D6, 047R0DZ, 047R0E6, 047R0EZ, 047R0F6, 047R0FZ, 047R0G6, 047R0GZ, 047R0Z1, 047R0Z6, 047R0ZZ, 047R341, 047R346, 047R34Z, 047R356, 047R35Z, 047R366, 047R36Z, 047R376, 047R37Z, 047R3D1, 047R3D6, 047R3DZ, 047R3E6, 047R3EZ, 047R3F6, 047R3FZ, 047R3G6, 047R3GZ, 047R3Z1, 047R3Z6, 047R3ZZ, 047R441, 047R446, 047R44Z, 047R456, 047R45Z, 047R466, 047R46Z, 047R476, 047R47Z, 047R4D1, 047R4D6, 047R4DZ, 047R4E6, 047R4EZ, 047R4F6, 047R4FZ, 047R4G6, 047R4GZ, 047R4Z1, 047R4Z6, 047R4ZZ, 047S041, 047S046, 047S04Z, 047S056, 047S05Z, 047S066, 047S06Z, 047S076, 047S07Z, 047S0D1, 047S0D6, 047S0DZ, 047S0E6, 047S0EZ, 047S0F6, 047S0FZ, 047S0G6, 047S0GZ, 047S0Z1, 047S0Z6, 047S0ZZ, 047S341, 047S346, 047S34Z, 047S356, 047S35Z, 047S366, 047S36Z, 047S376, 047S37Z, 047S3D1, 047S3D6, 047S3DZ, 047S3E6, 047S3EZ, 047S3F6, 047S3FZ, 047S3G6, 047S3GZ, 047S3Z1, 047S3Z6, 047S3ZZ, 047S441, 047S446, 047S44Z, 047S456, 047S45Z, 047S466, 047S46Z, 047S476, 047S47Z, 047S4D1, 047S4D6, 047S4DZ, 047S4E6, 047S4EZ, 047S4F6, 047S4FZ, 047S4G6, 047S4GZ, 047S4Z1, 047S4Z6, 047S4ZZ, 047T041, 047T046, 047T04Z, 047T056, 047T05Z, 047T066, 047T06Z, 047T076, 047T07Z, 047T0D1, 047T0D6, 047T0DZ, 047T0E6, 047T0EZ, 047T0F6, 047T0FZ, 047T0G6, 047T0GZ, 047T0Z1, 047T0Z6, 047T0ZZ, 047T341, 047T346, 047T34Z, 047T356, 047T35Z, 047T366, 047T36Z, 047T376, 047T37Z, 047T3D1, 047T3D6, 047T3DZ, 047T3E6, 047T3EZ, 047T3F6, 047T3FZ, 047T3G6, 047T3GZ, 047T3Z1, 047T3Z6, 047T3ZZ, 047T441, 047T446, 047T44Z, 047T456, 047T45Z, 047T466, 047T46Z, 047T476, 047T47Z, 047T4D1, 047T4D6, 047T4DZ, 047T4E6, 047T4EZ, 047T4F6, 047T4FZ, 047T4G6, 047T4GZ, 047T4Z1, 047T4Z6, 047T4ZZ, 047U041, 047U046, 047U04Z, 047U056, 047U05Z,
--	--	---

		047U066, 047U06Z, 047U076, 047U07Z, 047U0D1, 047U0D6, 047U0DZ, 047U0E6, 047U0EZ, 047U0F6, 047U0FZ, 047U0G6, 047U0GZ, 047U0Z1, 047U0Z6, 047U0ZZ, 047U341, 047U346, 047U34Z, 047U356, 047U35Z, 047U366, 047U36Z, 047U376, 047U37Z, 047U3D1, 047U3D6, 047U3DZ, 047U3E6, 047U3EZ, 047U3F6, 047U3FZ, 047U3G6, 047U3GZ, 047U3Z1, 047U3Z6, 047U3ZZ, 047U441, 047U446, 047U44Z, 047U456, 047U45Z, 047U466, 047U46Z, 047U476, 047U47Z, 047U4D1, 047U4D6, 047U4DZ, 047U4E6, 047U4EZ, 047U4F6, 047U4FZ, 047U4G6, 047U4GZ, 047U4Z1, 047U4Z6, 047U4ZZ, 047V041, 047V046, 047V04Z, 047V056, 047V05Z, 047V066, 047V06Z, 047V076, 047V07Z, 047V0D1, 047V0D6, 047V0DZ, 047V0E6, 047V0EZ, 047V0F6, 047V0FZ, 047V0G6, 047V0GZ, 047V0Z1, 047V0Z6, 047V0ZZ, 047V341, 047V346, 047V34Z, 047V356, 047V35Z, 047V366, 047V36Z, 047V376, 047V37Z, 047V3D1, 047V3D6, 047V3DZ, 047V3E6, 047V3EZ, 047V3F6, 047V3FZ, 047V3G6, 047V3GZ, 047V3Z1, 047V3Z6, 047V3ZZ, 047V441, 047V446, 047V44Z, 047V456, 047V45Z, 047V466, 047V46Z, 047V476, 047V47Z, 047V4D1, 047V4D6, 047V4DZ, 047V4E6, 047V4EZ, 047V4F6, 047V4FZ, 047V4G6, 047V4GZ, 047V4Z1, 047V4Z6, 047V4ZZ, 047W041, 047W046, 047W04Z, 047W056, 047W05Z, 047W066, 047W06Z, 047W076, 047W07Z, 047W0D1, 047W0D6, 047W0DZ, 047W0E6, 047W0EZ, 047W0F6, 047W0FZ, 047W0G6, 047W0GZ, 047W0Z1, 047W0Z6, 047W0ZZ, 047W341, 047W346, 047W34Z, 047W356, 047W35Z, 047W366, 047W36Z, 047W376, 047W37Z, 047W3D1, 047W3D6, 047W3DZ, 047W3E6, 047W3EZ, 047W3F6, 047W3FZ, 047W3G6, 047W3GZ, 047W3Z1, 047W3Z6, 047W3ZZ, 047W441, 047W446, 047W44Z, 047W456, 047W45Z, 047W466, 047W46Z, 047W476, 047W47Z, 047W4D1, 047W4D6, 047W4DZ, 047W4E6, 047W4EZ, 047W4F6, 047W4FZ, 047W4G6, 047W4GZ, 047W4Z1, 047W4Z6, 047W4ZZ, 04CC0Z6, 04CC0ZZ, 04CC3Z6, 04CC3ZZ, 04CC4Z6, 04CC4ZZ, 04CD0Z6, 04CD0ZZ, 04CD3Z6, 04CD3ZZ, 04CD4Z6, 04CD4ZZ, 04CE0Z6, 04CE0ZZ, 04CE3Z6, 04CE3ZZ, 04CE4Z6, 04CE4ZZ, 04CF0Z6, 04CF0ZZ, 04CF3Z6, 04CF3ZZ, 04CF4Z6, 04CF4ZZ, 04CH0Z6, 04CH0ZZ, 04CH3Z6, 04CH3ZZ, 04CH4Z6, 04CH4ZZ, 04CJ0Z6, 04CJ0ZZ, 04CJ3Z6, 04CJ3ZZ, 04CJ4Z6, 04CJ4ZZ, 04CK0Z6, 04CK0ZZ, 04CK3Z6, 04CK3ZZ, 04CK4Z6, 04CK4ZZ, 04CL0Z6, 04CL0ZZ, 04CL3Z6, 04CL3ZZ, 04CL4Z6, 04CL4ZZ, 04CM0Z6, 04CM0ZZ, 04CM3Z6, 04CM3ZZ, 04CM4Z6, 04CM4ZZ, 04CN0Z6, 04CN0ZZ, 04CN3Z6, 04CN3ZZ,
--	--	---

		04CN4Z6, 04CN4ZZ, 04CP0Z6, 04CP0ZZ, 04CP3Z6, 04CP3ZZ, 04CP4Z6, 04CP4ZZ, 04CQ0Z6, 04CQ0ZZ, 04CQ3Z6, 04CQ3ZZ, 04CQ4Z6, 04CQ4ZZ, 04CROZ6, 04CROZZ, 04CR3Z6, 04CR3ZZ, 04CR4Z6, 04CR4ZZ, 04CS0Z6, 04CS0ZZ, 04CS3Z6, 04CS3ZZ, 04CS4Z6, 04CS4ZZ, 04CT0Z6, 04CT0ZZ, 04CT3Z6, 04CT3ZZ, 04CT4Z6, 04CT4ZZ, 04CU0Z6, 04CU0ZZ, 04CU3Z6, 04CU3ZZ, 04CU4Z6, 04CU4ZZ, 04CV0Z6, 04CV0ZZ, 04CV3Z6, 04CV3ZZ, 04CV4Z6, 04CV4ZZ, 04CW0Z6, 04CW0ZZ, 04CW3Z6, 04CW3ZZ, 04CW4Z6, 04CW4ZZ, 04RC0Z7, 04RC0JZ, 04RC0KZ, 04RC4Z7, 04RC4JZ, 04RC4KZ, 04RD0Z7, 04RD0JZ, 04RD0KZ, 04RD4Z7, 04RD4JZ, 04RD4KZ, 04RE0Z7, 04RE0JZ, 04RE0KZ, 04RE4Z7, 04RE4JZ, 04RE4KZ, 04RF0Z7, 04RF0JZ, 04RF0KZ, 04RF4Z7, 04RF4JZ, 04RF4KZ, 04RH0Z7, 04RH0JZ, 04RH0KZ, 04RH4Z7, 04RH4JZ, 04RH4KZ, 04RJ0Z7, 04RJ0JZ, 04RJ0KZ, 04RJ4Z7, 04RJ4JZ, 04RJ4KZ, 04RK0Z7, 04RK0JZ, 04RK0KZ, 04RK4Z7, 04RK4JZ, 04RK4KZ, 04RL0Z7, 04RL0JZ, 04RL0KZ, 04RL4Z7, 04RL4JZ, 04RL4KZ, 04RM0Z7, 04RM0JZ, 04RM0KZ, 04RM4Z7, 04RM4JZ, 04RM4KZ, 04RN0Z7, 04RN0JZ, 04RN0KZ, 04RN4Z7, 04RN4JZ, 04RN4KZ, 04RP0Z7, 04RP0JZ, 04RP0KZ, 04RP4Z7, 04RP4JZ, 04RP4KZ, 04RQ0Z7, 04RQ0JZ, 04RQ0KZ, 04RQ4Z7, 04RQ4JZ, 04RQ4KZ, 04RR0Z7, 04RR0JZ, 04RR0KZ, 04RR4Z7, 04RR4JZ, 04RR4KZ, 04RS0Z7, 04RS0JZ, 04RS0KZ, 04RS4Z7, 04RS4JZ, 04RS4KZ, 04RT0Z7, 04RT0JZ, 04RT0KZ, 04RT4Z7, 04RT4JZ, 04RT4KZ, 04RU0Z7, 04RU0JZ, 04RU0KZ, 04RU4Z7, 04RU4JZ, 04RU4KZ, 04RV0Z7, 04RV0JZ, 04RV0KZ, 04RV4Z7, 04RV4JZ, 04RV4KZ, 04RW0Z7, 04RW0JZ, 04RW0KZ, 04RW4Z7, 04RW4JZ, 04RW4KZ, 04RY0Z7, X27H385, X27H395, X27H3B5, X27H3C5, X27J385, X27J395, X27J3B5, X27J3C5, X27K385, X27K395, X27K3B5, X27K3C5, X27L385, X27L395, X27L3B5, X27L3C5, X27M385, X27M395, X27M3B5, X27M3C5, X27N385, X27N395, X27N3B5, X27N3C5, X27P385, X27P395, X27P3B5, X27P3C5, X27Q385, X27Q395, X27Q3B5, X27Q3C5, X27R385, X27R395, X27R3B5, X27R3C5, X27S385, X27S395, X27S3B5, X27S3C5, X27T385, X27T395, X27T3B5, X27T3C5, X27U385, X27U395, X27U3B5, X27U3C5, X2CS3T7, X2CT3T7
--	--	---

PERIPHERAL REVASCULARIZATION	PXCH	33508, 33572, 34704, 34706, 34717, 34718, 34841, 34842, 34843, 34844, 34845, 34846, 34847, 34848, 35454, 35456, 35459, 35470, 35473, 35474, 35480, 35481, 35482, 35483, 35485, 35490, 35491, 35492, 35493, 35495, 35521, 35533, 35537, 35538, 35539, 35540, 35541, 35546, 35548, 35549, 35551, 35556, 35558, 35563, 35565, 35566, 35570, 35571, 35583, 35585, 35587, 35621, 35623, 35641, 35646, 35647, 35651, 35654, 35656, 35661, 35663, 35665, 35666, 35671, 37220, 37221, 37224, 37225, 37226, 37227, 37228, 37229, 37230, 37231, 75963, C1375, C5030, C5031, C5032
---------------------------------	------	--