

1 **Supplemental material for**

2

3 **Detection and quantification of human immunodeficiency virus-1 (HIV-1) total nucleic**
4 **acids in wastewater settled solids from two California communities**

5

6

7 Marlene K. Wolfe*¹, Bridgette Shelden², Dorothea Duong², Meri R.J. Varkila³, Bradley J. White,
8 Julie Parsonnet^{3,4}, Alexandria B. Boehm⁵

9

10 1. Gangarosa Department of Environmental Health, Rollins School of Public Health, Emory
11 University, 1518 Clifton Rd, Atlanta, GA, USA, 30322

12 2. Verily Life Sciences LLC, South San Francisco, CA, USA

13 3. Division of Infectious Diseases and Geographic Medicine, Department of Medicine, Stanford
14 University, 300 Pasteur Drive, Stanford, California, 94305

15 4. Department of Epidemiology and Population Health, Stanford University, 300 Pasteur Drive,
16 Stanford, California, 94305

17 5. Department of Civil and Environmental Engineering, Stanford University, 473 Via Ortega,
18 Stanford, California, 94305

19

20 * Author to whom correspondence should be addresses: marlene.wolfe@emory.edu

21


22

23 **Additional methods.** In California, healthcare providers and laboratories are required to report
24 a confirmed HIV test to their local health jurisdiction. Specifically, data for Santa Clara County
25 was obtained from the Santa Clara County Public Health “Sexually Transmitted Infections (STI)
26 and HIV Epidemiology Annual Report”^{1,2}. New HIV diagnoses are reported to Santa Clara
27 County Public Health primarily from outpatient clinical settings, screening, diagnostic, and
28 referral agencies, and inpatient clinical settings. The number of PLWH in the county is estimated
29 based on people known to be living with HIV with a last known address in SCC, and the
30 percentage of PLWH who are virally suppressed is based on the number of PLWH with a most
31 recent viral load test less than 200 copies/ml in a given year. For San Francisco County, data
32 was obtained from the San Francisco “HIV Epidemiology Annual Report” from the Department
33 of Public Health, Population Health Division^{3,4}. New HIV diagnoses are reported to San
34 Francisco Public Health primarily through active surveillance of laboratory tests, pathology
35 results and medical records. The number of PLWH in the county is estimated based on people
36 know to be living with HIV with a last known address in San Francisco, and the percentage of
37 PLWH who are virally suppressed is based on the number of PLWH with a most recent viral
38 load test less than 200 copies/ml in the past 12 months.

39
40
41 **Additional details related to the EMMI guidelines.** Thirty-six samples from the retrospective
42 study were selected at random for this analysis; this represents 8% of the samples processed in
43 the study. As described in the methods section, each sample was run as template in two
44 different PCR reactions; 1 for PMMoV, 1 for HIV-1, SARS-CoV-2, Influenza H1 gene, Influenza
45 A N1 gene, West Nile Virus, Norovirus GII, human adenovirus group F, and rotavirus. The
46 average (standard deviation) number of partitions (droplets) for each of the two reactions
47 (across the 10 replicates) was 164164 (38851) for the reaction for PMMoV, 174321 (20126) for
48 the reaction for HIV-1. The volume of the partitions, as reported by the machine vendor is
49 0.00085 μ L. The mean and standard deviation of copies per partition for each target is shown in
50 Table S3. Example fluorescent plots from the QX200 (two color reader) can be viewed in Topol
51 et al. on protocols.io⁵ and an example fluorescent plot from the QX600 (6 color reader) is
52 included in the Stanford Digital Repository with the deposited data
53 (<https://doi.org/10.25740/yz257qj0009>).

54
55

56
57
58



59
60
61
62
63
64
65
66

Figure S1. Multiplex assay performance. The concentration of the HIV-1 target in units of copies per reaction input and measured is provided. The white symbols are for reactions without the 7 background nucleic-acid targets and black symbols include high concentrations of the 7 other nucleic-acid targets. Error bars are standard deviations, if error bars cannot be seen, then they are smaller than the symbol. The line represents the 1:1 line.

Study Description	Environmental Sampling	Sample Treatment	Sample Reduction	Nucleic-acid Extraction	Reverse Transcription	PCR Amplification	Analysis
HIV-1 in wastewater Sep-23 Alexandra Boehm	Notes: Described in methods section. Same samples used in other publications which are cited	Notes: None	Notes: Centrifugation and the resuspension of solids in a buffer, described in methods section	Notes: Described in methods section	Notes: Described in methods	Notes: Provided in the methods section.	Notes: Details of analysis provided in the methods section.
Control Checklist	Environmental Sampling	Sample Treatment	Sample Reduction	Nucleic-acid Extraction	Reverse Transcription	PCR Amplification	
Step performed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Step has control info	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Negative controls
# of control replicates	0		0	3	3	na	
Control result reported	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Method for handling failed controls described	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Step has control info	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Positive controls
Control identity described	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Control quantification method described	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
# control replicates	endogenous		0	1	1	na	
Control result reported	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Method for handling failed controls described	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Process checklist							
Environmental Sampling	<input checked="" type="checkbox"/>	Nucleic-acid Extraction	<input checked="" type="checkbox"/>	qPCR or dPCR	<input checked="" type="checkbox"/>	Analysis- dPCR	<input checked="" type="checkbox"/>
Sample procedure	<input checked="" type="checkbox"/>	Extraction procedure	<input checked="" type="checkbox"/>	Target gene name, amplicon length	<input checked="" type="checkbox"/>	Threshold settings	<input checked="" type="checkbox"/>
Number of samples	<input checked="" type="checkbox"/>	Volume or mass extracted, volume or mass obtained	<input checked="" type="checkbox"/>	Thermocycling temp and times	<input checked="" type="checkbox"/>	Technical replicates, number, well merging	<input checked="" type="checkbox"/>
Sample amount, mean, range	<input checked="" type="checkbox"/>	Extract storage conditions	<input checked="" type="checkbox"/>	Master mix composition: vendors, concentrations	<input checked="" type="checkbox"/>	Partitions measured, number, mean, variance	<input checked="" type="checkbox"/>
Sampling locations, dates, times	<input checked="" type="checkbox"/>	Reverse Transcription		Additive: vendors, composition	<input checked="" type="checkbox"/>	Partition volume	<input checked="" type="checkbox"/>
Sample storage conditions	<input checked="" type="checkbox"/>	One- or two-step	<input checked="" type="checkbox"/>	Template amount added, pre-treatment (if any)	<input checked="" type="checkbox"/>	Target copies per partition, mean, variance	<input checked="" type="checkbox"/>
Sample Treatment		cDNA storage conditions (if 2 step)	<input type="checkbox"/>	Primers: sequences, concentrations, vendors, references	<input checked="" type="checkbox"/>	Program used for dPCR analysis	<input checked="" type="checkbox"/>
Treatment procedure	<input type="checkbox"/>	Reaction temperatures and times	<input checked="" type="checkbox"/>	Amplicon confirmation method (probe, melt curve details, etc)	<input checked="" type="checkbox"/>	Explanation of control results, example plots	<input checked="" type="checkbox"/>
Reagents	<input type="checkbox"/>	Reaction reagents and concentrations	<input checked="" type="checkbox"/>	Probe sequences, concentration, vendor, reference	<input checked="" type="checkbox"/>	Analysis- qPCR	
Sample Reduction		Priming method	<input checked="" type="checkbox"/>	Instrumentation	<input checked="" type="checkbox"/>	Technical replicates, number, calculations	<input type="checkbox"/>
Reduction procedure	<input checked="" type="checkbox"/>	Reaction volume, added template amount	<input checked="" type="checkbox"/>	Inhibition assessment procedure	<input type="checkbox"/>	Calibration standards, description, source	<input type="checkbox"/>
Reagents	<input type="checkbox"/>	RT efficiency assessment procedure (if 2-step)	<input type="checkbox"/>	Inhibition control description (if used)	<input type="checkbox"/>	Method of quantifying standards	<input type="checkbox"/>
Concentration factor	<input checked="" type="checkbox"/>	RT control description (if two-step)	<input type="checkbox"/>	Number of samples tested and found inhibited	<input type="checkbox"/>	Calibration curve slope	<input type="checkbox"/>
		RT efficiency reported (if 2-step)	<input type="checkbox"/>			Calibration curve R2	<input type="checkbox"/>
						Lowest standard measured or 95% LOD	<input type="checkbox"/>
						Cq value determination methods	<input type="checkbox"/>
Note to users: This checklist is provided as guidance for best practices for reporting, but is not meant to be prescriptive. Not all items in the check list will apply to all studies. Please see Borchardt et al. The Environmental							
Version 2.0							
This version maintained by Borchardt, Boehm, Salt, Nobile, Wigginton, Spencer							
Date: 4 August 2023							

67
68 **Figure S2. EMMI⁶ checklist.**
69
70

71
72

Table S1. Sample collection details.

Wastewater plant	Dates of contemporaneous collection of liquids and solids	Dates of solids collection for analysis with and without RT step
OSP	July 11, 13-16, 17, 18, and 21, 2023 (n=8)	July 11, 13-16, 18, 19, 21, 2023 (n=9)
SEP	July 10-16, and 18, 2023 (n=8)	July 10-18, 2023 (n=9)

73
74
75
76
77
78

Table S2. Primers and probes for PMMoV. Probes indicate which fluorescent molecular was used as well as the quencher. HEX, hexachloro-fluorescein;; ZEN, a proprietary internal quencher from Integrated DNA Technologies (Coralville, IA, USA); and IBFQ, Iowa Black FQ.

Target	Primer/Probe	Sequence
PMMoV	Forward	GAGTGGTTTGACCTTAACGTTTGA
	Reverse	TTGTCGGTTGCAATGCAAGT
	Probe	CCTACCGAAGCAAATG (5' HEX/ZEN/3' IBFQ)

79
80

Table S3. Additional details related to the EMMI guidelines. For each target measured in this study, the mean and standard deviation (sd) of the total number of copies of target per partition. Num is the number of samples out of a random 36 included in this analysis that had detectable target in them and thus contributed to the calculated mean and standard deviation.

Target	HIV-1	PMMoV
mean	0.0002	0.15
sd	0.0003	0.069
num	18	36

85

86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112

References

- (1) *Sexually Transmitted Infections (STI) and HIV Epidemiology Annual Report, 2022*; County of Santa Clara Public Health Department Infectious Disease and Response Branch, 2023. https://publichealth.sccgov.org/sites/g/files/exjcpb916/files/documents/STIHIV_AnnualReport_2022.pdf (accessed 2024-03-10).
- (2) *Sexually Transmitted Infections (STI) and HIV Epidemiology Annual Report, 2021*; County of Santa Clara Public Health Department Infectious Disease and Response Branch, 2023. https://publichealth.sccgov.org/sites/g/files/exjcpb916/files/documents/STIHIV_AnnualReport_2021.pdf (accessed 2024-03-10).
- (3) *HIV Epidemiology Annual Report 2021*; San Francisco Department of Public Health Population Health Division HIV Epidemiology Section, 2022. <https://www.sfdph.org/dph/files/reports/RptsHIVAIDS/AnnualReport2021-Red.pdf> (accessed 2024-03-10).
- (4) *HIV Epidemiology Annual Report 2022*; San Francisco Department of Public Health Population Health Division HIV Epidemiology Section, 2023. <https://www.sfdph.org/dph/files/reports/RptsHIVAIDS/AnnualReport2022-Orange.pdf> (accessed 2024-03-10).
- (5) Topol, A.; Wolfe, M.; White, B.; Wigginton, K.; Boehm, A. High Throughput SARS-COV-2, PMMOV, and BCoV Quantification in Settled Solids Using Digital RT-PCR. *protocols.io* **2021**. <https://doi.org/dx.doi.org/10.17504/protocols.io.btywnpxe>.
- (6) Borchardt, M. A.; Boehm, A. B.; Salit, M.; Spencer, S. K.; Wigginton, K. R.; Noble, R. T. The Environmental Microbiology Minimum Information (EMMI) Guidelines: qPCR and dPCR Quality and Reporting for Environmental Microbiology. *Environ. Sci. Technol.* **2021**, *55* (15), 10210–10223. <https://doi.org/10.1021/acs.est.1c01767>.