

Appendix 3: Sample characteristics per disease group

Article: Through the patients' eyes - Psychometric evaluation of the Experienced Patient-Centeredness Questionnaire (EPAT-64)

Authors: Eva Christalle, Stefan Zeh, Hannah Führes, Alica Schellhorn, Pola Hahlweg, Jödis Zill, Martin Härter, Carsten Bokemeyer, Jürgen Gallinat, Christoffer Gebhardt, Christina Magnussen, Volkmar Müller, Katharina Schmalstieg-Bahr, André Strahl, Levente Kriston, Isabelle Scholl

Table 1: Sample sizes per subgroup

Disease group	Outpatients			Inpatients		
	Paper	Online	Total	Paper	Online	Total
Cardiovascular	269	8	277	260	26	286
Cancer	282	14	296	318	33	351
Musculoskeletal	116	101	218	29	63	92
Mental	192	80	272	77	125	202
Total	889	203	1092	684	247	931

Table 2: Sample characteristics per subgroup - outpatient sample

Characteristics	Total	Cardiovascular diseases	Cancer	Musculoskeletal diseases	Mental disorders
Sample size	n = 1092	n = 277	n = 296	n = 218	n = 272
Age (in years)	M = 53.1 (SD = 17.5)	M = 60.1 (SD = 17.8)	M = 59.2 (SD = 15.0)	M = 50.4 (SD = 15.7)	M = 42.6 (SD = 14.8)
Years since diagnosis	M = 11.4 (SD = 12.0)	M = 14.8 (SD = 13.5)	M = 5.8 (SD = 6.5)	M = 13.5 (SD = 13.9)	M = 12.6 (SD = 11.7)
Years as patient in this outpatient clinic	M = 4.53 (SD = 6.5)	M = 6.5 (SD = 9.4)	M = 2.7 (SD = 4.6)	M = 5.1 (SD = 6.5)	M = 3.6 (SD = 4.3)
Health literacy^a	M = 50.7 (SD = 7.7)	M = 56.9 (SD = 7.5)	M = 50.8 (SD = 7.6)	M = 51.5 (SD = 7.3)	M = 50.0 (SD = 7.9)
Satisfaction^b	M = 27.5 (SD = 4.6)	M = 28.1 (SD = 3.9)	M = 28.3 (SD = 3.8)	M = 26.3 (SD = 5.6)	M = 26.9 (SD = 4.8)
Health status^c	M = 3.4 (SD = 2.8)	M = 3.1 (SD = 0.9)	M = 3.1 (SD = 0.8)	M = 3.4 (SD = 0.9)	M = 3.8 (SD = 5.3)
Comorbidity (Do you have any further diseases?)	n = 551 (55.0%)	n = 135 (55.3%)	n = 116 (46.0%)	n = 154 (75.1%)	n = 125 (48.8%)
Gender					
Female	n = 646 (60.3%)	n = 127 (46.4%)	n = 135 (50.9%)	n = 161 (76.3%)	n = 189 (69.7%)
Male	n = 420 (39.2%)	n = 147 (53.6%)	n = 129 (48.7%)	n = 48 (22.7%)	n = 80 (29.5%)
Diverse	n = 5 (0.5%)	n = 0 (0%)	n = 1 (0.4%)	n = 2 (0.9%)	n = 2 (0.7%)
Marital status					
Unmarried/unpartnered	n = 343 (32.3%)	n = 57 (20,8%)	n = 50 (19,0%)	n = 65 (31,0%)	n = 153 (57,7%)
Married/partnered	n = 552 (51.9%)	n = 169 (61,7%)	n = 173 (65,8%)	n = 117 (55,7%)	n = 71 (26,8%)
Divorced	n = 107 (10.1%)	n = 25 (9,1%)	n = 22 (8,4%)	n = 20 (9,5%)	n = 34 (12,8%)
Widowed	n = 61 (5.7%)	n = 23 (8,4%)	n = 18 (6,8%)	n = 8 (3,8%)	n = 7 (2,6%)
Formal education					
Low ^d	n = 10 (0.9%)	n = 33 (12.0%)	n = 46 (17.6%)	n = 16 (7.6%)	n = 21 (7.8%)
Intermediate ^e	n = 404 (37.8%)	n = 89 (32.4)	n = 67 (25.6%)	n = 58 (27.5%)	n = 61 (22.6%)
High ^f	n = 267 (25.0%)	n = 56 (20.4%)	n = 57 (21.8%)	n = 50 (23.7%)	n = 92 (34.0%)
Very high ^g	n = 376 (35.2%)	n = 93 (33.8%)	n = 90 (34.3%)	n = 84 (39.8%)	n = 93 (34.3%)
Occupational status*					
Employed	n = 447 (41.9%)	n = 96 (35.3%)	n = 110 (41.7%)	n = 110 (52.1%)	n = 106 (39.6%)
Unemployed	n = 66 (6.2%)	n = 5 (1.8%)	n = 14 (5.3%)	n = 7 (3.3%)	n = 39 (14.6%)

Student/trainee	n = 91 (8.5%)	n = 15 (5.5%)	n = 7 (2.7%)	n = 19 (9.0%)	n = 45 (16.5%)
Parental leave	n = 48 (4.5%)	n = 2 (0.7%)	n = 1 (0.4%)	n = 4 (1.8%)	n = 2 (0.7%)
Retired	n = 394 (37.0%)	n = 130 (47.8%)	n = 115 (43.6%)	n = 69 (32.7%)	n = 60 (22.4%)
Health insurance*					
Statutory	n = 910 (83.7%)	n = 211 (76.2%)	n = 216 (79.1%)	n = 190 (89.2%)	n = 246 (90.1%)
Private	n = 164 (15.1%)	n = 73 (26.4%)	n = 42 (15.4%)	n = 21 (9.9%)	n = 24 (8.8%)
Migration background (Were you or your parents born in another country than Germany?)	n = 167 (15.7%)	n = 24 (8.8%)	n = 37 (14.0%)	n = 43 (19.8%)	n = 54 (20.1%)
Reason for visit in outpatient clinic*					
Acute symptoms/emergency	n = 219 (23.4%)	n = 20 (13.9%)	n = 22 (8.4%)	n = 71 (33.6%)	n = 93 (34.6%)
Treatment planning	n = 246 (26.3%)	n = 33 (22.9%)	n = 80 (30.4%)	n = 51 (24.2%)	n = 72 (26.8%)
First appointment	n = 196 (20.9%)	n = 18 (12.5%)	n = 66 (25.1%)	n = 29 (13.4%)	n = 73 (27.1)
Carrying out treatment	n = 373 (39.8%)	n = 30 (20.8%)	n = 141 (53.6%)	n = 85 (40.3%)	n = 101 (37.5%)
Diagnostics/examination	n = 284 (30.3%)	n = 64 (44.4%)	n = 94 (35.7%)	n = 59 (28.0%)	n = 50 (18.6%)
Progress discussion during treatment	n = 241 (25.7%)	n = 15 (10.4%)	n = 96 (36.5%)	n = 60 (28.4%)	n = 58 (21.6%)
Discussion of examination results	n = 209 (22.3%)	n = 33 (22.9%)	n = 100 (38.0%)	n = 40 (19.0%)	n = 19 (7.1%)
Follow-up	n = 301 (32.1%)	n = 79 (54.9%)	n = 92 (35%)	n = 65 (30.8%)	n = 48 (17.8%)

Note: * multiple answers possible, M = Mean, SD = Standard Deviation, ^a Health literacy measured by HLS-EU-Q16(1), range 0-64, high value=high health literacy, ^b Treatment satisfaction measured by ZUF-8(2), range 8-32, high value=high satisfaction, ^c General health status measured by first item of SF-12(3), range 0-5, high value=low health status, ^d low = no formal degree or graduation after less than 10 years at school; ^e intermediate = graduation after 10 years at school; ^f high = graduation after more than 10 years at school; ^g very high = college or university degree

Table 3: Sample characteristics per subgroup - inpatient sample

Characteristics	Total	Cardiovascular diseases	Cancer	Musculoskeletal diseases	Mental disorders
Sample size	n = 921	n = 286	n = 351	n = 92	n = 202
Age (in years)	M = 56.0 (SD = 17.6)	M = 64.5 (SD = 14.0)	M = 60.9 (SD = 13.5)	M = 52.5 (SD = 16.4)	M = 37.0 (SD = 14.2)
Years since diagnosis	M = 8.5 (SD = 10.0)	M = 12.0 (SD = 11.3)	M = 3.7 (SD = 5.6)	M = 12.0 (SD = 12.4)	M = 9.9 (SD = 9.4)
Length of stay (in days)	M = 18.1 (SD = 30.6)	M = 7.0 (SD = 5.2)	M = 10.3 (SD = 11.4)	M = 16.9 (SD = 59.2)	M = 47.3 (SD = 37.2)
Health literacy^a	M = 50.6 (SD = 7.7)	M = 46.5 (SD = 9.0)	M = 51.8 (SD = 7.4)	M = 50.2 (SD = 8.5)	M = 49.5 (SD = 7.3)
Satisfaction^b	M = 28.0 (SD = 4.9)	M = 28.8 (SD = 4.0)	M = 29.7 (SD = 3.3)	M = 26.1 (SD = 5.6)	M = 24.7 (SD = 6.1)
Health status^c	M = 3.4 (SD = 4.1)	M = 3.1 (SD = 0.8)	M = 3.1 (SD = 0.8)	M = 4.3 (SD = 9.0)	M = 4.0 (SD = 6.1)
Comorbidity (Do you have any further diseases?)	n = 467 (54.3%)	n = 130 (50.8%)	n = 159 (50.6%)	n = 62 (68.9%)	n = 107 (56.3%)
Gender					
Female	n = 384 (42.3%)	n = 105 (37.6%)	n = 93 (27.6%)	n = 57 (62.6%)	n = 124 (65.3%)
Male	n = 517 (57.0%)	n = 174 (62.4%)	n = 244 (72.4%)	n = 32 (35.2%)	n = 62 (32.6%)
Diverse	n = 6 (0.7%)	n = 0 (0%)	n = 0 (0%)	n = 2 (2.2%)	n = 4 (2.1%)
Marital status					
Unmarried/unpartnered	n = 237 (26.5%)	n = 27 (9.8%)	n = 49 (14.6%)	n = 27 (30.7%)	n = 132 (70.6%)
Married/partnered	n = 524 (58.5%)	n = 187 (68.0%)	n = 239 (71.3%)	n = 53 (60.2%)	n = 42 (22.5%)
Divorced	n = 80 (8.9%)	n = 30 (10.9%)	n = 27 (8.1%)	n = 7 (8.0%)	n = 12 (6.4%)
Widowed	n = 54 (6%)	n = 31 (11.3%)	n = 20 (6.0%)	n = 1 (1.1%)	n = 1 (0.5%)
Formal education					
Low ^d	n = 20 (2.2%)	n = 68 (24,5%)	n = 57 (17,0%)	n = 35 (39,3%)	n = 23 (11,9%)
Intermediate ^e	n = 383 (42.3%)	n = 82 (29,5%)	n = 75 (22,4%)	n = 6 (6,7%)	n = 57 (29,5%)
High ^f	n = 204 (22.6%)	n = 46 (16,5%)	n = 64 (19,1%)	n = 47 (52,8%)	n = 73 (37,8%)
Very high ^g	n = 279 (30.9%)	n = 75 (27,0%)	n = 131 (39,1%)	n = 1 (1,1%)	n = 38 (19,7%)
Occupational status*					
Employed	n = 357 (39.1%)	n = 98 (34.9%)	n = 143 (42.6%)	n = 38 (41.8%)	n = 76 (38.8%)
Unemployed	n = 64 (7.0%)	n = 11 (3.9%)	n = 8 (2.4%)	n = 4 (4.3%)	n = 41 (20.9%)

Student/trainee	n = 50 (5.5%)	n = 3 (1.1%)	n = 7 (2.1%)	n = 7 (7.7%)	n = 33 (16.8%)
Parental leave	n = 7 (0.8%)	n = 0 (0%)	n = 2 (0.6%)	n = 3 (3.3%)	n = 2 (1%)
Retired	n = 392 (42.9%)	n = 152 (54.1%)	n = 166 (49.4%)	n = 35 (38.5%)	n = 31 (15.8%)
Health insurance*					
Statutory	n = 721 (78.1%)	n = 223 (78.2%)	n = 226 (66.3%)	n = 78 (85.7%)	n = 184 (93.4%)
Private	n = 214 (23.2%)	n = 65 (22.8%)	n = 121 (35.6%)	n = 14 (15.2%)	n = 14 (7.1%)
Migration background (Were you or your parents born in another country than Germany?)	n = 150 (16.5%)	n = 31 (11.1%)	n = 50 (14.7%)	n = 13 (14.1%)	n = 55 (28.5%)

Note: * multiple answers possible, M = Mean, SD = Standard Deviation, ^a Health literacy measured by HLS-EU-Q16(1), range 0-64, high value=high health literacy, ^b Treatment satisfaction measured by ZUF-8(2), range 8-32, high value=high satisfaction, ^c General health status measured by first item of SF-12(3), range 0-5, high value=low health status, ^d low = no formal degree or graduation after less than 10 years at school; ^e intermediate = graduation after 10 years at school; ^f high = graduation after more than 10 years at school; ^g very high = college or university degree

References

1. Jordan S, Hoebel J. Health literacy of adults in Germany: Findings from the German Health Update (GEDA) study. Bundesgesundheitsblatt-Gesundheitsforschung-Gesundheitsschutz. 2015;58:942-50.
2. Kriz D, Nübling R, Steffanowski A, Wittmann WW, Schmidt J. Patientenzufriedenheit in der stationären Rehabilitation: Psychometrische Reanalyse des ZUF-8 auf der Basis multizentrischer Stichproben verschiedener Indikation. Zeitschrift für medizinische Psychologie. 2008;17(2-3):67-79.
3. Wirtz MA, Morfeld M, Glaesmer H, Brähler E. Konfirmatorische Prüfung der Skalenstruktur des SF-12 Version 2.0 in einer deutschen bevölkerungs-repräsentativen Stichprobe. Diagnostica. 2018;64(2):84-96.