

Supplementary Table S1. Anatomical Therapeutic Chemical Classification codes to define each drug

Drug	Anatomical Therapeutic Chemical Classification codes
Lipid-lowering agents (any)	C10, C11
Statins	C10A1
Antidiabetic drugs (any)	A10
Sodium-glucose cotransporter-2 inhibitors	A10P1
Antihypertensive drugs (any)	C02, C03, C07, C08, C09, C11
Angiotensin converting enzyme inhibitor or angiotensin receptor blocker	C09
Antiplatelet drugs	B01

Supplementary Table S2. List of predictor variables from 2012 to 2016 and distributions by the status of data availability from 2017 to 2021

Variables	People with the annual health checkup results (including serum creatinine) for the first 5 years from 2012 to 2016 (N = 183 364)			
	People with the annual health checkup results (including serum creatinine) for the latter 5 years from 2017 to 2021 (N = 126 424)		People without the annual health checkup results (including serum creatinine) for the latter 5 years from 2017 to 2021 (N = 56 926)	
	Distribution	Missing	Distribution	Missing
Age (years)	Mean 45.2, SD 8.6	0 (0%)	Mean 48.6, SD 11.8	0 (0%)
Sex	Men: 104 219 (82.4%), Women: 22 205 (17.6%)	0 (0%)	Men: 39 367 (69.2%), Women: 17 559 (30.9%)	0 (0%)
Results of annual health checkups in 2016				
eGFR (ml/min/1.73m ²)	Mean 79.0, SD 13.4	0 (0%)	Mean 78.0, SD 14.7	0 (0%)
Body mass index (kg/m ²)	Mean 23.4, SD 3.6	18 (0.01%)	Mean 23.1, SD 3.6	24 (0.04%)
Abdominal circumference (cm)	Mean 82.6, SD 9.6	10 435 (8.3%)	Mean 82.3, SD 9.7	7 575 (13.3%)
Systolic blood pressure (mmHg)	Mean 121.6, SD 14.4	20 (0.02%)	Mean 121.9, SD 15.8	20 (0.04%)
Diastolic blood pressure (mmHg)	Mean 75.6, SD 11.1	20 (0.02%)	Mean 75.1, SD 11.4	20 (0.04%)
Triglycerides (mg/dl)	Mean 115.7, SD 91.6	31 (0.02%)	Mean 110.1, SD 83.5	31 (0.1%)
High density lipoprotein cholesterol (mg/dl)	Mean 60.7, SD 16.1	17 (0.01%)	Mean 63.3, SD 17.0	27 (0.1%)
Low density lipoprotein cholesterol (mg/dl)	Mean 120.7, SD 29.7	29 (0.02%)	Mean 120.0, SD 30.4	32 (0.1%)
Total cholesterol (mg/dl)	Mean 201.8, SD 33.6	76 961 (60.9%)	Mean 204.4, SD 34.4	31 767 (55.8%)
Aspartate aminotransferase (U/l)	Mean 22.4, SD 10.1	14 (0.01%)	Mean 22.4, SD 11.1	18 (0.03%)
Alanine aminotransferase (U/l)	Mean 25.3, SD 18.8	14 (0.01%)	Mean 23.3, SD 17.6	18 (0.03%)
Gamma glutamyl transpeptidase (U/l)	Mean 39.8, SD 43.4	30 (0.02%)	Mean 38.4, SD 46.0	36 (0.1%)
Fasting blood sugar (mg/dl)	Mean 94.4, SD 16.7	27 532 (21.8%)	Mean 96.3, SD 18.7	7 882 (13.9%)
Casual blood sugar (mg/dl)	Mean 98.5, SD 25.9	116 912 (92.5%)	Mean 100.0, SD 29.9	51 751 (90.9%)
Hemoglobin A1c (NGSP) (%)	Mean 5.5, SD 0.6	37 179 (29.4%)	Mean 5.6, SD 0.7	16 951 (29.8%)
Hematocrit (%)	Mean 45.1, SD 3.8	6 895 (5.5%)	Mean 44.1, SD 4.0	1 423 (2.5%)

Hemoglobin (g/dl)	Mean 14.8, SD 1.3	790 (0.6%)	Mean 14.5, SD 1.5	332 (0.6%)
Red blood cells (10 ⁶ /μl)	Mean 488.1, SD 41.1	575 (0.5%)	Mean 478.2, SD 44.5	268 (0.5%)
Serum uric acid (mg/dl)	Mean 5.7, SD 1.3	6 429 (5.1%)	Mean 5.5, SD 1.4	2 827 (5.0%)
Urinary sugar (dipstick test)	-: 120 612 (95.4%), +/-: 628 (0.5%), +: 738 (0.6%), ++: 477 (0.4%), +++: 906 (0.7%)	3 063 (2.4%)	-: 54 629 (96.0%), +/-: 299 (0.5%), +: 364 (0.6%), ++: 302 (0.5%), +++: 496 (0.9%)	836 (1.5%)
Urinary protein (dipstick test)	-: 112 157 (88.7%), +/-: 7 961 (6.3%), +: 2 437 (1.9%), ++: 656 (0.5%), +++: 166 (0.1%)	3 047 (2.4%)	-: 50 443 (88.6%), +/-: 3 918 (6.9%), +: 1 195 (2.1%), ++: 440 (0.8%), +++: 111 (0.2%)	819 (1.4%)
Smoking status	Yes: 36 760 (29.1%), No: 81 194 (64.2%)	8 470 (6.7%)	Yes: 13 758 (24.2%), No: 40 282 (70.8%)	2 886 (5.1%)
Drinking habits	Every day: 31 809 (25.2%), Sometimes: 37 867 (30.0%), Rarely/none: 47 576 (37.6%)	9 172 (7.3%)	Every day: 13 927 (24.5%), Sometimes: 16 133 (28.3%), Rarely/none: 23 024 (40.5%)	3 842 (6.8%)
Exercise (≥2/week and ≥30 minutes in the past year)	Yes: 22 549 (17.8%), No: 86 889 (68.7%)	16 986 (13.4%)	Yes: 12 117 (21.3%), No: 39 685 (69.7%)	5 124 (9.0%)
Prescriptions in 2016				
Lipid-lowering agents (any)	Yes: 12 979 (10.3%), No: 113 445 (89.7%)	0 (0%)	Yes: 8 176 (14.4%), No: 48 750 (85.6%)	0 (0%)
Statins	Yes: 10 262 (8.1%), No: 116 162 (91.9%)	0 (0%)	Yes: 6 619 (11.6%), No: 50 307 (88.4%)	0 (0%)
Antidiabetic drugs (any)	Yes: 4 428 (3.5%), No: 121 996 (96.5%)	0 (0%)	Yes: 3 077 (5.4%), No: 53 849 (94.6%)	0 (0%)
Sodium-glucose cotransporter-2 inhibitors	Yes: 1 106 (0.9%), No: 125 318 (99.1%)	0 (0%)	Yes: 565 (1.0%), No: 56 361 (99.0%)	0 (0%)
Antihypertensive drugs (any)	Yes: 14 885 (11.8%), No: 111 539 (88.2%)	0 (0%)	Yes: 9 939 (17.5%), No: 46 987 (82.5%)	0 (0%)

ACEI or ARB	Yes: 10 038 (7.9%), No: 116 386 (92.1%)	0 (0%)	Yes: 6 610 (11.6%), No: 50 316 (88.4%)	0 (0%)
Antiplatelet drugs	Yes: 2 948 (2.3%), No: 123 476 (97.7%)	0 (0%)	Yes: 2 470 (4.3%), No: 54 456 (95.7%)	0 (0%)
Results of annual health checkups in 2015				
eGFR (ml/min/1.73m ²)	Mean 80.3, SD 13.5	0 (0%)	Mean 78.9, SD 14.7	0 (0%)
Body mass index (kg/m ²)	Mean 23.3, SD 3.6	17 (0.01%)	Mean 23.0, SD 3.6	7 (0.01%)
Abdominal circumference (cm)	Mean 82.3, SD 9.6	11 784 (9.3%)	Mean 82.1, SD 9.7	7 836 (13.8%)
Systolic blood pressure (mmHg)	Mean 121.2, SD 14.3	12 (0.01%)	Mean 121.4, SD 15.6	9 (0.02%)
Diastolic blood pressure (mmHg)	Mean 75.1, SD 11.0	12 (0.01%)	Mean 74.7, SD 11.4	9 (0.02%)
Triglycerides (mg/dl)	Mean 114.4, SD 88.7	113 (0.1%)	Mean 109.3, SD 86.8	81 (0.1%)
High density lipoprotein cholesterol (mg/dl)	Mean 60.7, SD 16.1	18 (0.01%)	Mean 63.1, SD 16.9	17 (0.03%)
Low density lipoprotein cholesterol (mg/dl)	Mean 120.4, SD 30.1	22 (0.02%)	Mean 119.7, SD 30.7	19 (0.03%)
Total cholesterol (mg/dl)	Mean 201.2, SD 33.7	76 955 (60.9%)	Mean 204.1, SD 34.5	31 883 (56.0%)
Aspartate aminotransferase (U/l)	Mean 22.3, SD 10.5	13 (0.01%)	Mean 22.2, SD 11.3	5 (0.01%)
Alanine aminotransferase (U/l)	Mean 25.0, SD 18.7	14 (0.01%)	Mean 23.0, SD 17.4	5 (0.01%)
Gamma glutamyl transpeptidase (U/l)	Mean 39.0, SD 42.8	28 (0.02%)	Mean 37.8, SD 46.1	13 (0.02%)
Fasting blood sugar (mg/dl)	Mean 93.9, SD 16.6	28 416 (22.5%)	Mean 95.8, SD 18.1	8 169 (14.4%)
Casual blood sugar (mg/dl)	Mean 96.7, SD 22.3	111 655 (88.3%)	Mean 98.1, SD 24.7	49 606 (87.1%)
Hemoglobin A1c (NGSP) (%)	Mean 5.5, SD 0.6	37 914 (30.0%)	Mean 5.6, SD 0.7	17 226 (30.3%)
Hematocrit (%)	Mean 44.8, SD 3.7	6 725 (5.3%)	Mean 43.9, SD 3.9	1 335 (2.4%)
Hemoglobin (g/dl)	Mean 14.8, SD 1.3	854 (0.7%)	Mean 14.5, SD 1.5	323 (0.6%)
Red blood cells (10 ⁶ /μl)	Mean 487.3, SD 40.2	650 (0.5%)	Mean 477.6, SD 43.2	266 (0.5%)
Serum uric acid (mg/dl)	Mean 5.7, SD 1.3	6 169 (4.9%)	Mean 5.5, SD 1.4	2 627 (4.6%)
Urinary sugar (dipstick test)	-: 120 725 (95.5%), +/-: 572 (0.5%), +: 696 (0.6%), ++: 460 (0.4%), +++: 580	3 391 (2.7%)	-: 54 795 (96.3%), +/-: 262 (0.5%), +: 352 (0.6%), ++: 265 (0.5%), +++: 338	914 (1.6%)

	(0.5%)		(0.6%)	
Urinary protein (dipstick test)	-: 112 527 (89.0%), +/-: 7 488 (5.9%), +: 2 239 (1.8%), ++: 632 (0.5%), +++: 157 (0.1%)	3 381 (2.7%)	-: 50 824 (89.3%), +/-: 3 532 (6.2%), +: 1 138 (2.0%), ++: 412 (0.7%), +++: 111 (0.2%)	909 (1.6%)
Smoking status	Yes: 36 852 (29.2%), No: 80 155 (63.4%)	9 417 (7.5%)	Yes: 13 936 (24.5%), No: 39 904 (70.1%)	3 086 (5.4%)
Drinking habits	Every day: 31 681 (25.1%), Sometimes: 37 583 (29.7%), Rarely/none: 46 447 (36.7%)	10 713 (8.5%)	Every day: 14 001 (24.6%), Sometimes: 16 266 (28.6%), Rarely/none: 22 487 (39.5%)	4 172 (7.3%)
Exercise (≥ 2 /week and ≥ 30 minutes in the past year)	Yes: 21 683 (17.2%), No: 86 077 (68.1%)	18 664 (14.8%)	Yes: 11 683 (20.5%), No: 39 644 (69.6%)	5 599 (9.8%)
Prescriptions in 2015				
Lipid-lowering agents (any)	Yes: 12 126 (9.6%), No: 114 298 (90.4%)	0 (0%)	Yes: 7 700 (13.5%), No: 49 226 (86.5%)	0 (0%)
Statins	Yes: 9 562 (7.6%), No: 116 862 (92.4%)	0 (0%)	Yes: 6 244 (11.0%), No: 50 682 (89.0%)	0 (0%)
Antidiabetic drugs (any)	Yes: 3 994 (3.2%), No: 122 430 (96.8%)	0 (0%)	Yes: 2 844 (5.0%), No: 54 082 (95.0%)	0 (0%)
Sodium-glucose cotransporter-2 inhibitors	Yes: 652 (0.5%), No: 125 772 (99.5%)	0 (0%)	Yes: 344 (0.6%), No: 56 582 (99.4%)	0 (0%)
Antihypertensive drugs (any)	Yes: 13 581 (10.7%), No: 112 843 (89.3%)	0 (0%)	Yes: 9 172 (16.1%), No: 47 754 (83.9%)	0 (0%)
ACEI or ARB	Yes: 9 212 (7.3%), No: 117 212 (92.7%)	0 (0%)	Yes: 6 166 (10.8%), No: 50 760 (89.2%)	0 (0%)
Antiplatelet drugs	Yes: 2 808 (2.2%), No: 123 616 (97.8%)	0 (0%)	Yes: 2 206 (3.9%), No: 54 720 (96.1%)	0 (0%)
Results of annual health checkups in 2014				

eGFR (ml/min/1.73m ²)	Mean 81.6, SD 13.7	0 (0%)	Mean 80.2, SD 15.0	0 (0%)
Body mass index (kg/m ²)	Mean 23.3, SD 3.6	19 (0.02%)	Mean 22.9, SD 3.6	8 (0.01%)
Abdominal circumference (cm)	Mean 82.1, SD 9.5	13 300 (10.5%)	Mean 81.8, SD 9.6	8 053 (14.2%)
Systolic blood pressure (mmHg)	Mean 121.0, SD 14.2	18 (0.01%)	Mean 121.0, SD 15.5	6 (0.01%)
Diastolic blood pressure (mmHg)	Mean 74.8, SD 10.9	18 (0.01%)	Mean 74.4, SD 11.3	6 (0.01%)
Triglycerides (mg/dl)	Mean 114.1, SD 88.9	520 (0.4%)	Mean 108.2, SD 84.0	215 (0.4%)
High density lipoprotein cholesterol (mg/dl)	Mean 60.8, SD 15.9	27 (0.02%)	Mean 63.2, SD 16.7	9 (0.02%)
Low density lipoprotein cholesterol (mg/dl)	Mean 120.1, SD 30.1	30 (0.02%)	Mean 119.5, SD 30.7	13 (0.02%)
Total cholesterol (mg/dl)	Mean 199.7, SD 33.3	76 679 (60.7%)	Mean 202.7, SD 34.3	31 776 (55.8%)
Aspartate aminotransferase (U/l)	Mean 22.0, SD 10.3	14 (0.01%)	Mean 21.9, SD 10.4	1 (0.002%)
Alanine aminotransferase (U/l)	Mean 25.0, SD 19.3	15 (0.01%)	Mean 22.9, SD 17.0	1 (0.002%)
Gamma glutamyl transpeptidase (U/l)	Mean 38.1, SD 41.3	22 (0.02%)	Mean 36.8, SD 43.7	18 (0.03%)
Fasting blood sugar (mg/dl)	Mean 93.2, SD 16.6	28 453 (22.5%)	Mean 95.3, SD 18.4	8 179 (14.4%)
Casual blood sugar (mg/dl)	Mean 96.4, SD 21.8	111 352 (88.1%)	Mean 98.0, SD 25.3	49 513 (87.0%)
Hemoglobin A1c (NGSP) (%)	Mean 5.5, SD 0.6	37 912 (30.0%)	Mean 5.6, SD 0.6	17 450 (30.7%)
Hematocrit (%)	Mean 44.7, SD 3.7	6 669 (5.3%)	Mean 43.8, SD 4.0	1 250 (2.2%)
Hemoglobin (g/dl)	Mean 14.8, SD 1.4	716 (0.6%)	Mean 14.5, SD 1.5	221 (0.4%)
Red blood cells (10 ⁶ /μl)	Mean 486.4, SD 40.3	542 (0.4%)	Mean 477.1, SD 43.2	183 (0.3%)
Serum uric acid (mg/dl)	Mean 5.7, SD 1.3	5 877 (4.7%)	Mean 5.5, SD 1.4	2 355 (4.1%)
Urinary sugar (dipstick test)	-: 119 976 (94.9%), +/-: 604 (0.5%), +: 740 (0.6%), ++: 402 (0.3%), +++: 435 (0.3%)	4 267 (3.4%)	-: 54 527 (95.8%), +/-: 286 (0.5%), +: 349 (0.6%), ++: 257 (0.5%), +++: 274 (0.5%)	1 233 (2.2%)
Urinary protein (dipstick test)	-: 110 475 (87.4%), +/-: 8 440 (6.7%), +: 2 478 (2.0%), ++: 610 (0.5%), +++: 135 (0.1%)	4 286 (3.4%)	-: 49 664 (87.2%), +/-: 4 253 (7.5%), +: 1 250 (2.2%), ++: 396 (0.7%), +++: 109 (0.2%)	1 254 (2.2%)
Smoking status	Yes: 37 275 (29.5%), No: 78 734	10 415 (8.2%)	Yes: 14 217 (25.0%), No: 39 378	3 331 (5.9%)

	(62.3%)		(69.2%)	
Drinking habits	Every day: 31 036 (24.6%), Sometimes: 37 515 (29.7%), Rarely/none: 46 230 (36.6%)	11 643 (9.2%)	Every day: 13 753 (24.2%), Sometimes: 16 350 (28.7%), Rarely/none: 22 275 (39.1%)	4 548 (8.0%)
Exercise (≥ 2 /week and ≥ 30 minutes in the past year)	Yes: 20 893 (16.5%), No: 86 372 (68.3%)	19 159 (15.2%)	Yes: 11 338 (19.9%), No: 39 778 (69.9%)	5 810 (10.2%)
Prescriptions in 2014				
Lipid-lowering agents (any)	Yes: 11 312 (9.0%), No: 115 112 (91.1%)	0 (0%)	Yes: 7 246 (12.7%), No: 49 680 (87.3%)	0 (0%)
Statins	Yes: 8 902 (7.0%), No: 117 522 (93.0%)	0 (0%)	Yes: 5 869 (10.3%), No: 51 057 (89.7%)	0 (0%)
Antidiabetic drugs (any)	Yes: 3 557 (2.8%), No: 122 867 (97.2%)	0 (0%)	Yes: 2 655 (4.7%), No: 54 271 (95.3%)	0 (0%)
Sodium-glucose cotransporter-2 inhibitors	Yes: 225 (0.2%), No: 126 199 (99.8%)	0 (0%)	Yes: 149 (0.3%), No: 56 777 (99.7%)	0 (0%)
Antihypertensive drugs (any)	Yes: 12 410 (9.8%), No: 114 014 (90.2%)	0 (0%)	Yes: 8 581 (15.1%), No: 48 345 (84.9%)	0 (0%)
ACEI or ARB	Yes: 8 500 (6.7%), No: 117 924 (93.3%)	0 (0%)	Yes: 5 766 (10.1%), No: 51 160 (89.9%)	0 (0%)
Antiplatelet drugs	Yes: 2 567 (2.0%), No: 123 857 (98.0%)	0 (0%)	Yes: 2 005 (3.5%), No: 54 921 (96.5%)	0 (0%)
Results of annual health checkups in 2013				
eGFR (ml/min/1.73m ²)	Mean 82.0, SD 13.9	0 (0%)	Mean 80.8, SD 15.1	0 (0%)
Body mass index (kg/m ²)	Mean 23.2, SD 3.6	23 (0.02%)	Mean 22.9, SD 3.5	44 (0.1%)
Abdominal circumference (cm)	Mean 81.9, SD 9.5	16 434 (13.0%)	Mean 81.7, SD 9.5	8 594 (15.1%)
Systolic blood pressure (mmHg)	Mean 120.8, SD 14.2	21 (0.02%)	Mean 120.8, SD 15.4	40 (0.1%)
Diastolic blood pressure (mmHg)	Mean 74.5, SD 10.9	21 (0.02%)	Mean 74.2, SD 11.3	40 (0.1%)

Triglycerides (mg/dl)	Mean 113.8, SD 88.6	527 (0.4%)	Mean 108.5, SD 85.0	246 (0.4%)
High density lipoprotein cholesterol (mg/dl)	Mean 60.2, SD 15.6	30 (0.02%)	Mean 62.3, SD 16.5	40 (0.1%)
Low density lipoprotein cholesterol (mg/dl)	Mean 118.6, SD 30.1	35 (0.03%)	Mean 118.1, SD 30.7	43 (0.1%)
Total cholesterol (mg/dl)	Mean 199.2, SD 33.6	83 023 (65.7%)	Mean 202.1, SD 34.7	34 701 (61.0%)
Aspartate aminotransferase (U/l)	Mean 21.9, SD 10.1	10 (0.01%)	Mean 21.8, SD 10.1	33 (0.1%)
Alanine aminotransferase (U/l)	Mean 25.0, SD 19.0	11 (0.01%)	Mean 22.9, SD 17.2	33 (0.1%)
Gamma glutamyl transpeptidase (U/l)	Mean 37.7, SD 41.0	17 (0.01%)	Mean 36.7, SD 43.6	37 (0.1%)
Fasting blood sugar (mg/dl)	Mean 93.0, SD 16.9	25 009 (19.8%)	Mean 95.1, SD 19.1	6 841 (12.0%)
Casual blood sugar (mg/dl)	Mean 96.1, SD 22.4	111 921 (88.5%)	Mean 97.7, SD 26.3	49 954 (87.8%)
Hemoglobin A1c (NGSP) (%)	Mean 5.5, SD 0.6	38 181 (30.2%)	Mean 5.6, SD 0.7	17 683 (31.1%)
Hematocrit (%)	Mean 44.9, SD 3.8	6 818 (5.4%)	Mean 44.0, SD 4.0	1 380 (2.4%)
Hemoglobin (g/dl)	Mean 14.9, SD 1.4	840 (0.7%)	Mean 14.6, SD 1.5	349 (0.6%)
Red blood cells (10 ⁶ /μl)	Mean 487.3, SD 40.8	704 (0.6%)	Mean 477.8, SD 43.4	301 (0.5%)
Serum uric acid (mg/dl)	Mean 5.6, SD 1.3	22 535 (17.8%)	Mean 5.4, SD 1.4	8 235 (14.5%)
Urinary sugar (dipstick test)	-: 120 795 (95.6%), +/-: 607 (0.5%), +: 721 (0.6%), ++: 381 (0.3%), +++: 386 (0.3%)	3 534 (2.8%)	-: 54 570 (95.9%), +/-: 298 (0.5%), +: 364 (0.6%), ++: 239 (0.4%), +++: 234 (0.4%)	1 221 (2.1%)
Urinary protein (dipstick test)	-: 111 202 (88.0%), +/-: 8 282 (6.6%), +: 2 666 (2.1%), ++: 604 (0.5%), +++: 141 (0.1%)	3 529 (2.8%)	-: 49 847 (87.6%), +/-: 4 131 (7.3%), +: 1 317 (2.3%), ++: 338 (0.6%), +++: 105 (0.2%)	1 188 (2.1%)
Smoking status	Yes: 37 797 (29.9%), No: 77 016 (60.9%)	11 611 (9.2%)	Yes: 14 589 (25.6%), No: 38 693 (68.0%)	3 644 (6.4%)
Drinking habits	Every day: 30 487 (24.1%), Sometimes: 36 935 (29.2%), Rarely/none: 45 664 (36.1%)	13 338 (10.6%)	Every day: 13 612 (23.9%), Sometimes: 16 252 (28.6%), Rarely/none: 22 056 (38.8%)	5 006 (8.8%)
Exercise (≥2/week and ≥30 minutes in the	Yes: 19 992 (15.8%), No: 85 555	20 877 (16.5%)	Yes: 10 795 (19.0%), No: 39 821	6 310 (11.1%)


past year)	(67.7%)		(70.0%)	
Prescriptions in 2013				
Lipid-lowering agents (any)	Yes: 10 573 (8.4%), No: 115 851 (91.6%)	0 (0%)	Yes: 6 845 (12.0%), No: 50 081 (88.0%)	0 (0%)
Statins	Yes: 8 278 (6.6%), No: 118 146 (93.5%)	0 (0%)	Yes: 5 516 (9.7%), No: 51 410 (90.3%)	0 (0%)
Antidiabetic drugs (any)	Yes: 3 189 (2.5%), No: 123 235 (97.5%)	0 (0%)	Yes: 2 405 (4.2%), No: 54 521 (95.8%)	0 (0%)
Sodium-glucose cotransporter-2 inhibitors	No: 126 424 (100.0%)	0 (0%)	No: 56 926 (100.0%)	0 (0%)
Antihypertensive drugs (any)	Yes: 11 391 (9.0%), No: 115 033 (91.0%)	0 (0%)	Yes: 8 052 (14.1%), No: 48 874 (85.9%)	0 (0%)
ACEI or ARB	Yes: 7 806 (6.2%), No: 118 618 (93.8%)	0 (0%)	Yes: 5 466 (9.6%), No: 51 460 (90.4%)	0 (0%)
Antiplatelet drugs	Yes: 2 424 (1.9%), No: 124 000 (98.1%)	0 (0%)	Yes: 1 852 (3.3%), No: 55 074 (96.8%)	0 (0%)
Results of annual health checkups in 2012				
eGFR (ml/min/1.73m ²)	Mean 82.4, SD 14.3	0 (0%)	Mean 80.8, SD 15.1	0 (0%)
Body mass index (kg/m ²)	Mean 23.1, SD 3.5	13 (0.01%)	Mean 22.8, SD 3.5	33 (0.1%)
Abdominal circumference (cm)	Mean 81.8, SD 9.5	19 936 (15.8%)	Mean 81.7, SD 9.5	9 196 (16.2%)
Systolic blood pressure (mmHg)	Mean 120.7, SD 14.1	9 (0.01%)	Mean 120.6, SD 15.4	30 (0.1%)
Diastolic blood pressure (mmHg)	Mean 74.2, SD 10.8	9 (0.01%)	Mean 74.0, SD 11.4	30 (0.1%)
Triglycerides (mg/dl)	Mean 113.2, SD 87.0	969 (0.8%)	Mean 107.5, SD 82.2	278 (0.5%)
High density lipoprotein cholesterol (mg/dl)	Mean 60.4, SD 15.6	724 (0.6%)	Mean 62.5, SD 16.3	221 (0.4%)
Low density lipoprotein cholesterol (mg/dl)	Mean 118.3, SD 30.2	731 (0.6%)	Mean 118.1, SD 30.9	227 (0.4%)
Total cholesterol (mg/dl)	Mean 198.7, SD 33.6	89 514 (70.8%)	Mean 200.8, SD 34.9	36 789 (64.6%)
Aspartate aminotransferase (U/l)	Mean 21.9, SD 11.0	5 (0.004%)	Mean 21.7, SD 11.3	27 (0.1%)

Alanine aminotransferase (U/l)	Mean 25.0, SD 19.5	6 (0.005%)	Mean 22.9, SD 17.6	29 (0.1%)
Gamma glutamyl transpeptidase (U/l)	Mean 37.4, SD 40.5	12 (0.01%)	Mean 36.6, SD 44.4	36 (0.1%)
Fasting blood sugar (mg/dl)	Mean 92.6, SD 16.9	14 956 (11.8%)	Mean 94.4, SD 18.9	4 593 (8.1%)
Casual blood sugar (mg/dl)	Mean 94.8, SD 23.1	117 465 (92.9%)	Mean 94.7, SD 23.9	52 191 (91.7%)
Hemoglobin A1c (NGSP) (%)	Mean 5.4, SD 0.6	41 942 (33.2%)	Mean 5.5, SD 0.7	20 479 (36.0%)
Hematocrit (%)	Mean 45.0, SD 3.8	6 195 (4.9%)	Mean 44.1, SD 4.2	1 136 (2.0%)
Hemoglobin (g/dl)	Mean 14.8, SD 1.4	234 (0.2%)	Mean 14.5, SD 1.5	103 (0.2%)
Red blood cells (10 ⁶ /μl)	Mean 487.8, SD 40.3	55 (0.04%)	Mean 478.0, SD 43.2	56 (0.1%)
Serum uric acid (mg/dl)	Mean 5.6, SD 1.4	25 669 (20.3%)	Mean 5.4, SD 1.4	10 836 (19.0%)
Urinary sugar (dipstick test)	-: 119 282 (94.4%), +/-: 567 (0.5%), +: 659 (0.5%), ++: 371 (0.3%), +++: 364 (0.3%)	5 181 (4.1%)	-: 54 319 (95.4%), +/-: 321 (0.6%), +: 358 (0.6%), ++: 222 (0.4%), +++: 235 (0.4%)	1 471 (2.6%)
Urinary protein (dipstick test)	-: 110 283 (87.2%), +/-: 7 857 (6.2%), +: 2 408 (1.9%), ++: 571 (0.5%), +++: 125 (0.1%)	5 180 (4.1%)	-: 49 760 (87.4%), +/-: 4 056 (7.1%), +: 1 208 (2.1%), ++: 362 (0.6%), +++: 92 (0.2%)	1 448 (2.5%)
Smoking status	Yes: 37 908 (30.0%), No: 75 713 (59.9%)	12 803 (10.1%)	Yes: 14 788 (26.0%), No: 38 176 (67.1%)	3 962 (7.0%)
Drinking habits	Every day: 30 076 (23.8%), Sometimes: 37 057 (29.3%), Rarely/none: 44 043 (34.8%)	15 248 (12.1%)	Every day: 13 445 (23.6%), Sometimes: 16 379 (28.8%), Rarely/none: 21 607 (38.0%)	5 495 (9.7%)
Exercise (≥2/week and ≥30 minutes in the past year)	Yes: 19 101 (15.1%), No: 83 716 (66.2%)	23 607 (18.7%)	Yes: 10 384 (18.2%), No: 39 540 (69.5%)	7 002 (12.3%)
Prescriptions in 2012				
Lipid-lowering agents (any)	Yes: 9 672 (7.7%), No: 116 752 (92.4%)	0 (0%)	Yes: 6 233 (11.0%), No: 50 693 (89.1%)	0 (0%)
Statins	Yes: 7 576 (6.0%), No: 118 848 (94.0%)	0 (0%)	Yes: 5 050 (8.9%), No: 51 876 (89.1%)	0 (0%)

			(91.1%)	
Antidiabetic drugs (any)	Yes: 2 821 (2.2%), No: 123 603 (97.8%)	0 (0%)	Yes: 2 185 (3.8%), No: 54 741 (96.2%)	0 (0%)
Sodium-glucose cotransporter-2 inhibitors	No: 126 424 (100.0%)	0 (0%)	No: 56 926 (100.0%)	0 (0%)
Antihypertensive drugs (any)	Yes: 10 245 (8.1%), No: 116 179 (91.9%)	0 (0%)	Yes: 7 406 (13.0%), No: 49 520 (87.0%)	0 (0%)
ACEI or ARB	Yes: 6 943 (5.5%), No: 119 481 (94.5%)	0 (0%)	Yes: 5 021 (8.8%), No: 51 905 (91.2%)	0 (0%)
Antiplatelet drugs	Yes: 2 248 (1.8%), No: 124 176 (98.2%)	0 (0%)	Yes: 1 744 (3.1%), No: 55 182 (96.9%)	0 (0%)

SD=standard deviation, eGFR=estimated glomerular filtration rate, NGSP=National Glycohemoglobin Standardization Program, ACEI=angiotensin converting enzyme inhibitor, ARB=angiotensin receptor blocker.

Supplementary Figure S1. Study flow chart



RRT, renal replacement therapy; eGFR = estimated glomerular filtration rate.

Supplementary Table S3. The mean (standard deviation) slope of eGFR (ml/min/1.73 m²/year) for the 10 years by age, sex, and KDIGO GFR stages in 2016

Men:	<40 years	40–49 years	50–59 years	≥60 years
KDIGO stage G1: eGFR ≥90 ml/min/1.73 m²/year in 2016	n = 9 776 Mean -1.19, SD 1.14	n = 6 458 Mean -1.03, SD 1.22	n = 3 387 Mean -0.80, SD 1.23	n = 156 Mean -0.63, SD 1.21
KDIGO stage G2: eGFR 60–89 ml/min/1.73 m²/year in 2016	n = 18 540 Mean -0.99, SD 0.88	n = 32 673 Mean -0.89, SD 0.86	n = 25 189 Mean -0.69, SD 0.89	n = 2 244 Mean -0.63, SD 0.91
KDIGO stage G3a: eGFR 45–59 ml/min/1.73 m²/year in 2016	n = 165 Mean -0.99, SD 1.06	n = 1 809 Mean -0.85, SD 0.87	n = 2 972 Mean -0.73, SD 0.90	n = 607 Mean -0.64, SD 0.87
KDIGO stage G3b: eGFR 30–44 ml/min/1.73 m²/year in 2016	n = 6 Mean -0.70, SD 1.67	n = 40 Mean -1.22, SD 1.40	n = 128 Mean -1.33, SD 1.53	n = 45 Mean -0.93, SD 1.17
KDIGO stage G4: eGFR 15–29 ml/min/1.73 m²/year in 2016	n = 1 Mean -0.84, SD n/a	n = 12 Mean -1.07, SD 1.24	n = 10 Mean -1.47, SD 1.38	n = 1 Mean -1.56, SD n/a
Women:	<40 years	40–49 years	50–59 years	≥60 years
KDIGO stage G1: eGFR ≥90 ml/min/1.73 m²/year in 2016	n = 1 499 Mean -1.20, SD 1.34	n = 1 927 Mean -1.18, SD 1.28	n = 594 Mean -1.05, SD 1.32	n = 53 Mean -0.93, SD 1.20
KDIGO stage G2: eGFR 60–89 ml/min/1.73 m²/year in 2016	n = 2 208 Mean -1.00, SD 1.04	n = 8 881 Mean -0.89, SD 0.92	n = 5 274 Mean -0.78, SD 0.89	n = 507 Mean -0.71, SD 0.91
KDIGO stage G3a: eGFR 45–59 ml/min/1.73 m²/year in 2016	n = 23 Mean -0.73, SD 0.65	n = 390 Mean -0.74, SD 0.67	n = 724 Mean -0.70, SD 0.75	n = 91 Mean -0.70, SD 0.77
KDIGO stage G3b: eGFR 30–44 ml/min/1.73 m²/year in 2016	n = 1 Mean -0.29, SD n/a	n = 6 Mean -1.33, SD 1.19	n = 16 Mean -1.27, SD 1.25	n = 5 Mean -1.03, SD 0.30
KDIGO stage G4: eGFR 15–29 ml/min/1.73 m²/year in 2016	n = 1 Mean -0.43, SD n/a	n = 2 Mean -1.73, SD 2.11	n = 3 Mean -2.26, SD 1.01	n = 0 Mean n/a, SD n/a

KDIGO, Kidney Disease Improving Global Outcomes; eGFR, estimated glomerular filtration rate; SD, standard deviation.