

## Supplementary Tables

**Table S1:** Basic quality metrics of the samples included in this study

Sample ID	Mean coverage	Mean read length (bp)	Sequencing Yield (Gb)
P1	26.5	12,307	82
P2	31.7	14,896	98
P3	27.5	12,563	85
P4	21.2	11,233	66
P5	22.7	9,567	70
P6	19.9	8,343	62
P7.1	31.7	14,265	98
P7.2	25.2	12,277	78
P7.3	25.2	12,284	78
P8.1	32.1	15,104	99
P8.2	31.0	17,612	96
P9	27.5	13,285	86
P10	20.1	9,849	63
P11	27.4	15,716	90
P12	24.9	18,810	84
P13	35.5	17,940	119

Bp, base pairs; Gb, giga bases

**Table S2:** De novo assembly quality metrics

<b>Assembly</b>	<b>Contigs (n)</b>	<b>Total length (bp)</b>	<b>N50 (bp)</b>	<b>Genome Fraction (%)</b>	<b>Small variants(n)</b>	<b>SVs (n)</b>	<b>Indels</b>
P1 hap1	952	3011730018	27656118	97.294	3573451	34337	706786
P1 hap2	809	3020289601	27627387	97.003	3579905		703549
P1 no hap	497	3055351291	39172056	97.545	3602598	33737	707649
P2 hap1	528	3049271102	53162323	97.431	3625230	35135	713293
P2 hap2	607	3022576100	30089741	97.345	3639562		716270
P2 no hap	373	3077093992	55656714	97.596	3665279	34006	718203
P3 hap1	805	2968923625	38003410	95.147	3629122	35288	714993
P3 hap2	683	2955832984	26901484	94.768	3608950		709099
P3 no hap	470	3070113002	57555714	97.867	3727047	32916	732983
P4 hap1	2167	3009507143	10032076	96.786	3543724	33,371	723511
P4 hap2	1870	2994360817	10443380	96.707	3600158		729278
P4 no hap	990	3061337924	31471136	97.581	3649743	33158	734887
P5 hap1	1410	3021926484	16791079	97.001	3564965	33505	710273
P5 hap2	1442	3002452954	10513426	96.988	3559703		710897
P5 no hap	780	3050115512	32705197	97.460	3621814	33780	717110
P6 hap1	2891	2990264780	5665656	96.073	3589314	33140	734226
P6 hap2	2786	2894053352	5660041	93.124	3516636		718105
P6 no hap	1092	3059225159	20150227	97.822	3667936	32845	746927
P7.1 hap1	543	3038562420	44240849	97.376	3620569	35664	708884
P7.1 hap2	516	3037726858	49152777	97.415	3627346		709222
P7.1 no hap	387	3070887463	70906275	97.538	3650945	34901	710859
P7.2 hap1	1098	3004917728	26806592	96.139	3581699	34708	714973
P7.2 hap2	909	2994455258	23607483	95.712	3581148		715250
P7.2 no hap	579	3083744197	43485889	98.143	3649458	34144	727696

P7.3 hap1	919	3007113736	29658224	97.315	3602776	35187	716780
P7.3 hap2	785	3029744114	24927346	97.265	3628930		716232
P7.3 no hap	514	3055007195	53717007	97.582	3660593	34144	720613
P8.1 hap1	541	3024919811	56515313	97.460	3627237	35517	708068
P8.1 hap2	571	3025639302	38174944	97.279	3594413		706405
P8.1 no hap	367	3065271514	69545151	97.632	3643325	36161	709464
P8.2 hap1	628	3027302868	62105149	97.384	3621918		706580
P8.2 hap2	526	3015816193	49998385	97.365	2469965		491224
P8.2 no hap	415	3058931416	73038069	97.708	3667377	33791	711103
P9 hap1	655	3034915555	54793259	97.408	3600299	33117	711583
P9 hap2	706	3025770706	28512459	97.274	3570230		2861175
P9 no hap	554	3066133149	53797994	97.617	3604444	33028	712078
P10 hap1	2742	3014608061	8875707	96.653	3548895	35094	722959
P10 hap2	2623	2886636947	7067025	92.984	3473909		704156
P10 no hap	1301	3062985831	27709462	97.976	3617165	29860	732080
P11 hap1	940	3033114741	40056718	96.571	3621609	34036	711084
P11 hap2	884	2978655919	31312892	95.787	3525896		699382
P11 no hap	597	3051400356	62335257	97.275	3647060	33749	714031
P12 hap1	1300	3036918378	23705991	96.653	3610216	34670	750021
P12 hap2	1047	2916967371	21936164	93.432	3550325		730708
P12 no hap	746	3088070636	40766497	97.750	3699510	32626	759519
P13 hap1	305	3021367031	58169784	96.398	3602439	34989	707153
P13 hap2	278	2936874730	60498075	93.783	3563910		694026
P13 no hap	276	3101975158	85852130	97.896	3677600	36840	716890

**Table S3:** De novo assembly variant calling


Sample ID	ChrA	posA	chrB	posB	Found?
P1	4	181414917	9	13043905	Yes
	16	28454138	16	29 482 543	Yes
P2	-	-	-	-	-
P3	22	50618055	22	50624868	Yes
	22	50624361	22	50626277	Yes
P4	2	5549092	2	5858296	Yes
	2	5620671	2	7241289	No
	2	6246303	2	7734100	Yes
	2	6248808	2	7246507	Yes
	2	132954122	2	137703180	Yes
	2	133434126	2	141163928	Yes
P5	3	54518907	3	63614153	Yes
	3	59407900	3	135767535	Yes
	3	63614153	3	145600155	Yes
	3	80981660	3	135891958	Yes
	3	80981660	3	148110490	Yes
P6	9	97596764	X	153779639	Yes
	9	97598236	X	153724706	

P7.1	1	19783172	10	95395335	Yes
	1	19783105	10	95395328	Yes
	2	189694535	2	202576085	Yes
	2	189694533	2	202576083	Yes
P7.2	-	-	-	-	-
P7.3	1	19783172	10	95395335	Yes
	1	19783105	10	95395328	Yes
	2	189694535	2	202576085	Yes
	2	189694533	2	202576083	Yes
P8.1	X	9420014	X	154113037	Yes
	X	9768909	X	154208530	No
P8.2	X	9420014	X	154113037	Yes, non-phased
	X	9768909	X	154208530	Yes, non-phased
P9	9	75862011*	X	3044233	Yes
	9	75862011*	X	3044228	Yes
P10	-	-	-	-	-
P11	X	101431832	X	55349282	Yes
P12	4	80390384	6	20052376	Yes
	1	58205788	4	106505089	Yes

	6	20052374	4	94218568	Yes
	4	106505092	1	58205785	Yes
	6	48002694	6	49160076	Yes
P13	-	-	-	-	-


## Supplementary Figures

**Figure S1: Read coverage variation across chromosome 15.** Average read coverage per 1 MB segments of chromosome 15 for sample P2.



## Figure S2: Subway plots of characterized rearrangements. Schematic

illustrations of the resolved rearrangements in P3, P6, P4, P11 and P8. Red and pink segments are deleted in the patients and arrows show the inverted segments. Der: derivative chromosome.



## SUPPLEMENTARY REFERENCES

1. Danecek P, Bonfield JK, Liddle J, Marshall J, Ohan V, Pollard MO, et al. Twelve years of SAMtools and BCFtools. *Gigascience*. 2021;10(2).
2. Li H. Minimap2: pairwise alignment for nucleotide sequences. *Bioinformatics*. 2018;34(18):3094-100.
3. Poplin R, Chang PC, Alexander D, Schwartz S, Colthurst T, Ku A, et al. A universal SNP and small-indel variant caller using deep neural networks. *Nat Biotechnol*. 2018;36(10):983-7.
4. Martin M, Patterson M, Garg S, Fischer SO, Pisanti N, Klau GW, et al. WhatsHap: fast and accurate read-based phasing. *bioRxiv*. 2016:085050.
5. De Coster W, Rademakers R. NanoPack2: population-scale evaluation of long-read sequencing data. *Bioinformatics*. 2023;39(5).



6. Pedersen BS, Quinlan AR. Mosdepth: quick coverage calculation for genomes and exomes. *Bioinformatics*. 2018;34(5):867-8.
7. Cheng H, Concepcion GT, Feng X, Zhang H, Li H. Haplotype-resolved de novo assembly using phased assembly graphs with hifiasm. *Nat Methods*. 2021;18(2):170-5.