

Meta-analysis of Genome wide Association Studies on Childhood ADHD Symptoms and Diagnosis Reveals 17 Novel Loci and 22 Potential Effector Genes

Supplemental Text

Cohort description

ABCD

Data for this study comes from the ABCD-Genetic Enrichment (ABCD-GE) study, a sub-study of 1,192 ethnic Dutch children. Approval of the study was obtained from the Central Committee on Research Involving Human Subjects in the Netherlands, the medical ethics review committees of the participating hospitals and the Registration Committee of the Municipality of Amsterdam and written consent was obtained from participating parents and children of the phenotypes. Regarding the DNA collection and analysis, an opt-out procedure was used (METC approval 2002_039#B2013531).

ALSPAC

Data for this study were obtained for children of the ALSPAC study, a UK population-based longitudinal pregnancy-ascertained birth cohort (1,2). Pregnant women resident in Avon, UK with expected dates of delivery between 1st April 1991 and 31st December 1992 were invited to take part in the study. 20,248 pregnancies have been identified as being eligible and the initial number of pregnancies enrolled was 14,541. Of the initial pregnancies, there was a total of 14,676 fetuses, resulting in 14,062 live births and 13,988 children who were alive at 1 year of age. The total sample size for analyses using any data collected after the age of seven is 15,447 pregnancies, resulting in 15,658 fetuses. Of these 14,901 children were alive at 1 year of age. Ethical approval was obtained

26 from the ALSPAC Law-and-Ethics Committee (IRB00003312) and the Local Research-Ethics
27 Committees. Written informed consent was obtained from a parent or individual with parental
28 responsibility and assent (and for older children consent) was obtained from the child participants.
29 The study website contains details of all the data that is available through a fully searchable data
30 dictionary (<http://www.bris.ac.uk/alspac/researchers/data-access/data-dictionary/>).

31

32 *BREATHE*

33 Participants were drawn from the BREATHE project (European Commission: FP7-ERC-2010-AdG, ID
34 268479), a population-based cohort of primary schoolchildren designed to analyze the association
35 between air pollution and behavior, cognitive function and brain morphology (3). A total of 2897
36 children aged 7 to 11 years accepted the invitation and participated in the project. Genotype data
37 were available for 1667 children of European ethnic origin.

38 All parents or legal guardians gave written informed consent, and the study was approved by the
39 IMIM-Parc de Salut Mar Research Ethics Committee (No. 2010/41221/I), Barcelona, Spain; and the
40 FP7-ERC-2010-AdG Ethics Review Committee (268479-22022011).

41

42 *CATSS/TCHAD*

43 The Child and Adolescent Twin Study in Sweden (CATSS) is an ongoing longitudinal twin study
44 targeting all twins born in Sweden since July 1, 1992 (4,5). parents of twins are interviewed
45 regarding the children's somatic and mental health and social environment in connection with their
46 9th or 12th birthdays

47

48 CHDS (GEDI)

49 The New Zealand arm of the Gene-Environment-Development Initiative (GEDI) utilized data from the
50 Christchurch Health and Development Study, a longitudinal study of the life course development of a
51 birth cohort of 1265 children born in the Christchurch (New Zealand) urban region in mid-1977 (6–

52 9). For this analysis phenotypic data on childhood inattention/hyperactivity problems gathered via
53 parental and self-report were combined with gene chip data for a sample of ~740 participants.

54

55 *COGA*

56 The **Collaborative Studies on the Genetics of Alcoholism (COGA)** is an eleven-center research
57 project in the United States designed to identify and understand the genetic basis of alcoholism.
58 Research is conducted at University of Connecticut, Indiana University, University of Iowa, SUNY
59 Downstate Medical Center at Brooklyn, Washington University in St. Louis, University of California at
60 San Diego, Rutgers University, University of Texas Health Science Center at San Antonio, Virginia
61 Commonwealth University, Icahn School of Medicine at Mount Sinai, and Howard University.

62

63 COGA investigators have collected data on more than 2,255 extended families in which many
64 members are affected by alcoholism. The researchers collected extensive clinical,
65 neuropsychological, electrophysiological, biochemical, and genetic data on the more than 17,702
66 individuals who are represented in the database. The researchers also have established a repository
67 of cell lines from these individuals to serve as a permanent source of DNA for genetic studies.

68

69 *COPSAC*

70 The Copenhagen Prospective Studies on Asthma in Childhood is a clinical study with multiple cohorts
71 (COPSAC2000 and COPAC2010). The COPSAC2010 cohort is a population based prospective mother-
72 child cohort comprising 700 children born to unselected mothers (during 2009-10) from Zealland,
73 Denmark. The cohort was enrolled at age 1 week and attended the research clinic for clinical
74 examinations at ages 1, 3, 6, 9, 12, 18, 24, 30 and 36 month and yearly hereafter till age 8 years. The
75 Ethics Committee for Copenhagen and the Danish Data Protection Agency approved this study. This
76 has been described elsewhere (10).

77

78 *Dunedin Study*

79 Participants were members of the Dunedin Multidisciplinary Health and Development Study, a
80 longitudinal investigation of health and behavior in a representative birth) (11). Study members (n =
81 1,037; 91% of eligible births; 52% male) were all individuals born between April 1972 and March
82 1973 in Dunedin, New Zealand, who were eligible for the longitudinal study based on residence in
83 the province at 3 years of age and who participated in the first follow-up assessment at 3 years of
84 age. The cohort represented the full range of socioeconomic status on NZ's South Island. On adult
85 health, the cohort matches the NZ National Health and Nutrition Survey (e.g., BMI, smoking, GP
86 visits). Cohort members are primarily white; approximately 7% self-identify as having partial non-
87 Caucasian ancestry, matching the South Island. Assessments were carried out at birth and at ages 3,
88 5, 7, 9, 11, 13, 15, 18, 21, 26, 32, and 38 years, when 95% of the 1,007 study members still alive took
89 part. The Dunedin Study was approved by the NZ-HDEC (Health and Disability Ethics Committee) and
90 informed consent was obtained from all study members.

91

92 *E-Risk*

93 Participants were members of E-Risk, which tracks the development of a 1994-95 birth cohort of
94 2,232 British children) (12). Briefly, the E-Risk sample was constructed in 1999-2000, when 1,116
95 families (93% of those eligible) with same-sex 5-year-old twins participated in home-visit
96 assessments. This sample comprised 56% monozygotic (MZ) and 44% dizygotic (DZ) twin pairs; sex
97 was evenly distributed within zygoty (49% male). The study sample represents the full range of
98 socioeconomic conditions in Great Britain, as reflected in the families' distribution on a
99 neighborhood-level socioeconomic index (ACORN [A Classification of Residential Neighbourhoods],
100 developed by CACI Inc. for commercial use): 25.6% of E-Risk families live in "wealthy achiever"
101 neighborhoods compared to 25.3% nationwide; 5.3% vs. 11.6% live in "urban prosperity"
102 neighborhoods; 29.6% vs. 26.9% in "comfortably off" neighborhoods; 13.4% vs. 13.9% in "moderate

103 means” neighborhoods; and 26.1% vs. 20.7% in “hard-pressed” neighborhoods. E-Risk
104 underrepresents “urban prosperity” neighborhoods because such households are often childless.

105 Home visits were conducted when participants were aged 5, 7, 10, 12 and most recently, 18
106 years (93% participation). The Joint South London and Maudsley and the Institute of Psychiatry
107 Research Ethics Committee approved each phase of the study. Parents gave informed written
108 consent and twins gave written assent between 5-12 years and then informed written consent at
109 age 18.

110 At age 18, 2,066 participants were assessed, each twin by a different interviewer. The
111 average age at the time of assessment was 18.4 years (SD = 0.36); all interviews were conducted
112 after the 18th birthday.

113

114

115 *FinnTwin12*

116 FinnTwin12 is a population-based cohort of Finnish twins born 1983–1987 that was established to
117 track health and behavioral habits (13–15). Identified through the Finnish Central Population
118 Registry, families with twins were contacted and initially enrolled when the twins were ages 11–12
119 years old (N=5600 twins; 87% response rate). Questionnaires were collected from multiple
120 informants over time: from the twins themselves at ages 12, 14, and 17; from parents at age 12; and
121 from teachers at ages 14 and 17. DNA samples (from blood or saliva) for genotyping were taken in
122 young adulthood (mean age 22 yrs).

123 FinnTwin12 utilizes the 37-item modified Multidimensional Peer Nomination Inventory (MPNI), with
124 subscales used here being: attentional problems (11 items including 7 items from hyperactivity and 4
125 items from inattention subscales) (16). Informants who completed the MPNI include the parents at
126 age 12, a teacher at ages 12 and 14, and self- and co-twin ratings at ages 14 and 17. For each
127 question, the informant rated the child in question on a scale from 0 (does not fit the child at all) to

128 3 (fits the child very well). By averaging the question responses for each subscale, mean scores were
129 created. No missing responses were allowed.

130

131 *Generation R Study*

132 The Generation R Study is a prospective cohort study from fetal life onwards that included pregnant
133 women living in Rotterdam, the Netherlands, with an expected delivery date between April 2002
134 and January 2006 (n = 9,778). The main aim of this study is to identify early environmental and
135 genetic factors that affect growth, health and development (17). The Generation R Study is
136 multidisciplinary and both prenatal and postnatal measures have included multiple domains of
137 growth, health and development. Rotterdam is an ethnically diverse city and this is reflected in the
138 Generation R participants. Of the enrolled mothers, 42% was of non-Dutch ethnic background,
139 largely made by mothers from Surinamese (9%), Turkish (7%) and Moroccan (3%) background
140 (17,18). Data has been collected in children up until the mean age of 10 years, with current on-going
141 data collection at mean age 13 years. Study protocols were approved by the local ethics committee,
142 and written informed consent and assent was obtained from all parents and children.

143

144 *GINIplus/LISA*

145 The influence of Life-style factors on the development of the Immune System and Allergies in East and
146 West Germany (LISA) Study is a population based birth cohort study. A total of 3094 healthy, full-term
147 neonates were recruited between 1997 and 1999 in Munich, Leipzig, Wesel and Bad Honnef. The
148 participants were not pre-selected based on family history of allergic diseases.

149 A total of 5991 mothers and their newborns were recruited into the German Infant study on the
150 influence of Nutrition Intervention PLUS environmental and genetic influences on allergy
151 development (GINIplus) between September 1995 and June 1998 in Munich and Wesel. Infants with
152 at least one allergic parent and/or sibling were allocated to the interventional study arm investigating
153 the effect of different hydrolysed formulas for allergy prevention in the first year of life. All children

154 without a family history of allergic diseases and children whose parents did not give consent for the
155 intervention were allocated to the non-interventional arm. Detailed descriptions of the LISA and
156 GINIplus studies have been published elsewhere (19,20). DNA was collected at the age 6 and 10 years.
157 During the 10- and 15-year follow-ups, information on ADHD was collected based on the hyperactivity
158 / inattention subscale from the strength and difficulties (SDQ) questionnaire. At 10 years, the
159 questionnaire was administered to the parents and at 15 years, to the participants themselves. For
160 both studies, approval by the local Ethics Committees and written consent from participants and their
161 families were obtained.

162

163 *GSMS (GEDI)*

164 The Great Smoky Mountains Study is a longitudinal, representative study of 1420 children in 11
165 predominantly rural counties in Southeastern United States (21,22). Annual assessments on
166 psychopathology and associated factors were completed on the 1420 children until age 16 (6674
167 observations of 1420 individuals; 1993 to 2000) and then again at ages 19, 21, 25, and 30 (4556
168 observations of 1336 participants; 1999 to 2015) for a total of 11,230 total assessments.

169

170 *IBG*

171 Two cohort studies supplied information for this project: The Colorado Adoption Project
172 (<http://ibgwww.colorado.edu/cap/>) and the Colorado Twin Registry
173 (<https://www.colorado.edu/ibg/research/human-research-studies/colorado-twin-registry>) (23–25).

174

175 *INMA*

176 The INMA—Infancia y Medio Ambiente— (Environment and Childhood) Project is a network of birth
177 cohorts in Spain that aim to study the role of environmental pollutants in air, water and diet during
178 pregnancy and early childhood in relation to child growth and development
179 (<http://www.proyectoinma.org/>) (26). The study has been approved by Ethical Committee of each

180 participating centre and written consent was obtained from participating parents. Data for this study
181 comes from INMA Sabadell subcohort.

182 The study was approved by the Ethical Committee of the Municipal Institute of Medical Investigation
183 and by the Ethical Committee of the hospitals involved in the study. The pregnant women received
184 information of the study both written and orally. Their informed consent of the participants was asked
185 in each of the visits.

186

187 *INSchool*

188 The INSchool cohort consist of 3, 557 children from 23 schools in Catalonia (age range: 5-17 years;
189 mean age: 9.8 years, s.d.=2.9). 57.5% of the participants (n=2,046) were males. They were involved
190 for screening using the Achenbach System of Empirically Based Assessment (ASEBA) with the Child
191 Behavior Checklist CBCL/4-18 (completed by parents or surrogates), the Teacher Report Form TRF/5-
192 18 (completed by teachers and other school staff) and the Youth Self-Report YSR/11-18 (completed
193 by youths); the Strengths and Difficulties Questionnaire (SDQ) and the Conner's ADHD Rating Scales
194 (Parents and Teachers). The study was approved by the Clinical Research Ethics Committee (CREC) of
195 Hospital Universitari Vall d'Hebron, all methods were performed in accordance to the relevant
196 guidelines and regulations and written informed consent was obtained from participant parents
197 before inclusion into the study.

198

199 *MCTFR*

200 Data for this study comes from the Minnesota Center for Twin and Family Research (MCTFR), which
201 consists of three cohorts of same-sex twins from the birth years 1971-1979¹, 1977-1985 (27), and
202 1988-1994 (28). Approval for all studies was obtained through the University of Minnesota
203 Institutional Review Board.

204

205 *MOBA*

206 The Norwegian Mother, Father and Child Cohort Study (MoBa) is a population-based pregnancy
207 cohort study conducted by the Norwegian Institute of Public Health (29). Participants were recruited
208 from all over Norway from 1999-2008. The women consented to participation in 41% of the
209 pregnancies. The cohort now includes 114.500 children, 95.200 mothers and 75.200 fathers. The
210 current study is based on version 11 of the quality-assured data files released for research on ADHD.
211 The establishment of MoBa and initial data collection was based on a license from the Norwegian
212 Data protection agency and approval from The Regional Committees for Medical and Health
213 Research Ethics. The MoBa cohort is based on regulations based on the Norwegian Health Registry
214 Act. The current study was approved by The Regional Committees for Medical and Health Research
215 Ethics (number 2016/1702).

216

217 *MSUTR*

218 Data for this study comes from the Michigan State University Twin Registry (MSUTR), a large,
219 population-based twin registry comprised of thousands of twins throughout Michigan, aged 3-55
220 (current N~31,300) (30) . The overall focus of the MSUTR is on understanding developmental
221 changes in genetic, environmental, and neurobiological influences on internalizing and externalizing
222 disorders. Recruitment for the MSUTR is ongoing via the identification of birth records through the
223 Michigan Department of Health and Human Services (MDHHS). Because birth records are
224 confidential in Michigan, recruitment packets are mailed directly from MDHHS to eligible twin pairs.
225 Twins indicating interest in participation via pre-stamped postcards or e-mails/calls to the MSUTR
226 project office are then contacted by study staff to determine study eligibility and to schedule their
227 assessments. Participants in the registry complete a family health and demographic questionnaire
228 via mail. Families are then recruited for one or more of the intensive, in-person studies based on
229 their answers to relevant items in the registry questionnaire. In-person assessments target a variety
230 of biological, genetic, and environmental phenotypes, including multi-informant measures of
231 psychiatric and behavioral phenotypes, census and neighborhood informant reports of twin

232 neighborhood characteristics, buccal swab and salivary DNA samples, assays of adolescent and adult
233 steroid hormone levels, and/or videotaped interactions of child twin families.
234 Approval for all studies was obtained through the Michigan State University Institutional Review
235 Board and the Michigan Department of Health and Human Services Institutional Review Board. All
236 methods were performed in accordance to relevant guidelines and regulations.

237

238 *MUSP*

239 This study is of 7 223 women recruited early in pregnancy over the period 1981-1983 and the live
240 singleton children to whom they subsequently gave birth. There were follow-up of the mothers at 5,
241 14, 21 and 27 years after recruitment. Children were also followed-up in the mothers' questionnaire
242 and independently at 21 and 30 years of age. The CBCL and YSR were administered to children at 5,
243 14 and 21 years of age. The CIDI was administered to mothers at 27 years after recruitment and the
244 children at 21 and 30 years after recruitment. The cohort comprises both mothers (to 27 years after
245 the birth) and children (to 30 years of age). Three papers describing the recruitment methodology
246 and sample details have been published (31–33).

247

248 *NFBC1986*

249 Northern Finland Birth Cohort 1986 (NFBC1986) is a prospective longitudinal birth cohort which
250 included pregnant women with expected date of delivery between July 1985 and June 1986 in the
251 two Northern most provinces of Finland. In total, 9 432 children were live-born in the cohort(34). At
252 approximately age 16 years, the cohort members were asked to complete a postal questionnaire,
253 including the Youth Self-Report (YSR). Items on aggression are used here. At age 16 years blood
254 samples taken for DNA extraction for 6 266 adolescents attending the clinical examination. All
255 participants and their parents provided consent to use their data and received Institutional Review
256 Board approval by University of Oulu, and the Ethics committee of the Ostrobothnia Hospital district.
257 More information may be found at: <http://www oulu fi/nfbc>.

258

259 *NTR*

260 The Netherlands Twin Register (NTR) is a population-based prospective cohort study which includes
261 newborn twins and multiples from the Netherlands. Recruitment started with birth year 1986 (35).
262 NTR data collection has a focus on growth, development, emotional and behavioral problems and
263 health. Phenotype data on attention problems were collected by surveys, in which parents and
264 teachers were asked to rate their offspring / pupils' behavior using standardized instruments (36). At
265 age 14 years and after, twins and their siblings were asked for self-assessments (37). Buccal cells and
266 blood for DNA isolation were collected in multiple sub-projects (38). More information may be found
267 at: <http://www.tweelingenregister.org/>.

268 The study was approved by the Central Ethics Committee on Research Involving Human Subjects of
269 the VU University Medical Centre, Amsterdam, an Institutional Review Board certified by the U.S.
270 Office of Human Research Protections (IRB number IRB00002991 under Federal-wide Assurance-
271 FWA00017598; IRB/institute codes, NTR 03-180).

272

273 *QIMR*

274 The QIMR *Retrospective DSM III Conduct Disorder* contribution draws on data from a number of
275 studies (phenotypic and genotypic) undertaken from the 1980s onward by the Genetic Epidemiology
276 group at QIMR (QIMR Berghofer Medical Research Institute or QIMRB), with recruitment
277 predominantly from families with adult twins who registered for research purposes with the
278 Australian Twin Registry (<https://www.twins.org.au>) [40–42]. Phenotype data were self-report, with
279 study overlap resolved by using the questionnaire completed at the youngest age. The largest
280 contributions were from (1) SS1, an interview study of adult twins born before 1964 using the Semi-
281 Structured Assessment for the Genetics of Alcoholism (SSAGA) instrument (N=4 046 twins used,
282 conducted 1993-1995) and SP, a follow-up of their spouses (N=584, conducted 1998-1999); (2) Twin-
283 89, an interview study on personality and drinking habits of the twins born 1964-1972 (N=2 040,

284 conducted 1996-2000); (3) the NIH-funded Nicotine Addiction Genetics (NAG) and three Interactive
285 *Research Project Grant (IRPG)* interview studies (N=4 017, from both cohorts, conducted 2003-
286 2005). Closely similar or identical questions approximating the items in the DSM-III CD diagnosis
287 (testing aggressive and highly anti-social behavior), were scored for all studies and combined into a
288 14 or 15-item symptom score, rescaled by 15/14 if there were 14 items.

289

290

291 *The Raine Study*

292 The Raine Study is a prospective pregnancy cohort where 2900 mothers were recruited between
293 1989 and 1991 (39). Recruitment took place at Western Australia's major perinatal centre, King
294 Edward Memorial Hospital, and nearby private practices. Women who had sufficient English
295 language skills, an expectation to deliver at King Edward Memorial Hospital, and an intention to
296 reside in Western Australia to allow for future follow-up of their child were eligible for the study.

297 The Raine Study is known to be one of the largest successfully prospective cohorts richly phenotyped
298 at multiple time points over pregnancy, infancy, childhood adolescence, and young adult (40). The
299 mothers completed questionnaires regarding their children and the children had physical
300 examinations at ages 1, 2, 3, 5, 8, 10, 13/14, 17/18, 20, 22, 27, and 28 years.

301

302 *TEDS*

303 The Twins Early Development Study (TEDS) is a longitudinal twin study that recruited over 16,000
304 twin pairs born between 1994 and 1996 in England and Wales through national birth records (41).
305 More than 10,000 of these families are still involved in study. TEDS was and still is a representative
306 sample of the population in England and Wales. Rich cognitive and behavioural data have been
307 collected from the twins from infancy to emerging adulthood with data collection at ages 2, 3, 4, 7,
308 8, 9, 10, 12, 14, 16, 18, 19 and 21, enabling longitudinal genetically sensitive study designs. Data
309 have been collected from twins themselves (including extensive web-based cognitive testing), from

310 their parents and teachers, and from the UK National Pupil Database. Genotyped DNA data are
311 available for 10,346 individuals (who are unrelated except for 3,320 dizygotic co-twins). TEDS data
312 have contributed to over 400 scientific papers involving more than 140 researchers in 50 research
313 institutions.

314

315 *TRAILS*

316 Tracking Adolescents' Individual Lives Survey (TRAILS) is a large prospective population study of
317 Dutch adolescents with bi- or triennial measurements from age 11 years onwards. TRAILS
318 participants were selected from five municipalities in the Northern part of the Netherlands (42). The
319 cohort's characteristics and database are described in detail elsewhere (43) and at
320 <http://www/trails.nl/>. DNA was extracted from blood samples or (in a few cases) buccal swaps,
321 collected at about age 16. In total, 1491 children of white European descent were genotyped. The
322 study was approved by the Dutch Central Committee on Research Involving Human subjects
323 (CCMO), and all measurements were carried out with participants' adequate understanding and
324 written consent.

325

326 VTSABD (GEDI)

327 The VCU arm of the NIDA-funded Gene-Environment-Development Initiative (GEDI) combined
328 existing phenotypic and environmental data from the Virginia Twin Study of Adolescent Behavioral
329 Development (VTSABD) study, a population-based multi-wave, cohort-sequential twin study of
330 adolescent psychopathology and its risk factors, with genome-wide genotyping, generating a
331 genotyped sample of ~900 subjects (9,44–47).

332

333

334

335

336 **Acknowledgment and Funding**

337 This work is supported by the "Aggression in Children: Unraveling gene-environment interplay to
338 inform Treatment and InterventiON strategies" (ACTION) project. ACTION receives funding from the
339 European Union Seventh Framework Program (FP7/2007-2013) under grant agreement no 602768.
340 Marijn Schipper was funded by NWO Gravitation: BRAINSCAPES: A Roadmap from
341 Neurogenetics to Neurobiology (Grant No. 024.004.012).

342

343 *ABCD*

344 We thank all participating hospitals, obstetric clinics, general practitioners and primary schools for
345 their assistance in implementing the ABCD study. We also gratefully acknowledge all the women and
346 children who participated in this study for their cooperation.

347 The ABCD study has been supported by grants from The Netherlands Organisation for Health
348 Research and Development (ZonMW) and Sarphati Amsterdam. Genotyping was funded by the
349 BBMRI-NL grant CP2013-50. Dr M.H. Zafarmand was supported by BBMRI-NL (CP2013-50). Dr.
350 T.G.M. Vrijkotte was supported by ZonMW (TOP 40-00812-98-11010).

351

352 *ALSPAC*

353 We are extremely grateful to all the families who took part in this study, the midwives for their help
354 in recruiting them, and the whole ALSPAC team, which includes interviewers, computer and
355 laboratory technicians, clerical workers, research scientists, volunteers, managers, receptionists and
356 nurses. GWAS data was generated by Sample Logistics and Genotyping Facilities at Wellcome Sanger
357 Institute and LabCorp (Laboratory Corporation of America) using support from 23andMe.

358

359 The UK Medical Research Council and Wellcome (Grant ref: 217065/Z/19/Z) and the University of
360 Bristol provide core support for ALSPAC. This publication is the work of the authors and Beate St
361 Pourcain and George D. Smith will serve as guarantors for the contents of this paper. A

362 comprehensive list of grants funding is available on the ALSPAC website
363 (<http://www.bristol.ac.uk/alspac/external/documents/grant-acknowledgements.pdf>). GDS works
364 within the MRC Integrative Epidemiology Unit at the University of Bristol, which is supported by the
365 Medical Research Council (MC_UU_00032/01). BSTP is supported through Max Planck Society core
366 funding and the Simons Foundation (514787).

367

368 *BREATHE*

369 We acknowledge all the families and schools participating in the study. The research leading to these
370 results has received funding from the European Research Council under the ERC Grant Agreement
371 number 268479 – the BREATHE project. ISGlobal is a member of the CERCA Programme, Generalitat
372 de Catalunya. We thank the La Caixa Foundation for their financial support in the PAHs analyses. S.
373 Alemany is funded by avJuan de la Cierva – Incorporación Postdoctoral Contract from Ministerio de
374 Economía, Industria y Competitividad (IJCI-2017-34068).

375

376 *CATSS*

377 The Child and Adolescent Twin Study in Sweden study was supported by the Swedish Council
378 for Working Life, funds under the ALF agreement, the Söderström Königska Foundation and the
379 Swedish Research Council (Medicine, Humanities and Social Science; grant number 2017-02552, and
380 SIMSAM).

381

382 *CHDS (GEDI)*

383 The Christchurch Health and Development Study has been supported by funding from the Health
384 Research Council of New Zealand, the National Child Health Research Foundation (Cure Kids), the
385 Canterbury Medical Research Foundation, the New Zealand Lottery Grants Board, the University of
386 Otago, the Carney Centre for Pharmacogenomics, the James Hume Bequest Fund, US National
387 Institutes of Health grant MH077874 and National Institute on Drug Abuse grant R01DA024413.

388

389 *COGA*

390 The Collaborative Study on the Genetics of Alcoholism (COGA), Principal Investigators B. Porjesz, V.
391 Hesselbrock, H. Edenberg, L. Bierut, includes eleven different centers: University of Connecticut (V.
392 Hesselbrock); Indiana University (H.J. Edenberg, J. Nurnberger Jr., T. Foroud); University of Iowa (S.
393 Kuperman, J. Kramer); SUNY Downstate (B. Porjesz); Washington University in St. Louis (L. Bierut, J.
394 Rice, K. Bucholz, A. Agrawal); University of California at San Diego (M. Schuckit); Rutgers University (J.
395 Tischfield, A. Brooks); Department of Biomedical and Health Informatics, The Children's Hospital of
396 Philadelphia; Department of Genetics, Perelman School of Medicine, University of Pennsylvania,
397 Philadelphia PA (L. Almasy), Virginia Commonwealth University (D. Dick), Icahn School of Medicine at
398 Mount Sinai (A. Goate), and Howard University (R. Taylor). Other COGA collaborators include: L. Bauer
399 (University of Connecticut); J. McClintick, L. Wetherill, X. Xuei, Y. Liu, D. Lai, S. O'Connor, M. Plawecki,
400 S. Lourens (Indiana University); G. Chan (University of Iowa; University of Connecticut); J. Meyers, D.
401 Chorlian, C. Kamarajan, A. Pandey, J. Zhang (SUNY Downstate); J.-C. Wang, M. Kapoor, S. Bertelsen
402 (Icahn School of Medicine at Mount Sinai); A. Anokhin, V. McCutcheon, S. Saccone (Washington
403 University); J. Salvatore, F. Aliev, B. Cho (Virginia Commonwealth University); and Mark Kos (University
404 of Texas Rio Grande Valley). A. Parsian and M. Reilly are the NIAAA Staff Collaborators.

405

406 We continue to be inspired by our memories of Henri Begleiter and Theodore Reich, founding PI and
407 Co-PI of COGA, and also owe a debt of gratitude to other past organizers of COGA, including Ting-Kai
408 Li, P. Michael Conneally, Raymond Crowe, and Wendy Reich, for their critical contributions. This
409 national collaborative study is supported by NIH Grant U10AA008401 from the National Institute on
410 Alcohol Abuse and Alcoholism (NIAAA) and the National Institute on Drug Abuse (NIDA), the NIH K02
411 Award to Dr. Danielle Dick K02 AA018755 from the National Institute on Alcohol Abuse and
412 Alcoholism (NIAAA).

413

414 *COPSAC*

415 All funding received by COPSAC is listed on www.copsac.com. The Lundbeck Foundation (Grant no
416 R16-A1694); The Ministry of Health (Grant no 903516); Danish Council for Strategic Research (Grant
417 no 0603-00280B) and The Capital Region Research Foundation have provided core support to the
418 COPSAC research center. We express our deepest gratitude to the children and families of the
419 COPSAC 2010 cohort study for all their support and commitment. We acknowledge and appreciate
420 the unique efforts of the COPSAC research team.

421

422 *Dunedin*

423 We thank the Dunedin Study members and their parents, Unit research staff, and Study founder Phil
424 Silva. The Dunedin Longitudinal Study is funded by the New Zealand Health Research Council, the
425 New Zealand Ministry of Business, Innovation, and Employment (MBIE), the National Institute on
426 Aging (AG032282), and the Medical Research Council (MR/P005918/1). Additional support was
427 provided by the Jacobs Foundation and the Avielle Foundation. This work used a high-performance
428 computing facility partially supported by grant 2016-IDG-1013 (“HARDAC+: Reproducible HPC for
429 Next-generation Genomics”) from the North Carolina Biotechnology Center.

430

431 *E-Risk*

432 We are grateful to the study mothers and twins for their participation, and to members of the E-Risk
433 team for their dedication, hard work, and insights. The E-Risk Study is funded by the Medical
434 Research Council (G1002190) and the National Institute of Child Health and Human Development
435 (HD077482). Additional support was provided by the Jacobs Foundation. This work used a high-
436 performance computing facility partially supported by grant 2016-IDG-1013 (“HARDAC+:
437 Reproducible HPC for Next-generation Genomics”) from the North Carolina Biotechnology Center.

438

439 LA is appointed Mental Health Leadership Fellow for the UK Economic and Social Research Council
440 (ESRC)

441

442 *FinnTwin*

443 Data collection has been supported by the National Institute of Alcohol Abuse and Alcoholism
444 (Grants AA-12502, AA-00145, and AA-09203 to RJR) and the Academy of Finland (Grants 100499,
445 205585, 118555, 141054, 265240, 263278 and 264146 to JK). JK has been supported by the Academy
446 of Finland (Grant 312073). We wish to sincerely thank all of the twins and their families, school
447 principals, and teachers who participated in the FinnTwin12 study, and the FinnTwin12 data
448 collection staff for all their hard work

449

450 *Generation R Study*

451 This work was supported by the Dutch Ministry of Education, Culture and Science (Gravity Grant No.
452 024.001.003, Consortium on Individual Development), and the Netherlands Organisation for
453 Scientific Research (NWO-grant 016.VICI.170.200) to HT. The first phase of the Generation R Study is
454 made possible by financial support from the Erasmus Medical Centre, Rotterdam; the Erasmus
455 University Rotterdam; and the Netherlands Organisation for Health Research and Development
456 (ZonMw). The authors gratefully acknowledge the contribution of all children and parents, general
457 practitioners, hospitals, midwives and pharmacies involved in the Generation R Study. The
458 Generation R Study is conducted by the Erasmus Medical Centre (Rotterdam) in close collaboration
459 with the School of Law and Faculty of Social Sciences of the Erasmus University Rotterdam; the
460 Municipal Health Service Rotterdam area, Rotterdam; the Rotterdam Homecare Foundation,
461 Rotterdam; and the Stichting Trombosedienst & Artsenlaboratorium Rijnmond, Rotterdam.

462

463 *GINIplus/LISA*

464 The authors thank all families for participation in the studies and the LISA and GINIplus study teams
465 for their excellent work.

466

467 GSMS (GEDI)

468 This research was supported by the National Institute on Drug Abuse (U01DA024413, R01DA11301),
469 the National Institute of Mental Health (R01MH063970, R01MH063671, R01MH048085,
470 K01MH093731 and K23MH080230), NARSAD, and the William T. Grant Foundation. We are grateful
471 to all the GSMS and CCC study participants who contributed to this work.

472

473 *IBG*

474 Funding for genotyping, analytic support, and data curation supported by NIH R01 AG046938 and
475 P60 DA011015. Dr. Hopfer reports support from DA032555, DA035804, and DA042755.

476

477 *INMA*

478 INMA researchers would like to thank all the participants for their generous collaboration. This work
479 was supported by grants from the European Union [FP7-ENV-2011 cod 282957 and
480 HEALTH.2010.2.4.5-1] and from Spain: Instituto de Salud Carlos III [Red INMA G03/176,
481 CB06/02/0041, FIS-FEDER: PI03/1615, PI041436, PI04/1509, PI04/1112, PI04/1931, PI05/1079,
482 PI05/1052, PI06/0867, PI06/1213, PI07/0314, PI081151, PI09/02647, PI09/00090, PI11/01007,
483 PI11/02591, PI11/02038, PI12/01890, PI13/1944, PI13/2032, PI14/00891, PI14/01687, PI16/1288,
484 and PI17/00663; Miguel Servet-FEDER CP11/0178, MS16/00128, and MSII16/00051; and PFIS-
485 FI14/00099], Alicia Koplowitz Foundation 2017, Generalitat Valenciana [FISABIO-UGP 15-230, 15-
486 244, and 15-249], Department of Health of the Basque Government [2005111093 and 2009111069],
487 the Provincial Government of Gipuzkoa [DFG06/004 and DFG08/001], and the Generalitat de
488 Catalunya-CIRIT [1999SGR 00241].

489

490 *INSchool*

491 We are grateful to all the families and schools who kindly participated in the study. This work was
492 funded by the Instituto de Salud Carlos III (PI16/01505 and PI17/00289), and co-financed by the
493 European Regional Development Fund (ERDF), Agència de Gestió d'Ajuts Universitaris i de Recerca-
494 AGAUR, Generalitat de Catalunya, Spain (2014SGR1357, 2017SGR1461), the Health Research and
495 Innovation Strategy Plan (PERIS SLT006/17/285 and PERIS SLT006/17/287), Generalitat de Catalunya,
496 Spain, la Fundació Bancària "La Caixa", els Departaments de Salut i d'Educació, Generalitat de
497 Catalunya, Spain, les Diputacions de Barcelona i Lleida, Spain, the European College of
498 Neuropsychopharmacology (ECNP network: 'ADHD across the lifespan') and a NARSAD Young
499 Investigator Grant from the Brain & Behavior Research Foundation. The research leading to these
500 results has received funding from the European Union Seventh Framework Program (FP72007-2013)
501 under grant agreement No 602805 and from the European Union H2020 Programme (H2020/2014-
502 20) under grant agreements Nos. 667302 (CoCA) and 728018 (Eat2BeNICE). Over the course of this
503 investigation, M. Ribases was a recipient of a Miguel de Servet contract from the Instituto de Salud
504 Carlos III, Spain (CP09/00119 and CPII15/ 00023), P. Rovira was a recipient of a pre-doctoral
505 fellowship from the Agència de Gestió d'Ajuts Universitaris i de Recerca (AGAUR), Generalitat de
506 Catalunya, Spain (2016FI_B 00899), C. Sánchez-Mora was a recipient of a Sara Borrell contract and a
507 mobility grant from the Spanish Ministerio de Economía y Competitividad, Instituto de Salud CarlosIII
508 (CD15/00199 and MV16/00039) and M. Soler Artigas was a recipient of a contract from the
509 Biomedical Network Research Center on Mental Health (CIBERSAM), Madrid, Spain.

510

511 M.C. has received travel grants and research support from Eli Lilly and Co., Janssen-Cilag, Shire and
512 Lundbeck and served as consultant for Eli Lilly and Co., Janssen-Cilag, Shire and Lundbeck.

513

514 *MCTFR*

515 MCTFR research is supported by grants from the National Institute on Drug Abuse (R37 DA005147,
516 R01 DA013240, R01 DA036216, and U01 DA024417), the National Institute on Alcohol Abuse and
517 Alcoholism (R37 AA009367 and R01 AA011886), and the National Institute of Mental Health (R01
518 MH066140).

519

520 MoBa

521 We thank the Norwegian Institute of Public Health (NIPH) for generating high-quality genomic data.
522 This research is part of the HARVEST collaboration, supported by the Norwegian Research Council
523 (grant # 229624).

524

525 The Norwegian Mother and Child Cohort Study are supported by the Norwegian Ministry of Health
526 and Care Services and the Ministry of Education and Research, NIH/NIEHS (contract no N01-ES-
527 75558), NIH/NINDS (grant no.1 U01 NS 047537-01 and grant no.2 U01 NS 047537-06A1). We are
528 grateful to all the participating families in Norway who take part in this on-going cohort study.

529

530 We thank the Center for Diabetes Research, the University of Bergen for providing genotype data
531 funded by the ERC AdG project SELECTIONPREDISPOSED, Stiftelsen Kristian Gerhard Jebsen, Trond
532 Mohn Foundation, the Research Council of Norway, the Novo Nordisk Foundation, the University of
533 Bergen, and the Western Norway health Authorities (Helse Vest).

534

535 The analyses of the data were supported by Stiftelsen Kristian Gerhard Jebsen (grant number SKGJ-
536 MED-002) and by NIH/NIMH (grant number 5U01MH109539-03).

537

538 *MSUTR*

539 This research was supported by the National Institute of Mental Health (NIMH) under Award
540 Number R01-MH081813 and the Eunice Kennedy Shriver National Institute for Child Health and
541 Human Development (NICHD) under Award Number R01-HD066040

542

543 This research was supported by the National Institute on Drug Abuse under Award Number
544 R01DA043501 and the National Library of Medicine under Award Number R01LM012848

545

546 *MUSP*

547 This study was funded by grants received from the National Health and Medical Research Council
548 (NHMRC) and Australian Research Council (ARC). Thanks also to Shelby Marrington (Project
549 Manager) and Greg Shuttlewood (Data Manager) who have supervised the day-to-day management
550 of the study. We also extend our thanks to the mothers and children who have continued to
551 participate in the study.

552 JGS is supported by a National Health and Medical Research Council Practitioner Fellowship Grant
553 APP1105807

554 The authors thank the MUSP study participants and study team. The authors thank the National
555 Health and Medical Research Council (NHMRC).

556

557 *NFBC1986*

558 We thank all cohort members and researchers who have participated in the study. We also wish to
559 acknowledge the work of the NFBC project center. NFBC1986 has received funding from: EU QLGI-
560 CT-2000-01643 (EUROBLCS) Grant no. E51560, NorFA Grant no. 731, 20056, 30167, USA / NIH 2000
561 G DF682 Grant no. 50945, the EU H2020-MSCA-ITN-2016 CAPICE Action Grant no. 721567. Academy
562 of Finland EGEA project (285547), EU H2020 LifeCycle Action (grant agreement No 733206), and
563 DynaHEALTH action (grant agreements No. 633595). The DNA extractions, sample quality controls,

564 biobank upkeep and aliquoting were performed in the National Public Health Institute, Biomedicum
565 Helsinki, Finland and supported financially by the Academy of Finland and Biocentrum Helsinki.

566

567 *NTR*

568 Funding was obtained from multiple grants from the Netherlands Organization for Scientific
569 Research (NWO) and The Netherlands Organisation for Health Research and Development (ZonMW):
570 Genetic influences on stability and change in psychopathology from childhood to young adulthood
571 (ZonMw 912-10-020); Twin family database for behavior genomics studies (NWO 480-04-004);
572 Genetic and Family Influences on Adolescent. Psychopathology and Wellness (NWO 463-06-001); A
573 Twin-Sibling Study of Adolescent Wellness (451-04-034). Twin research focusing on behavior (NWO
574 400-05-717); Longitudinal data collection from teachers of Dutch twins and their siblings (481-08-
575 011), Twin-family-study of individual differences in school achievement (NWO-FES, 056-32-010),
576 Genotype/phenotype database for behavior genetic and genetic epidemiological studies (ZonMw
577 Middelgroot 911-09-032); “Why some children thrive” (OCW_Gravity program –NWO-024.001.003),
578 Netherlands Twin Registry Repository: researching the interplay between genome and environment
579 (NWO-Groot 480-15-001/674); BBMRI –NL (184.021.007 and 184.033.111): Biobanking and
580 Biomolecular Resources Research Infrastructure; Spinozapremie (NWO- 56-464-14192) and KNAW
581 Academy Professor Award (PAH/6635) to DIB ; the Neuroscience Campus Amsterdam (NCA) and
582 Amsterdam Public Health (APH); the European Science Council (ERC) Genetics of Mental Illness (ERC
583 Advanced, 230374); NIH: Rutgers University Cell and DNA Repository cooperative agreement (NIMH
584 U24 MH068457-06); Developmental Study of Attention Problems in Young Twins (NIMH, RO1
585 MH58799-03); Grand Opportunity grant Developmental trajectories of psychopathology (NIMH 1RC2
586 MH089995) and the Avera Institute for Human Genetics.

587

588 *QIMR*

589 Phenotype and genotype collection was funded by the National Health and Medical Research
590 Council (including grants APP1103603, 241944, 339462, 389927,389875, 389891, 389892, 389938,
591 442915, 442981, 496739, 552485,and 552498); by the Australian Research Council (including grants
592 A7960034, A79906588, A79801419, DP0770096, DP0212016, and DP0343921), and National
593 Institutes of Health (including grants AA013320, AA013321, AA013326, AA011998 and AA017688).
594 The authors acknowledge the extensive work carried out by current and former QIMRB staff,
595 particularly the current QIMRB Sample Processing facility (formerly Molecular Epidemiology lab) for
596 sample processing; former interviewers, IT and project staff for recruitment and data collection; and
597 the use of the QIMRB High Performance Computing facility for data storage and analysis. SEM is
598 supported by an NHMRC Senior Research Fellowship (APP1103623) LC-C is supported by a QIMR
599 Berghofer Fellowship.

600

601 *The Raine Study*

602 The Raine Study was supported by the National Health and Medical Research Council of Australia
603 [Grant Numbers 572613, 403981, 1059711, 211912, 003209], and the Canadian Institutes of Health
604 Research [Grant Number MOP-82893]. The authors are grateful to the Raine Study participants and
605 their families, and to the Raine Study team for cohort coordination and data collection. The authors
606 gratefully acknowledge the NHMRC for their long-term funding to the study over the last 30 years
607 and also the following institutes for providing funding for Core Management of the Raine Study: The
608 University of Western Australia (UWA), Curtin University, Women and Infants Research Foundation,
609 Telethon Kids Institute, Edith Cowan University, Murdoch University, The University of Notre Dame
610 Australia and The Raine Medical Research Foundation. This work was supported by resources
611 provided by the Pawsey Supercomputing Centre with funding from the Australian Government and
612 Government of Western Australia.

613

614 *TCHAD*

615 The Swedish Twin study of Child and Adolescent Development (TCHAD) was supported by the
616 Swedish Council for Working Life and the Swedish Research Council (Medicine and SIMSAM).

617

618 *TEDS*

619 We gratefully acknowledge the ongoing contribution of the participants in the Twins Early
620 Development Study (TEDS) and their families. TEDS is supported by a program grant to RP from the
621 UK Medical Research Council (MR/M021475/1 and previously G0901245), with additional support
622 from the US National Institutes of Health (AG046938). RP is supported by a Medical Research Council
623 Professorship award (G19/2).

624

625 *TRAILS*

626 TRAILS (TRacking Adolescents' Individual Lives Survey) is a collaborative project involving various
627 departments of the University Medical Center and University of Groningen, the University of
628 Utrecht, the Radboud Medical Center Nijmegen, and the Parnassia Bavo group, all in the
629 Netherlands. TRAILS has been financially supported by grants from the Netherlands Organization for
630 Scientific Research NWO (Medical Research Council program grant GB-MW 940-38-011; ZonMW
631 Brainpower grant 100-001-004; ZonMw Risk Behavior and Dependence grant 60-60600-97-118;
632 ZonMw Culture and Health grant 261-98-710; Social Sciences Council medium-sized investment
633 grants GB-MaGW 480-01-006 and GB-MaGW 480-07-001; Social Sciences Council project grants GB-
634 MaGW 452-04-314 and GB-MaGW 452-06-004; NWO large-sized investment grant
635 175.010.2003.005; NWO Longitudinal Survey and Panel Funding 481-08-013 and 481-11-001; NWO
636 Vici 016.130.002 and 453-16-007/2735; NWO Gravitation 024.001.003); the Dutch Ministry of Justice
637 (WODC), the European Science Foundation (EuroSTRESS project FP-006), the European Research
638 Council (ERC-2017-STG-757364 en ERC-CoG-2015-681466), Biobanking and Biomolecular Resources
639 Research Infrastructure BBMRI-NL (CP 32), the Gratama foundation, the Jan Dekker foundation, the
640 participating universities, and Accare Center for Child and Adolescent Psychiatry.

641

642 We are grateful to all adolescents, their parents and teachers who participated in this research and
643 to everyone who worked on this project and made it possible. Statistical analyses were carried out
644 on the Genetic Cluster Computer (<http://www.geneticcluster.org>), which is financially supported by
645 the Netherlands Scientific Organization (NWO 480-05-003) along with a supplement from the Dutch
646 Brain Foundation.

647

648 VTSABD (GEDI)

649 This research was supported by the National Institute on Drug Abuse (U01DA024413,
650 R01DA025109), the National Institute of Mental Health (R01MH045268, R01MH068521). We are
651 grateful to all the VTSABD study participants who contributed to this work.

652

653

654 **Supplementary Methods**

655 **eQTL datasets in FUMA used for gene-mapping**

656 BrainSeq_ge_brain.txt.gz PsychENCODE/PsychENCODE_eQTLs.txt.gz CMC/CMC_SV A_cis.txt.gz
657 CMC/CMC_SV A_trans.txt.gz
658 CMC/CMC_NoSV A_cis.txt.gz
659 CMC/CMC_NoSV A_trans.txt.gz BRAINEAC/CRBL.txt.gz
660 BRAINEAC/FCTX.txt.gz
661 BRAINEAC/HIPP .txt.gz
662 BRAINEAC/MEDU.txt.gz
663 BRAINEAC/OCTX.txt.gz
664 BRAINEAC/PUTM.txt.gz
665 BRAINEAC/SNIG.txt.gz
666 BRAINEAC/TCTX.txt.gz
667 BRAINEAC/THAL.txt.gz
668 BRAINEAC/WHMT.txt.gz
669 BRAINEAC/aveALL.txt.gz GTEX/v8/Brain_Amygdala.txt.gz
670 GTEX/v8/Brain_Anterior_cingulate_cortex_BA24.txt.gz GTEX/v8/Brain_Caudate_basal_ganglia.txt.gz
671 GTEX/v8/Brain_Cerebellar_Hemisphere.txt.gz GTEX/v8/Brain_Cerebellum.txt.gz
672 GTEX/v8/Brain_Cortex.txt.gz GTEX/v8/Brain_Frontal_Cortex_BA9.txt.gz
673 GTEX/v8/Brain_Hippocampus.txt.gz GTEX/v8/Brain_Hypothalamus.txt.gz
674 GTEX/v8/Brain_Nucleus_accumbens_basal_ganglia.txt.gz
675 GTEX/v8/Brain_Putamen_basal_ganglia.txt.gz GTEX/v8/Brain_Spinal_cord_cervical_c-1.txt.gz
676 GTEX/v8/Brain_Substantia_nigra.txt.gz

677

678 **Chromatin interaction datasets in FUMA used for gene mapping**

679 EP/PsychENCODE/EP_links_oneway.txt.gz: HiC/PsychENCODE/Promoter_anchored_loops.txt.gz:
680 HiC/Giusti-Rodriguez_et_al_2019/Adult_Cortex.txt.gz: HiC/Giusti-
681 Rodriguez_et_al_2019/Fetal_Cortex.txt.gz: HiC/GSE87112/Dorsolateral_Prefrontal_Cortex.txt.gz
682 HiC/GSE87112/Hippocampus.txt.gz Roadmap – brain:
683 E053:E054:E067:E068:E069:E070:E071:E072:E073:E074:E081:E082
684

685 **Gene-sets used in FUMA hypergeometric gene-set tests**

686 Differentially Expressed Gene (DEG) Set - GTEX v8 specific tissue types
687 Differentially Expressed Gene (DEG) Set - GTEX v8 general tissue types
688 Differentially Expressed Gene (DEG) Set - Brainspan 11 developmental stages
689 Differentially Expressed Gene (DEG) Set - Brainspan 29 ages of brain samples
690 Hallmark gene sets (MsigDB h) - h.all.v2023.1.Hs.entrez.gmt
691 Positional gene sets (MsigDB c1) - c1.all.v2023.1.Hs.entrez.gmt
692 Curated_gene_sets - c2.all.v2023.1.Hs.entrez.gmt
693 Chemical and Genetic perturbation gene sets (MsigDB c2) - c2.cgp.v2023.1.Hs.entrez.gmt
694 All Canonical Pathways (MsigDB c2) - c2.cp.v2023.1.Hs.entrez.gmt
695 BioCarta (MsigDB c2) - c2.cp.biocarta.v2023.1.Hs.entrez.gmt
696 KEGG (MsigDB c2) - c2.cp.kegg.v2023.1.Hs.entrez.gmt
697 Reactome (MsigDB c2) - c2.cp.reactome.v2023.1.Hs.entrez.gmt
698 microRNA targets (MsigDB c3) - c3.mir.v2023.1.Hs.entrez.gmt
699 TF targets (MsigDB c3) - c3.tft.v2023.1.Hs.entrez.gmt
700 All computational gene sets (MsigDB c4) - c4.all.v2023.1.Hs.entrez.gmt

701 Cancer gene neighborhoods (MsigDB c4) - c4.cgn.v2023.1.Hs.entrez.gmt
702 Cancer gene modules (MsigDB c4) - c4.cm.v2023.1.Hs.entrez.gmt
703 GO biological processes (MsigDB c5) - c5.go.bp.v2023.1.Hs.entrez.gmt
704 GO cellular components (MsigDB c5) - c5.go.cc.v2023.1.Hs.entrez.gmt
705 GO molecular functions (MsigDB c5) - c5.go.mf.v2023.1.Hs.entrez.gmt
706 Oncogenic signatures (MsigDB c6) - c6.all.v2023.1.Hs.entrez.gmt
707 Immunologic signatures (MsigDB c7) - c7.all.v2023.1.Hs.entrez.gmt
708 WikiPathways - c2.cp.wikipathways.v2023.1.Hs.entrez.gmt
709 Cell_type_signature (MSigDB c8) - c8.all.v2023.1.Hs.entrez.gmt
710

711 **SynGO Settings**

712 The "brain expressed" background set was selected, which contains 18035 unique genes in total of
713 which 1591 overlap with SynGO annotated genes.
714 SynGO dataset version: 20231201

715 **References**

- 716 1. Fraser A, Macdonald-Wallis C, Tilling K, Boyd A, Golding J, Davey Smith G, *et al.* (2013): Cohort
717 Profile: The Avon Longitudinal Study of Parents and Children: ALSPAC mothers cohort. *Int J*
718 *Epidemiol* 42: 97–110.
- 719 2. Boyd A, Golding J, Macleod J, Lawlor DA, Fraser A, Henderson J, *et al.* (2013): Cohort Profile: The
720 ‘Children of the 90s’—the index offspring of the Avon Longitudinal Study of Parents and
721 Children. *Int J Epidemiol* 42: 111–127.
- 722 3. Sunyer J, Esnaola M, Alvarez-Pedrerol M, Fornis J, Rivas I, López-Vicente M, *et al.* (2015):
723 Association between Traffic-Related Air Pollution in Schools and Cognitive Development in
724 Primary School Children: A Prospective Cohort Study ((B. P. Lanphear, editor)). *PLOS Med* 12:
725 e1001792.
- 726 4. Anckarsäter H, Lundström S, Kollberg L, Kerekes N, Palm C, Carlström E, *et al.* (2011): The Child
727 and Adolescent Twin Study in Sweden (CATSS). *Twin Res Hum Genet* 14: 495–508.
- 728 5. Lichtenstein P, Tuvblad C, Larsson H, Carlström E (2007): The Swedish Twin study of Child and
729 Adolescent Development: The TCHAD-Study. *Twin Res Hum Genet* 10: 67–73.
- 730 6. Fergusson DM, Horwood JL (2001): The Christchurch Health and Development Study: Review of
731 Findings on Child and Adolescent Mental Health. *Aust New Zeal J Psychiatry* 35: 287–296.
- 732 7. Fergusson DM, Horwood LJ (2013): The Christchurch Health and Development Study. *The*
733 *Christchurch Experience: 40 Years of Research and Teaching*. Christchurch: University of Otago,
734 pp 79–87.
- 735 8. Adkins DE, Clark SL, Copeland WE, Kennedy M, Conway K, Angold A, *et al.* (2015): Genome-Wide
736 Meta-Analysis of Longitudinal Alcohol Consumption Across Youth and Early Adulthood. *Twin*
737 *Res Hum Genet* 18: 335–347.
- 738 9. Costello EJ, Eaves L, Sullivan P, Kennedy M, Conway K, Adkins DE, *et al.* (2013): Genes,
739 Environments, and Developmental Research: Methods for a Multi-Site Study of Early Substance
740 Abuse. *Twin Res Hum Genet* 16: 505–515.

- 741 10. Bisgaard H, Vissing NH, Carson CG, Bischoff AL, Følsgaard N V., Kreiner-Møller E, *et al.* (2013):
742 Deep phenotyping of the unselected COPSAC₂₀₁₀ birth cohort study. *Clin Exp Allergy* 43: 1384–
743 1394.
- 744 11. Poulton R, Moffitt TE, Silva PA (2015): The Dunedin Multidisciplinary Health and Development
745 Study: overview of the first 40 years, with an eye to the future. *Soc Psychiatry Psychiatr*
746 *Epidemiol* 50: 679–693.
- 747 12. Moffitt TE (2002): Teen-aged mothers in contemporary Britain. *J Child Psychol Psychiatry* 43:
748 727–742.
- 749 13. Kaprio J, Pulkkinen L, Rose RJ (2002): Genetic and Environmental Factors in Health-related
750 Behaviors: Studies on Finnish Twins and Twin Families. *Twin Res* 5: 366–371.
- 751 14. Kaprio J (2006): Twin Studies in Finland 2006. *Twin Res Hum Genet* 9: 772–777.
- 752 15. Kaprio J (2013): The Finnish Twin Cohort Study: An Update. *Twin Res Hum Genet* 16: 157–162.
- 753 16. Pulkkinen L, Kaprio J, Rose RJ (1999): Peers, teachers and parents as assessors of the behavioural
754 and emotional problems of twins and their adjustment: The multidimensional peer nomination
755 inventory. *Twin Res* 2: 274–285.
- 756 17. Kooijman MN, Kruithof CJ, van Duijn CM, Duijts L, Franco OH, van IJzendoorn MH, *et al.* (2016):
757 The Generation R Study: design and cohort update 2017. *Eur J Epidemiol* 31: 1243–1264.
- 758 18. Medina-Gomez C, Felix JF, Estrada K, Peters MJ, Herrera L, Kruithof CJ, *et al.* (2015): Challenges in
759 conducting genome-wide association studies in highly admixed multi-ethnic populations: the
760 Generation R Study. *Eur J Epidemiol* 30: 317–330.
- 761 19. Heinrich J, Bolte G, Hölscher B, Douwes J, Lehmann I, Fahlbusch B, *et al.* (2002): Allergens and
762 endotoxin on mothers' mattresses and total immunoglobulin E in cord blood of neonates. *Eur*
763 *Respir J* 20: 617–23.
- 764 20. Berg A v., Krämer U, Link E, Bollrath C, Heinrich J, Brockow I, *et al.* (2010): Impact of early feeding
765 on childhood eczema: Development after nutritional intervention compared with the natural
766 course - The GINIplus study up to the age of 6 years. *Clin Exp Allergy* 40: 627–636.

- 767 21. Copeland WE, Angold A, Shanahan L, Costello EJ (2014): Longitudinal Patterns of Anxiety From
768 Childhood to Adulthood: The Great Smoky Mountains Study. *J Am Acad Child Adolesc*
769 *Psychiatry* 53: 21–33.
- 770 22. Costello EJ, Angold A, Burns BJ, Stangl DK, Tweed DL, Erkanli A, Worthman CM (1996): The Great
771 Smoky Mountains Study of Youth. *Arch Gen Psychiatry* 53: 1129.
- 772 23. Rhea S-A, Bricker JB, Wadsworth SJ, Corley RP (2013): The Colorado Adoption Project. *Twin Res*
773 *Hum Genet* 16: 358–365.
- 774 24. Rhea S-A, Gross AA, Haberstick BC, Corley RP (2013): Colorado Twin Registry: An Update. *Twin*
775 *Res Hum Genet* 16: 351–357.
- 776 25. Derringer J, Corley RP, Haberstick BC, Young SE, Demmitt BA, Howrigan DP, *et al.* (2015):
777 Genome-Wide Association Study of Behavioral Disinhibition in a Selected Adolescent Sample.
778 *Behav Genet* 45: 375–381.
- 779 26. Guxens M, Ballester F, Espada M, Fernández MF, Grimalt JO, Ibarluzea J, *et al.* (2012): Cohort
780 Profile: The INMA—Infancia y Medio Ambiente—(Environment and Childhood) Project. *Int J*
781 *Epidemiol* 41: 930–940.
- 782 27. Iacono WG, Carlson SR, Taylor J, Elkins IJ, McGue M (1999): Behavioral disinhibition and the
783 development of substance-use disorders: Findings from the Minnesota Twin Family Study. *Dev*
784 *Psychopathol* 11: 869–900.
- 785 28. Keyes MA, Malone SM, Elkins IJ, Legrand LN, McGue M, Iacono WG (2009): The Enrichment Study
786 of the Minnesota Twin Family Study: Increasing the Yield of Twin Families at High Risk for
787 Externalizing Psychopathology. *Twin Res Hum Genet* 12: 489–501.
- 788 29. Magnus P, Birke C, Vejrup K, Haugan A, Alsaker E, Daltveit AK, *et al.* (2016): Cohort Profile
789 Update: The Norwegian Mother and Child Cohort Study (MoBa). *Int J Epidemiol* 45: 382–388.
- 790 30. Burt SA, Klump KL (2013): The Michigan State University Twin Registry (MSUTR): An Update. *Twin*
791 *Res Hum Genet* 16: 344–350.
- 792 31. Keeping JD, Najman JM, Morrison J, Western JS, Andersen MJ, Williams GM (1989): A

- 793 prospective longitudinal study of social, psychological and obstetric factors in pregnancy:
794 response rates and demographic characteristics of the 8556 respondents. *BJOG An Int J Obstet*
795 *Gynaecol* 96: 289–297.
- 796 32. Najman JM, Alati R, Bor W, Clavarino A, Mamun A, McGrath JJ, *et al.* (2015): Cohort Profile
797 Update: The Mater-University of Queensland Study of Pregnancy (MUSP). *Int J Epidemiol* 44:
798 78-78f.
- 799 33. Najman J, Bor W, O’Callaghan M, Williams G, Aird R, Shuttlewood G (2005): Cohort Profile: The
800 Mater-University of Queensland Study of Pregnancy (MUSP). *Int J Epidemiol* 34: 992–997.
- 801 34. Järvelin MR, Hartikainen-Sorri A-L, Rantakallio P (1993): Labour induction policy in hospitals of
802 different levels of specialisation. *BJOG An Int J Obstet Gynaecol* 100: 310–315.
- 803 35. van Beijsterveldt CEM, Groen-Blokhuis M, Hottenga JJ, Franić S, Hudziak JJ, Lamb D, *et al.* (2013):
804 The Young Netherlands Twin Register (YNTR): Longitudinal Twin and Family Studies in Over
805 70,000 Children. *Twin Res Hum Genet* 16: 252–267.
- 806 36. Middeldorp CM, Hammerschlag AR, Ouwens KG, Groen-Blokhuis MM, St. Pourcain B, Greven CU,
807 *et al.* (2016): A Genome-Wide Association Meta-Analysis of Attention-Deficit/Hyperactivity
808 Disorder Symptoms in Population-Based Pediatric Cohorts. *J Am Acad Child Adolesc Psychiatry*
809 55: 896-905.e6.
- 810 37. Kan K-J, Dolan C V., Nivard MG, Middeldorp CM, Van Beijsterveldt CEM, Willemsen G, Boomsma
811 DI (2013): Genetic and environmental stability in attention problems across the lifespan:
812 Evidence from the netherlands twin register. *J Am Acad Child Adolesc Psychiatry* 52: 12–25.
- 813 38. Scheet P, Ehli EA, Xiao X, van Beijsterveldt CEM, Abdellaoui A, Althoff RR, *et al.* (2012): Twins,
814 Tissue, and Time: An Assessment of SNPs and CNVs. *Twin Res Hum Genet* 15: 737–745.
- 815 39. Newnham JP, Evans SF, Michael CA, Stanley FJ, Landau LI (1993): Effects of frequent ultrasound
816 during pregnancy: a randomised controlled trial. *Lancet* 342: 887–891.
- 817 40. Straker L, Mountain J, Jacques A, White S, Smith A, Landau L, *et al.* (2017): Cohort Profile: The
818 Western Australian Pregnancy Cohort (Raine) Study–Generation 2. *Int J Epidemiol* 46: dyw308.

- 819 41. Haworth CMA, Davis OSP, Plomin R (2013): Twins Early Development Study (TEDS): A Genetically
820 Sensitive Investigation of Cognitive and Behavioral Development From Childhood to Young
821 Adulthood. *Twin Res Hum Genet* 16: 117–125.
- 822 42. de Winter AF, Oldehinkel AJ, Veenstra R, Brunnekreef JA, Verhulst FC, Ormel J (2005): Evaluation
823 of non-response bias in mental health determinants and outcomes in a large sample of pre-
824 adolescents. *Eur J Epidemiol* 20: 173–181.
- 825 43. Oldehinkel AJ, Rosmalen JG, Buitelaar JK, Hoek HW, Ormel J, Raven D, *et al.* (2015): Cohort
826 Profile Update: The TRacking Adolescents' Individual Lives Survey (TRAILS). *Int J Epidemiol* 44:
827 76-76n.
- 828 44. Simonoff E, Pickles A, Meyer JM, Silberg JL, Maes HH, Loeber R, *et al.* (1997): The Virginia Twin
829 Study of Adolescent Behavioral Development. *Arch Gen Psychiatry* 54: 801.
- 830 45. Hewitt JK, Rutter M, Simonoff E, Pickles A, Loeber R, Heath AC, *et al.* (1997): Genetics and
831 Developmental Psychopathology: 1. Phenotypic Assessment in the Virginia Twin Study of
832 Adolescent Behavioral Development. *J Child Psychol Psychiatry* 38: 943–963.
- 833 46. Eaves LJ, Silberg JL, Meyer JM, Maes HH, Simonoff E, Pickles A, *et al.* (1997): Genetics and
834 Developmental Psychopathology: 2. The Main Effects of Genes and Environment on Behavioral
835 Problems in the Virginia Twin Study of Adolescent Behavioral Development. *J Child Psychol*
836 *Psychiatry* 38: 965–980.
- 837 47. Maes HH, Silberg JL, Neale MC, Eaves LJ (2007): Genetic and Cultural Transmission of Antisocial
838 Behavior: An Extended Twin Parent Model. *Twin Res Hum Genet* 10: 136–150.
- 839