

Supplementary material 1. NovaFFQ in English (free translation).

Participant,

Here you will answer about your usual diet over the last twelve months.

For each listed item, answer by selecting:

- 1) your frequency of consumption (ranging from “never or <1 time per month” to "daily").
- 2) your typical portion size consumed using the reference portion available for each item (ranging from “0.5” to “>3,5” portions).

For example, if you usually consume two units of bread per day, select the frequency "daily" and the option "two" for the portion size, knowing that the reference portion it is "1 unit".

For items that contain more than one food (example: melon or watermelon), record the sum of how often you eat both fruits and the portion size you usually eat.

In the final section, you must record the consumption of items such as sugar, olive oil and ketchup added to drinks, salads, or pizza.

Let's start?

How often have you eaten the following during the past 12 months? Select only one frequency per item.											How much did you eat each per day (considering the sum of all meals of a day)? Indicate only one portion per item. If the response to frequency is "Never or rarely" no need to mark answer for that question.							
Food	Never or rarely	1 time per month	2-3 times per month	1 time a week	2 times a week	3 times a week	4 times a week	5 times a week	6 times a week	Daily	Reference portion	0.5	1.0	1.5	2.0	2.5	3.0	+3.5
1. CEREALS, PASTA, AND PIZZA																		
Corn											1 cob							
Canned corn											1 tablespoon							
Cornflour or northeastern Brazilian couscous											1 serving spoon							
Homemade popcorn											1 bowl average full							
Microwave popcorn											1 package							
Rice											1 serving spoon							
Homemade or artisanal lasagna, ravioli, cannelloni or other homemade or artisanal stuffed pasta											1 piece or 2 servings spoons							

Ready-to-heat pasta dishes (including stuffed pasta and lasagne)											1 piece medium or 2 serving spoons								
Fresh pasta or gnocchi											1 serving spoon								
Instant noodles											1 pack								
Ready-to-heat pizza with brand like Sadia, Perdigão, or pizza from fast-food chains such as Pizza Hut, or Domino's											1 slice								
Homemade or artisanal pizza											1 slice								
2. BEANS AND LEGUMES																			
Beans											1 ladle								
Fresh pea, chickpea, or lentil											1 tablespoon								

Canned pea, or chickpea											1 tablespoon							
3. BURGERS, MEAT AND EGGS																		
Hamburger, cheeseburger, hot dog or other fast-food snack											1 unit average							
Steak burger, chicken or fish nuggets or sticks											1 unit of steak burger or 6 units of nuggets							
Sausage, pepperoni, or frankfurter											3 slices of sausage or pepperoni or 1 average frankfurter							
Dried beef or jerky											1 average piece							
Fresh beef											3 medium pieces or 1 steak or serving spoon							

Fresh pork											1 average slice or 3 ribs							
Fresh chicken or other poultry											1 medium thigh or 1 fillet or 2 medium drumsticks							
Liver, tongue, gizzard, or other offal											1 average piece							
Egg											1 unit							
Tuna, sardines, or other fish in tin											1 tablespoon							
Cod or other salty fish											1 average piece							
Tilapia, hake, or other fresh fish											1 average piece							
4. VEGETABLES																		
Lettuce, chard, cress or rocket											1 average leaf							

Cabbage, kale , or spinach											1 tablespoon							
Endive, Chicory, or escarole											1 ladle							
Tomato or onion											1 tomato slice or 2 onion slices							
Pumpkin, zucchini, or eggplant											1 serving spoon							
Carrot or beet											1 tablespoon							
Broccoli or cauliflower											1 average floret							
Chayote, okra, or green beans											1 tablespoon							
Other vegetables (cucumber, etc)											1 tablespoon							
5. ROOTS AND TUBERS																		
Cassava											1 average piece							
Sweet potato											1 average piece							

French fries frozen or purchased in fast- food stores											1 average serving or 1/2 dish							
Potato											1 small unit							
Cassava flour, homemade <i>"farofa"</i>											1 tablespoon							
Ready-to-eat <i>"farofa"</i>											1 tablespoon							
6. FRUITS																		
Banana											1 unit average							
Orange, or tangerine											1 unit average							
Apple or pear											1 unit average							
Papaya											1 slice average							
Mango											1 unit average							

Watermelon or melon											1 slice average of watermelon or 2 slice average of melon							
Others fruits (grape, pineapple, etc)											1 slice average							
7.CAKES, CANDY, DESSERTS AND BREAKFAST CEREALS																		
Fruit in syrup, or candy made from fruit (e.g. <i>cocada</i> , <i>goiabada</i>)											1 unit average or 1 tablespoon							
Candy made from peanut (<i>paçoca</i> , <i>pé-de-moleque</i>)											1 unit average							
Milk caramel, or hazelnut butter											1 tablespoon							
Homemade flan, coconut pudding, mousse, rice pudding, trifle made from the ingredients											1 piece average or 1 serving spoon							

Ready-to-eat or powdered flan, coconut pudding, mousse, rice pudding, or trifle												1 piece average or 1 serving spoon						
Porridge, hominy porridge, or corn pudding.												1 dish						
Gelatin												1 bowl average						
Chocolate, or truffle												1 unit average						
Ice cream												1 serving						

Cookie with or without filling											2 units of cookie without filling or 1 unit of cookie stuffed							
Homemade cake											1 slice average							
Ready-to-eat or powdered cake											1 unit small or 1 slice average							
Breakfast cereals or granola											1 bowl of breakfast cereal or 3 tablespoons of granola							
8.BREADS AND CRACKERS																		
Homemade bread											1 slice average							
Freshly made unpackaged bread (homemade or artisanal)											1 unit average or 2 slices							

Sandwich bread											1 slice average							
Others packaged breads											1 unit average							
<i>Tapioca</i>											1 unit average							
Homemade or bakery Brazilian cheese bread, savory fried or baked, or pie											1 unit average							
Frozen or packaged Brazilian cheese bread, savory fried or baked, or pie											1 unit average							
Crackers, packaged toast											1 unit average							
Snacks											1 pack average							
9. PROCESSED MEATS AND CHEESE																		

Ham, mortadella, or salami											1 slice average							
Mozzarella cheese, or other cheese											1 slice average							
10. DRINKS																		
Milk											1 glass							
Flavoured yoghurt or ready- to-drink chocolate milk											1 glass							
Milk with chocolate powder											1 glass							
Fresh or pasteurized plain yoghurt											1 glass							
Coffee											1 cup							
Milk with coffee											1 cup							
Fresh 100% fruit juice											1 glass							
Soft drinks (e.g. iced tea, fruit juice) or energy drinks											1 glass							

Tea and herbal infusions											1 cup								
Soda											1 glass								
Beer											1 can or 1 glass								
Wine											1 glass								
Vodka, whiskey or others drinks alcoholic distilled											1 shot								
11. NUTS																			
Packaged peanut with brand											1 pack small								
Peanut, nuts with salt or sugar											1 serving average								
Peanut, nuts without salt or sugar											1 serving average								
How often you added those items to ready foods in the last twelve months? (Example: sugar at the coffee, oil at salad, margarine at the bread) Select only one option per item.											How much did you added to foods per day (considering the sum of all meals of a day)? Indicate only one portion per item. If the response to frequency is "Never or rarely" no need to mark answer for that question.								
12. ITEMS ADDED TO READY DISHES																			
Sugar											1 teaspoon								
Sweetener											3 drops or 1 sachet								
Olive oil or oil											1 tablespoon								

Butter											1 knife tip							
Margarine											1 knife tip							
Ketchup, mustard, mayonnaise, soy sauce or other ready-made sauces											1 tablespoon							
Cottage cheese or cream cheese											1 knife tip							
Jam											1 knife tip							
Packaged grated cheese											1 tablespoon							
Freshly grated parmesan cheese											1 tablespoon							

Supplementary material 2. Table S1. Dietary contribution (% of total energy intake) of Nova subgroups using the Nova24h and the first Nova Food Frequency Questionnaire. Criterion validation study. (n=377)

Nova groups and subgroups	% of total energy intake				Mean difference	ICC ²	95% IC	
	Nova24h		NovaFFQ					
	Mean	SE	Mean	SE				
Unprocessed or minimally processed foods	50.3	0.7	56.2	0.6	6.0	0.65	0.48	0.76
Fruit	7.8	0.3	10.7	0.4	2.9	0.69	0.54	0.78
Red meat	7.3	0.4	8.5	0.4	1.2	0.60	0.52	0.68
Milk and plain yoghurt	3.6	0.2	4.8	0.3	1.1	0.65	0.56	0.71
Eggs	3.2	0.2	4.3	0.2	1.1	0.73	0.65	0.79
Poultry	3.3	0.2	4.0	0.2	0.7	0.39	0.26	0.50
Legumes	4.5	0.2	5.0	0.2	0.5	0.62	0.53	0.69
Pasta	2.1	0.2	2.6	0.1	0.5	0.35	0.21	0.47
Roots and tubers	1.8	0.1	2.1	0.1	0.3	0.49	0.37	0.58
Homemade pies, pastries, pizza	1.0	0.2	1.1	0.1	0.1	0.05	-0.17	0.22
Coffee and tea	0.6	0.0	0.7	0.0	0.0	0.71	0.65	0.76
Vegetables	1.7	0.1	1.6	0.0	-0.1	0.52	0.41	0.61
Flour	1.2	0.1	0.9	0.1	-0.2	0.59	0.49	0.66
Grains	5.7	0.2	5.4	0.2	-0.2	0.59	0.49	0.66
Freshly squeezed fruit juice	2.0	0.1	1.7	0.1	-0.3	0.59	0.49	0.66
Cassava flour	1.1	0.1	0.7	0.1	-0.4	0.75	0.69	0.80
Nuts and seeds without salt, sugar, or oil	1.6	0.2	1.2	0.1	-0.5	0.55	0.45	0.64
Fish and seafood	1.6	0.2	1.0	0.1	-0.6	0.26	0.10	0.40
Other unprocessed or minimally processed foods	0.2	0.0	0.0	0.0	-0.2	0.14	-0.05	0.30
Processed culinary ingredients	11.3	0.3	11.7	0.3	0.3	0.63	0.54	0.70
Plant oils	4.8	0.1	5.9	0.1	1.1	0.55	0.38	0.66
Animal fats	1.8	0.1	1.6	0.1	-0.2	0.58	0.48	0.65
Sugar	3.1	0.2	1.9	0.1	-1.3	0.47	0.30	0.59
Other processed culinary ingredients	1.6	0.1	2.3	0.1	0.7	0.60	0.49	0.69
Processed foods	18.5	0.6	16.7	0.5	-1.9	0.61	0.52	0.68
Ham and other salted, smoked, or canned meat or fish	0.7	0.1	1.8	0.1	1.1	0.26	0.09	0.40
Wine and beer	3.6	0.3	4.0	0.3	0.4	0.73	0.66	0.78
Canned vegetables and legumes	0.1	0.0	0.1	0.0	0.0	0.08	-0.13	0.25
Processed bread	3.5	0.2	3.4	0.2	0.0	0.54	0.43	0.62
Dried and canned fruit	0.2	0.1	0.1	0.0	-0.1	0.19	0.00	0.34
Nuts and seeds with salt or sugar	0.6	0.1	0.5	0.1	-0.1	0.36	0.22	0.48
Processed cake	1.2	0.2	0.8	0.1	-0.4	0.07	-0.14	0.24
Processed desserts	0.5	0.1	0.1	0.0	-0.4	-0.03	-0.25	0.15

Savoury snacks, including croquettes, pastries, and mini pies	1.2	0.2	0.7		-0.5	0.12	-0.07	0.28
Cheese	7.0	0.3	5.1	0.2	-1.9	0.55	0.42	0.64
Ultra-processed foods	19.8	0.6	15.4	0.5	-4.4	0.61	0.47	0.71
Breakfast cereals	0.4	0.1	0.6	0.1	0.1	0.69	0.62	0.75
Bread	2.5	0.2	2.6	0.2	0.1	0.55	0.44	0.63
Other sweetened beverages (fruit juices, energy drinks)	0.5	0.1	0.5		0.0	0.57	0.47	0.65
Soda	0.8	0.1	0.9	0.1	0.0	0.62	0.53	0.69
Pre-cooked French fries	0.3	0.1	0.2	0.0	0.0	-0.02	-0.24	0.17
Sauces, dressings, and gravies	0.6	0.1	0.5	0.0	0.0	0.25	0.08	0.38
Instant and canned soups	0.2	0.1	0.2	0.0	0.0	0.07	-0.14	0.24
Cream cheese	0.3	0.0	0.3	0.0	0.0	0.55	0.45	0.63
Desserts	0.9	0.1	0.8	0.1	-0.1	0.29	0.13	0.42
Milk-based drinks and flavoured yoghurts	0.9	0.1	0.8	0.1	-0.1	0.55	0.44	0.63
Margarine	0.4	0.1	0.2	0.0	-0.1	0.59	0.50	0.66
Ready-to-heat or ready-to-eat meals	0.5	0.1	0.2	0.0	-0.3	0.23	0.06	0.37
Reconstituted meat or fish products	2.9	0.2	2.6	0.1	-0.3	0.44	0.31	0.54
Ready-to-heat pizza and pies	0.8	0.1	0.4	0.1	-0.4	0.02	-0.19	0.20
Ice cream	1.1	0.1	0.6	0.1	-0.4	0.28	0.12	0.41
Vodka, tequila, and other distilled alcoholic drinks	0.7	0.1	0.3		-0.5	0.40	0.27	0.51
Crackers	1.6	0.2	1.1	0.1	-0.5	0.35	0.21	0.47
Sweets	2.3	0.2	1.6	0.1	-0.7	0.36	0.22	0.48
Cakes, cookies, and pies	1.4	0.2	0.8	0.1	-0.7	0.29	0.13	0.42
Other ultra-processed foods	0.7	0.1	0.2	0.0	-0.5	0.19	0.01	0.34

¹ Absolute difference between the first NovaFFQ and the Nova24h

² Intraclass correlation coefficients