


**Supplement Figure S1:** Individual Beck Depression Inventory-II (BDI-II), Beck Anxiety Inventory (BAI) and Perceived Stress Scale (PSS-10) scores, in iHUD and HC in panels A-C, respectively; with line indicating median. Data were analyzed with Mann-Whitney U tests, as shown in Table 1. Note the frequent “0” (i.e., floor) scores especially in healthy controls, for BDI-II and BAI scales. iHUD “n” differs due to missing data.



**Table S1. Data for the 29 targets with significant differences in iHUD versus HC after False Discovery Rate (FDR) correction.**

Targets in bold italics indicate the 19 cytokines from canonical families that are used in PCA analysis

Target	Family	Used in PCA?	iHUD (n=21)			HC (n=24)			iHUD vs HC comparison		
			Mean NPX units, log2 scale	95%CI	Outliers Replace d	Mean NPX units, log2 scale	95%CI	Outliers Replace d	W statistic	Uncorrected p value	FDR p value
<b><i>MCP1 / CCL2</i></b>	Chemokines	Yes	12.38	0.24	0	11.77	0.28	0	123	0.0028	0.0116
<b><i>MCP3 / CCL7</i></b>	Chemokines	Yes	2.91	0.36	0	2.21	0.26	0	122	0.0026	0.0113
<b><i>CCL19</i></b>	Chemokines	Yes	10.97	0.31	1	10.40	0.16	1	112	0.0035	0.0130
<b><i>CCL28</i></b>	Chemokines	Yes	2.06	0.21	0	2.54	0.17	0	408	0.0002	0.0019
<b><i>CXCL9</i></b>	Chemokines	Yes	7.10	0.27	1	6.58	0.31	1	118	0.0057	0.0195
<b><i>IL6</i></b>	Interleukin	Yes	3.44	0.46	1	2.70	0.37	0	126	0.0066	0.0205
<b><i>IL7</i></b>	Interleukin	Yes	2.15	0.21	0	2.52	0.18	0	362	0.0117	0.0326
<b><i>IL10RB</i></b>	Interleukin	Yes	6.75	0.10	0	6.40	0.13	0	98	0.0003	0.0021
<b><i>IL15RA</i></b>	Interleukin	Yes	1.41	0.11	0	1.21	0.11	0	132	0.0057	0.0195
<b><i>IL18</i></b>	Interleukin	Yes	10.02	0.28	0	9.56	0.24	0	137	0.0083	0.0248
<b><i>OSM</i></b>	Interleukin	Yes	7.47	0.33	0	6.64	0.40	0	122	0.0026	0.0113
<b><i>CSF1</i></b>	Growth factor	Yes	10.22	0.07	0	9.98	0.10	0	93	0.0002	0.0017
<b><i>HGF</i></b>	Growth factor	Yes	9.71	0.20	0	9.14	0.22	0	93	0.0002	0.0017
<b><i>SCF</i></b>	Growth factor	Yes	8.95	0.20	0	9.50	0.11	0	431	1.7X10 <sup>-5</sup>	0.0004
<b><i>TGF.alpha</i></b>	Growth factor	Yes	5.30	0.29	0	4.77	0.24	0	133	0.0062	0.0200
<b><i>CD40 / TNFR5</i></b>	TNF-related	Yes	11.61	0.14	0	11.35	0.13	0	124	0.0031	0.0120
<b><i>TNFRSF9</i></b>	TNF-related	Yes	6.80	0.22	0	6.10	0.17	1	66	1.23X10 <sup>-5</sup>	0.0004
<b><i>TNFSF14</i></b>	TNF-related	Yes	7.63	0.29	0	7.01	0.30	0	140	0.0102	0.0295
<b><i>TRAIL</i></b>	TNF-related	Yes	9.15	0.09	0	8.79	0.13	0	89	0.0001	0.0015
4E-BP1	Other	No	6.57	0.55	0	5.39	0.42	1	108	0.0013	0.0065
ADA	Other	No	6.46	0.20	0	5.89	0.15	1	76	4.49X10 <sup>-5</sup>	0.0007
AXIN1	Other	No	3.88	0.21	0	3.35	0.22	0	114	0.0013	0.0065
CASP8	Other	No	3.30	0.23	0	2.73	0.24	0	103	0.0005	0.0029

CD5	Other	No	6.12	0.15	0	5.70	0.12	0	76	2.48X10 <sup>-5</sup>	0.0005
CD6	Other	No	5.76	0.23	0	5.20	0.15	1	90	0.0002	0.0019
CDCP1	Other	No	4.18	0.24	1	3.20	0.18	0	34	7.35X10 <sup>-8</sup>	5.73X10 <sup>-6</sup>
EN.RAGE	Other	No	6.84	0.34	0	6.18	0.37	0	145	0.0143	0.0386
SLAMF1	Other	No	2.51	0.16	0	2.06	0.18	0	103	0.0005	0.0029
STAMBP	Other	No	4.54	0.21	0	4.04	0.17	1	99	0.0006	0.0032

**Table S2. Data for 49 targets without significant differences between iHUD and HC after FDR correction**

Target	iHUD (n=21)		HC (n=24)		iHUD vs HC comparison		
	Mean NPX units, log2 scale	95%CI	Mean NPX units, log2 scale	95%CI	W statistic	Unadjusted p value	FDR p value
<b>uPA</b>	10.71	0.11	10.51	0.14	151	0.02	0.06
<b>IL.18R1</b>	7.27	0.16	6.98	0.15	153	0.02	0.06
<b>TNFB</b>	5.01	0.22	4.75	0.18	158	0.03	0.08
<b>CXCL1</b>	9.11	0.29	9.77	0.41	344	0.04	0.08
<b>IL10</b>	3.34	0.23	3.00	0.23	160	0.04	0.08
<b>TNF</b>	4.00	0.15	3.84	0.22	153	0.04	0.08
<b>SIRT2</b>	2.79	0.29	2.33	0.40	161	0.04	0.08
<b>IL.17C</b>	2.20	0.20	2.67	0.35	325	0.05	0.10
<b>TRANCE</b>	5.59	0.30	5.17	0.31	167	0.05	0.11
<b>Flt3L</b>	9.85	0.20	9.58	0.18	169	0.06	0.12
<b>CXCL6</b>	9.18	0.32	9.79	0.39	335	0.06	0.12
<b>IFN.gamma</b>	7.46	0.36	7.01	0.34	170	0.06	0.12
<b>MMP.1</b>	15.44	0.26	15.80	0.33	333	0.07	0.12
<b>CD8A</b>	10.30	0.30	9.90	0.31	177	0.09	0.16
<b>IL.12B</b>	6.87	0.32	6.53	0.31	177	0.09	0.16
<b>CCL23</b>	11.74	0.20	11.48	0.20	177	0.09	0.16
<b>CD244</b>	5.55	0.15	5.39	0.15	180	0.10	0.18
<b>MMP.10</b>	8.91	0.28	8.65	0.20	182	0.11	0.19
<b>VEGFA</b>	12.90	0.23	12.65	0.21	184	0.13	0.20
<b>MCP.4</b>	15.72	0.23	15.91	0.21	314	0.16	0.26
<b>CXCL10</b>	8.37	0.39	8.04	0.34	191	0.17	0.27
<b>GDNF</b>	1.72	0.14	1.87	0.15	300	0.17	0.27
<b>CCL25</b>	6.32	0.25	6.64	0.34	311	0.19	0.28
<b>DNER</b>	9.39	0.10	9.48	0.12	308	0.21	0.31
<b>FGF.23</b>	0.85	0.25	0.73	0.24	190	0.23	0.34
<b>LAP.TGF.beta.1</b>	7.13	0.10	7.22	0.13	299	0.29	0.41

TWEAK	10.00	0.16	9.90	0.14	205	0.29	0.41
CXCL5	12.56	0.39	12.91	0.34	298	0.30	0.42
CCL11	8.20	0.19	8.16	0.30	208	0.33	0.44
LIF.R	3.57	0.11	3.66	0.08	292	0.37	0.49
IL.20RA	0.41	0.16	0.53	0.22	277	0.39	0.51
PD.L1	5.75	0.16	5.71	0.18	204	0.41	0.52
CX3CL1	4.60	0.18	4.69	0.19	285	0.46	0.58
FGF.19	8.93	0.24	8.86	0.33	226	0.57	0.70
IL.10RA	1.13	0.31	1.07	0.29	230	0.63	0.77
OPG	9.92	0.16	9.91	0.13	232	0.66	0.78
ST1A1	4.67	0.53	4.56	0.47	232	0.66	0.78
CXCL11	8.28	0.50	8.55	0.56	271	0.68	0.79
ARTN	0.19	0.13	0.16	0.09	224	0.72	0.82
MCP.2	9.80	0.27	9.91	0.24	268	0.73	0.82
NT.3	2.58	0.20	2.54	0.13	238	0.76	0.85
CCL4	7.62	0.26	7.57	0.29	247	0.92	0.97
FGF.5	1.66	0.08	1.69	0.14	257	0.92	0.97
FGF.21	4.95	0.69	4.89	0.59	257	0.92	0.97
CCL20	7.58	0.26	7.69	0.41	247	0.92	0.97
IL8	6.98	0.43	6.93	0.39	226	0.93	0.97
IL.17A	0.68	0.17	0.74	0.22	239	0.96	0.98
CCL3	6.98	0.31	7.01	0.37	239	0.96	0.98
CST5	7.70	0.24	7.76	0.28	252	1.00	1.00

**Table S3. PC1 Loadings for 19 cytokine components of PCA**

Cytokine	Family	PC1 Loading (Eigenvector*√Eigenvalue)
<b>MCP.1 / CCL2</b>	Chemokines	0.55
<b>MCP.3 / CCL7</b>	Chemokines	0.71
<b>CCL19</b>	Chemokines	0.61
<b>CCL28</b>	Chemokines	-0.19
<b>CXCL9</b>	Chemokines	0.67
<b>IL7</b>	Interleukin	-0.22
<b>IL6</b>	Interleukin	0.55
<b>IL.10RB</b>	Interleukin	0.59
<b>IL.15RA</b>	Interleukin	0.69
<b>IL18</b>	Interleukin	0.63
<b>OSM</b>	Interleukin	0.70
<b>CSF.1</b>	Growth factor	0.86
<b>HGF</b>	Growth factor	0.79
<b>SCF</b>	Growth factor	-0.55
<b>TGF.alpha</b>	Growth factor	0.60
<b>CD40 /TNFR5</b>	TNF-related	0.67




<b>TNFRSF9</b>	TNF-related	0.77
<b>TNFSF14</b>	TNF-related	0.68
<b>TRAIL</b>	TNF-related	0.72

**Table S4. Correlation of cytokine PC1 scores (19 cytokines, see tables S1 and S3) with demographic and clinical variables**

Variable	Spearman correlations of cytokine PC1 scores with clinical and phenotypic variables					
	<i>iHUD only</i> (n=21 unless otherwise stated)		<i>HC only</i> (n=24 unless otherwise stated)		<i>iHUD and HC</i> (n=45 unless otherwise stated)	
	R (uncorrected p)	FDR (uncorrected p)	R (uncorrected p)	FDR (corrected p)	R (uncorrected p)	FDR (corrected p)
<b>Age</b>	-0.21 (0.36)	NS	0.14 (0.52)	NS	0.084 (0.59)	NS
<b>BMI</b>	0.0078 (0.97)	NS	0.34 (0.11)	NS	<b>0.43 (0.0031)</b>	<b>p=0.012</b>
<b>Sleep hours in the prior night</b>	0.046 (0.85)	NS	0.33 (0.11)	NS	0.19 (0.22)	NS
<b>Perceived Stress PSS-10 scores</b>	-0.35 (0.14) n=20	NS	-0.32 (0.13)	NS	0.16 (0.3) n=44	NS
<b>Depression BDI-II scores</b>	<b>-0.49 (0.032)</b> n=19	NS	Not calculated due to “floor” effect in HC; See Supplement Fig. S1			
<b>Anxiety BAI scores</b>	-0.12 (0.60) n=20	NS				
<b>Age of onset of first use of heroin</b>	-0.42 (0.069)	NS	N/A	N/A	N/A	N/A
<b>Age of onset of regular use of heroin</b>	<b>-0.48 (0.031)</b>	NS	N/A	N/A	N/A	N/A
<b>Years of regular heroin use</b>	-0.23 (0.35)	NS	N/A	N/A	N/A	N/A
<b>Heroin</b>	<b>0.50 (0.02)</b>	NS	N/A	N/A	N/A	N/A

<b>abstinence duration</b>						
<b>Methadone daily dose in mg</b>	0.25 (0.34) n=16	NS	N/A	N/A	N/A	N/A

FDR: False discovery rate; 5% cutoff level



**Figure S2:** Correlation of individual cytokine PC1 scores with BDI-II scores, age of onset of regular heroin use and abstinence duration in iHUD (panels A,B,C respectively); “n” differs across panels due to missing data.