



**IMMUC Score – Symptom and Severity Score**

<b>Patient ID:</b> EP- ..... - ..... / ..... - ..... - ...		<b>IMMUC Score</b>
<b>Total Complexity</b>	<i>Number of clinical and laboratory symptoms</i>	
<b>Clinical Complexity</b>	<i>Number of clinical symptoms</i>	
<b>Laboratory Complexity</b>	<i>Number of laboratory symptoms</i>	
<b>Severity of all symptoms</b>	<i>Maximum severity score of clinical and laboratory symptoms; (s5 – death due to IM)</i>	
<b>Severity of Clinical Symptoms</b>	<i>Maximum severity score of clinical symptoms</i>	
<b>Severity of laboratory Symptoms</b>	<i>Maximum severity score of laboratory symptoms</i>	

**Clinical Symptoms**

<b>Symptom</b>	<b>Severity</b>
<b>1. Fever</b>	
No	<b>s0</b>
≥ 38.5 – 39.4°C	<b>s1</b>
≥ 39.5°C	<b>s2</b>
Antibiotics	
No information	<b>sx</b>
<b>2. Fatigue</b>	
No	<b>s0</b>
Can walk alone	<b>s1</b>
Assisted walking	<b>s2</b>
T6: Reduced education/work/ club sports	
Can not walk	<b>s3</b>
No information	<b>sx</b>
<b>3. Lymphadenopathy</b>	
No	<b>s0</b>
Enlarged nodes	<b>s1</b>
Painful nodes	
Movement locally impaired	<b>s2</b>
Antibiotics	
Computed tomography (CT)/ Magnetic resonance imaging (MRI)	<b>s3</b>
Biopsy (Bone marrow biopsy [BMB]/ Lymph node biopsy [LNB])	<b>s4</b>
No information	<b>sx</b>
<b>4. Tonsillopharyngitis</b>	
No	<b>s0</b>
Sore throat, pain killers	<b>s1</b>
Snoring/upper respiratory tract obstruction	
Tonsillitis	
Antibiotics	<b>s2</b>
Steroids	<b>s3</b>
Oxygen supply	
Tonsillotomy	<b>s4</b>
No information	<b>sx</b>
<b>5. Splenomegaly</b>	
No	<b>s0</b>

IMMUC Score \_\_\_\_\_

Sonography >100-119%, not palpable	s1
Palpable	
Sonography >120%	s2
Rupture	s4
Surgery	
No information	sx
<b>6. Facial edema</b>	
No	s0
No visual impairment	s1
Partial visual impairment	
Antihistamines	s2
Antibiotics due to lid phlegmon	
Complete visual impairment	
Steroids	s3
No information	
<b>7. Exanthema</b>	
No	s0
Maculopapulous w/o Aminopenicillin	s1
Maculopapulous post Aminopenicillin	
Aphthae	
Itching a/o pain	s2
Antihistamines	
Local steroids	
Erythema nodosum	
Bullae	s3
Steroids	
Biopsy	
Necrosis	s4
No information	sx
<b>08. Bleeding, Treatment of bleeding or anemia</b>	
No	s0
Nose bleeding (≤10min)	s1
Hematoma (≤10cm)	
Petechiae	
Hematoma (>10cm)	s2
Cyclopropric acid as anticoagulans	
nose bleeding (>10min a/o >3x/d)	s3
Oral blood bullae	
Steroids	
Evans syndrome	s4
Organ bleeding	
Rituximab	
Transfusion	
Plasmapheresis	
No information	sx
<b>09. Other airways</b>	
No	s0
Otitis	s1
Rhinitis	
Hoarseness	
Cough	
Stress-related mild dyspnoe	
Parotitis	
Swollen a/o tender tongue	
Antibiotics	
Local steroids	s2
Oxygen supply	
Steroids	s3
X-ray thorax	
Pneumonia	
CT thorax	s4
Paracentesis/ ear ventilation tube/ adenoidectomy	
Thoracic drainage	
Mechanical ventilation	
No information	
No information	sx

IMMUC Score \_\_\_\_\_

<b>10. Other gastrointestinal</b>	
No	<b>s0</b>
Abdominal pain	<b>s1</b>
Nausea, vomiting	
Watery diarrhea	<b>s2</b>
Melaena a/o Hematemesis	
Antiemetics	
Weight loss >10%, possibly not only Epstein-Barr virus (EBV)	
Weight loss >10%	<b>s3</b>
Acute abdomen, pancreatitis, appendicitis, ileus	
Abdominal X-ray, CT/MRI	
Antibiotics	
Endoscopy	<b>s4</b>
Surgery	
No information	<b>sx</b>
<b>11. Urogenital</b>	
No	<b>s0</b>
Dysuria	<b>s1</b>
Genital ulcer	<b>s2</b>
Gross hematuria	
Antibiotics	
Nephrotic syndrome	<b>s3</b>
Nephritis	
Nephrological drug treatment	
Dialysis	<b>s4</b>
Renal biopsy	
No information	<b>sx</b>
<b>12. Neurological</b>	
No	<b>s0</b>
Headache	<b>s1</b>
Meningism	<b>s2</b>
Lumbar puncture	
Antibiotics	
Seizure	<b>s3</b>
Documented meningitis	
Neurological drug 1x	
CT/MRI	
Electroencephalogram (EEG), nerve conduction velocity (NCV), Electrophysiology (EP) <sup>i</sup>	<b>s4</b>
Neurological drug > 1x	
Encephalitis	
Neuritis	
No information	<b>sx</b>
<b>13. Musculoskeletal</b>	
No	<b>s0</b>
Body aches	<b>s1</b>
Painkillers for body aches	<b>s2</b>
Joint swelling	
Joint ultrasound	<b>s3</b>
Pain-related immobilisation	
No information	
No information	<b>sx</b>
<b>14. Imminent or treatment for hemophagocytic lymphohistiocytosis (HLH)</b>	
No	<b>s0</b>
4 of 8 criteria fulfilled	<b>s3</b>
Steroids	
Other HLH drug(s)	<b>s4</b>
Stem cell Tx	
No information	<b>sx</b>
<b>15. Hospitalization</b>	
No	<b>s0</b>
Normal ward < 8d	<b>s2</b>
Normal ward ≥8d a/o intermediate care unit	<b>s3</b>
Intensive care unit (ICU)	<b>s4</b>
No information	<b>sx</b>

IMMUC Score \_\_\_\_\_

## Laboratory Symptoms

<b>16. Lymphocytosis</b>	
No	s0
≥ 1,5x normal (%)	s1
No information	sx
<b>17. Neutropenia</b>	
No	s0
1.0 - 1.49 G/l	s1
0.5 - 0.99 G/l	s2
< 0.5 G/l	s3
No information	sx
<b>18. Anemia</b>	
No	s0
9.0- 10.0 g/dl	s1
7.0 – 8.9 g/dl	s2
5.0 – 6.9 g/dl	s3
< 5 g/dl	s4
Reticulocyte production index >3	
Reticulocyte production index <2	
No information	sx
<b>19. Thrombocytopenia</b>	
No	s0
50 – 149 G/l	s1
30 – 49 G/l	s2
10 – 29 G/l	s3
< 10 G/l	s4
No information	sx
<b>20. Hyperferritinemia</b>	
No	s0
≥ 100 ug/l > norm	s1
≥ 500 – 999 ug/l	s2
≥ 1000- 4999 ug/l	s3
≥ 5000 ug/l	s4
No information	sx
<b>21. Hepatitis, Cholangitis</b>	
No	s0
Alanine aminotransferase (ALAT) u/o aspartate aminotransferase (ASAT) 2,0 - 9,9 x normal	s1
ALAT u/o ASAT 10,0 - 19,9 x normal	s2
ALAT u/o ASAT ≥20,0 x normal	s3
Ammonia ↑, Cholinesterase↓ u/o Quick value < 50%	s4
No information	sx
<b>22. Nephropathy</b>	
No	s0
Creatinine ↑ ≤ 0,2 mg/dl over norm + elevated Cystatin C	s1
Creatinine ↑ > 0,2 mg/dl over norm, but < 1,5 mg/dl (<10a) + elevated Cystatin C	s2
Creatinine ↑ ≥ 0,2 mg/dl over norm, but < 2,0 mg/dl (≥10a) + elevated Cystatin C	
Creatinine ↑ ≥ 1,5 mg/dl (<10a) + elevated Cystatin C	s3
Creatinine a ≥ 2,0 mg/dl (≥10a) + elevated Cystatin C	
No information	sx
<b>23. C-reactive protein (CRP) elevation</b>	
No	s0
> 10 – 99 mg/l	s1
100 – 199 mg/l	s2
Antibiotics	
≥ 200 mg/l	s3
No information	sx