

case_id	finding_id	Age Range	Evaluation of AI Finding	Diameter of AI Finding (in mm)	Location	Description
A01	A01_1	41 – 45	False Positive	2.6	Right M1 segment	Infundibulum
A02	A02_1	51 – 55	True Positive	2.8	Left MCA bifurcation	Saccular aneurysm
A03	A03_1	51 – 55	True Positive	3.7	Right MCA bifurcation	Saccular aneurysm
A03	A03_2	51 – 55	False Positive	1.7	Left M1 segment	Infundibulum
A04	A04_2	56 – 60	False Positive	1.3	Left M2	Vascular loop
A05	A05_1	51 – 55	True Positive	4.6	Right ICA	Saccular aneurysm
A06	A06_1	71 – 75	False Positive	2.8	Right ICA	Infundibulum
A07	A07_1	66 – 70	True Positive	3.9	Right ICA	Saccular aneurysm
A08	A08_1	81 – 85	True Positive	2.5	Acom	Saccular aneurysm
A09	A09_1	76 - 80	True Positive	4.7	Acom	Saccular aneurysm
A09	A09_2	76 – 80	True Positive	3.0	Right MCA bifurcation	Saccular aneurysm
A10	A10_1	71 – 75	False Positive	2.9	Acom	Acom fenestration
B01	B01_1	76 – 80	False Positive	1.4	Right ICA	Vascular loop
B02	B02_1	16 – 20	False Positive	2.2	Left M2	Vascular loop
B03	B03_1	71 – 75	True Positive	5.6	Left MCA bifurcation	Saccular aneurysm
B03	B03_2	71 – 75	True Positive	3.7	Left ICA	Saccular aneurysm
B04	B04_1	56 – 60	True Positive	3.1	Left MCA bifurcation	Fusiform aneurysm
B05	B05_1	31 – 35	False Positive	1.5	Left M1	Perforator
B06	B06_1	26 – 30	False Positive	2.0	Left M1	Perforator
B07	B07_1	31 – 35	True Positive	4.0	Left ICA	Saccular aneurysm
B08	B08_1	26 – 30	False Positive	1.2	Acom	Vascular loop
B09	B09_1	56 – 60	True Positive	4.0	Left MCA bifurcation	Saccular aneurysm
B10	B10_1	31 – 35	False Positive	2.2	Left MCA bifurcation	Vascular loop

Supplement 1: Overview of AI-positive findings.