Appendix 1- Methods

Appendix 1a Modified Oxford COVID-19 Vaccine Confidence and Complacency Scale (OCCS) for dose 3	. 1
Appendix 1b Medically ascertained adverse event case report form	. 4
Appendix 1c Patient-Reported Outcomes version of the Common Terminology Criteria for Adverse Events (PRO-CTCAE®) questions	. 6

Appendix 1a Modified Oxford COVID-19 Vaccine Confidence and Complacency Scale (OCCS) for dose 3

	T	
Section Header: Your opinions about the additional (booster) dose of the COVID-19 vaccine	radio 1 Definitely	
Do you think you will be infected with COVID-19 over the next 12 months?	2 Probably	
	3 Possibly	
	4 Probably not	
	5 Definitely not	
	6 Don't know	
The additional dose (booster) COVID-19 vaccine is likely	radio	
to:	1 Work for almost everyone	
	2 Work for most people	
	3 I am unsure how many people it will work for	
	4 Not work for most people	
	5 Not work for anyone	
	Don't know	
The additional dose (booster) COVID-19 vaccine is likely	radio	
to:	1 Definitely work for me	
	2 Probably work for me	
	3 May or may not work for me	
	4 Probably not work for me	
	5 Definitely not work for me	
	6 Don't know	
If I get the additional dose (booster) COVID-19 vaccine it	radio	
will be:	1 Really helpful for the community around me	
	2 Helpful for the community around me	
	3 Neither helpful nor unhelpful for the community around me	
	4 Unhelpful for the community around me	
	1	

	6 Don't know
If individuals like me get the additional dose (booster)	radio
COVID-19 vaccine it will:	1 Save a large number of lives
	2 Save some lives
	3 Have no impact
	4 Lead to more deaths
	5 Lead to a large number of deaths
	6 Don't know
If many people do not get the additional dose (booster)	radio
vaccine this:	1 Will be dangerous
	2 May be dangerous
	3 Will have no consequences at all
	4 May be good
	5 Will be good
	6 Don't know
I expect that receiving the vaccine will be:	radio
	1 Hardly noticeable
	2 A little unpleasant
	3 Moderately unpleasant
	4 Painful
	5 Extremely painful
	6 Don't know
The side effects of getting the additional dose (booster)	radio
COVID-19 vaccine will be:	1 None
	2 Mild
	3 Moderate
	4 Significant
	5 Life threatening
	6 Don't know
The additional dose (booster) COVID-19 vaccine will:	radio
The additional dose (booster) COVID-13 vaccine will.	1 Greatly strengthen my immune system
	2 Strengthen my immune system
	3 It will neither strengthen nor weaken my immune system
	4 Weaken my immune system
	5 Greatly weaken my immune system
	6 Don't know

Taking the additional dose (booster) COVID-19 vaccine:		radio		
		Will give me added confidence to giust as before	get on with life	
	2	Will give me greater freedom		
	3	Will have no effect on my confiden	ce or freedom	
	4	Will restrict my freedom		
	5	Will completely restrict my freedom life	n to get on with	
	6	Don't know		
Taking the additional dose (booster) COVID-19 vaccine	rad	io		
will make me feel like a guinea pig	1	Do not agree		
	2	Agree a little		
	3	Agree moderately		
	4	Agree a lot		
	5	Completely agree		
	6	Don't know		
My experience with the previous vaccine doses makes me	rad	io		
worried about receiving an additional dose	1	A lot		
	2	Quite a bit		
	3	A little bit		
	4	Not at all		
	5	I'm not sure either way		
I believe that an additional vaccine dose is a good idea for	rad	io	1	
me and other people with similar medical conditions to me	1	Strongly agree		
	2	Agree		
	3	Neither agree nor disagree		
	4	Disagree		
	5	Strongly disagree		
		Don't know		
Regarding the timing of the extra dose- I think this is:	rad	io	1	
		Too early		
		About right		
	3	Too late		
	4	I am unsure either way		
	5	I don't think it is necessary		

Appendix 1b Medically ascertained adverse event case report form

- a. Was there a serious adverse event (SAE) dose 1 until 1 month post dose 2?
- b. Was there an SAE from dose 3 until 1 month post dose 3?
- c. For each SAE: Date- SAE term as per CTCAE- Was the SAE attributable to the vaccine according to the treating physician?
- d. Was cancer treatment delayed from any time between dose 1 and one month post dose 2? Yes- vaccine related

Yes- treatment toxicity

Yes- Other

No

- e. Reason for vaccine-related dose delay
- f. Was cancer treatment delayed from any time between dose 3 and one month post dose 3?

Yes- vaccine related

Yes- treatment toxicity

Yes- Other

No

- g. Reason for vaccine-related dose delay
- h. Cancer treatment modification from dose 1 until 1 month post dose 2?

1	Yes- completed planned treatment
2	Yes- intolerance to one of treatment drugs or adverse event related to treatment drug
3	Yes- disease progression
4	Yes - other- insert reason
5	Yes- vaccine related issue
0	No

i. Cancer treatment modification from dose 3 until 1 month post dose 3?

Yes- completed planned treatment
Yes- intolerance to one of treatment drugs or adverse event related to treatment drug
Yes- disease progression
Yes- other- insert reason
Yes- vaccine related issue
No

. Thrombotic event between dose 1 and one month post dose 2?

0	No
1	Yes- deep vein thrombosis
2	Yes - pulmonary embolism
3	Yes- other venous thrombosis (state)
4	Yes - coronary artery event
5	Yes- cerebrovascular event
6	Yes- other arterial thrombus (state

- k. Thrombotic event between dose 3 and one month post dose 3?
- I. Allergic reaction due to dose 1- 2 or 3?
- m. Decline in performance status between dose 1 and one month post dose 2
- n. Decline in performance status between dose 3 and one month post dose 3?
- o. Lymphadenopathy seen clinically/on imaging between dose 1 and one month post dose 2
- p. Lymphadenopathy seen clinically/on imaging between dose 3 and one month post dose 3
- q. Any other AE potentially attributable to vaccine during study period? Define as per CTCAE (term and grade)

Appendix 1c Patient-Reported Outcomes version of the Common Terminology Criteria for Adverse Events (PRO-CTCAE®) questions

Section 1 Side effect survey	dro	pdown- Required	
· ·	1	No	
Did you have pain at the vaccine injection site (where the vaccine was injected into your arm)?	2	Mild- did not interfere wactivities	vith doing my usual
	3	Moderate- slowed me of activities more difficult	down or made my usual
	4	Severe- stopped me do	oing my usual activities
	5	Serious- I needed to at department due to pain	
Did you have redness or swelling at the	dro	pdown	
injection site?	1	No	
	2	Minor- 2 to 5cm area of	f redness or swelling
	3	Moderate- 5 to 10cm a swelling	rea of redness or
	4	Severe- more than 10c affected)	m (most of upper arm
	5	Serious- blistering- skir damage requiring medi	
Did you have itch at the injection site?	dro	pdown- Required	
	1	None	
	2	Mild- barely noticed it	
	3	Moderate- for example use cool pack	needed to scratch or
	4	Severe- needed to take	e medication
	5	Very severe- needed to	seek medical attention
Section Header: Section 2	dro	pdown	
Have you had a fever (a temperature)	1	No	
after the vaccination?	2	Yes- I felt feverish but o	did not take temperature
	3	Yes- mild 37.5-37.9 de	grees
	4	Yes- moderate 38-38.5	degrees
	5	Yes- high fever 38.6 de	egrees or higher
	6	Yes- went to hospital for treatment	or assessment or
Did you take any medication to treat	che	eckbox	
side effects after your vaccine?	0	medication0	No
	1	medication1	Yes- paracetamol
	2	medication2	Yes - anti inflammatory for example ibuprofen (Nurofen)- diclofenac (Voltaren)- naproxen (Naprosyn)

	3 medication3	Yes- opioid pain killer - oxycodone (Endone)- codeine (Panadeine or Panadeine Forte)
	4 medication4	Yes- other- specify
What medication did you take to treat side effects after your vaccine? Please write the name of the medication you used	text (alpha_only)	
Did you have new or worsened fatigue	Yes/No- Required	
since your vaccination?	1 Yes	
	0 No	
If yes- In the last 7 days- how much did	dropdown	
FATIGUE- TIREDNESS- OR LACK OF ENERGY INTERFERE with your usual	1 Not at all	
or daily activities?	2 A little bit	
	3 Somewhat	
	4 Quite a bit	
	5 Very much	
Did you have new or worsened	Yes/No- Required	
headache after your vaccination?	1 Yes	
	0 No	
If yes- In the last 7 days- what was the	dropdown	
SEVERITY of your HEADACHE at its WORST?	1 None	
Werter:	2 Mild	
	3 Moderate	
	4 Severe	
	5 Very severe	
In the last 7 days- how OFTEN did you	dropdown	
have SHIVERING OR SHAKING CHILLS?	1 Never	
OTTLEO:	2 Rarely	
	3 Occasionally	
	4 Frequently	
	5 Almost constantly	
Did you have new or worsened muscle	Yes/No	
pain since your vaccine dose?	1 Yes	
	0 No	
In the last 7 days- what was the	dropdown	
SEVERITY of your ACHING MUSCLES at their WORST?	1 None	
at their worter:	2 Mild	

	3 Moderate
	4 Severe
	5 Very severe
Section Header: Section 3	Yes/No
Did you have new or worsened joint pain	1 Yes
since your vaccination?	0 No
If yes- In the last 7 days- how much did	dropdown
ACHING JOINTS (SUCH AS ELBOWS- KNEES- SHOULDERS) INTERFERE	1 Not at all
with your usual or daily activities?	2 A little bit
	3 Somewhat
	4 Quite a bit
	5 Very much
Did you have new or worsened nausea	Yes/No
since your vaccination?	1 Yes
	0 No
In the last 7 days- how OFTEN did you	dropdown
have NAUSEA?	1 Never
	2 Rarely
	3 Occasionally
	4 Frequently
	5 Almost constantly
In the last 7 days- what was the	dropdown
SEVERITY of your NAUSEA at its WORST?	1 None
	2 Mild
	3 Moderate
	4 Severe
	5 Very severe
Did you have new or worsened vomiting	Yes/No
since your vaccination?	1 Yes
	0 No
In the last 7 days- what was the	dropdown
SEVERITY of your VOMITING at its WORST?	1 None
	2 Mild
	3 Moderate
	4 Severe
	5 Very severe
<u> </u>	

Did you have new or worsened diarrhoea since your vaccination? In the last 7 days- how OFTEN did you have LOOSE OR WATERY STOOLS (DIARRHOEA)?	Yes/No- Required 1 Yes 0 No dropdown 1 Never 2 Rarely 3 Occasionally 4 Frequently 5 Almost constantly
How severe was your diarrhoea?	dropdown 1 Mild: 2 to 3 loose stools in 24 hours 2 Moderate: 4 to 5 loose stools in 24 hours 3 Severe: 6 or more loose stools in 24 hours 4 Very severe: I needed to attend the emergency department or I was admitted to hospital for diarrhoea
Section Header: Section 4 Have you had to delay or stop your anticancer treatment since your vaccination?	Yes/No 1 Yes 0 No
Have you attended the emergency department since your vaccination?	dropdown 0 No 1 Yes (Monash Health: Clayton- Dandenong or Casey Emergency Dept) 3 Yes (Westmead Hospital) 4 Yes (Sydney Children's Hospital) 2 Yes (other site- please specify where)
Which emergency department did you attend?	text (alpha_only)
Have you been admitted to hospital for any reason since your vaccination?	dropdown 1 Yes (Monash Health: Clayton (Monash Medical Centre)- Dandenong - Casey- Moorabbin- Kingston)) 4 Yes (Westmead Hospital) 5 Yes (Sydney Children's Hospital) 2 Yes (other site- please specify where) 3 No
Which hospital were you admitted to? Have you started new treatment for a blood clot since your vaccination?	text (alpha_only) Yes/No- Required 1 Yes 0 No

Have you needed to see your local doctor since vaccination?	dropdown 1 Yes- routine check or prescription 2 Yes - unwell (please specify issue) 3 No
Why did you see your local doctor?	text
Please describe any other side effect you had which has not been covered in the survey. Leave blank if nothing you need to add.	text

CAPITAL letters used for emphasis; capitalisation as per published PRO-CTCAE questionnaire item formatting.