

1 **Supplementary Table 1: Procedure and NDC codes used to identify COVID-19 and**
 2 **influenza vaccinations**

Vaccine	Code Type	Code
Influenza vaccine	HCPCS/CPT	90630, 90653, 90654, 90655, 90656, 90657, 90658, 90660, 90661, 90662, 90664, 90666, 90667, 90668, 90672, 90673, 90674, 90682, 90685, 90686, 90687, 90688, 90689, 90694, 90756, G0008, Q2034, Q2035, Q2036, Q2037, Q2038, Q2039
	NDC	19515080852, 19515081652, 19515081852, 19515084511, 19515088907, 19515089007, 19515089111, 19515089307, 19515089452, 19515089511, 19515089611, 19515089711, 19515089811, 19515090011, 19515090152, 19515090311, 19515090652, 19515090852, 19515090952, 19515091252, 33332001001, 33332001301, 33332001401, 33332001501, 33332001601, 33332001701, 33332001801, 33332011010, 33332011310, 33332011410, 33332011510, 33332011610, 33332011710, 33332011810, 33332021920, 33332022020, 33332022120, 33332031601, 33332031701, 33332031801, 33332031901, 33332032001, 33332032101, 33332032203, 33332041610, 33332041710, 33332041810, 33332041910, 33332042010, 33332042110, 33332042210, 42874001210, 42874001310, 42874001410, 42874001510, 42874001610, 42874001710, 42874011710, 49281001010, 49281001025, 49281001050, 49281001110, 49281001150, 49281001210, 49281001250, 49281001310, 49281001350, 49281001450, 49281011125, 49281011225, 49281011325, 49281012065, 49281012165, 49281012265, 49281032050, 49281032150, 49281033615, 49281033715, 49281038615, 49281038765, 49281038815, 49281038965, 49281039015, 49281039165, 49281039215, 49281039365, 49281039415, 49281039565, 49281039615, 49281039765, 49281039965, 49281040165,

49281040365, 49281040565, 49281041310, 49281041350,
49281041410, 49281041450, 49281041510, 49281041610,
49281041650, 49281041710, 49281041750, 49281041810,
49281041850, 49281041910, 49281041950, 49281042010,
49281042050, 49281042110, 49281042150, 49281042210,
49281042250, 49281051325, 49281051425, 49281051625,
49281051725, 49281051825, 49281051925, 49281052025,
49281052125, 49281062115, 49281062515, 49281062715,
49281062915, 49281063115, 49281063315, 49281063515,
49281063715, 49281070355, 49281070555, 49281070755,
49281070840, 49281070955, 49281071040, 49281071240,
49281071810, 49281071910, 49281072010, 49281072110,
49281072210, 54868617700, 54868618000, 58160087952,
58160088052, 58160088152, 58160088352, 58160088552,
58160088752, 58160089052, 58160089652, 58160089852,
58160090052, 58160090152, 58160090352, 58160090552,
58160090752, 62577061301, 62577061401, 63851061201,
66019010701, 66019010810, 66019010910, 66019011010,
66019030010, 66019030110, 66019030210, 66019030310,
66019030410, 66019030510, 66019030610, 66019030710,
66019030810, 66019030910, 66521000001, 66521011202,
66521011210, 66521011302, 66521011310, 66521011402,
66521011410, 66521011502, 66521011510, 66521011602,
66521011610, 66521011702, 66521011710, 66521011802,
66521011810, 70461000101, 70461000201, 70461001803,
70461001903, 70461002003, 70461011902, 70461011910,
70461012002, 70461012003, 70461012010, 70461012103,
70461012203, 70461020001, 70461020101, 70461030110,
70461031803, 70461031903, 70461032003, 70461032103,
70461032203, 70461041810, 70461041910, 70461042010,

		70461042110, 70461042210, 76420048201, 76420048301, 49281018125
COVID-19 - vaccine	HCPCS/CPT	0021A, 0022A, 91302, 0031A, 0034A, 91303, 0011A, 0012A, 0013A, 0064A, 0091A, 0092A, 0093A, 0094A, 0111A, 0112A, 0113A, 0134A, 0141A, 0142A, 0144A, 0164A, 91301, 91306, 91309, 91311, 91313, 91314, 91316, 91321, 91322, 0041A, 0042A, 0044A, 91304, 90480, 0001A, 0002A, 0003A, 0004A, 0051A, 0052A, 0053A, 0054A, 0071A, 0072A, 0073A, 0074A, 0081A, 0082A, 0083A, 0121A, 0124A, 0151A, 0154A, 0171A, 0172A, 0173A, 0174A, 91300, 91305, 91307, 91308, 91312, 91315, 91317, 91318, 91319, 91320, 0104A, 91310
	NDC	00310122210, 00310122215, 0310122210, 0310122215, 59676058005, 59676058015, 5967658005, 5967658015,

80777010011, 80777010099, 80777010201, 80777010204,
80777010293, 80777010295, 80777010296, 80777027310,
80777027315, 80777027398, 80777027399, 80777027505,
80777027599, 80777027705, 80777027799, 80777027905,
80777027999, 80777028005, 80777028099, 80777028205,
80777028299, 80777028302, 80777028399, 80777028707,
80777028792, 8077701001, 8077710011, 8077710099,
8077710201, 8077710204, 8077710293, 8077710295,
8077710296, 8077727310, 8077727315, 8077727398,
8077727399, 8077727505, 8077727599, 8077727705,
8077727799, 8077727905, 8077727999, 8077728205,
8077728299, 8077728302, 8077728399, 8077728707,
8077728792, 80631010001, 80631010010, 80631010501,
80631010502, 80631100001, 8063110001, 8063110010,
8063110201, 8063110210, 8063110501, 8063110502,
80631010201, 80631010210, 00069202501, 00069202510,
00069202525, 00069236201, 00069236210, 00069239201,
00069239210, 59267007801, 59267007804, 59267030401,
59267030402, 59267056501, 59267056502, 59267060901,
59267060902, 59267100001, 59267100002, 59267100003,
59267102501, 59267102502, 59267102503, 59267102504,
59267105501, 59267105502, 59267105504, 59267140401,
59267140402, 59267431502, 59267433101, 59267433102,
0006920251, 5926700781, 5926700784, 5926703041,
5926703042, 5926705651, 5926705652, 5926706091,
5926706092, 5926710001, 5926710002, 5926710003,
5926710251, 5926710252, 5926710253, 5926710254,
5926710551, 5926710552, 5926710554, 5926714041,
5926714042, 5926743151, 5926743152, 5926743311,
5926743312, 49281061878, 49281061820, 4928161820,
4928161878

3 **Supplementary Table 2: International Classification of Diseases, 10th Revision (ICD-10)**
4 **diagnostic codes used to identify pneumonia, influenza, COVID-19 and**
5 **cardiorespiratory conditions**

Condition	Code
Pneumonia	J12, J12.0, J12.09, J12.1, J12.10, J12.2, J12.3, J12.59, J12.8, J12.81, J12.82, J12.84, J12.89, J12.9, J12.9X, J13, J13.0, J13.09, J13.2, J13.35, J13.9, J14, J14.3, J14.8, J14.9, J15, J15.0, J15.02XA, J15.1, J15.2, J15.20, J15.21, J15.211, J15.212, J15.29, J15.3, J15.4, J15.5, J15.6, J15.61, J15.69, J15.7, J15.8, J15.82, J15.9, J16, J16.0, J16.8, J16.80, J16.9, J17, J17.0, J17.210, J17.8, J18, J18.0, J18.00, J18.1, J18.10, J18.18, J18.2, J18.20, J18.3, J18.6, J18.7, J18.8, J18.80, J18.85, J18.89, J18.9, J18.90, J18.9000, J18.91, J18.96, J18.97, J18.9D
Influenza	J09, J09.0, J09.02, J09.10, J09.2, J09.2X, J09.6, J09.7X, J09.81, J09.82, J09.9, J09.90, J09.X, J09.X1, J09.X2, J09.X3, J09.X9, J09.XA, J09.XI, J10, J10.0, J10.00, J10.01, J10.08, J10.1, J10.10, J10.110, J10.12, J10.17, J10.19, J10.190, J10.2, J10.3, J10.4, J10.40, J10.45, J10.8, J10.80, J10.81, J10.82, J10.83, J10.89, J10.9, J10.90, J11, J11.0, J11.00, J11.08, J11.1, J11.10, J11.103, J11.11, J11.2, J11.20, J11.23, J11.5, J11.8, J11.81, J11.82, J11.83, J11.89, J11.9
COVID-19	U07.1
Cardiorespiratory	I**, J**

6

7

8 Supplemental Table 3

	Co-admin N = 613,156	Influenza N =1,340,011	ASD (Prior to Weighting)	ASD (Post- Weighting)
Age on Index Date				
mean (SD)	70.97 (9.18)	71.87 (9.42)	0.097	0.009
median (IQR)	71.00 (66.00,77.00)	72.00 (67.00,79.00)		
Age Group, n(%)				
50-64	132,848 (21.67%)	268,217 (20.02%)	0.041	0.023
65+	480,308 (78.33%)	1,071,794 (79.98%)	0.041	0.023
Gender, n(%)				
Female	327,738 (53.45%)	775,100 (57.84%)	0.088	0.003
Male	285,418 (46.55%)	564,911 (42.16%)	0.088	0.003
Race, n(%)				
White	476,306 (77.68%)	948,828 (70.81%)	0.158	0.021
Asian	20,011 (3.26%)	45,918 (3.43%)	0.009	0.008
Black	44,449 (7.25%)	133,074 (9.93%)	0.096	0.005
Hispanic	39,092 (6.38%)	126,389 (9.43%)	0.113	0.02
Missing/unknown	33,298 (5.43%)	85,802 (6.40%)	0.041	0.003
Insurance, n(%)				
Commercial	125,618 (20.49%)	222,061 (16.57%)	0.101	0.014
Medicare Advantage	487,538 (79.51%)	1,117,950 (83.43%)	0.101	0.014
Region, n(%)				
Northeast	76,274 (12.44%)	169,717 (12.67%)	0.007	0.002
Midwest	169,838 (27.70%)	279,674 (20.87%)	0.16	0.001
South	197,075 (32.14%)	636,165 (47.47%)	0.317	0.001
West	169,969 (27.72%)	254,455 (18.99%)	0.207	0.002
Charlson-Quan score, n(%)				

0	448,619 (73.17%)	898,530 (67.05%)	0.134	0.015
1	113,722 (18.55%)	289,525 (21.61%)	0.076	0.017
>=2	50,815 (8.29%)	151,956 (11.34%)	0.103	0.001
Charlson-Quan score				
mean (SD)	0.40 (0.86)	0.51 (0.94)	0.121	0.004
median (IQR)	0.00 (0.00,1.00)	0.00 (0.00,1.00)		
Comorbidities, n(%)				
Alcohol Abuse	1,107 (0.18%)	2,203 (0.16%)	0.004	0.007
Anemia	87,415 (14.26%)	245,452 (18.32%)	0.11	0.003
Asthma	42,702 (6.96%)	101,029 (7.54%)	0.022	0.001
Cerebrovascular Disease	51,833 (8.45%)	146,653 (10.94%)	0.084	0.011
Chronic Pulmonary Disease	100,103 (16.33%)	262,332 (19.58%)	0.085	0.025
Chronic kidney disease	101,050 (16.48%)	271,729 (20.28%)	0.098	0.002
Coagulopathy	35,311 (5.76%)	92,148 (6.88%)	0.046	0.018
Congestive Heart Failure	51,529 (8.40%)	148,251 (11.06%)	0.09	0.006
COPD	65,744 (10.72%)	187,197 (13.97%)	0.099	0.033
Cystic Fibrosis	58 (0.01%)	126 (0.01%)	0	0.002
Dementia	18,029 (2.94%)	55,039 (4.11%)	0.063	0.002
Depression	95,994 (15.66%)	215,175 (16.06%)	0.011	0.037
Dysautonomia	445 (0.07%)	958 (0.07%)	0	0.007
Fluid and Electrolyte Disorders	52,674 (8.59%)	152,025 (11.35%)	0.092	0.008
Hypertension	385,012 (62.79%)	945,512 (70.56%)	0.165	0.003
Hyperthyroidism	5,708 (0.93%)	15,114 (1.13%)	0.02	0.006
Liver Disease	34,418 (5.61%)	88,710 (6.62%)	0.042	0.003

Myocardial Infarction	20,532 (3.35%)	57,984 (4.33%)	0.051	0.007
Obesity	121,794 (19.86%)	276,265 (20.62%)	0.019	0.003
Neurological Disorders	35,810 (5.84%)	91,981 (6.86%)	0.042	0.008
Influenza infection	2,887 (0.47%)	10,386 (0.78%)	0.039	0.003
RSV infection	409 (0.07%)	1,226 (0.09%)	0.009	0
Paralysis	4,092 (0.67%)	12,196 (0.91%)	0.027	0.002
Peptic Ulcer Disease	5,713 (0.93%)	14,973 (1.12%)	0.018	0.008
Peripheral Vascular Disease	91,914 (14.99%)	254,247 (18.97%)	0.106	0.026
Postural orthostatic tachycardia syndrome	6,036 (0.98%)	15,324 (1.14%)	0.016	0.002
Psychoses	3,441 (0.56%)	10,467 (0.78%)	0.027	0.009
Pulmonary circulation disorder	19,272 (3.14%)	51,712 (3.86%)	0.039	0.004
Pulmonary fibrosis	6,723 (1.10%)	18,891 (1.41%)	0.028	0.008
Renal Failure	94,863 (15.47%)	254,569 (19.00%)	0.093	0
Rheumatoid Arthritis	15,594 (2.54%)	42,753 (3.19%)	0.039	0.003
Sickle cell disease	321 (0.05%)	1,000 (0.07%)	0.009	0.002
Smoking	107,972 (17.61%)	255,674 (19.08%)	0.038	0.003
Type 1 Diabetes	6,601 (1.08%)	17,634 (1.32%)	0.022	0.002
Type 2 Diabetes	156,829 (25.58%)	425,649 (31.76%)	0.137	0.041
Valvular Disease	62,783 (10.24%)	165,680 (12.36%)	0.067	0.008
COVID-19 Infection	54,125 (8.83%)	169,947 (12.68%)	0.125	0.004

Post COVID-19 Condition	2,882 (0.47%)	10,078 (0.75%)	0.036	0.01
Pneumonia	15,499 (2.53%)	53,782 (4.01%)	0.084	0.004
Receipt of COVID-19 vaccine in prior year, n(%)	366,183 (59.72%)	373,455 (27.87%)	0.678	0.007
Receipt of influenza vaccine in prior year, n (%)	259,654 (42.35%)	495,290 (36.96%)	0.11	0.012
Other Vaccine Utilization, n(%)	126,327 (20.60%)	222,027 (16.57%)	0.104	0.004
Haemophilus influenzae type b Vaccine	118 (0.02%)	229 (0.02%)	0.002	0.001
Hepatitis A Vaccine	854 (0.14%)	1,065 (0.08%)	0.018	0.007
Hepatitis B Vaccine	3,002 (0.49%)	7,065 (0.53%)	0.005	0.013
Human papillomavirus (HPV) Vaccine	58 (0.01%)	69 (0.01%)	0.005	0.002
Measles, mumps, rubella (MMR) - Vaccine	298 (0.05%)	417 (0.03%)	0.009	0.001
Meningococcal Vaccine	482 (0.08%)	515 (0.04%)	0.017	0.011
Pneumococcal Vaccine	43,883 (7.16%)	84,364 (6.30%)	0.034	0.01

Tetanus, diphtheria, pertussis (TDaP) Vaccine	35,040 (5.71%)	60,330 (4.50%)	0.055	0.003
Varicella Vaccine	47 (0.01%)	62 (0.00%)	0.004	0.001
Zoster Vaccine	62,434 (10.18%)	98,163 (7.33%)	0.101	0.011
Any Cancer screening procedure, n(%)	235,000 (38.33%)	488,070 (36.42%)	0.039	0.006
Breast cancer screening procedure	143,920 (23.47%)	306,794 (22.89%)	0.014	0.002
Cervical cancer screening procedure	10,400 (1.70%)	21,681 (1.62%)	0.006	0.007
Colorectal cancer screening procedure	68,844 (11.23%)	139,847 (10.44%)	0.025	0.002
Prostate cancer screening procedure	48,178 (7.86%)	93,589 (6.98%)	0.033	0.005
Immunocompromised status, n (%)	80,046 (13.05%)	185,017 (13.81%)	0.022	0.002
Stem Cell Transplant during baseline	5 (0.00%)	39 (0.00%)	0.005	0.004
Blood Transplant within 730 days	11,925 (1.94%)	34,047 (2.54%)	0.04	0.013
Malignancy within 180 days	51,870 (8.46%)	117,724 (8.79%)	0.012	0.002
Ever HIV	2,722 (0.44%)	4,273 (0.32%)	0.02	0.033
Immunosuppressive Therapy within 60 days	18,444 (3.01%)	40,140 (3.00%)	0.001	0.009
Ever Primary Immunodeficiency	3,397 (0.55%)	8,317 (0.62%)	0.009	0.005

Organ Transplant and Immunosuppressive Therapy within 60 days	3,967 (0.65%)	8,779 (0.66%)	0.001	0.01
Hospitalizations during baseline, n (%)	47,609 (7.76%)	139,409 (10.40%)	0.092	0.005
Number of all-cause outpatient or ER encounter at baseline				
mean (SD)	17.92 (18.75)	20.60 (23.46)	0.126	0.001
median (IQR)	12.00 (6.00,23.00)	14.00 (7.00,26.00)		
Baseline all-cause medical cost (\$) #				
mean (SD)	13,945.37 (31,878.80)	16,583.35 (40,920.78)	0.072	0.017
median (IQR)	4,403.94 (1,597.90,12,015.46)	5,130.68 (1,877.38,14,050.31)		
Index Year and Month, n(%)				
2022 AUG-SEP	165,517 (26.99%)	277,656 (20.72%)	0.148	0.015
2022 OCT	286,133 (46.67%)	579,235 (43.23%)	0.069	0.008
2022 NOV	105,510 (17.21%)	303,245 (22.63%)	0.136	0.009
2022 DEC	43,530 (7.10%)	133,756 (9.98%)	0.103	0.016
2023 JAN	12,466 (2.03%)	46,119 (3.44%)	0.086	0.008