

**Supplementary Table 1.** Baseline features of pre-matched sample (N=1607) according to vaccination status.

	<b>Vaccination</b>	<b>No vaccination</b>	<b>p-value</b>
N	1504	103	
Male sex (%)	701 (46.6)	25 (24.3)	<0.001
Age (median, IQR)	59.00 [47.00, 69.00]	57.00 [44.50, 70.00]	0.889
Serology status (%)			0.185
- N/A	1256 (83.5)	93 (90.3)	
- positive	163 (10.8)	6 (5.8)	
- negative	85 (5.7)	4 (3.9)	
Diabetes (%)	135 (9.0)	6 (5.8)	0.361
Hypertension (%)	248 (20.6)	7 (7.8)	0.005
Chronic heart disease (%)	222 (14.8)	9 (8.7)	0.123
COPD (%)	100 (6.6)	8 (7.8)	0.814
CKD (%)	31 (2.1)	0 (0.0)	0.271
Obesity (%)	207 (13.8)	8 (7.8)	0.114
Liver disease (%)	11 (0.7)	2 (1.9)	0.448
Neurological disease (%)	53 (3.5)	5 (4.9)	0.669
Immunodeficiency (%)	261 (17.4)	11 (10.7)	0.107
Comorbidity score (median, IQR)	1.00 [0.00, 1.00]	0.00 [0.00, 1.00]	0.001
MASS score (median, IQR)	2.00 [0.00, 4.00]	0.00 [0.00, 2.50]	0.006
Predominant variant (%)			<0.001
- omicron	102 (6.8)	17 (16.5)	
- omicron_BA.1	224 (14.9)	29 (28.2)	
- omicron_BA.2	408 (27.1)	16 (15.5)	
- omicron_BA.5	760 (50.5)	40 (38.8)	
- omicron_BQ.1	5 (0.3)	0 (0.0)	
- omicron_XBB.1. 5	5 (0.3)	1 (1.0)	

*IQR: interquartile range; COPD: chronic obstructive pulmonary disease; CKD: chronic kidney disease*