

SUPPLEMENTARY MATERIALS

	EHC	SCI	MCI	AD	p-value all	p-value EHC/SCI	p-value SCI/MCI	p-value MCI/A D
Age	66.6 (7.5)	59.9 (8.6)	69.3 (11.5)	69.8 (11.2)	*0.040	0.165	0.065	1
Gender (M/F)	6/15	8/7	8/4	5/7	0.175	0.714	1	0.877
Educatio n	15.8 (3.6)	15.9 (5.2)	14.0 (4.7)	15.5 (6.2)	0.448	1	1	1
ACE	97.4 (2.0)	94.3 (3.5)	86.7 (7.7)	71.7 (5.2)	*<0.001	0.052	*<0.001	*<0.001
DS	17.7 (2.9)	18.2 (3.8)	17.2 (4.8)	13.8 (2.2)	*0.007	1	1	0.079

Table S1 | Demographics and tests – longitudinal subset

	EHC	SCI	MCI	AD	p-value all	p-value EHC/SCI	p-value SCI/MCI	p-value MCI/A D
Age	66.6 (7.5)	57.7 (7.2)	65.8 (11.3)	69.2 (9.7)	*<0.001	*<0.001	*0.048	0.546
Gender (M/F)	24/37	14/17	4/5	22/15	0.285	0.592	0.969	0.415
Educatio n	16.2 (3.8)	16.0 (4.5)	16.6 (4.4)	14.1 (3.6)	*0.046	1	1	0.411
ACE	97.2 (2.5)	93.9 (5.7)	89.6 (3.9)	70.5 (19.3)	*<0.001	0.335	0.335	*<0.001

Table S2 | Demographics and tests – neuroimaging sample

P-values are derived by the between-group ANOVA (p-value all) with subsequent Holm post-hoc comparisons (p-value EHC/SCI, p-value SCI/MCI, p-value MCI/AD).

EFFECTS OF SET SIZE AND DELAY

	Set size	Delay	Set size x Delay
Identification Time	F = 493.6, * p < 0.001 $\eta^2 = 0.466$	F = 122.0, * p < 0.001 $\eta^2 = 0.037$	F = 4.1, * p = 0.043 $\eta^2 = 0.001$
Localization Time	F = 423.2, * p < 0.001 $\eta^2 = 0.416$	F = 161.8, * p < 0.001 $\eta^2 = 0.046$	F = 1.8, p = 0.186
Identification Accuracy	F = 1298.7, * p < 0.001 $\eta^2 = 0.624$	F = 168.2, * p < 0.001 $\eta^2 = 0.043$	F = 20.7, * p < 0.001 $\eta^2 = 0.006$
Absolute Localization Error	F = 1625.5, * p < 0.001 $\eta^2 = 0.726$	F = 109.5, * p < 0.001 $\eta^2 = 0.019$	F = 35.0, * p < 0.001 $\eta^2 = 0.005$
Target detection	F = 3088.8, * p < 0.001 $\eta^2 = 0.845$	F = 34.1, * p < 0.001 $\eta^2 = 0.004$	F = 0.008, p = 0.927
Misbinding	N/A	F = 0.3, p = 0.577	N/A
Guessing	F = 145.0, * p < 0.001 $\eta^2 = 0.211$	F = 96.6, * p < 0.001 $\eta^2 = 0.045$	F = 1.3, p = 0.249
Imprecision	F = 49.6, * p < 0.001 $\eta^2 = 0.085$	F = 78.8, * p < 0.001 $\eta^2 = 0.043$	F = 5.0, * p = 0.001 $\eta^2 = 0.002$

Table S3 | Cross-sectional analysis of Set size and Delay effects

Set size (1 vs 3 items), Delay (1 vs 4 seconds), N/A = not applicable.

	Metric	Set size	Delay	Set size x Delay
Group EHC	Identification Time	F = 572.5, * p < 0.001 $\eta^2 = 0.641$	F = 118.3, * p < 0.001 $\eta^2 = 0.051$	F = 6.0, * p = 0.016 $\eta^2 = 0.002$
	Localization Time	F = 580.2, * p < 0.001 $\eta^2 = 0.634$	F = 176.7, * p < 0.001 $\eta^2 = 0.070$	F = 2.4, p = 0.125
	Identification Accuracy	F = 664.2, * p < 0.001 $\eta^2 = 0.605$	F = 89.5, * p < 0.001 $\eta^2 = 0.057$	F = 23.9, * p < 0.001 $\eta^2 = 0.013$
	Absolute Localization Error	F = 827.3, * p < 0.001 $\eta^2 = 0.732$	F = 64.2, * p < 0.001 $\eta^2 = 0.022$	F = 28.5, * p < 0.001 $\eta^2 = 0.009$
	Target detection	F = 1389.5, * p < 0.001 $\eta^2 = 0.838$	F = 27.6, * p < 0.001 $\eta^2 = 0.006$	F = 3.828, p = 0.052
	Misbinding	N/A	F = 6.107, * p = 0.015 $\eta^2 = 0.038$	N/A
	Guessing	F = 229.0, * p < 0.001 $\eta^2 = 0.444$	F = 50.1, * p < 0.001 $\eta^2 = 0.036$	F = 0.7, p = 0.407
	Imprecision	F = 181.6, * p < 0.001 $\eta^2 = 0.370$	F = 49.7, * p < 0.001 $\eta^2 = 0.042$	F = 2.3, p = 0.131
Group SCI	Identification Time	F = 125.8, * p < 0.001 $\eta^2 = 0.592$	F = 33.8, * p < 0.001 $\eta^2 = 0.052$	F = 14.7, * p < 0.014 $\eta^2 = 0.014$
	Localization Time	F = 107.9, * p < 0.001 $\eta^2 = 0.554$	F = 46.6, * p < 0.001 $\eta^2 = 0.071$	F = 14.5, * p < 0.001 $\eta^2 = 0.013$
	Identification Accuracy	F = 152.5, * p < 0.001 $\eta^2 = 0.590$	F = 20.2, * p < 0.001 $\eta^2 = 0.041$	F = 4.7, * p = 0.035 $\eta^2 = 0.008$
	Absolute Localization Error	F = 212.8, * p < 0.001 $\eta^2 = 0.732$	F = 9.3, * p = 0.004 $\eta^2 = 0.010$	F = 4.5, * p = 0.038 $\eta^2 = 0.004$
	Target detection	F = 328.4, * p < 0.001 $\eta^2 = 0.808$	F = 2.2, p = 0.148	F = 0.000, p = 0.980
	Misbinding	N/A	F = 0.1, p = 0.703	N/A
	Guessing	F = 58.9, * p < 0.001 $\eta^2 = 0.420$	F = 6.9, * p = 0.011 $\eta^2 = 0.020$	F = 1.1, p = 0.308
	Imprecision	F = 38.5, * p < 0.001 $\eta^2 = 0.334$	F = 6.0, * p = 0.018 $\eta^2 = 0.019$	F = 0.6, p = 0.450
Group MCI	Identification Time	F = 114.5, * p < 0.001 $\eta^2 = 0.546$	F = 15.0, * p < 0.001 $\eta^2 = 0.019$	F = 1.5, p = 0.222
	Localization Time	F = 108.0, * p < 0.001 $\eta^2 = 0.524$	F = 14.3, * p < 0.001 $\eta^2 = 0.022$	F = 0.8, p = 0.385

	Identification Accuracy	F = 409.3, * p < 0.001 $\eta^2 = 0.730$	F = 27.1, * p < 0.001 $\eta^2 = 0.030$	F = 1.5, p = 0.218
	Absolute Localization Error	F = 589.0, * p < 0.001 $\eta^2 = 0.730$	F = 10.6, * p = 0.002 $\eta^2 = 0.009$	F = 4.2, * p = 0.046 $\eta^2 = 0.003$
	Target detection	F = 948.7, * p < 0.001 $\eta^2 = 0.889$	F = 1.0, p = 0.309	F = 1.784, p = 0.187
	Misbinding	N/A	F = 2.8, p = 0.099	N/A
	Guessing	F = 27.0, * p < 0.001 $\eta^2 = 0.201$	F = 20.5, * p < 0.001 $\eta^2 = 0.070$	F = 0.3, p = 0.560
	Imprecision	F = 19.4, * p < 0.001 $\eta^2 = 0.142$	F = 17.9, * p < 0.001 $\eta^2 = 0.069$	F = 0.2, p = 0.618
Group AD	Identification Time	F = 27.1, * p < 0.001 $\eta^2 = 0.211$	F = 12.0, * p < 0.001 $\eta^2 = 0.029$	F = 0.7, p = 0.413
	Localization Time	F = 21.5, * p < 0.001 $\eta^2 = 0.164$	F = 16.9, * p < 0.001 $\eta^2 = 0.033$	F = 0.1, p = 0.748
	Identification Accuracy	F = 322.2, * p < 0.001 $\eta^2 = 0.661$	F = 32.8, * p < 0.001 $\eta^2 = 0.039$	F = 0.4, p = 0.534
	Absolute Localization Error	F = 288.6, * p < 0.001 $\eta^2 = 0.683$	F = 33.4, * p < 0.001 $\eta^2 = 0.036$	F = 3.0, p = 0.081
	Target detection	F = 816.3, * p < 0.001 $\eta^2 = 0.871$	F = 8.1, * p = 0.006 $\eta^2 = 0.004$	F = 2.798, p = 0.099
	Misbinding	N/A	F = 0.9, p = 0.341	N/A
	Guessing	F = 0.6, * p = 0.443 $\eta^2 = 0.006$	F = 26.6, * p < 0.001 $\eta^2 = 0.069$	F = 0.9, p = 0.342
	Imprecision	F = 2.0, p = 0.001 $\eta^2 = 0.020$	F = 22.1, * p < 0.001 $\eta^2 = 0.061$	F = 4.3, * p = 0.042 $\eta^2 = 0.009$

Table S4 | Group-by-group Set size and Delay effects




Figure S1 | Transdiagnostic analysis: Effects of Set Size and Delay-basic metrics

EHC = yellow, SCI = light orange, MCI = dark orange, AD = red.




Figure S2 | Transdiagnostic analysis: Effects of Set Size and Delay- mixture model metrics

EHC = yellow, SCI = light orange, MCI = dark orange, AD = red.

	Group	Session	Group x Session
Identification Accuracy	F = 46.6, *p < 0.001 η ² = 0.551	n.s	n.s
Absolute Localization Error	F = 64.9, *p < 0.001 η ² = 0.614	n.s	F = 3.2, *p = 0.025 η ² = 0.031
Identification Time	F = 35.0, *p < 0.001 η ² = 0.472	n.s	n.s
Localization Time	F = 20.3, *p < 0.001 η ² = 0.333	F = 4.3, *p = 0.039 η ² = 0.024	n.s
Target detection	F = 72.7, *p < 0.001 η ² = 0.667	n.s	n.s
Guessing	F = 67.6, *p < 0.001 η ² = 0.640	n.s	n.s
Misbinding	F = 28.9, *p < 0.001 η ² = 0.447	n.s	n.s
Imprecision	F = 45.9, *p < 0.001 η ² = 0.507	n.s	F = 4.8, *p = 0.004 η ² = 0.053

Table S5 | Longitudinal dataset - Group and Session effects

Session represents baseline session (Time 0) and follow-up session after 1 year. n.s. = not significant.




Figure S3 | Longitudinal analysis of standard neuropsychological tests

Decline in ACE scores	
Identification time	F (1,45), t = 4.5, *p = 0.002, R ² = 0.3143
Localization time	F (1,45), t = 4.6, *p = 0.001, R ² = 0.3239
Identification accuracy	F (1,45), t = -5.0, *p < 0.001, R ² = 0.3537
Absolute Localization Error	F (1,45), t = 5.3, *p < 0.001, R ² = 0.3537
Target detection	F (1,45), t = -5.2, *p < 0.001, R ² = 0.3902
Misbinding	F (1,45), t = 4.0, *p < 0.001, R ² = 0.2706
Guessing	F (1,45), t = 4.6, *p = 0.005, R ² = 0.3333
Imprecision	F (1,45), t = 5.5, *p < 0.001, R ² = 0.4107

Table S6 | Longitudinal dataset – prediction of cognitive decline