

Supplemental material

Risk factors in the first 1000 days of life associated with childhood obesity: a systematic review and risk factor quality assessment.

Text S1. Search terms for the systematic review.

Table S1. Guideline on quality assessment of risk factors.

Table S2. Associations of childhood obesity with risk factors per period.

Figure S1-3. Bias assessment of the included studies.

Figure S4. Quality assessment of the 24 consistently associated risk factors with childhood obesity.

Text S1. Search terms for the systematic review,

EMBASE

<https://www.embase.com/#advancedSearch/default> – 10659 records

('pregnancy'/exp OR 'pregnancy' OR 'pregnant woman'/exp OR 'pregnant woman' OR 'mother'/exp OR 'mother' OR 'prenatal exposure'/exp OR 'prenatal exposure' OR 'pregnancy outcome'/exp OR 'pregnancy outcome' OR 'pregnancy disorder'/exp OR 'pregnancy disorder' OR 'pregnancy complication'/exp OR 'pregnancy complication' OR 'high-risk pregnancy'/exp OR 'adolescent pregnancy'/exp OR 'maternal smoking'/exp OR 'prenatal period'/exp OR 'prenatal period' OR 'prenatal growth'/exp OR 'prenatal growth' OR 'fetus disease'/exp OR 'fetus disease' OR 'newborn disease'/exp OR 'newborn disease' OR 'low birth weight'/exp OR 'low birth weight' OR 'umbilical cord blood'/exp OR 'umbilical cord blood' OR 'infant disease'/exp OR 'infant disease' OR 'adolescent pregnancy'/exp OR 'adolescent pregnancy' OR gravidit*:ab,ti,kw OR gestation*:ab,ti,kw OR pregnan*:ab,ti,kw OR mother*:ab,ti,kw OR prenatal*:ab,ti,kw OR preeclamp*:ab,ti,kw OR pre eclamp*:ab,ti,kw OR (((prematu* OR preterm* OR live*) NEAR/3 (labor OR birth OR labour OR delivery OR ruptur*)):ab,ti,kw) OR birthweight*:ab,ti,kw OR (((birth OR neonat* OR newborn OR infant*) NEAR/3 weight*):ab,ti,kw) OR (((infant* OR child*) NEAR/3 ('breast feed*' OR breastfeed* OR 'milk composit*' OR weaning)):ab,ti,kw) OR ((infant* NEAR/3 (biomarker* OR saliva OR fecal OR urine OR hair)):ab,ti,kw) OR postpartum:ab,ti,kw OR 'post partum':ab,ti,kw OR puerperium:ab,ti,kw OR (((fetal OR foetus OR fetus OR newborn OR neonat* OR infant* OR intrauterin* OR 'intra uterin*') NEAR/3 (diseas* OR abnormal* OR growth* OR infect*)):ab,ti,kw) OR ((gestational NEAR/3 (diabet* OR hypertens* OR weight*)):ab,ti,kw) OR ((placenta* NEAR/3 abruption):ab,ti,kw) OR (((small for date' OR 'small for gestational age' OR 'large for date' OR 'large for gestational age') NEAR/3 infant*):ab,ti,kw) OR preconcept*:ab,ti,kw OR maternal*:ab,ti,kw OR paternal*:ab,ti,kw OR father*:ab,ti,kw OR parent*:ab,ti,kw OR 'cord blood*':ab,ti,kw OR 'fetal blood*':ab,ti,kw OR lifestyle*:ab,ti,kw OR sociodemographic*:ab,ti,kw) AND ('follow up'/exp OR 'follow up' OR 'longitudinal study'/exp OR 'longitudinal study' OR 'prospective study'/exp OR 'prospective study' OR 'retrospective study'/exp OR 'retrospective study' OR 'cohort analysis'/exp OR 'cohort analysis' OR 'prediction'/exp OR 'prediction' OR followup*:ab,ti,kw OR 'follow up*':ab,ti,kw OR longitudinal*:ab,ti,kw OR prospective*:ab,ti,kw OR retrospective*:ab,ti,kw OR cohort*:ab,ti,kw OR predict*:ab,ti,kw) AND (((obes* OR hypertension* OR diabetes* OR diabetic* OR bmi OR 'body mass*' OR 'waist circum*' OR 'fat distribut*' OR dyslipidemia* OR lipidemia OR lipoedema OR 'glucos* intoleranc*' OR 'glucos* toleranc*' OR overweight* OR overnutrition*) NEAR/6 (child* OR progeny OR offspring*)):ab,ti,kw) OR (((metabolic* OR cardiometabolic* OR 'insulin resist*' OR dysmetabolic* OR metabolism*) NEAR/2 (syndrom* OR diseas* OR outcome* OR disorder*) NEAR/9 (child* OR progeny OR offspring*)):ab,ti,kw) OR (((increas* OR elevat* OR high*) NEAR/2 (bloodpress* OR 'blood press*') NEAR/9 (child* OR progeny OR offspring*)):ab,ti,kw) NOT (('animal'/exp OR animal OR animal*:de OR 'nonhuman'/exp OR nonhuman) NOT ('human'/exp OR 'human')) AND [english]/lim NOT ([conference abstract]/lim OR [preprint]/lim) NOT ('case report'/exp OR 'case report' OR 'case report*':ti)

Medline

<https://ovidsp.dc1.ovid.com/ovid-b/ovidweb.cgi> – 11364 results.

(exp Pregnancy/ OR Pregnant Women/ OR exp Parents/ OR exp Pregnancy Complications/ OR Pregnancy Outcome/ OR exp Infant, Newborn, Diseases/ OR exp Infant, Low Birth Weight/ OR Fetal Blood/ OR exp Pregnancy, High-Risk/ OR exp Pregnancy in Adolescence/ OR exp Biomarkers/ OR exp Cardiometabolic Risk Factors/ OR exp sociodemographic factors/ OR exp maternal exposure/ OR exp Feeding Behavior/ OR exp Infant, Newborn, Disease/ OR (gravidit* OR gestation* OR pregnan* OR prenatal* OR maternal* OR preeclamp* OR pre-eclamp* OR ((prematu* OR preterm* OR live*) ADJ3 (labor OR birth OR labour OR delivery OR ruptur*)) OR birthweight* OR ((birth OR neonat* OR newborn OR infant*) ADJ3 (weight*)) OR ((infant* OR child*) ADJ3 (breast-feed* OR breastfeed* OR milk-composit* OR weaning)) OR ((infant*) ADJ3 (biomarker* OR saliva OR fecal OR urine OR hair)) OR postpartum OR post-partum OR puerperium OR ((fetal OR foetus OR fetus OR newborn OR neonat* OR infant* OR intrauterin* OR intra-uterin*) ADJ3 (diseas* OR abnormal* OR growth* OR infect*)) OR ((gestational) ADJ3 (diabet* OR hypertens* OR weight*)) OR ((placenta*) ADJ3 (abruption)) OR ((small-for-date OR small-for-gestational-age OR large-for-date OR large-for-gestational-age) ADJ3 (infant*)) OR preconcept* OR maternal* OR paternal* OR father* OR parent* OR cord-blood* OR fetal-blood* OR lifestyle* OR sociodemographic*).ab,ti,kf.) AND (exp Cohort Studies/ OR (followup* OR follow-up* OR longitudinal* OR prospective* OR retrospective* OR cohort* OR predict*).ab,ti,kf.) AND (exp Pediatric Obesity/ OR (((obes* OR hypertension* OR diabetes* OR diabetic* OR BMI OR body-

mass* OR waist-circum* OR fat-distribut* OR dyslipidemia* OR lipidemia OR lipoedema OR glucos*-intoleranc* OR glucos*-toleranc* OR overweight* OR overnutrition*) ADJ6 (child* OR progeny OR offspring*) OR ((metabolic* OR cardiometabolic* OR insulin-resist* OR dysmetabolic* OR metabolism*) ADJ2 (syndrom* OR diseas* OR outcome* OR disorder*) ADJ9 (child* OR progeny OR offspring*)) OR ((increas* OR elevat* OR high*) ADJ2 (bloodpress* OR blood-press*) ADJ9 (child* OR progeny OR offspring*)),ab,ti,kf.) NOT (exp animals/ NOT humans/) AND (english).lg NOT (news OR congres* OR abstract* OR book* OR chapter* OR dissertation abstract*).pt. NOT (Case Reports/ OR case-report*.ti.)

Web of Science

<https://www.webofscience.com/wos/woscc/advanced-search> - 10034 records

TS=((gravidit* OR gestation* OR pregnan* OR mother* OR prenatal* OR preeclamp* OR pre-eclamp* OR ((prematu* OR preterm* OR live*) NEAR/2 (labor OR birth OR labour OR delivery OR ruptur*)) OR birthweight* OR ((birth OR neonat* OR newborn OR infant*) NEAR/2 (weight*)) OR ((infant* OR child*) NEAR/2 (breast-feed* OR breastfeed* OR milk-composit* OR weaning)) OR ((infant*) NEAR/2 (biomarker* OR saliva OR fecal OR urine OR hair)) OR postpartum OR post-partum OR puerperium OR ((fetal OR foetus OR fetus OR newborn OR neonat* OR infant* OR intrauterin* OR intra-uterin*) NEAR/2 (diseas* OR abnormal* OR growth* OR infect*)) OR ((gestational) NEAR/2 (diabet* OR hypertens* OR weight*)) OR ((placenta*) NEAR/2 (abruption)) OR ((small-for-date OR small-for-gestational-age OR large-for-date OR large-for-gestational-age) NEAR/2 (infant*)) OR preconcept* OR maternal* OR paternal* OR father* OR parent* OR cord-blood* OR fetal-blood* OR lifestyle* OR sociodemographic*)) AND ((followup* OR follow-up* OR longitudinal* OR prospective* OR retrospective* OR cohort* OR predict*)) AND (((obes* OR hypertension* OR diabetes* OR diabetic* OR BMI OR body-mass* OR waist-circum* OR fat-distribut* OR dyslipidemia* OR lipidemia OR lipoedema OR glucos*-intoleranc* OR glucos*-toleranc* OR overweight* OR overnutrition*) NEAR/5 (child* OR progeny OR offspring*)) OR ((metabolic* OR cardiometabolic* OR insulin-resist* OR dysmetabolic* OR metabolism*) NEAR/2 (syndrom* OR diseas* OR outcome* OR disorder*) NEAR/9 (child* OR progeny OR offspring*)) OR ((increas* OR elevat* OR high*) NEAR/2 (bloodpress* OR blood-press*) NEAR/9 (child* OR progeny OR offspring*))) NOT ((animal* OR rat OR rats OR mouse OR mice OR murine OR dog OR dogs OR canine OR cat OR cats OR feline OR rabbit OR cow OR cows OR bovine OR rodent* OR sheep OR ovine OR pig OR swine OR porcine OR veterinar* OR chick* OR zebrafish* OR baboon* OR nonhuman* OR primate* OR cattle* OR goose OR geese OR duck OR macaque* OR avian* OR bird* OR fish*) NOT (human* OR patient* OR women OR woman OR men OR man))) AND LA=(English) AND DT=(Article OR Review OR Letter OR Early Access)

Scopus

[Scopus - Advanced search](#) – 1631 records

(TITLE-ABS-KEY ((gravidit* OR gestation* OR pregnan* OR mother* OR prenatal* OR preeclamp* OR pre-eclamp* OR ((prematu* OR preterm* OR live*) PRE/3 (labor OR birth OR labour OR delivery OR ruptur*)) OR birthweight* OR ((birth OR neonat* OR newborn OR infant*) PRE/3 (weight)) OR ((infant* OR child*) PRE/3 (breast-feed* OR breastfeed* OR milk-composit* OR weaning)) OR ((infant*) PRE/3 (biomarker* OR saliva OR fecal OR urine OR hair)) OR postpartum OR post-partum OR puerperium OR ((fetal OR foetus OR fetus OR newborn OR neonat* OR infant* OR intrauterin* OR intra-uterin*) PRE/3 (diseas* OR abnormal* OR growth* OR infect*)) OR ((gestational) PRE/3 (diabet* OR hypertens* OR weight*)) OR ((placenta*) PRE/3 (abruption)) OR ((small-for-date OR small-for-gestational-age OR large-for-date OR large-for-gestational-age) PRE/3 (infant*)) OR preconcept* OR maternal* OR paternal* OR father* OR parent* OR cord-blood* OR fetal-blood* OR lifestyle* OR sociodemographic*))) AND (TITLE-ABS-KEY ("follow up" OR "longitudinal AND study" OR "prospective AND study" OR "retrospective AND study" OR "cohort AND analysis" OR "prediction" OR (followup* OR follow-up* OR longitudinal* OR prospective* OR retrospective* OR cohort* OR predict*))) AND (TITLE-ABS-KEY (((obes* OR hypertension* OR diabetes* OR diabetic* OR bmi OR body-mass* OR waist-circum* OR fat-distribut* OR dyslipidemia* OR lipidemia OR lipoedema OR glucos*-intoleranc* OR glucos*-toleranc* OR overweight* OR overnutrition*) PRE/6 (child* OR progeny OR offspring*)) OR (metabolic* OR cardiometabolic* OR insulin-resist* OR dymetabolic* OR metabolism*) PRE/2 (syndrom* OR diseas* OR outcome* OR disorder*) PRE/9 (child* OR progeny OR offspring*)) OR ((increas* OR elevat* OR high*) PRE/2 (bloodpress* OR blood-press*) PRE/9 (child* OR progeny OR offspring*)))) AND

NOT ((INDEXTERMS (animals OR animal)) AND NOT (INDEXTERMS (humans OR human))) AND (LIMIT-TO (LANGUAGE,"English")) AND (EXCLUDE (DOCTYPE,"cp") OR EXCLUDE (DOCTYPE,"ch") OR EXCLUDE (DOCTYPE,"le"))

Cochrane

<https://www.cochranelibrary.com/advanced-search/search-manager> - 1896 records

((gravidit* OR gestation* OR pregnan* OR mother* OR prenatal* OR preeclamp* OR pre NEXT/1 eclamp* OR ((prematu* OR preterm* OR live*) NEAR/3 (labor OR birth OR labour OR delivery OR ruptur*)) OR birthweight* OR ((birth OR neonat* OR newborn OR infant*) NEAR/3 (weight*)) OR ((infant* OR child*) NEAR/3 (breast NEXT/1 feed* OR breastfeed* OR milk NEXT/1 composit* OR weaning)) OR ((infant*) NEAR/3 (biomarker* OR saliva OR fecal OR urine OR hair)) OR postpartum OR post NEXT/1 partum OR puerperium OR ((fetal OR foetus OR fetus OR newborn OR neonat* OR infant* OR intrauterin* OR intra NEXT/1 uterin*) NEAR/3 (diseas* OR abnormal* OR growth* OR infect*)) OR ((gestational) NEAR/3 (diabet* OR hypertens* OR weight*)) OR ((placenta*) NEAR/3 (abruption)) OR ((small NEXT/1 for NEXT/1 date OR small NEXT/1 for NEXT/1 gestational NEXT/1 age OR large NEXT/1 for NEXT/1 date OR large NEXT/1 for NEXT/1 gestational NEXT/1 age) NEAR/3 (infant*)) OR preconcept* OR maternal* OR paternal* OR father* OR parent* OR cord NEXT/1 blood* OR fetal NEXT/1 blood* OR lifestyle* OR sociodemographic*):ab,ti,kw) AND ((followup* OR follow NEXT/1 up* OR longitudinal* OR prospective* OR retrospective* OR cohort* OR predict*):ab,ti,kw) AND (((obes* OR hypertension* OR diabetes* OR diabetic* OR BMI OR body NEXT/1 mass* OR waist NEXT/1 circum* OR fat NEXT/1 distribut* OR dyslipidemia* OR lipidemia OR lipoedema OR glucos* NEXT/1 intoleranc* OR glucos* NEXT/1 toleranc* OR overweight* OR overnutrition*) NEAR/6 (child* OR progeny OR offspring*)) OR ((metabolic* OR cardiometabolic* OR insulin NEXT/1 resist* OR dysmetabolic* OR metabolism*) NEAR/2 (syndrom* OR diseas* OR outcome* OR disorder*) NEAR/9 (child* OR progeny OR offspring*)) OR ((increas* OR elevat* OR high*) NEAR/2 (bloodpress* OR blood NEXT/1 press*) NEAR/9 (child* OR progeny OR offspring*)):ab,ti,kw)

Table S1. Criteria template for quality assessment of the risk factors.

	Methodological aspects (excluding study design)		Reflect/mark the study objective	Modifiable		Prediction
Levels	Reproducibility, accuracy, standardization, stability (quality of the sample) and technical variation	Biological variation	A change in the marker is linked with a change in the endpoint in one or more target population(s)	Theoretically modifiable	Intervention studies	
Very strong (+++)	Marker is highly reproducible (intra class correlation coefficient >0.9) and accurate (less than 1% deviation from 'correct' value), assay is highly standardized, sample is stable or can easily be made stable	Minimal variation and relevant effects highly superior to variation: effects likely to be observed between groups of tens of individuals	Generally, accepted marker (marker changes consistently linked with a change in the endpoint)	The risk factor is modifiable on an individual level and implementation of modifications in daily life is easy	A systematic review on intervention on this risk factor has been conducted and shows a positive effect of modification on the outcome	>80% of moderate or high quality papers report an association in the same direction and at least 5 publications
Strong (++)	Marker is reproducible and accurate enough to detect biological meaningful changes, assay is standardized, sample is stable or can be made stable	High variation explainable (for example, circadian cycle, age, sex, BMI, ethnicity and genotype) and possible to correct it and relevant effects reproducibly superior to variation: effects likely to be observed between groups of fifties to hundreds of individuals	Described as a cause- and effect relationship, but not (yet) generally accepted as a marker, due to a lack of (specific) studies	The risk factor is modifiable on an individual level and implementation of modifications in daily life is complicated	Multiple intervention studies have been conducted showing a potential positive effect of modification on the outcome	>65% of moderate or high quality papers report an association in the same direction and at least 5 publications
Medium (+)	Marker is reproducible and accurate enough for specific applications, assay is somewhat standardized and needs to be extensively processed or analysed fast	High variation explainable (for example, circadian cycle, age, sex, BMI, ethnicity and genotype) and possible to correct it and relevant effects reproducibly close to variation: effects may be observed between groups of fifties to hundreds of individuals	Body of evidence suggesting correlation, but cause and effect not established	Modification of the risk factor is not possible on an individual and requires political, governmental, or medical interventions	There is some evidence of potential effect of intervention on the outcome, but literature is controversial	>50% of moderate or high quality report an association in the same direction or less than 5 publications
Low (0)	Reproducibility and accuracy of the marker, standardization of the assay and stability of the sample are either poor or not properly documented	High and unexplained variation in a short time span and relevant effects likely to be observed between groups of thousands of individuals	Plausible hypothesis, in use as an exploratory marker, but no substantial body of evidence yet.	The risk factor is not modifiable	No intervention studies have been conducted, or no potential effect of modification has been found	No consistent effect

Table S2. Associations of childhood obesity with each risk factor per period.					
Author	Year	Country	Exposure (sub)	Prevalence Obesity (%)	Association
Preconception					
Physical					
<i>Maternal prepregnancy weight/BMI continuous</i>					
*Brophy	2009 ²⁴	UK	Maternal prepregnancy weight	5.8	Positive
*Chivers	2012 ¹⁰²	Australia	Maternal prepregnancy BMI	7.8	Positive
*Dhana	2018 ¹⁷	USA	BMI	9.1	Positive
*Fernández-Barrés	2016 ²⁵	Spain	Prepregnancy BMI	12.4	Positive
*Fisch	1975 ²¹	USA	Maternal height; Maternal weight; Maternal BMI	5.5	Positive; Positive; Positive
*Gittner	2013 ¹⁶⁶	USA	Prepregnancy BMI	-	Positive
Groth	2017 ⁷⁰	USA	Prepregnancy BMI	21.4	Positive
*Huang	2014 ¹³	USA	Prepregnancy weight	26.6	None
*Hunt	2022 ⁷²	USA	Prepregnancy BMI	13.1	Positive
*Kjaer	2019 ²⁷	USA	Prepregnancy BMI	37.0	Positive
*LaGasse	2011 ⁶¹	USA	Prepregnancy BMI	21.6	Positive
*Mehta	2012 ⁵⁰	USA	Prepregnancy BMI	-	Positive
*O'Connor	2020 ³¹	USA	Prepregnancy BMI	17	Positive
*Li	2011 ⁶²	USA	Prepregnancy weight	18.0	Positive
Ouyang	2016 ⁵¹	USA	Prepregnancy BMI	6.4	Positive
*Palma dos Reis	2022 ¹²	Portugal	Prepregnancy weight	?	Positive
*Wang	2022 ³⁹	China	Maternal prepregnancy BMI	10.8	Positive
*Rotevatn	2021 ⁵⁴	Danmark	Prepregnancy BMI	2.4	Positive
*Ventura	2020 ¹⁴	USA	Prepregnancy BMI	10.9	None
*Wojcicki	2015 ¹⁵	USA	Maternal prepregnancy BMI;	24.9	None
*Widen	2016 ⁷⁶	USA	Maternal prepregnancy BMI	22	Positive
Zhang	2022 ¹⁹²	China	Maternal prepregnancy weight	??	Positive
<i>Maternal prepregnancy overweight/obesity</i>					
*Flores	2013 ⁹¹	USA	Mother severely obese prepregnancy	5.7	Positive
*Gaillard	2013 ¹⁶⁵	Netherlands	Maternal obesity prepregnancy	8.1	Positive
Hinkle	2012 ¹⁷⁰	USA	Prepregnancy obesity	15.8	Positive
*Hu	2019 ⁹⁴	USA	Prepregnancy overweight/obesity	16.6	Positive
*Janjua	2012 ⁴⁵	USA	Prepregnancy BMI overweight/obese	9.6	Positive

Leonard	2017 ¹⁷⁴	USA	Prepregnancy overweight + excessive weight gain; Prepregnancy obesity + excessive weight gain	18.0-24.0	Positive
*Navarro	2020 ¹⁰⁹	Ireland	Prepregnancy BMI >30	8.8-29.3	Positive
*Reilly	2005 ¹⁶	UK	Maternal BMI >30 kg/m ²	8.6	Positive
*Whitaker	1998 ¹⁸⁹	USA	Maternal prepregnancy obesity	20	Positive
Paternal prepregnancy overweight/obesity					
*Reilly	2005 ¹⁶	UK	Paternal BMI >30 kg/m ²	8.6	Positive
Lifestyle					
Smoking					
*Dhana	2018 ¹⁷	USA	Smoking	9.1	Positive
*Sharma	2008 ¹⁸	USA	Smoking	14.6	Positive
Diet					
*Dhana	2018 ¹⁷	USA	Healthy diet	9.1	None
Gete	2021 ¹⁹	Australia	Higher healthy eating index	3.3	None
Physical activity					
*Dhana	2018 ¹⁷	USA	Exercise	9.1	None
Noda	2022 ²⁰	Japan	Maternal physical activity	9.5	None
Pregnancy and birth					
Birth anthropometrics					
Birth weight continuous					
*Brophy	2009 ²⁴	UK	Birth weight	5.8	Positive
*Donkor	2017 ¹⁰³	Norway	Birth weight	3.5	None
*Fisch	1975 ²¹	USA	Birth weight	5.5	Positive
*Fernández-Barrés	2016 ²⁵	Spain	Birth weight	12.4	Positive
*Gillman	2003 ²⁶	USA	Birth weight	6.7	Positive
*Heerman	2019 ⁶⁴	USA	Birth weight	34.5	None
*Kjaer	2019 ²⁷	USA	Birth weight	37.0	Positive
*Layte	2014 ²⁸	Ireland	Birth weight	?	Positive
*Mardones	2008 ³⁰	Chile	Birth weight	17.9	Positive
Mardones	2014 ²⁹	Chile	Birth weight	16.0	Positive
*Monteiro	2003 ⁶⁷	Brazil	Birth weight	7.7	None
*O'Connor	2020 ³¹	USA	Birth weight	17	Positive
Parker	2012 ³²	USA	Birth weight	9	Positive
*Reilly	2005 ¹⁶	UK	Birth weight	8.6	Positive
*Roy	2015 ¹⁵⁴	USA	Birth weight	17	None
*Shankaran	2010 ³³	USA	Birth weight	21	Positive
*Shehadeh	2008 ¹³¹	Israel	Birth weight	-	None

*Shi	2013 ³⁴	Canada	Birth weight	13	Positive
*Simpson	2017 ¹²²	UK	Birth weight	4.0-6.4	None
*Skledar	2015 ³⁵	Croatia	Birth weight	17.8	Positive
*Taveras	2009 ¹⁸¹	USA	Birth weight for length score	9	None
*Turner	2021 ³⁶	UK	Birth weight	4	Positive
Vehapoglu	2017 ³⁷	Turkey	Birth weight	7.8	Positive
*Ventura	2020 ¹⁴	USA	Birth weight	10.9	Positive
*Von Kries	2002 ³⁸	Germany	Birth weight	2.2-8.5	Positive
*Wang	2022 ³⁹	China	Birth weight	10.8	Positive
Zarrati	2013 ⁵⁹	Iran	Birth weight	5.3	None
*Zhou	2011 ⁴⁰	China	Birth weight	3.5	Positive
<i>Birth length continuous</i>					
*Donkor	2017 ¹⁰³	Norway	Birth length	3.5	None
*Mardones	2008 ³⁰	Chile	Birth length	17.9	Negative
Mardones	2014 ²⁹	Chile	Birth length	16.0	None
*Shehadeh	2008 ¹³¹	Israel	Birth length	-	None
*Skledar	2015 ³⁵	Croatia	Birth length	17.8	Positive
<i>Low birth weight/small-for-gestational age</i>					
Chen	2019b ⁵⁷	China	Low birth weight (<2500 g)	8.0	Positive
*Chiasson	2016 ⁴¹	USA	Low birth weight	9.9	Negative
De Sousa	2013 ⁴²	Brazil	Low birth weight	22.0	None
*Eid	1970 ⁶⁰	UK	Low birth weight	7.7	Negative
Gallo	2016 ⁵⁸	Italy	Small-for-gestational age	12.7-29.1	Positive
*Goodell	2009 ¹⁵²	USA	Low birth weight	18.0	None
Hack	2014 ¹⁶⁹	USA	Extreme low birth weight	12.0-21.0	None
*Huang	2014 ¹³	USA	Low birth weight <2500 g	26.6	Negative
Kapral	2018 ⁴⁶	USA	Low birth weight <2500 g	12.0-6.5	None
*LaGasse	2011 ⁶¹	USA	Small-for-gestational age	21.6	Negative
*Lawrence	2016 ⁴⁸	USA	Low birth weight	14.3-36.4	None
*Li	2011 ⁶²	USA	Low birth weight	18.0	Negative
*Monteiro	2003 ⁶⁷	Brazil	Small-for-gestational age (<P10)	7.7	None
*Ochoa	2007 ¹⁴⁸	Spain	Birth weight (<2800 g)	-	None
Ouyang	2016 ⁵¹	USA	Small-for-gestational age	6.4	Negative
*Reynolds	2014 ¹⁰⁰	Ireland	Birth weight (<2500 g versus ≥2500 g)	6.6	None
*Rooney	2011 ⁵³	USA	Birth weight < 7pounds	22.6-29.6	None
*Rotevatn	2021 ⁵⁴	Denmark	Small-for-gestational age	2.4	Negative
*Sartorius	2020 ⁵⁵	South Africa	Birth weight <2500 g	15.1	Negative
*Shankaran	2010 ³³	USA	Intra-uterine growth restriction	21	Positive

Zarrati	2013 ⁵⁹	Iran	Low birth weight (<2500 g)	5.3	Positive
High birth weight/large-for-gestational age					
*Chiasson	2016 ⁴¹	USA	High birth weight (>4000 g)	9.9	Positive
De Sousa	2013 ⁴²	Brazil	High birth weight	22.0	Positive
Gu	2012 ⁴³	China	Macrosomia (>4000 g)	11.4	Positive
*He	2000 ⁴⁴	China	Birth weight >4000 g	-	Positive
*Huang	2014 ¹³	USA	High birth weight >4000 g	26.6	None
*Huus	2007 ²²	Sweden	High birth BMI (>95 th percentile)	4.3	Positive
*Janjua	2012 ⁴⁵	USA	High birth weight (>85 th percentile)	9.6	Positive
Kapral	2018 ⁴⁶	USA	High birth weight >4500 g	12.0-6.5	Positive
*Kato	2014 ⁴⁷	Japan	Obesity at birth	5.6-8.4	Positive
*Lawrence	2016 ⁴⁸	USA	High birth weight	14.3-36.4	Positive
*Loaiza	2011 ⁴⁹	Chile	Macrosomia (>4000 g)	14.6	Positive
*Mehta	2012 ⁵⁰	USA	Large-for-gestational age	-	Positive
Ouyang	2016 ⁵¹	USA	Large-for-gestational age	6.4	Positive
Pan	2019 ⁵²	China	Macrosomia	5.4	Positive
*Rooney	2011 ⁵³	USA	Birth weight > 8.5 pounds	22.6-29.6	Positive
*Rotevatn	2021 ⁵⁴	Denmark	Large-for-gestational age	2.4	Positive
*Sartorius	2020 ⁵⁵	South Africa	Birth weight >4000 g	15.1	Positive
*Toschke	2002 ⁵⁶	Czech Republic	Birth weight > 4000 g	3.8	Positive
Gestational age at birth continuous					
*Chen	2017 ⁶³	Taiwan	Gestational age	14.7	None
*Heerman	2019 ⁶⁴	USA	Gestational age at birth	34.5	None
*McCrorry	2012 ⁶⁵	Ireland	Gestational age	6.6	None
*O'Connor	2020 ³¹	USA	Gestational age	17	None
*Ventura	2020 ¹⁴	USA	Gestational age	10.9	None
*Mardones	2008 ³⁰	Chile	Gestational age	17.9	Negative
Preterm birth					
Alves	2016 ⁶⁶	Brazil	Preterm birth	12.7	None
*Layte	2014 ²⁸	Ireland	Gestational age <33 wks; Gestational age <36 wks	?	Positive; None;
*Monteiro	2003 ⁶⁷	Brazil	Gestational age (<37 wks)	7.7	None
*Reynolds	2014 ¹⁰⁰	Ireland	Preterm birth (only ≤32 wks)	6.6	Negative
*Seipel	2013 ⁶⁸	USA	Preterm birth	11-13	None
*Shankaran	2010 ³³	USA	Preterm birth	21	Positive
Late-term birth					
*Chen	2017 ⁶³	Taiwan	Late-term ≥ 42 wks	14.7	Positive
*Layte	2014 ²⁸	Ireland	Gestational age >42 wks	?	None

Foetal growth					
Parker	2012 ³²	USA	Estimated foetal growth	9	Positive
*Turner	2021 ³⁶	UK	Estimated foetal growth	4	Positive
Placental weight					
Ouyang	2016 ⁵¹	USA	Placental weight	6.4	Positive
Pregnancy complications					
Mode of Delivery (CS)					
Carrillo-Larco	2015 ¹¹	Peru	Mode of delivery (CS)	0.7 – 1.1	Positive
*Chen	2017 ⁶³	Taiwan	Mode of delivery (CS)	14.7	Positive
Dal'Maso	2022 ⁷⁷	Brazil	Mode of delivery (CS)	8.3	Positive
Flemming	2013 ⁸⁷	Canada	Mode of delivery (CS)	9.8	None
Goldani	2013 ⁷⁸	Brazil	Mode of delivery (CS); Mode of delivery (CS)	13.0/2.1	Positive; None (two cohorts)
*Hawkins	2019 ⁷⁹	USA	Mode of delivery (CS)	12.4 – 13.2	Positive
*Huang	2014 ¹³	USA	Mode of delivery (CS)	26.6	None
Huh	2012 ⁸⁰	USA	Mode of delivery (CS)	9.2	Positive
*Lavin	2018 ⁸¹	Vietnam	Mode of delivery (CS)	4.1	Positive
Masukume	2019a ⁸⁸	New Zealand	Mode of delivery (CS)	8.6	None
Mueller	2015 ⁸²	USA	Mode of delivery (CS)	25.2	Positive
Pei	2014 ⁸³	Germany	Mode of delivery (CS)	11	Positive (only 2 y)
Ralphs	2021 ⁸⁹	UK	Mode of delivery (CS)	5.2	None
Rifas-Shiman	2021 ⁹⁰	Belarus	Mode of delivery (CS)	3.8 – 5.9	None
*Rooney	2011 ⁵³	USA	Mode of delivery (CS)	22.6-29.6	Positive
*Rotevatn	2021 ⁵⁴	Danmark	Mode of delivery (CS)	2.4	Positive
*Seipel	2013 ⁶⁸	USA	Mode of delivery (CS)	11-13	None
Si	2022 ⁸⁴	China	Mode of delivery (CS)	3.8	Positive
Sitarik	2020 ⁸⁵	USA	Mode of delivery (planned CS)	20.3	Positive
Yuan	2016 ⁸⁶	USA	Mode of delivery (CS)	13	Positive
*Zhou	2011 ⁴⁰	China	Mode of delivery (CS)	3.5	None
Gestational diabetes					
*Chen	2017 ⁶³	Taiwan	Gestational diabetes	14.7	Positive
*Fernández-Barrés	2016 ²⁵	Spain	Gestational diabetes	12.4	None
*Flores	2013 ⁹¹	USA	Gestational diabetes	5.7	Positive
*Gillman	2003 ²⁶	USA	Gestational diabetes	6.7	None
Hakanen	2016 ⁹²	Finland	Gestational diabetes	3.0-12.8	Positive
*Hawkins	2019 ⁷⁹	USA	Gestational diabetes	12.4 – 13.2	Positive
Herath	2020 ⁹³	Sri Lanka	Hyperglycaemia in pregnancy	3.2 – 5.7	Positive
*Hu	2019 ⁹⁴	USA	Gestational diabetes	16.6	Positive
Lowe	2018 ⁹⁵	USA	Gestational diabetes	8.2	Positive

Lowe	2019 ⁹⁶	Thailand; Barbados; USA; UK; China; Israel; Canada	Fasting glucose; 1 h glucose; 2 h glucose; HbA1c	12.3	Positive; Positive; Positive; Positive
*Mehta	2012 ⁵⁰	USA	Gestational diabetes	?	None
Nehring	2013 ⁹⁷	Germany	Gestational diabetes	2.6	Positive
Ouyang	2016 ⁵¹	USA	Gestational diabetes	6.4	Positive
Pettitt	1983 ⁹⁸	USA	Gestational diabetes	-	Positive
Pettitt	1998 ⁹⁹	USA	Glucose during pregnancy	-	Positive (at 5-9 y)
Pitchika	2018 ¹⁷⁹	USA, Finland, Germany, Sweden	Gestational diabetes; Diabetes type 1 Diabetes type 2	5.7	None; Negative (only 6 y) None
*Roy	2015 ¹⁵⁴	USA	Gestational diabetes	17	None
Thaware	2015 ¹⁸²	UK	Gestational diabetes	12.7	None
*Whitaker	1998 ¹⁸⁹	USA	Gestational Diabetes	20	None
Wright	2009 ¹⁹⁰	USA	Gestational Diabetes	9.3	None
Wroblewska-Senuik	2009 ¹⁹¹	Poland	Gestational Diabetes	13	None
<i>Preeclampsia</i>					
*Palma dos Reis	2022 ¹²	Portugal	Preeclampsia	?	None
<i>Infection</i>					
Li	2020 ¹⁷⁶	USA	Infection without antibiotic use vs control	16.2-21.1	Positive
<i>Antibiotic use</i>					
Li	2020 ¹⁷⁶	USA	Antibiotic use (with or without infection)	16.2-21.1	None
Margetaki	2022 ¹⁷⁸	Greece	Prenatal antibiotics use	7.8-12.0	None (4 y); Positive (6 y)
Mueller	2015 ⁸²	USA	Use of antibiotics	25.2	Positive
Sakurai	2022 ¹⁸⁰	Japan	Antibiotic use (in 2 nd or 3 rd trimester)	9.4	Positive (only in females)
Wang	2018 ¹⁸⁶	USA	Antibiotic use	8.9 (4y) 4.6 (7y)	None (4y) Positive (7y, 2 nd trimester)
<i>Cord blood biomarkers</i>					
*Donahue	2011 ¹¹⁴	USA	Higher DHA+EPA/n-3 fatty acids; Higher n-6:n-3 ratio/AA:DHA + EPA ratio/LA:ALA ratio	9.4	Negative; Positive
*Simpson	2017 ¹²²	UK	Leptin Adiponectin	4.0-6.4	None
Sorrow	2019 ¹²³	USA	Metabolomics	-	Positive/negative
<i>Sociodemographic</i>					
<i>Maternal age</i>					

*Chen	2017 ⁶³	Taiwan	Age mother at birth	14.7	None
*Donkor	2017 ¹⁰³	Norway	Age mother at birth	3.5	None
*Fernández-Barrés	2016 ²⁵	Spain	Maternal age at birth	12.4	None
*Fisch	1975 ²¹	USA	Age mother at birth	5.5	Positive
*Flores	2013 ⁹¹	USA	Maternal age at birth	5.7	None
*Gittner	2013 ¹⁶⁶	USA	Age	-	None
*Huang	2014 ¹³	USA	Age	26.6	None
*Hunt	2022 ⁷²	USA	Age	13.1	Negative
*Huus	2007 ²²	Sweden	Maternal age	4.3	None
*Kjaer	2019 ²⁷	USA	Age	37.0	None
*Layte	2014 ²⁸	Ireland	Age	?	None
*Seipel	2013 ⁶⁸	USA	Maternal age at birth	11-13	Positive
*Ventura	2020 ¹⁴	USA	Maternal age	10.9	None
*Wallby	2017 ¹²⁰	Sweden	Maternal age	1.9	None
*Wojcicki	2015 ¹⁵	USA	Maternal age	24.9	None
Paternal age					
*Fisch	1975 ²¹	USA	Age father at birth	5.5	Positive
*Huus	2007 ²²	Sweden	Paternal age	4.3	None
Maternal education					
*Chivers	2012 ¹⁰²	Australia	Education (lower)	7.8	Positive
*Fernández-Barrés	2016 ²⁵	Spain	Maternal educational level	12.4	None
*Huang	2014 ¹³	USA	Education (lower)	26.6	None
*Hunt	2022 ⁷²	USA	Education	13.1	None
*Kjaer	2019 ²⁷	USA	Education	37.0	None
*Loaiza	2011 ⁴⁹	Chile	Finished elementary school	14.6	Negative
*Mardones	2008 ³⁰	Chile	Education (>8 years)	17.9	Positive
*Rotevatn	2021 ⁵⁴	Denmark	Maternal education (higher)	2.4	Negative
*Seipel	2013 ⁶⁸	USA	Maternal education (higher)	11-13	Negative
*Shankaran	2010 ³³	USA	Maternal education (higher)	21	Positive
*Ventura	2020 ¹⁴	USA	Maternal education (higher)	10.9	None
*Wallby	2017 ¹²⁰	Sweden	Maternal educational level (lower)	1.9	Positive
*Wen	2022 ¹²¹	USA	Maternal education (lower)	14.9	Positive
*Wojcicki	2015 ¹⁵	USA	Maternal education (higher)	24.9	Positive
Paternal education					
*Wojcicki	2015 ¹⁵	USA	Paternal education (lower)	24.9	Positive
Income					
*Rotevatn	2021 ⁵⁴	Denmark	Household income (higher)	2.4	Negative
*Ventura	2020 ¹⁴	USA	Income	10.9	None

*Wen	2022 ¹²¹	USA	Family income (lower)	14.9	Positive
*Wojcicki	2015 ¹⁵	USA	Income (lower)	24.9	Positive
Maternal social economic status					
*Fernández-Barrés	2016 ²⁵	Spain	Social class	12.4	None
*Fisch	1975 ²¹	USA	Socioeconomic index (higher)	5.5	None
*Ingstrup	2012 ¹⁷³	Denmark	Socioeconomic status (lower)	9.9	Positive
*Layte	2014 ²⁸	Ireland	Social class	?	None
Maternal ethnicity					
*Layte	2014 ²⁸	Ireland	Non-white (African) versus white (Irish, UK, European)	?	None
*Shankaran	2010 ³³	USA	Ethnicity (non-white)	21	Negative
*Ventura	2020 ¹⁴	USA	Ethnicity (other than white)	10.9	None
*Wojcicki	2015 ¹⁵	USA	Ethnicity (non-White)	24.9	Positive;
Parity					
*Frondelius	2018 ¹⁰⁵	Sweden	Parity	3.0	None
*Gittner	2013 ¹⁶⁶	USA	Parity	-	Negative
*Layte	2014 ²⁸	Ireland	Parity	?	None
*Rotevatn	2021 ⁵⁴	Denmark	Parity	2.4	Positive
*Ventura	2020 ¹⁴	USA	Parity	10.9	None
*Wallby	2017 ¹²⁰	Sweden	Parity	1.9	None
*Huus	2007 ²²	Sweden	Parity (any siblings)	4.3	None
*Lavin	2018 ⁸¹	Vietnam	Multiparous	4.1	Negative
Maternal employment					
*Gittner	2013 ¹⁶⁶	USA	Employment (yes)	-	Positive
Maternal relationship status					
*Huus	2007 ²²	Sweden	Maternal relationship status (single)	4.3	None
*Ventura	2020 ¹⁴	USA	Marital status	10.9	None
*Wojcicki	2015 ¹⁵	USA	Marital status mother (not married)	24.9	Positive
Lifestyle					
Maternal smoking					
Chen	2006 ¹⁰¹	USA	Smoking	4.3 – 8.6	Positive
*Chivers	2012 ¹⁰²	Australia	Smoking	7.8	Positive
*Donkor	2017 ¹⁰³	Norway	Smoking	3.5	Positive;
Durmus	2011 ¹⁰⁴	Netherlands	Smoking	2.3	Positive
*Fernández-Barrés	2016 ²⁵	Spain	Smoking	12.4	None
*Fisch	1975 ²¹	USA	Smoking	5.5	None
*Frondelius	2018 ¹⁰⁵	Sweden	Smoking	3.0	Positive
Harris	2013 ¹⁰⁶	USA	Smoking	18.9	Positive

*Hawkins	2019 ⁷⁹	USA	Smoking	12.4 – 13.2	Positive
Horiuchi	2021 ²³	Japan	Maternal smoking	-	None
*Huang	2014 ¹³	USA	Smoking	26.6	Positive
Ino	2011 ¹⁰⁷	Japan	Smoking	6.0-16.0	Positive
*Janjua	2012 ⁴⁵	USA	Smoking	9.6	None
*Layte	2014 ²⁸	Ireland	Smoking	?	Positive
Mizutani	2007 ¹⁰⁸	Japan	Smoking	2.7	Positive
*Navarro	2020 ¹⁰⁹	Ireland	Smoking	8.8-29.3	Positive (for 5y)
*O'Connor	2020 ³¹	USA	Smoking	17	Positive
*Palma dos Reis	2022 ¹²	Portugal	Smoking	?	Positive
Power	2002 ¹¹⁰	UK	Smoking	-	Positive (only for 16y)
*Reilly	2005 ¹⁶	UK	Smoking	8.6	Positive
*Reynolds	2014 ¹⁰⁰	Ireland	Smoking	6.6	Positive
*Rooney	2011 ⁵³	USA	Smoking	22.6-29.6	Positive
*Rotevatn	2021 ⁵⁴	Danmark	Smoking	2.4	Positive
*Sharma	2008 ¹⁸	USA	Smoking	14.6	Positive
*Seipel	2013 ⁶⁸	USA	Smoking	11-13	Positive
*Shankaran	2010 ³³	USA	Smoking	21	None
*Shi	2013 ³⁴	Canada	Smoking	13	Positive
Suzuki	2009 ¹¹¹	Japan	Smoking	3	Positive
*Von Kries	2002 ³⁸	Germany	Smoking	2.2-8.5	Positive
Wang	2014 ¹¹²	USA	Smoking	23.2	Positive
*Wojcicki	2015 ¹⁵	USA	Smoking	24.9	None
Paternal smoking					
Horiuchi	2021 ²³	Japan	Paternal smoking	-	None
Maternal alcohol					
*Layte	2014 ²⁸	Ireland	Alcohol use (light)	?	Negative
*Seipel	2013 ⁶⁸	USA	Alcohol use	11-13	Positive
*Shankaran	2010 ³³	USA	Alcohol use	21	None
*Huang	2014 ¹³	USA	Alcohol use	26.6	Negative
*LaGasse	2011 ⁶¹	USA	Alcohol	21.6	None
*Navarro	2020 ¹⁰⁹	Ireland	Alcohol use	8.8-29.3	None
Maternal drugs					
*Seipel	2013 ⁶⁸	USA	Drugs use	11-13	None
*Shankaran	2010 ³³	USA	Drugs use	21	None
*LaGasse	2011 ⁶¹	USA	Cocaine	21.6	Positive
Diet					
*Fernández-Barrés	2016 ²⁵	Spain	Maternal caloric intake Mediterranean diet	12.4	None None

*Callanan	2021 ¹¹⁹	Ireland	Low GI diet	6.5	None
Chen	2019a ¹¹³	Ireland	Diet, higher GI; Diet, higher GL (glycaemic load); Diet, insulinemic index (II)	5.0	None
*Donahue	2011 ¹¹⁴	USA	Diet, more fish/fatty acid/DHA+EPA intake	9.4	Negative
Hakola	2017 ¹¹⁵	Finland	Fatty acid intake	2.0 - 10.0	Positive, negative and none
Hu	2020 ¹¹⁶	USA	Diet, fast food pattern; Diet, processed food pattern	16.4	Positive; None
Kadawathagedara	2018 ¹¹⁷	Norway	Acrylamide intake	0.4-1.6	Positive
Klebanoff	2015 ¹¹⁸	USA	Serum paraxantine	6.5	None
Mizutani	2007 ¹⁰⁸	Japan	Maternal breakfast habit (skipping)	2.7	Positive
*Navarro	2020 ¹⁰⁹	Ireland	Maternal diet	8.8-29.3	None
Suzuki	2009 ¹¹¹	Japan	Diet (skipping breakfast)	3	Positive
Physical activity					
*Fernández-Barrés	2016 ²⁵	Spain	Physical activity	12.4	None
*Navarro	2020 ¹⁰⁹	Ireland	Maternal physical activity	8.8-29.3	None
Stress					
Bryl	2022 ¹⁶²	Poland	Maternal stress	5.0	None
*Ingstrup	2012 ¹⁷³	Denmark	Maternal distress; Anxious; Depressed; Stressed; Worried; Lack of support	9.9	None; None; None; None; Positive; None
*Kjaer	2019 ²⁷	USA	Depression	37.0	Negative
Caffeine					
Li	2015 ¹⁷⁵	USA	Caffeine	?	Positive
Sleep duration					
Mizutani	2007 ¹⁰⁸	Japan	Maternal sleep duration >8h	2.7	Negative
Suzuki	2009 ¹¹¹	Japan	Sleep duration (longer)	3	Negative
Fetal musical education					
*Zhou	2011 ⁴⁰	China	Fetal musical education (lower)	3.5	Positive
Physical					
Paternal BMI or overweight/obesity					
*Chivers	2012 ¹⁰²	Australia	Paternal BMI at birth	7.8	Positive
*Whitaker	1998 ¹⁸⁹	USA	Paternal obesity	20	Positive
Maternal BMI or overweight/obesity					

*Lavin	2018 ⁸¹	Vietnam	Maternal overweight/obesity	4.1	Positive
*Wallby	2017 ¹²⁰	Sweden	Maternal BMI; Maternal overweight/obesity;	1.9	Positive Positive
<i>Gestational weight gain continuous</i>					
*Chen	2017 ⁶³	Taiwan	Gestational weight gain	14.7	Positive
Diesel	2015b ⁶⁹	USA	Gestational weight gain	21.0	Positive
*Fernández-Barrés	2016 ²⁵	Spain	Gestational weight gain	12.4	None
*Fisch	1975 ²¹	USA	Gestational weight gain	5.5	None
Groth	2017 ⁷⁰	USA	Gestational weight gain	21.4	Positive
Hivert	2016 ⁷¹	USA	Gestational weight gain	12.0	Positive
*Hunt	2022 ⁷²	USA	Gestational weight gain	13.1	Positive
*Layte	2014 ²⁸	Ireland	Gestational weight gain	?	Positive
*Li	2011 ⁶²	USA	Gestational weight gain	18.0	Positive
*Seipel	2013 ⁶⁸	USA	Gestational weight gain	11-13	Positive (only 10y)
Oken	2007 ⁷³	USA	Gestational weight gain	9	Positive
Oken	2008 ⁷⁴	USA	Gestational weight gain	6.5	Positive
Oken	2009 ⁷⁵	USA	Gestational weight gain	10	Positive (only women with prepregnancy BMI 25-30)
*Wang	2022 ³⁹	China	Gestational weight gain	10.8	Positive
*Rooney	2011 ⁵³	USA	Gestational weight gain	22.6-29.6	Positive
Widen	2016 ⁷⁶	USA	Gestational weight gain	22	Positive
<i>Excessive gestational weight gain</i>					
Diesel	2015a ¹⁶³	USA	Excessive gestational weight gain	16.4	Positive
Ensenauer	2013 ¹⁶⁴	Germany	Excessive gestational weight gain	2.4	Positive
Hu	2019 ⁹⁴	USA	Excessive gestational weight gain	16.6	Positive
Liu	2019 ¹⁷⁷	USA	Excessive gestational weight gain	11.0	None
Ouyang	2016 ⁵¹	USA	Gestational weight gain (excessive)	6.4	Positive
<i>Inadequate gestational weight gain</i>					
*Liu	2019 ¹⁷⁷	USA	Inadequate gestational weight gain	11.0	None
*Seipel	2013 ⁶⁸	USA	Gestational weight loss	11-13	Positive (only at 10y)
Ouyang	2016 ⁵¹	USA	Gestational weight gain (inadequate)	6.4	Negative
<i>Maternal lipids (standard pregnancy screening)</i>					
Thaware	2018 ¹⁸³	UK	Lipids	11.1	None
<i>Environmental</i>					
Guo	2020a ¹⁶⁷	China	Urinary bisphenol A	15.8	Positive
Guo	2020b ¹⁶⁸	China	Polybrominated diphenyl ethers (6 metabolites)	8.8	5 None, 1 negative (BDE-154)

Vafeiadi	2015 ¹⁸⁴	Greece	Persistent organic pollutants	6.9	Positive
Vafeiadi	2016 ¹⁸⁵	Greece	Bisphenol A exposure	13.3	Positive
Warner	2013 ¹⁸⁷	USA	Pesticide exposure (Dichlorodiphenyltrichloroethane & Dichlorodiphenyldichloroethylene)	35.6	None
Early infancy					
Feeding patterns					
Early solid food introduction					
*Brophy	2009 ²⁴	UK	Early solid food introduction (<3 months)	5.8	Positive
*Gittner	2013 ¹⁶⁶	USA	Timing of solid food introduction	-	None
Gooze	2011 ¹⁴⁴	USA	Timing of solid food introduction <3 months	17.6	Negative
Huh	2011 ¹⁷¹	USA	Timing of solid food introduction (among breastfed; <4mnth) Timing of solid food introduction (among formulafed; <4mnth)	9.0	None Positive
Moss	2014 ¹²⁸	USA	Timing of solid food introduction	14.3	None
*Reilly	2005 ¹⁶	UK	Introduction to solid food	8.6	None
*Ventura	2020 ¹⁴	USA	Introduction to complementary foods 4- <6 months Introduction to complementary foods > 6 months	10.9	None
*Von Kries	2002 ³⁸	Germany	Introduction to solid foods < 4 months	2.2-8.5	None
*Zhou	2011 ⁴⁰	China	Solid food introduction (<4 mnth)	3.5	Positive
Breastfeeding (yes/no)					
*Chiasson	2016 ⁴¹	USA	Breastfeeding (partial or exclusive)	9.9	Negative
Ehrental	2016 ¹²⁴	USA	Breastfeeding	13.4	Negative
*Fernández-Barrés	2016 ²⁵	Spain	Breastfeeding	12.4	None
*Gittner	2013 ¹⁶⁶	USA	Breastfeeding	-	None
Gooze	2011 ¹⁴⁴	USA	Breastfeeding	17.6	Positive
*Hawkins	2019 ⁷⁹	USA	Breastfeeding	12.4 – 13.2	Negative
*Heerman	2019 ⁶⁴	USA	Breastfeeding	34.5	None
Hildebrand	2022 ¹²⁵	USA	Breastfeeding	13.0	Negative
*Huang	2014 ¹³	USA	Breastfeeding	26.6	Negative
*Hunt	2022 ⁷²	USA	Exclusive breastfeeding 6 months vs not exclusively breastfed for 6 months	13.1	Negative
Huus	2008 ¹⁷²	Sweden	Exclusive breastfeeding < 4months vs not exclusively breastfed for 4 months.	4.3	None
Jing	2014 ¹⁴⁶	China	Breastfeeding	4.0	None
Jwa	2014 ¹²⁶	Japan	Exclusive breastfeeding vs formula feeding	1.6 – 2.4	Negative
*Kjaer	2019 ²⁷	USA	Exclusive breastfeeding at 4-6 wks	37.0	None
*Li	2011 ⁶²	USA	Breastfeeding	18.0	Negative

Mayer-Davis	2006 ¹³⁸	USA	Breastfeeding	6.7	None
Metzger	2010 ¹²⁷	USA	Breastfeeding	-	Negative
Michels	2007 ¹⁴⁷	USA	Breastfeeding	21.9	None
Moss	2014 ¹²⁸	USA	Breastfeeding	14.3	Negative
*O'Connor	2020 ³¹	USA	Breastfeeding until 6 months (vs none)	17	None
Park	2015 ¹²⁹	Korea	Mixed feeding vs predominantly breast fed	9.8	Positive
Pattison	2019 ¹³⁰	USA	Breastfeeding	10.0	Negative
*Reilly	2005 ¹⁶	UK	Breastfeeding	8.6	None
*Seipel	2013 ⁶⁸	USA	Breastfeeding	11-13	Negative
*Shehadeh	2008 ¹³¹	Israel	Breastfeeding (vs combined and formula)	-	Negative
*Shi	2013 ³⁴	Canada	Exclusive breastfeeding for 6 months vs no breastfeeding	13	Negative
*Toschke	2002 ⁵⁶	Czech Republic	Breastfeeding	3.8	Negative
Van Rossem	2011 ¹³²	USA	Breastfeeding	3.4-9.2	Negative
*Von Kries	2002 ³⁸	Germany	Breastfeeding	2.2-8.5	Negative
*Wang	2017 ¹³³	USA	Breastfeeding at 1 month	18.4	Negative
Yamakawa	2013 ¹³⁴	Japan	Partial or exclusive breastfeeding	2	Negative
Breastfeeding (duration)					
Burdette	2007 ¹³⁵	USA	Breastfeeding > 4months	18	Negative
*Donkor	2017 ¹⁰³	Norway	Breastfeeding duration < 4 months	3.5	Positive
*Fernández-Barrés	2016 ²⁵	Spain	Breastfeeding duration	12.4	None
*Frondelius	2018 ¹⁰⁵	Sweden	Breastfeeding duration	3.0	None
Gooze	2011 ¹⁴⁴	USA	Breastfeeding duration	17.6	None
Grube	2015 ¹³⁶	Germany	Breastfeeding duration >4 months	6.4	Negative
*Heerman	2019 ⁶⁴	USA	Breastfeeding duration	34.5	None
Hildebrand	2022 ¹²⁵	USA	Breastfeeding duration >6 months	13.0	Negative
Hummel	2021 ¹³⁷	USA; Finland; Germany; Sweden	Any breastfeeding >6 months; Exclusive breastfeeding >3 months	5.3	Negative; Negative
Izadi	2013 ¹⁴⁵	Iran	Breastfeeding duration	?	None
Jing	2014 ¹⁴⁶	China	Breastfeeding duration	4.0	None
*Layte	2014 ²⁸	Ireland	Breastfeeding duration >6 months	?	Negative
Martin	2013 ¹⁴²	Belarus	Breastfeeding duration	5.2	None
Martin	2017 ¹⁴³	Belarus	Exclusive Breastfeeding > 3 months	4.4	None
Mayer-Davis	2006 ¹³⁸	USA	Breastfeeding duration > 9 months	6.7	Negative
*McCroy	2012 ⁶⁵	Ireland	Breastfeeding duration >13 weeks	6.6	Negative
Michels	2007 ¹⁴⁷	USA	Breastfeeding duration	21.9	None
Morovic	2019 ¹³⁹	Croatia	Breastfeeding < 6 months (vs >6 months)	12.2	Positive
*Ochoa	2007 ¹⁴⁸	Spain	Breast feeding > 3 months	-	None
Pattison	2019 ¹³⁰	USA	Breastfeeding duration	10.0	None

*Reynolds	2014 ¹⁰⁰	Ireland	Breastfeeding >11 weeks	6.6	Negative
Shields	2006 ¹⁴⁹	Australia	Breastfeeding duration	4.6-6.9	None
*Skledar	2015 ³⁵	Croatia	Breastfeeding duration	17.8	None
Tambalis	2018 ¹⁴⁰	Greece	Breastfeeding duration >1 month	?	Negative
Toschke	2007 ¹⁴¹	UK	Breastfeeding duration	6.0	Negative
Van Rossem	2011 ¹³²	USA	Breastfeeding duration	3.4-9.2	Negative
*Ventura	2020 ¹⁴	USA	Breastfeeding duration >16 weeks	10.9	None
*Wallby	2017 ¹²⁰	Sweden	Breastfeeding duration	1.9	Negative
*Wang	2017 ¹³³	USA	Breastfeeding > 6 months	18.4	None
*Wojcicki	2015 ¹⁵	USA	Breastfeeding (in months continuously)	24.9	Negative
Milk formula type					
Jwa	2014 ¹²⁶	Japan	Mixed feeding vs formula feeding	1.6 – 2.4	Negative
Mayer-Davis	2006 ¹³⁸	USA	Breastfeeding; predominantly breast; predominantly formula; formula only	6.7	None
Weber	2014 ¹⁸⁸	Belgium; Germany; Italy; Poland; Spain	High protein formula vs low-protein formula	6.4	Positive
Infant anthropometrics					
BMI/weight					
*Huus	2007 ²²	Sweden	High BMI 1 year (>95 th percentile)	4.3	Positive
*Taveras	2009 ¹⁸¹	USA	Weight for length at 6 months	9	Positive
BMI/weight change					
Aris	2017 ¹⁵⁰	Singapore	BMI change	7.5	Positive
Aris	2018 ¹⁵¹	USA; Belarus	Weight change	USA: 12.3; Belarus: 5.0	Positive
*Eid	1970 ⁶⁰	UK	Excessive postnatal weight gain	7.7	Positive
*Goodell	2009 ¹⁵²	USA	Rapid postnatal weight gain	18.0	Positive
*Kato	2014 ⁴⁷	Japan	Height change; Weight change	5.6-8.4	None; Positive
*LaGasse	2011 ⁶¹	USA	Early weight gain	21.6	Positive
*Li	2011 ⁶²	USA	Rapid infant weight gain	18.0	Positive
Liu	2017 ¹⁵³	USA	Infant BMI trajectory: high as compared to low	11.0	Positive
*Monteiro	2003 ⁶⁷	Brazil	Weight/height gain in first 24 months	7.7	Positive
*O'Connor	2020 ³¹	USA	Weight gain in first 24 months	17	Positive
*Rooney	2011 ⁵³	USA	Weight gain in first 4 months	22.6-29.6	Positive
*Rotevatn	2021 ⁵⁴	Danmark	Infant weight gain (rapid)	2.4	Positive
*Roy	2015 ¹⁵⁴	USA	>= 90 th percentile of weight checks	17	Positive
Smego	2016 ¹⁵⁵	USA	Weight for length in first 24 months	4.5-12	Positive
*Taveras	2011 ¹⁵⁶	USA	Number of crossed major weight-for-length percentiles	13.9	Positive

*Ventura	2020 ¹⁴	USA	Weight for age in first year	10.9	Positive
<i>NICU admission</i>					
*Reynolds	2014 ¹⁰⁰	Ireland	NICU admission	6.6	None

Figure S1-3. Bias assessment of the included studies.

Figure 1a. Risk of Bias assessment. Preconception Case-Control studies





Figure 1b. Risk of Bias assessment. Preconception Prospective cohort studies

A



B



Figure 1c. Risk of Assessment. Preconception Retrospective cohort studies


A



B



Figure 2a. Risk of Bias Assessment. Pregnancy and birth Case-Control studies



B




Figure 2b. Risk of Bias Assessment.
Pregnancy and birth RCT studies




Figure 2c. Risk of Bias Assessment. Pregnancy and birth Prospective cohort studies

A




Figure 2c. Risk of Bias Assessment. Pregnancy and birth Prospective cohort studies

CONTINUED






Figure 2c. Risk of Bias Assessment. Pregnancy and birth Prospective cohort studies

CONTINUED

D



E





Figure 2c. Risk of Bias Assessment. Pregnancy and birth Prospective cohort studies



CONTINUED

Figure 2d. Risk of Bias Assessment. Pregnancy and birth Retrospective cohort studies




Figure 2e. Risk of Bias Assessment. Pregnancy and birth Retrospective cohort studies





Figure 3a. Risk of Bias Assessment. Early Infancy Case-Control studies




Figure 3b. Risk of Bias Assessment. Early Infancy RCT studies




Figure 3c. Risk of Bias Assessment. Early Infancy Prospective cohort studies

CONTINUED

A




Figure 3c. Risk of Bias Assessment. Early Infancy Prospective cohort studies




Figure 3d. Risk of Bias graph and summary of Early Infancy Retrospective cohort studies



Figure S4. Quality assessment of the 24 consistently associated risk factors with childhood obesity*

Risk factor	Methodological aspects		Reflect/mark the study objective	Prediction	Modifiable	
	Reproducibility, accuracy, standardization, stability and technical variation	Biological variation	A change in the marker is linked with a change in the endpoint in one or more target population(s)		Theoretically modifiable	Intervention studies
Preconception						
Maternal weight	Very strong (+++)	Strong (++)	Very strong (+++)	Very strong (+++)	Strong (++)	Medium (+)
Maternal overweight/obesity	Very strong (+++)	Strong (++)	Very strong (+++)	Very strong (+++)	Strong (++)	Medium (+)
Paternal weight	Very strong (+++)	Strong (++)	Medium (+)	Medium (+)	Strong (++)	Low (0)
Maternal smoking	Very strong (+++)	Strong (++)	Medium (+)	Medium (+)	Strong (++)	Low (0)
Pregnancy and birth						
Birth weight continuous	Very strong (+++)	Strong (++)	Very strong (+++)	Very strong (+++)	Strong (++)	Medium (+)
High birth weight/LGA	Very strong (+++)	Strong (++)	Very strong (+++)	Very strong (+++)	Strong (++)	Medium (+)
Foetal growth	Very strong (+++)	Strong (++)	Very strong (+++)	Very strong (+++)	Strong (++)	Medium (+)
Cesarean section	Very strong (+++)	Medium (+)	Medium (+)	Medium (+)	Medium (+)	Low (0)
Gestational diabetes	Very strong (+++)	Medium (+)	Medium (+)	Medium (+)	Strong (++)	Medium (+)
Antibiotic use	Very strong (+++)	Medium (+)	Medium (+)	Medium (+)	Strong (++)	Low (0)
Maternal education	Very strong (+++)	Strong (++)	Medium (+)	Medium (+)	Low (0)	Medium (+)
Household income	Very strong (+++)	Strong (++)	Medium (+)	Medium (+)	Low (0)	Medium (+)
Maternal smoking	Very strong (+++)	Strong (++)	Very strong (+++)	Very strong (+++)	Strong (++)	Medium (+)
Sleep duration	Very strong (+++)	Medium (+)	Medium (+)	Medium (+)	Strong (++)	Low (0)
Maternal BMI or obesity	Very strong (+++)	Strong (++)	Very strong (+++)	Very strong (+++)	Strong (++)	Medium (+)
Paternal BMI or obesity	Very strong (+++)	Strong (++)	Medium (+)	Medium (+)	Strong (++)	Low (0)
Gestational weight gain	Very strong (+++)	Strong (++)	Very strong (+++)	Very strong (+++)	Strong (++)	Medium (+)
Excessive gestational weight gain	Very strong (+++)	Strong (++)	Medium (+)	Medium (+)	Strong (++)	Medium (+)
Maternal environmental chemical exposure	Medium (+)	Medium (+)	Medium (+)	Medium (+)	Medium (+)	Low (0)
Infancy						
Breastfeeding, yes	Very strong (+++)	Strong (++)	Very strong (+++)	Very strong (+++)	Strong (++)	Medium (+)
Breastfeeding duration	Very strong (+++)	Strong (++)	Medium (+)	Medium (+)	Strong (++)	Medium (+)
Milk formula content	Very strong (+++)	Strong (++)	Medium (+)	Medium (+)	Strong (++)	Low (0)
BMI/weight	Very strong (+++)	Strong (++)	Medium (+)	Medium (+)	Strong (++)	Low (0)
BMI/weight change	Very strong (+++)	Strong (++)	Very strong (+++)	Very strong (+++)	Strong (++)	Medium (+)

For guideline on the scoring, please see 'Guideline on quality assessment of risk factor'

Legenda

	Very strong (+++)
	Strong (++)
	Medium (+)
	Low (0)

*Scores based on table S1

