

Supplementary Table 1: Diagnosis codes of the International Classification of Diseases 10th editions, Clinical Modification (ICD-10-CM), used to describe baseline/preexisting clinical medical conditions

Variables	ICD-10 codes
COVID-19 diagnosis	U07.1, B97.29, J12.82, B34.2, J12.81.
Influenza	J09, J10, J11
Acute kidney injury	N17
Chronic kidney disease	N18
End-stage renal disease	Dialysis (Z99.2), Kidney transplant (Z94.0)
Glomerular diseases	N00-N08
Congestive Heart Failure	I099, I110, I130, I132, I255, I420, I425, I426, I427, I428, I429, I43, I50, P290
Cardiac arrhythmia	I441, I442, I443, I456, I459, I47, I48, I49, R000, R001, R008, T821, Z450, Z950
Valvular disease	A520, I05, I06, I07, I08, I091, I098, I34, I35, I36, I37, I38, I39, Q230, Q231, Q232, Q233, Z952, Z953, Z954
Pulmonary circulation disorders	I26, I27, I280, I288, I289
Peripheral vascular disorders	I70, I71, I731, I738, I739, I771, I790, I792, K551, K558, K559, Z958, Z959
Hypertension	I10, I11, I12, I13, I15
Chronic Pulmonary Disease	I27.x, J40.x-J47.x, J60.xJ68.x, J70.x
Mild Liver Disease	B18.x, K70.x K71.x, K73.x, K74.x, K76.x, Z94.x
Diabetes	E10.x-E14.x
Obesity	E66
Depression	F204, F313, F314, F315, F32, F33, F341, F412, F432
Smoking	ICD-10: F17, Z716, Z720, T652, O9933, Z87891 CPT: 99406, 99407, G0375, G0376, G0436, G0437, G9016, G9276, G9458, G8402, G8403, G8453, G8454, S4990, S4991, S4995, S9075, S9453, 4000F, 4001F

Drinking

F10, K70, T51, G312, G621, G721, I426, K292, K852,
K860, Y912, Y913

Supplementary Table 2: Hazard Ratios for Kidney Diseases Based on COVID-19 or Influenza Status, Stratified by Diabetes, Cardiovascular Disease, and Chronic Pulmonary Disease

Variables	Negative Control	COVID-19	Influenza	P-interaction
Diabetes				0.2192
Yes	1 (Ref.)	1.82 (1.68, 1.98)	1.16 (0.95, 1.43)	
No	1 (Ref.)	1.95 (1.88, 2.03)	1.09 (1.00, 1.19)	
Cardiovascular Disease				0.5561
Yes	1 (Ref.)	1.85 (1.68, 2.02)	1.10 (0.89, 1.38)	
No	1 (Ref.)	1.94 (1.88, 2.02)	1.10 (1.01, 1.20)	
Chronic Pulmonary Disease				0.0577
Yes	1 (Ref.)	1.61 (1.35, 1.89)	1.00 (0.72, 1.38)	
No	1 (Ref.)	1.95 (1.88, 2.02)	1.11 (1.02, 1.20)	

Supplementary Figure 1: log-log survival curves for checking the PH assumption for COVID-19 group and Negative Control groups were almost parallel and the proportional hazard assumption was satisfied

