

Supplementary Tables

Supplementary Table 1: Adjusted regression analyses of associations of SBP and serum HbA1c, cholesterol, BUN/Cr ratio, ketone, RAGE and NEFA levels with NFL thickness across all ETDRS regions within control and prediabetes/type 2DM groups, and differential associations between groups.

EDTRS subfield	Control		Prediabetes/type 2DM		Difference between prediabetes/type 2DM versus control	
	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value
SBP						
CSF	0.020 (-0.030-0.071)	0.430	-0.035 (-0.088-0.018)	0.200	-0.055 (-0.128-0.017)	0.137
SI	0.011 (-0.037-0.060)	0.658	-0.026 (-0.079-0.025)	0.318	-0.037 (-0.108-0.033)	0.297
SO	0.010 (-0.078-0.100)	0.813	-0.033 (-0.127-0.059)	0.480	-0.044 (-0.172-0.083)	0.496
NI	-0.006 (-0.074-0.062)	0.860	-0.061 (-0.135-0.126)	0.104	-0.055 (-0.154-0.044)	0.277
NO	0.007 (-0.123-0.137)	0.916	-0.037 (-0.176-0.102)	0.600	-0.044 (-0.233-0.144)	0.645
II	0.009 (-0.064-0.084)	0.795	-0.025 (-0.102-0.051)	0.512	-0.035 (-0.141-0.070)	0.510
IO	0.033 (-0.087-0.153)	0.590	-0.012 (-0.137-0.111)	0.839	-0.046 (-0.217-0.125)	0.599
TI	0.005 (-0.027-0.038)	0.728	-0.008 (-0.044-0.026)	0.622	-0.014 (-0.062-0.033)	0.546
TO	0.0031 (-0.028-0.035)	0.847	-0.039 (-0.073-0.005)	0.024*	-0.042 (-0.089-0.003)	0.072
HbA1c						
CSF	-1.441 (-6.863-3.980)	0.602	0.162 (-0.735-1.059)	0.723	1.603 (-3.907-7.114)	0.569
SI	-0.195 (-5.315-4.924)	0.940	-0.012 (-0.884-0.859)	0.978	0.182 (-5.023-5.389)	0.945
SO	-7.257 (-15.851-1.336)	0.098	0.608 (-0.881-2.098)	0.424	7.866 (-0.878-16.610)	0.078
NI	1.363 (-6.033-8.761)	0.718	0.168 (-1.127-1.464)	0.799	-1.195 (-8.727-6.337)	0.756
NO	-2.936 (-16.204-10.331)	0.664	-0.295 (-2.639-2.048)	0.805	2.641 (-10.872-16.154)	0.702
II	2.570 (-4.969-10.109)	0.504	0.074 (-1.205-1.354)	0.909	-2.495 (-10.161-5.169)	0.523
IO	-4.902 (-1.871-7.065)	0.422	0.327 (-1.721-2.375)	0.754	5.230 (-6.941-17.402)	0.400
TI	2.003 (-1.370-5.377)	0.244	0.029 -0.542-0.600)	0.921	-1.974 (-5.405-1.455)	0.259
TO	1.315 (-2.229-4.860)	0.467	0.235 (-0.367-0.837)	0.444	-1.080 (-4.684-2.524)	0.557

Cholesterol	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value
CSF	0.016 (-0.019-0.051)	0.371	0.021 (-.019-0.062)	0.305	0.005 (-0.046-0.057)	0.841
SI	0.002 (-0.31-0.036)	0.875	0.015 (-0.026-0.056)	0.473	0.012 (-0.039-0.063)	0.640
SO	-0.071 (-0.128-0.015)	0.013	-0.014 (-0.082-0.053)	0.681	0.057 (-0.027-0.142)	0.187
NI	0.008 (-0.041-0.058)	0.734	0.000 (-0.058-0.060)	0.982	-0.007 (-0.082-0.066)	0.834
NO	-0.034 (-0.123-0.053)	0.443	-0.017 (-0.124-0.088)	0.743	0.016 (-0.115-0.149)	0.803
II	-0.013 (-0.064-0.037)	0.595	-0.001 (-0.061-0.058)	0.967	0.012 (-0.062-0.088)	0.745
IO	-0.067 (-0.146-0.011)	0.094	-0.003 (-0.096-0.089)	0.941	0.063 (-0.053-0.181)	0.286
TI	0.008 (-0.013-0.312)	0.444	0.008 (-0.018-0.035)	0.528	-0.000 (-0.033-0.033)	0.995
TO	-0.004 (-0.027-0.019)	0.732	0.001 (-0.026-0.030)	0.912	-0.005 (-0.029-0.041)	0.752
BUN/Cr	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value
CSF	-0.104 (-0.457-0.249)	0.564	0.201 (-0.049-0.452)	0.115	0.305 (-0.113-0.724)	0.153
SI	0.156 (-0.179-0.492)	0.362	0.009 (-0.230-0.248)	0.940	-0.147 (-0.545-0.251)	0.469
SO	1.074 (0.560-1.588)	0.000*	-0.056 (-0.425-0.311)	0.763	-1.131 (-1.741- -0.521)	0.000*
NI	-0.121 (-0.619-0.375)	0.631	0.192 (-0.158-0.543)	0.282	0.314 (-0.271-0.900)	0.293
NO	0.181 (-0.726-1.089)	0.696	0.245 (-0.399-0.890)	0.455	0.643 (-1.006-1.135)	0.906
II	-0.319 (-0.833-0.193)	0.222	0.566 (-0.308-0.422)	0.761	0.376 (-0.231-0.984)	0.225
IO	0.518 (-0.298-1.334)	0.213	0.225 (-0.358-0.808)	0.449	-0.293 (-1.259-0.673)	0.553
TI	-0.125 (-0.350-0.100)	0.277	0.035 (-0.124-0.196)	0.660	0.160 (-0.106-0.428)	0.237
TO	0.001 (-0.240-0.243)	0.989	-0.014 (-0.187-0.157)	0.865	-0.016 (-0.303-0.270)	0.910
Ketone	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value
CSF	-3.691 (-7.287- -0.095)	0.044*	3.394 (-16.020-22.809)	0.732	7.096 (-12.769-26.941)	0.484
SI	0.951 (-2.474-4.378)	0.586	-12.654 (-31.225-5.915)	0.182	-13.606 (-32.602-5.388)	0.160
SO	-1.225 (-7.584-5.133)	0.706	-25.698 (-60.014-8.618)	0.142	-24.472 (-59.562-10.617)	0.172
NI	0.704 (-4.488-5.898)	0.790	-3.581 (-32.622-25.459)	0.809	-4.286 (-33.908-25.335)	0.777
NO	0.0359 (-8.883-9.602)	0.939	-33.733 (-85.409-17.941)	0.201	-34.093 (-86.796-18.609)	0.205

II	1.025 (-4.364-6.415)	0.709	-10.483 (-39.452-18.485)	0.478	-11.509 (-41.131-18.113)	0.446
IO	-0.912 (-9.386-7.560)	0.833	-38.117 (-83.665-7.430)	0.101	-37.204 (-83.778-9.368)	0.117
TI	0.051 (-2.311-2.413)	0.966	-2.071 (-14.880-10.738)	0.751	-2.122 (-15.224-10.980)	0.751
TO	0.009 (-2.414-2.433)	0.994	-10.447 (-23.582-2.688)	0.119	-10.456 (-23.892-2.979)	0.127
RAGE	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value
CSF	0.099 (-0.369-0.568)	0.677	-0.071 (-0.224-0.081)	0.359	-0.171 (-0.666-0.324)	0.498
SI	0.039 (-0.406-0.486)	0.861	0.025 (-0.122-0.174)	0.731	-0.013 (-0.486-0.458)	0.954
SO	-0.432 (-1.207-0.341)	0.273	0.012 (-0.249-0.274)	0.927	0.445 (-0.376-1.266)	0.288
NI	0.339 (-0.296-0.975)	0.295	-0.011 (-0.223-0.199)	0.912	-0.351 (-1.024-0.321)	0.306
NO	0.267 (-0.884-1.420)	0.649	0.773 (-0.309-0.464)	0.695	-0.190 (-1.411-1.030)	0.760
II	0.251 (-0.401-0.903)	0.450	-0.064 (-0.282-0.154)	0.565	-0.315 (-1.006-0.375)	0.371
IO	0.159 (-0.894-1.213)	0.767	0.025 (-0.329-0.380)	0.888	-0.134 (-1.251-0.983)	0.814
TI	0.097 (-0.192-0.388)	0.510	-0.049 (-0.145-0.045)	0.306	-0.147 (-0.455-0.159)	0.346
TO	0.069 (-0.237-0.376)	0.658	-0.053 (-0.155-0.048)	0.302	-0.123 (-0.448-0.202)	0.458
NEFA	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value
CSF	-2.224 (-8.826-4.377)	0.509	-0.621 (-4.707-3.463)	0.765	1.602 (-6.213-9.418)	0.688
SI	-5.292 (-11.308-0.722)	0.085	-2.110 (-5.840-1.618)	0.267	3.182 (-3.944-10.308)	0.381
SO	-9.293 (-20.083-1.496)	0.091	-4.347 (-11.103-2.408)	0.207	4.945 (-7.850-17.741)	0.449
NI	-2.534 (-11.568-6.500)	0.582	-2.115 (-7.725-3.494)	0.460	0.418 (-10.256-11.094)	0.939
NO	-7.861 (-23.883-8.159)	0.336	-6.679 (-16.664-3.304)	0.190	1.182 (-17.759-20.123)	0.903
II	-3.551 (-12.926-5.822)	0.458	-1.519 (-7.362-4.324)	0.610	2.032 (-9.068-13.134)	0.720
IO	-8.385 (-22.901-6.129)	0.258	-7.535 (-16.602-1.532)	0.103	0.850 (-16.345-18.046)	0.923
TI	-0.575 (-4.731-3.581)	0.786	0.622 (-1.950-3.195)	0.635	1.197 (-3.725-6.120)	0.633
TO	-1.923 (-6.230-2.383)	0.381	-1.526 (-4.196-1.144)	0.263	0.397 (-4.705-5.499)	0.879

Values reported as regression coefficient (95% confidence interval).

Asterisk indicates statistical significance.

Abbreviations: NFL, nerve fiber layer; SI, superior inner; SO, superior outer; NI, nasal inner; NO, nasal outer; II, inferior inner; IO, inferior outer; TI, temporal inner; TO, temporal outer; SBP, systolic blood pressure; HbA1c, glycated hemoglobin; BUN/Cr, blood urea nitrogen/creatinine; RAGE, receptor for advanced glycation end products; NEFA, non-esterified fatty acids

Supplementary Table 2: Adjusted regression analyses of associations of SBP and serum HbA1c, cholesterol, BUN/Cr ratio, ketone, RAGE and NEFA levels with GCL-IPL thickness across all ETDRS regions within control and prediabetes/type 2DM groups, and differential associations between groups.

EDTRS subfield	Control		Prediabetes/type 2DM		Difference between prediabetes/type 2DM versus control	
	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value
SBP						
CSF	-0.022 (-0.200-0.156)	0.808	-0.124 (-0.308-0.597)	0.185	-0.102 (-0.356-0.151)	0.429
SI	0.020 (-0.127-0.168)	0.788	0.034 (-0.118-0.188)	0.658	0.014 (-0.196-0.225)	0.894
SO	0.026 (-0.073-0.126)	0.606	-0.030 (-0.134-0.073)	0.567	-0.056 (-0.199-0.086)	0.437
NI	0.038 (-0.109-0.187)	0.606	-0.024 (-0.181-0.132)	0.760	-0.063 (-0.276-0.149)	0.560
NO	0.056 (-0.060-0.173)	0.344	-0.035 (-0.157-0.086)	0.569	-0.091 (-0.259-0.086)	0.282
II	0.071 (-0.084-0.228)	0.366	0.017 (-0.143-0.178)	0.832	-0.054 (-0.276-0.167)	0.631
IO	0.038 (-0.065-0.141)	0.469	-0.074 (-0.180-0.032)	0.171	-0.112 (-0.258-0.034)	0.134
TI	0.071 (-0.095-0.237)	0.403	-0.023 (-0.196-0.149)	0.789	-0.094 (-0.332-0.143)	0.435
TO	0.581 (-0.043-0.159)	0.261	-0.065 (-0.171-0.040)	0.223	-0.124 (-0.269-0.021)	0.094
HbA1c						
CSF	0.892 (-17.400-19.184)	0.924	0.326 (-2.798-3.450)	0.838	-0.566 (-19.172-18.040)	0.952
SI	-6.355 (-20.883-8.173)	0.391	0.422 (-2.113-2.957)	0.744	6.777 (-8.008-21.562)	0.369
SO	-7.073 (-16.689-2.543)	0.149	0.969 (-0.704-2.643)	0.256	8.042 (-1.742-17.828)	0.107
NI	-1.972 (-16.860-12.915)	0.795	-0.421 (-3.076-2.233)	0.756	1.551 (-13.618-16.720)	0.841
NO	-10.438 (-21.641-0.764)	0.068	0.913 (1.096-2.923)	0.373	11.352 (0.065-22.769)	0.051
II	0.829 (-15.012-16.671)	0.918	0.011 (-2.682-2.706)	0.993	-0.817 (-16.925-15.289)	0.921
IO	-8.466 (-18.548-1.615)	0.100	1.236 (-0.481-2.953)	0.158	9.702 (-18.548-1.615)	0.064
TI	1.156 (-15.447-17.761)	0.891	0.590 (-2.301-3.482)	0.689	-0.566 (-17.463-16.330)	0.948
TO	-1.086 (-11.448-9.274)	0.837	0.780 (-1.016-2.577)	0.394	1.867 (-8.674-12.410)	0.728

Cholesterol	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value
CSF	0.066 (-0.055-0.187)	0.285	0.051 (-0.091-0.195)	0.480	-0.014 (-0.195-0.166)	0.876
SI	-0.061 (-0.159-0.035)	0.215	0.021 (-0.096-0.139)	0.719	0.083 (-0.063-0.230)	0.267
SO	-0.050 (-0.116-0.015)	0.131	-0.037 (-0.116-0.041)	0.352	0.013 (-0.085-0.111)	0.797
NI	-0.049 (-0.148-0.049)	0.329	0.051 (-0.068-0.170)	0.400	0.100 (-0.048-0.249)	0.186
NO	-0.070 (-0.147-0.005)	0.069	-0.040 (-0.132-0.052)	0.393	0.030 (-0.084-0.146)	0.604
II	-0.042 (-0.148-0.063)	0.435	0.023 (-0.101-0.148)	0.712	0.065 (-0.091-0.222)	0.413
IO	-0.017 (-0.088-0.530)	0.627	-0.050 (-0.134-0.032)	0.234	-0.033 (-0.138-0.071)	0.536
TI	0.012 (-0.100-0.125)	0.829	0.014 (-0.121-0.150)	0.837	0.001 (-0.168-0.171)	0.983
TO	-0.032 (-0.102-0.036)	0.356	-0.035 (-0.119-0.047)	0.402	-0.003 (-0.107-0.101)	0.954
BUN/Cr	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value
CSF	-0.361 (-1.599-0.876)	0.567	0.485 (-0.402-1.373)	0.283	0.847 (-0.622-2.316)	0.259
SI	0.136 (-0.880-1.154)	0.792	-0.175 (-0.910-0.558)	0.640	-0.312 (-1.521-0.896)	0.613
SO	0.211 (-0.472-0.895)	0.544	-0.191 (-0.684-0.301)	0.446	-0.403 (-1.216-0.408)	0.330
NI	-0.158 (-1.188-0.871)	0.763	-0.173 (-0.910-0.562)	0.643	-0.15 (-1.232-1.202)	0.981
NO	0.448 (-0.338-1.236)	0.264	-0.338 (-0.904-0.226)	0.240	-0.787 (-1.720-0.144)	0.098
II	0.059 (-1.023-1.141)	0.915	-0.283 (-1.054-0.487)	0.471	-0.342 (-1.623-0.938)	0.915
IO	0.637 (-0.064-1.338)	0.075	-0.127 (-0.628-0.372)	0.616	-0.765 (-1.595-0.064)	0.071
TI	-0.370 (-1.522-0.780)	0.528	-0.188 (-1.019-0.641)	-0.656	0.182 (-1.185-1.550)	0.794
TO	0.286 (-0.426-0.998)	0.431	-0.150 (-0.662-0.361)	0.565	-0.436 (-1.282-0.409)	0.312
Ketone	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value
CSF	-10.186 (-22.921-2.547)	0.117	24.951 (-43.682-93.584)	0.476	35.137 (-35.038-105.314)	0.326
SI	-0.373 (-11.118-10.371)	0.946	12.793 (-70.721-45.133)	0.665	-12.420 (-71.647-46.807)	0.681
SO	-2.297 (-9.367-4.772)	0.524	-27.547 (-65.680-10.586)	0.157	-25.249 (-64.240-13.741)	0.204
NI	-3.356 (-14.072-7.359)	0.539	-4.055 (-63.947-55.836)	0.894	-0.699 (-61.772-60.373)	0.982
NO	-2.631 (-11.150-5.888)	0.545	-14.353 (-61.961-33.255)	0.555	-11.721 (-60.263-36.819)	0.636

II	-1.530 (-12.809-9.749)	0.790	-23.858 (-84.482-36.765)	0.441	-22.327 (-84.319-39.663)	0.480
IO	-3.717 (-11.278-3.844)	0.335	-9.888 (-50.533-30.755)	0.633	-6.171 (-47.731-35.388)	0.771
TI	-2.881 (-14.927-9.164)	0.639	-24.858 (-89.826-10.110)	0.453	-21.976 (-88.405-44.453)	0.517
TO	-1.480 (-9.938-5.977)	0.697	-22.536 (-62.796-17.723)	0.273	-21.056 (-62.224-20.111)	0.316
RAGE	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value
CSF	1.003 (-0.571-2.579)	0.212	-0.055 (-0.584-0.472)	0.836	-1.059 (-2.729-0.609)	0.213
SI	-0.349 (-1.627-0.928)	0.592	-0.000 (-0.434-0.434)	1.000	0.349 (-1.007-1.705)	0.614
SO	-0.764 (-1.576-0.046)	0.065	-0.214 (-0.489-0.060)	0.126	0.550 (-0.310-1.410)	0.210
NI	-0.382 (-1.671-0.906)	0.561	0.029 (-0.406-0.465)	0.894	0.412 (-0.953-1.778)	0.554
NO	-1.127 (-2.082-0.171)	0.021*	-0.047 (-0.372-0.276)	0.772	1.079 (0.066-2.092)	0.037*
II	-0.512 (-1.873-0.849)	0.461	-0.030 (-0.486-0.425)	0.896	0.481 (-0.960-1.924)	0.513
IO	-0.573 (-1.479-0.332)	0.214	-0.002 (-0.306-0.301)	0.988	0.571 (-0.388-1.531)	0.243
TI	0.094 (-1.359-1.549)	0.898	-0.067 (-0.561-0.425)	0.787	-0.162 (-1.702-1.380)	0.836
TO	-0.880 (-1.741- -0.019)	0.045*	-0.132 (-0.423-0.157)	0.369	0.747 (-0.165-1.660)	0.109
NEFA	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value	Coefficient (95% Confidence Interval)	p value
CSF	-13.725 (-36.185-8.735)	0.231	-3.571 (-17.602-10.459)	0.618	10.153 (-16.469-36.776)	0.455
SI	-11.867 (-29.896-6.161)	0.197	-5.603 (-16.922-5.715)	0.332	6.264 (-15.122-27.651)	0.197
SO	-9.572 (-21.833-2.688)	0.126	-1.030 (-8.721-6.660)	0.793	8.541 (-6.002-23.085)	0.250
NI	-17.508 (-35.023-0.007)	0.050	-6.136 (-17.095-4.822)	0.272	11.371 (-9.349-32.092)	0.282
NO	-15.707 (-29.677-1.738)	0.028*	-1.834 (-10.613-6.945)	0.682	13.873 (-2.663-30.411)	0.100
II	-22.627 (-40.895-4.359)	0.015	-4.726 (-16.099-6.646)	0.415	17.900 (-3.728-39.529)	0.105
IO	-10.319 (-23.260-2.622)	0.118	0.633 (-7.446-8.712)	0.878	10.952 (-4.377-26.282)	0.161
TI	-16.824 (-37.088)	0.104	-5.282 (-17.991-7.425)	0.415	11.541 (-12.494-35.577)	0.347
TO	-12.846 (-25.434-0.258)	0.045	-0.357 (-8.233-7.519)	0.929	12.489 (-2.437-27.417)	0.101

Values reported as regression coefficient (95% confidence interval).

Asterisk indicates statistical significance.

Abbreviations: GCL-IPL, ganglion cell layer-inner plexiform layer; SI, superior inner; SO, superior outer; NI, nasal inner; NO, nasal outer; II, inferior inner; IO, inferior outer; TI, temporal inner; TO, temporal outer; SBP, systolic blood pressure; HbA1c, glycated hemoglobin; BUN/Cr, blood urea nitrogen/creatinine; RAGE, receptor for advanced glycation end products; NEFA, non-esterified fatty acids