	Births by level of care in Catalonia																	
Year		2018			2019			2020			2021			2022			2023	
Level of care	1	II	III	1	II	Ш	1	II	III	1	II	Ш	1	II	III	1	II	Ш
	N = 12121	N = 13421	N = 17272	N = 11705	N = 13511	N = 17522	N = 10154	N = 12387	N = 17835	N = 9681	N = 12167	N = 17468	N = 10153	N = 12125	N = 16958	N = 9610	N = 11753	N = 17269
Caesarian section	2348 (19.37%)	2672 (19.91%)	4301 (24.90%)	2410 (20.59%)	2785 (20.61%)	4452 (25.41%)	2020 (19.89%)	2623 (21.18%)	4589 (25.73%)	2020 (20.87%)	2673 (21.97%)	4532 (25.94%)	2230 (21.96%)	2699 (22.26%)	4355 (25.68%)	2063 (21.47%)	2658 (22.62%)	4707 (27.26%)
Spontaneous birth	8493 (70.07%)	9083 (67.68%)	11107 (64.31%)	8122 (69.39%)	9150 (67.72%)	11104 (63.37%)	7114 (70.06%)	8411 (67.90%)	11391 (63.87%)	6686 (69.06%)	8153 (67.01%)	11310 (64.75%)	6937 (68.32%)	8072 (66.57%)	10994 (64.83%)	6592 (68.60%)	7836 (66.67%)	11060 (64.05%)
Instrumental birth	1280 (10.56%)	1666 (12.41%)	1864 (10.79%)	1173 (10.02%)	1576 (11.66%)	1966 (11.22%)	1020 (10.05%)	1353 (10.92%)	1855 (10.40%)	975 (10.07%)	1341 (11.02%)	1626 (9.31%)	986 (9.71%)	1354 (11.17%)	1609 (9.49%)	955 (9.94%)	1259 (10.71%)	1502 (8.70%)

	Total	2018	2019	2020	2021	2022	2023			
	N = 3775	N = 625	N = 612	N = 698	N = 728	N = 702	N = 410			
Caesarian section	666 (17.64%)	147 (23.52%)	100 (16.34%)	106 (15.19%)	98 (13.46%)	121 (17.24%)	94 (22.93%)			
Spontaneous birth	2766 (73.27%)	401 (64.16%)	443 (72.39%)	536 (76.79%)	573 (78.71%)	530 (75.50%)	283 (69.02%)			

69 (11.27%)

343 (9.09%)

Instrumental birth

77 (12.32%)

Total births HM

56 (8.02%)

57 (7.83%)

51 (7.26%)

33 (8.05%)

	Total	2017-2018	2019	2020	2021	2022
	N=611	N=62	N=70	N=139	N=198	N=142
Type of birth:						
Caesarian section	25 (4.09%)	5 (8.06%)	2 (2.86%)	7 (5.04%)	4 (2.02%)	7 (4.93%)
Spontaneous birth	564 (92.3%)	51 (82.3%)	63 (90.0%)	127 (91.4%)	190 (96.0%)	133 (93.7%)
Instrumental birth	18 (2.95%)	6 (9.68%)	3 (4.29%)	3 (2.16%)	4 (2.02%)	2 (1.41%)

	ı otai	2017-2018	2019	2020	2021	2022
	N=564	N=51	N=63	N=127	N=190	N=133
Type of spontaneous vaginal birth (SV	/B):					
SVB with epidural analgesia	59 (10.5%)	2 (3.92%)	6 (9.52%)	17 (13.4%)	25 (13.2%)	9 (6.77%)
SVB outside of water	325 (57.6%)	49 (96.1%)	55 (87.3%)	105 (82.7%)	70 (36.8%)	46 (34.6%)
Water birth	180 (31.9%)	0 (0.00%)	2 (3.17%)	5 (3.94%)	95 (50.0%)	78 (58.6%)

Tatal 2017 2010

	Total	2017-2018	2019	2020	2021	2022
	N=592	N=59	N=64	N=135	N=193	N=141
Transfer:						
No	433 (73.1%)	43 (72.9%)	47 (73.4%)	99 (73.3%)	142 (73.6%)	102 (72.3%)
Yes	159 (26.9%)	16 (27.1%)	17 (26.6%)	36 (26.7%)	51 (26.4%)	39 (27.7%)

	Total	Nulliparous	Multiparous
	N=587	N=344	N=243
Transfer:			
No	428 (72.9%)	210 (61.0%)	218 (89.7%)
Yes	159 (27.1%)	134 (39.0%)	25 (10.3%)

	lotai	2017-2018	2019	2020	2021	2022
	N=129	N=15	N=15	N=32	N=42	N=25
Reason for intrapartum transfer:						
Wish for epidural analgesia	67 (51.9%)	6 (40.0%)	5 (33.3%)	21 (65.6%)	23 (54.8%)	12 (48.0%)
Delayed 1st stage	28 (21.7%)	6 (40.0%)	4 (26.7%)	3 (9.38%)	10 (23.8%)	5 (20.0%)
Meconium stained liquor	12 (9.30%)	1 (6.67%)	1 (6.67%)	3 (9.38%)	6 (14.3%)	1 (4.00%)
Abnormal fetal heart rate	9 (6.98%)	0 (0.00%)	0 (0.00%)	3 (9.38%)	2 (4.76%)	4 (16.0%)
Delayed 2nd stage	9 (6.98%)	1 (6.67%)	3 (20.0%)	1 (3.12%)	1 (2.38%)	3 (12.0%)
Maternal complication	1 (0.78%)	0 (0.00%)	1 (6.67%)	0 (0.00%)	0 (0.00%)	0 (0.00%)

Total 2017 2010 2010