

**Table S1*****ET PRS Association with White Matter Mean Diffusivity (MD) - O'Donnell Research Group (ORG)******Atlas***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
T_AF_left.nii	1.65	5.52e-05	.137	1.35e-04	1.16e-02	[-0.01, <0.01]
T_AF_right.nii	1.45	4.98e-05	.230	1.05e-04	1.02e-02	[-0.01, <0.01]
T_CB_left.nii	1.45	5.37e-05	.231	1.03e-04	1.02e-02	[-0.01, <0.01]
T_CB_right.nii	1.94	7.14e-05	.083	1.84e-04	1.36e-02	[-0.01, <0.01]
<b>T_CC1.nii</b>	<b>2.51</b>	<b>1.10e-04</b>	<b>.022</b>	<b>3.18e-04</b>	<b>1.78e-02</b>	<b>&lt;0.01, &lt;0.01]</b>
T_CC2.nii	1.55	5.95e-05	.147	1.20e-04	1.09e-02	[-0.01, <0.01]
<b>T_CC3.nii</b>	<b>2.28</b>	<b>8.85e-05</b>	<b>.042</b>	<b>2.59e-04</b>	<b>1.61e-02</b>	<b>&lt;0.01, &lt;0.01]</b>
T_CC4.nii	1.83	4.55e-04	.093	1.67e-04	1.29e-02	[-0.01, <0.01]
T_CC5.nii	1.77	1.16e-02	.122	1.56e-04	1.25e-02	[-0.01, 0.02]
T_CC6.nii	1.34	4.72e-05	.282	8.99e-05	9.48e-03	[-0.01, <0.01]
T_CC7.nii	1.42	5.24e-05	.285	1.01e-04	1.00e-02	[-0.01, <0.01]
T_CPC.nii	1.12	3.50e-05	.335	6.27e-05	7.92e-03	[-0.01, <0.01]
T_CR-F_left.nii	1.68	6.09e-05	.127	1.41e-04	1.19e-02	[-0.01, <0.01]
T_CR-F_right.nii	1.61	5.81e-05	.148	1.28e-04	1.13e-02	[-0.01, <0.01]
T_CR-P_left.nii	1.50	3.75e-04	.149	1.11e-04	1.06e-02	[-0.01, <0.01]
T_CR-P_right.nii	0.94	3.53e-05	.384	4.37e-05	6.61e-03	[-0.01, <0.01]
T_CST_left.nii	1.88	6.78e-05	.083	1.75e-04	1.32e-02	[-0.01, <0.01]
T_CST_right.nii	1.46	5.27e-05	.198	1.06e-04	1.03e-02	[-0.01, <0.01]
T_EC_left.nii	2.14	1.47e-02	.060	2.31e-04	1.52e-02	<0.01, 0.03]
T_EC_right.nii	1.85	7.74e-05	.121	1.73e-04	1.32e-02	[-0.01, <0.01]
T_EmC_left.nii	1.34	8.92e-03	.284	8.99e-05	9.48e-03	[-0.01, 0.02]
T_EmC_right.nii	1.16	4.45e-05	.384	6.80e-05	8.25e-03	[-0.01, <0.01]
T_ICP_left.nii	-1.28	-7.77e-05	.243	8.24e-05	9.08e-03	[-0.01, <0.01]
T_ICP_right.nii	-0.14	-8.59e-06	.975	1.02e-06	1.01e-03	[-0.01, <0.01]
T_ILF_left.nii	1.17	4.06e-05	.274	6.87e-05	8.29e-03	[-0.01, <0.01]

**Table S1**

***ET PRS Association with White Matter Mean Diffusivity (MD) - O'Donnell Research Group (ORG)***

***Atlas***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
T_ILF_right.nii	2.02	7.16e-05	.080	2.03e-04	1.43e-02	[<0.01, <0.01]
<b>T_Intra-CBLM-I&amp;P_left.nii</b>	<b>2.17</b>	<b>9.63e-05</b>	<b>.037</b>	<b>2.32e-04</b>	<b>1.52e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>
T_Intra-CBLM-I&P_right.nii	1.94	8.94e-05	.064	1.86e-04	1.37e-02	[-0.01, <0.01]
T_Intra-CBLM-PaT_left.nii	1.70	1.19e-02	.109	1.66e-04	1.29e-02	[-0.01, 0.03]
T_Intra-CBLM-PaT_right.nii	1.15	1.42e-04	.393	9.43e-05	9.71e-03	[-0.01, <0.01]
T_IOFF_left.nii	1.66	1.11e-02	.179	1.38e-04	1.17e-02	[-0.01, 0.02]
T_IOFF_right.nii	1.75	6.52e-05	.177	1.53e-04	1.24e-02	[-0.01, <0.01]
<b>T_MCP.nii</b>	<b>2.38</b>	<b>9.71e-05</b>	<b>.021</b>	<b>2.82e-04</b>	<b>1.68e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>
T_MdLF_left.nii	1.03	3.46e-05	.372	5.22e-05	7.23e-03	[-0.01, <0.01]
T_MdLF_right.nii	1.50	5.08e-05	.208	1.12e-04	1.06e-02	[-0.01, <0.01]
T_PLIC_left.nii	1.10	2.55e-04	.372	6.04e-05	7.77e-03	[-0.01, <0.01]
T_PLIC_right.nii	1.26	8.29e-03	.265	7.94e-05	8.91e-03	[-0.01, 0.02]
T_SF_left.nii	1.97	6.65e-05	.067	1.91e-04	1.38e-02	[<0.01, <0.01]
T_SF_right.nii	1.92	6.36e-05	.079	1.81e-04	1.35e-02	[-0.01, <0.01]
T_SLF-I_left.nii	1.51	5.28e-05	.182	1.12e-04	1.06e-02	[-0.01, <0.01]
T_SLF-I_right.nii	1.48	5.33e-05	.192	1.08e-04	1.04e-02	[-0.01, <0.01]
T_SLF-II_left.nii	1.34	4.54e-05	.395	8.91e-05	9.44e-03	[-0.01, <0.01]
T_SLF-II_right.nii	1.43	4.96e-05	.242	1.01e-04	1.00e-02	[-0.01, <0.01]
T_SLF-III_left.nii	1.78	6.30e-05	.092	1.57e-04	1.25e-02	[-0.01, <0.01]
T_SLF-III_right.nii	1.48	5.45e-05	.171	1.08e-04	1.04e-02	[-0.01, <0.01]
T_SO_left.nii	1.31	8.64e-03	.297	8.64e-05	9.29e-03	[-0.01, 0.02]
T_SO_right.nii	1.58	1.04e-02	.181	1.24e-04	1.11e-02	[-0.01, 0.02]
T_SP_left.nii	1.72	5.64e-05	.117	1.46e-04	1.21e-02	[-0.01, <0.01]
T_SP_right.nii	2.04	6.99e-05	.056	2.06e-04	1.44e-02	[<0.01, <0.01]
<b>T_Sup-F_left.nii</b>	<b>2.61</b>	<b>1.01e-04</b>	<b>.017</b>	<b>3.34e-04</b>	<b>1.83e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>

**Table S1**

***ET PRS Association with White Matter Mean Diffusivity (MD) - O'Donnell Research Group (ORG)***

***Atlas***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
<b>T_Sup-F_right.nii</b>	<b>2.28</b>	<b>8.66e-05</b>	<b>.032</b>	<b>2.55e-04</b>	<b>1.60e-02</b>	<b>&lt;0.01, &lt;0.01]</b>
T_Sup-FP_left.nii	1.36	4.94e-05	.240	9.08e-05	9.53e-03	[-0.01, <0.01]
T_Sup-FP_right.nii	1.55	5.56e-05	.192	1.18e-04	1.08e-02	[-0.01, <0.01]
<b>T_Sup-O_left.nii</b>	<b>2.25</b>	<b>8.93e-05</b>	<b>.039</b>	<b>2.50e-04</b>	<b>1.58e-02</b>	<b>&lt;0.01, &lt;0.01]</b>
T_Sup-O_right.nii	2.08	8.60e-05	.059	2.15e-04	1.47e-02	<0.01, <0.01]
T_Sup-OT_left.nii	1.75	6.17e-05	.126	1.51e-04	1.23e-02	[-0.01, <0.01]
T_Sup-OT_right.nii	1.46	5.59e-05	.248	1.06e-04	1.03e-02	[-0.01, <0.01]
T_Sup-P_left.nii	1.31	4.74e-05	.234	8.40e-05	9.17e-03	[-0.01, <0.01]
T_Sup-P_right.nii	1.29	4.80e-05	.273	8.14e-05	9.02e-03	[-0.01, <0.01]
T_Sup-PO_left.nii	1.88	6.89e-05	.110	1.75e-04	1.32e-02	[-0.01, <0.01]
T_Sup-PO_right.nii	2.16	7.74e-05	.056	2.31e-04	1.52e-02	<0.01, <0.01]
T_Sup-PT_left.nii	0.95	3.37e-05	.397	4.49e-05	6.70e-03	[-0.01, <0.01]
T_Sup-PT_right.nii	1.17	4.17e-05	.335	6.71e-05	8.19e-03	[-0.01, <0.01]
T_Sup-T_left.nii	1.44	5.09e-05	.169	1.02e-04	1.01e-02	[-0.01, <0.01]
T_Sup-T_right.nii	1.77	6.45e-05	.140	1.56e-04	1.25e-02	[-0.01, <0.01]
T_TF_left.nii	2.00	6.70e-05	.072	1.96e-04	1.40e-02	<0.01, <0.01]
T_TF_right.nii	1.88	6.33e-05	.094	1.75e-04	1.32e-02	[-0.01, <0.01]
T_TO_left.nii	0.99	3.67e-05	.395	4.86e-05	6.97e-03	[-0.01, <0.01]
T_TO_right.nii	1.60	3.89e-04	.171	1.28e-04	1.13e-02	[-0.01, <0.01]
T_TP_left.nii	1.50	4.92e-05	.212	1.10e-04	1.05e-02	[-0.01, <0.01]
T_TP_right.nii	1.51	5.13e-05	.180	1.12e-04	1.06e-02	[-0.01, <0.01]
T_UF_left.nii	2.02	7.70e-05	.053	2.03e-04	1.43e-02	<0.01, <0.01]
<b>T_UF_right.nii</b>	<b>2.15</b>	<b>7.99e-05</b>	<b>.038</b>	<b>2.31e-04</b>	<b>1.52e-02</b>	<b>&lt;0.01, &lt;0.01]</b>

*Note*

\* *p* < .05, \*\* *p* < .01, \*\*\* *p* < .001, 95% CI(B)

**Table S2**

***ET PRS Association with White Matter Free Water (FW) - O'Donnell Research Group (ORG) Atlas***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
T_AF_left.nii	1.61	1.05e-02	.170	1.31e-04	1.14e-02	[-0.01, 0.02]
T_AF_right.nii	1.52	9.78e-03	.203	1.17e-04	1.08e-02	[-0.01, 0.02]
T_CB_left.nii	1.59	1.04e-02	.177	1.27e-04	1.13e-02	[-0.01, 0.02]
T_CB_right.nii	2.08	1.36e-02	.052	2.18e-04	1.48e-02	[<0.01, 0.03]
T_CC1.nii	1.66	1.10e-02	.153	1.42e-04	1.19e-02	[-0.01, 0.02]
T_CC2.nii	1.22	7.97e-03	.271	7.60e-05	8.72e-03	[-0.01, 0.02]
T_CC3.nii	1.59	1.02e-02	.136	1.30e-04	1.14e-02	[-0.01, 0.02]
T_CC4.nii	1.48	9.46e-03	.190	1.13e-04	1.06e-02	[-0.01, 0.02]
T_CC5.nii	1.62	1.08e-02	.145	1.34e-04	1.16e-02	[-0.01, 0.02]
T_CC6.nii	0.71	4.75e-03	.586	2.59e-05	5.09e-03	[-0.01, 0.02]
T_CC7.nii	1.64	1.11e-02	.139	1.38e-04	1.17e-02	[-0.01, 0.02]
T_CPC.nii	1.96	1.19e-02	.091	1.97e-04	1.41e-02	[<0.01, 0.02]
T_CR-F_left.nii	1.93	1.21e-02	.084	1.90e-04	1.38e-02	[-0.01, 0.02]
T_CR-F_right.nii	1.71	1.06e-02	.107	1.49e-04	1.22e-02	[-0.01, 0.02]
T_CR-P_left.nii	1.48	9.81e-03	.169	1.12e-04	1.06e-02	[-0.01, 0.02]
T_CR-P_right.nii	0.92	6.12e-03	.437	4.34e-05	6.58e-03	[-0.01, 0.02]
<b>T_CST_left.nii</b>	<b>2.21</b>	<b>1.40e-02</b>	<b>.042</b>	<b>2.49e-04</b>	<b>1.58e-02</b>	<b>[&lt;0.01, 0.03]</b>
T_CST_right.nii	1.45	9.19e-03	.230	1.07e-04	1.04e-02	[-0.01, 0.02]
T_EC_left.nii	2.15	1.44e-02	.050	2.39e-04	1.55e-02	[<0.01, 0.03]
T_EC_right.nii	1.54	1.04e-02	.195	1.23e-04	1.11e-02	[-0.01, 0.02]
T_EmC_left.nii	1.43	9.43e-03	.238	1.06e-04	1.03e-02	[-0.01, 0.02]
T_EmC_right.nii	1.33	8.77e-03	.254	9.03e-05	9.51e-03	[-0.01, 0.02]
T_ICP_left.nii	-1.42	-9.71e-03	.172	1.03e-04	1.01e-02	[-0.02, <0.01]
T_ICP_right.nii	-0.42	-2.85e-03	.743	8.98e-06	3.00e-03	[-0.02, 0.01]
T_ILF_left.nii	1.40	9.15e-03	.196	1.01e-04	1.00e-02	[-0.01, 0.02]

Table S2

*ET PRS Association with White Matter Free Water (FW) - O'Donnell Research Group (ORG) Atlas*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
T_ILF_right.nii	1.75	1.15e-02	.125	1.57e-04	1.25e-02	[-0.01, 0.02]
<b>T_Intra-CBLM-I&amp;P_left.nii</b>	<b>3.12</b>	<b>1.88e-02</b>	<b>.002</b>	<b>4.94e-04</b>	<b>2.22e-02</b>	<b>[0.01, 0.03]</b>
<b>T_Intra-CBLM-I&amp;P_right.nii</b>	<b>3.44</b>	<b>2.08e-02</b>	<b>.001</b>	<b>5.99e-04</b>	<b>2.45e-02</b>	<b>[0.01, 0.03]</b>
<b>T_Intra-CBLM-PaT_left.nii</b>	<b>2.40</b>	<b>1.64e-02</b>	<b>.022</b>	<b>3.40e-04</b>	<b>1.85e-02</b>	<b>[&lt;0.01, 0.03]</b>
<b>T_Intra-CBLM-PaT_right.nii</b>	<b>2.59</b>	<b>1.97e-02</b>	<b>.013</b>	<b>4.88e-04</b>	<b>2.21e-02</b>	<b>[&lt;0.01, 0.03]</b>
T_IOFF_left.nii	1.83	1.21e-02	.105	1.73e-04	1.31e-02	[-0.01, 0.02]
T_IOFF_right.nii	1.73	1.14e-02	.116	1.53e-04	1.24e-02	[-0.01, 0.02]
<b>T_MCP.nii</b>	<b>3.78</b>	<b>2.40e-02</b>	<b>&lt; .001</b>	<b>7.32e-04</b>	<b>2.71e-02</b>	<b>[0.01, 0.04]</b>
T_MdLF_left.nii	0.54	3.60e-03	.645	1.50e-05	3.88e-03	[-0.01, 0.02]
T_MdLF_right.nii	1.49	9.78e-03	.167	1.13e-04	1.06e-02	[-0.01, 0.02]
T_PLIC_left.nii	1.51	9.59e-03	.161	1.16e-04	1.08e-02	[-0.01, 0.02]
T_PLIC_right.nii	1.38	8.95e-03	.232	9.67e-05	9.84e-03	[-0.01, 0.02]
<b>T_SF_left.nii</b>	<b>2.13</b>	<b>1.29e-02</b>	<b>.046</b>	<b>2.28e-04</b>	<b>1.51e-02</b>	<b>[&lt;0.01, 0.02]</b>
T_SF_right.nii	1.80	1.09e-02	.087	1.64e-04	1.28e-02	[-0.01, 0.02]
T_SLF-I_left.nii	1.67	1.09e-02	.130	1.41e-04	1.19e-02	[-0.01, 0.02]
T_SLF-I_right.nii	1.78	1.14e-02	.119	1.59e-04	1.26e-02	[-0.01, 0.02]
T_SLF-II_left.nii	1.54	1.01e-02	.194	1.20e-04	1.10e-02	[-0.01, 0.02]
T_SLF-II_right.nii	1.45	9.33e-03	.203	1.06e-04	1.03e-02	[-0.01, 0.02]
T_SLF-III_left.nii	1.74	1.13e-02	.100	1.54e-04	1.24e-02	[-0.01, 0.02]
T_SLF-III_right.nii	1.13	7.29e-03	.285	6.48e-05	8.05e-03	[-0.01, 0.02]
T_SO_left.nii	1.57	1.03e-02	.142	1.26e-04	1.12e-02	[-0.01, 0.02]
T_SO_right.nii	1.48	9.81e-03	.169	1.12e-04	1.06e-02	[-0.01, 0.02]
T_SP_left.nii	1.79	1.11e-02	.102	1.61e-04	1.27e-02	[-0.01, 0.02]
<b>T_SP_right.nii</b>	<b>2.15</b>	<b>1.33e-02</b>	<b>.044</b>	<b>2.33e-04</b>	<b>1.53e-02</b>	<b>[&lt;0.01, 0.03]</b>
<b>T_Sup-F_left.nii</b>	<b>2.93</b>	<b>1.87e-02</b>	<b>.005</b>	<b>4.33e-04</b>	<b>2.08e-02</b>	<b>[0.01, 0.03]</b>
T_Sup-F_right.nii	2.01	1.27e-02	.062	2.02e-04	1.42e-02	[<0.01, 0.03]

Table S2

*ET PRS Association with White Matter Free Water (FW) - O'Donnell Research Group (ORG) Atlas*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
T_Sup-FP_left.nii	1.36	8.89e-03	.240	9.30e-05	9.64e-03	[-0.01, 0.02]
T_Sup-FP_right.nii	1.70	1.10e-02	.123	1.45e-04	1.21e-02	[-0.01, 0.02]
<b>T_Sup-O_left.nii</b>	<b>2.35</b>	<b>1.58e-02</b>	<b>.026</b>	<b>2.81e-04</b>	<b>1.68e-02</b>	<b>&lt;0.01, 0.03]</b>
<b>T_Sup-O_right.nii</b>	<b>2.84</b>	<b>1.90e-02</b>	<b>.006</b>	<b>4.09e-04</b>	<b>2.02e-02</b>	<b>[0.01, 0.03]</b>
T_Sup-OT_left.nii	1.20	7.91e-03	.254	7.27e-05	8.53e-03	[-0.01, 0.02]
T_Sup-OT_right.nii	1.36	9.10e-03	.214	9.35e-05	9.67e-03	[-0.01, 0.02]
T_Sup-P_left.nii	1.32	8.73e-03	.204	8.82e-05	9.39e-03	[-0.01, 0.02]
T_Sup-P_right.nii	1.46	9.55e-03	.198	1.07e-04	1.04e-02	[-0.01, 0.02]
T_Sup-PO_left.nii	1.95	1.32e-02	.070	1.92e-04	1.39e-02	[-0.01, 0.03]
T_Sup-PO_right.nii	2.05	1.38e-02	.063	2.13e-04	1.46e-02	<0.01, 0.03]
T_Sup-PT_left.nii	1.06	7.19e-03	.399	5.65e-05	7.52e-03	[-0.01, 0.02]
T_Sup-PT_right.nii	1.43	9.62e-03	.211	1.03e-04	1.01e-02	[-0.01, 0.02]
T_Sup-T_left.nii	1.47	9.58e-03	.196	1.09e-04	1.04e-02	[-0.01, 0.02]
T_Sup-T_right.nii	1.90	1.26e-02	.083	1.82e-04	1.35e-02	[-0.01, 0.03]
T_TF_left.nii	1.84	1.10e-02	.087	1.71e-04	1.31e-02	[-0.01, 0.02]
T_TF_right.nii	1.53	9.08e-03	.153	1.19e-04	1.09e-02	[-0.01, 0.02]
T_TO_left.nii	0.77	5.05e-03	.555	3.04e-05	5.51e-03	[-0.01, 0.02]
T_TO_right.nii	1.16	7.63e-03	.272	6.82e-05	8.26e-03	[-0.01, 0.02]
T_TP_left.nii	1.52	9.58e-03	.178	1.16e-04	1.08e-02	[-0.01, 0.02]
T_TP_right.nii	1.19	7.56e-03	.368	7.15e-05	8.46e-03	[-0.01, 0.02]
<b>T_UF_left.nii</b>	<b>2.16</b>	<b>1.36e-02</b>	<b>.043</b>	<b>2.37e-04</b>	<b>1.54e-02</b>	<b>&lt;0.01, 0.03]</b>
T_UF_right.nii	2.07	1.31e-02	.053	2.17e-04	1.47e-02	<0.01, 0.03]

Note

\*  $p < .05$ , \*\*  $p < .01$ , \*\*\*  $p < .001$ , 95% CI(B)

**Table S3**

***ET PRS Association with White Matter Fractional Anisotropy (FA) - O'Donnell Research Group***

***(ORG) Atlas***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
T_AF_left.nii	-1.04	-6.56e-03	.363	5.40e-05	7.35e-03	[-0.02, 0.01]
T_AF_right.nii	-0.69	-4.39e-03	.600	2.35e-05	4.85e-03	[-0.02, 0.01]
T_CB_left.nii	-0.98	-6.22e-03	.361	4.71e-05	6.86e-03	[-0.02, 0.01]
T_CB_right.nii	-2.05	-1.31e-02	.056	2.07e-04	1.44e-02	[-0.03, -0.01]
T_CC1.nii	-0.31	-2.01e-03	.881	5.01e-06	2.24e-03	[-0.01, 0.01]
T_CC2.nii	-1.52	-9.82e-03	.156	1.15e-04	1.07e-02	[-0.02, <0.01]
T_CC3.nii	0.19	1.28e-03	.932	1.85e-06	1.36e-03	[-0.01, 0.01]
T_CC4.nii	0.43	2.90e-03	.735	9.21e-06	3.03e-03	[-0.01, 0.02]
T_CC5.nii	-0.06	-3.88e-04	1.00	1.66e-07	4.07e-04	[-0.01, 0.01]
T_CC6.nii	1.36	9.14e-03	.191	9.25e-05	9.62e-03	[-0.01, 0.02]
T_CC7.nii	0.47	3.19e-03	.699	1.12e-05	3.35e-03	[-0.01, 0.02]
T_CPC.nii	-1.07	-6.83e-03	.451	5.68e-05	7.53e-03	[-0.02, 0.01]
T_CR-F_left.nii	-0.13	-8.45e-04	1.00	8.51e-07	9.23e-04	[-0.01, 0.01]
T_CR-F_right.nii	0.12	7.88e-04	.992	7.54e-07	8.69e-04	[-0.01, 0.01]
T_CR-P_left.nii	0.44	2.93e-03	.725	9.72e-06	3.12e-03	[-0.01, 0.02]
T_CR-P_right.nii	0.63	4.18e-03	.645	1.99e-05	4.46e-03	[-0.01, 0.02]
T_CST_left.nii	0.24	1.53e-03	.895	2.74e-06	1.66e-03	[-0.01, 0.01]
T_CST_right.nii	0.65	4.17e-03	.814	2.08e-05	4.56e-03	[-0.01, 0.02]
T_EC_left.nii	0.02	1.56e-04	1.00	2.94e-08	1.72e-04	[-0.01, 0.01]
T_EC_right.nii	0.83	5.27e-03	.498	3.47e-05	5.89e-03	[-0.01, 0.02]
T_EmC_left.nii	-1.01	-6.37e-03	.494	5.09e-05	7.13e-03	[-0.02, 0.01]
T_EmC_right.nii	-1.24	-7.84e-03	.296	7.70e-05	8.77e-03	[-0.02, <0.01]
T_ICP_left.nii	-1.23	-7.89e-03	.241	7.55e-05	8.69e-03	[-0.02, <0.01]
T_ICP_right.nii	-0.85	-5.38e-03	.437	3.58e-05	5.98e-03	[-0.02, 0.01]

Table S3

*ET PRS Association with White Matter Fractional Anisotropy (FA) - O'Donnell Research Group**(ORG) Atlas*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
T_ILF_left.nii	-0.82	-5.09e-03	.566	3.36e-05	5.80e-03	[-0.02, 0.01]
T_ILF_right.nii	-0.40	-2.44e-03	.831	8.13e-06	2.85e-03	[-0.01, 0.01]
T_Intra-CBLM-I&P_left.nii	-1.44	-8.59e-03	.206	1.03e-04	1.01e-02	[-0.02, <0.01]
T_Intra-CBLM-I&P_right.nii	-1.51	-8.98e-03	.182	1.12e-04	1.06e-02	[-0.02, <0.01]
T_Intra-CBLM-PaT_left.nii	-0.94	-6.41e-03	.428	5.03e-05	7.10e-03	[-0.02, 0.01]
T_Intra-CBLM-PaT_right.nii	-2.04	-1.58e-02	.057	2.96e-04	1.72e-02	[-0.03, -0.01]
T_IOFF_left.nii	-1.28	-8.41e-03	.274	8.28e-05	9.10e-03	[-0.02, <0.01]
T_IOFF_right.nii	-1.27	-8.04e-03	.282	8.07e-05	8.98e-03	[-0.02, <0.01]
T_MCP.nii	-1.78	-1.10e-02	.103	1.58e-04	1.26e-02	[-0.02, <0.01]
T_MdLF_left.nii	0.25	1.55e-03	.886	3.01e-06	1.73e-03	[-0.01, 0.01]
T_MdLF_right.nii	-0.66	-4.10e-03	.557	2.18e-05	4.67e-03	[-0.02, 0.01]
T_PLIC_left.nii	-0.37	-2.47e-03	.779	6.96e-06	2.64e-03	[-0.02, 0.01]
T_PLIC_right.nii	-0.49	-3.25e-03	.690	1.18e-05	3.43e-03	[-0.02, 0.01]
T_SF_left.nii	-0.95	-5.91e-03	.419	4.42e-05	6.65e-03	[-0.02, 0.01]
T_SF_right.nii	-0.53	-3.33e-03	.652	1.41e-05	3.75e-03	[-0.02, 0.01]
T_SLF-I_left.nii	-1.19	-7.51e-03	.322	6.98e-05	8.35e-03	[-0.02, <0.01]
T_SLF-I_right.nii	-2.09	-1.30e-02	.067	2.15e-04	1.47e-02	[-0.03, -0.01]
T_SLF-II_left.nii	-1.32	-8.34e-03	.259	8.56e-05	9.25e-03	[-0.02, <0.01]
T_SLF-II_right.nii	-1.44	-9.00e-03	.187	1.03e-04	1.02e-02	[-0.02, <0.01]
T_SLF-III_left.nii	-1.02	-6.34e-03	.423	5.17e-05	7.19e-03	[-0.02, 0.01]
T_SLF-III_right.nii	-0.60	-3.76e-03	.701	1.79e-05	4.23e-03	[-0.02, 0.01]
T_SO_left.nii	0.23	1.51e-03	.997	2.54e-06	1.59e-03	[-0.01, 0.01]
T_SO_right.nii	0.49	3.26e-03	.683	1.22e-05	3.49e-03	[-0.01, 0.02]
T_SP_left.nii	0.91	6.01e-03	.401	4.06e-05	6.37e-03	[-0.01, 0.02]
T_SP_right.nii	0.85	5.56e-03	.437	3.54e-05	5.95e-03	[-0.01, 0.02]



Table S3

*ET PRS Association with White Matter Fractional Anisotropy (FA) - O'Donnell Research Group**(ORG) Atlas*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
<b>T_Sup-F_left.nii</b>	<b>-2.41</b>	<b>-1.45e-02</b>	<b>.020</b>	<b>2.85e-04</b>	<b>1.69e-02</b>	<b>[-0.03, -0.01]</b>
T_Sup-F_right.nii	-1.51	-9.03e-03	.161	1.12e-04	1.06e-02	[-0.02, <0.01]
T_Sup-FP_left.nii	-1.44	-9.24e-03	.183	1.02e-04	1.01e-02	[-0.02, <0.01]
T_Sup-FP_right.nii	-1.52	-9.68e-03	.157	1.14e-04	1.07e-02	[-0.02, <0.01]
T_Sup-O_left.nii	-0.80	-5.08e-03	.518	3.17e-05	5.63e-03	[-0.02, 0.01]
T_Sup-O_right.nii	-1.34	-8.61e-03	.219	8.96e-05	9.47e-03	[-0.02, <0.01]
T_Sup-OT_left.nii	0.18	1.11e-03	.940	1.68e-06	1.29e-03	[-0.01, 0.01]
T_Sup-OT_right.nii	-1.08	-6.53e-03	.340	5.82e-05	7.63e-03	[-0.02, 0.01]
T_Sup-P_left.nii	-0.35	-2.21e-03	.888	6.01e-06	2.45e-03	[-0.01, 0.01]
T_Sup-P_right.nii	-0.76	-4.73e-03	.492	2.85e-05	5.34e-03	[-0.02, 0.01]
T_Sup-PO_left.nii	-0.15	-1.00e-03	.966	1.16e-06	1.08e-03	[-0.01, 0.01]
T_Sup-PO_right.nii	-0.24	-1.53e-03	.993	2.77e-06	1.66e-03	[-0.01, 0.01]
T_Sup-PT_left.nii	-0.64	-3.99e-03	.583	2.04e-05	4.51e-03	[-0.02, 0.01]
T_Sup-PT_right.nii	-0.86	-5.27e-03	.430	3.64e-05	6.03e-03	[-0.02, 0.01]
T_Sup-T_left.nii	-1.02	-6.10e-03	.337	5.16e-05	7.19e-03	[-0.02, 0.01]
T_Sup-T_right.nii	-1.31	-7.78e-03	.209	8.49e-05	9.21e-03	[-0.02, <0.01]
T_TF_left.nii	-0.71	-4.52e-03	.656	2.49e-05	4.99e-03	[-0.02, 0.01]
T_TF_right.nii	-0.33	-2.11e-03	.907	5.33e-06	2.31e-03	[-0.01, 0.01]
T_TO_left.nii	1.52	1.01e-02	.175	1.15e-04	1.07e-02	[-0.01, 0.02]
T_TO_right.nii	1.41	9.12e-03	.193	9.92e-05	9.96e-03	[-0.01, 0.02]
T_TP_left.nii	0.35	2.31e-03	.798	6.07e-06	2.46e-03	[-0.01, 0.02]
T_TP_right.nii	0.60	3.93e-03	.600	1.80e-05	4.25e-03	[-0.01, 0.02]
T_UF_left.nii	-1.56	-9.06e-03	.144	1.22e-04	1.10e-02	[-0.02, <0.01]
T_UF_right.nii	-0.93	-5.37e-03	.433	4.27e-05	6.53e-03	[-0.02, 0.01]

*Note*\*  $p < .05$ , \*\*  $p < .01$ , \*\*\*  $p < .001$ , 95% CI(B)

**Table S4**

***ET PRS Association with White Matter Radial Diffusivity (RD) - O'Donnell Research Group (ORG)***

***Atlas***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
T_AF_left.nii	1.73	2.50e-03	.115	1.48e-04	1.22e-02	[-0.01, 0.01]
T_AF_right.nii	1.45	2.08e-03	.179	1.05e-04	1.02e-02	[-0.01, <0.01]
T_CB_left.nii	1.58	2.51e-03	.181	1.22e-04	1.10e-02	[-0.01, 0.01]
<b>T_CB_right.nii</b>	<b>2.59</b>	<b>4.05e-03</b>	<b>.015</b>	<b>3.30e-04</b>	<b>1.82e-02</b>	<b>&lt;0.01, 0.01]</b>
<b>T_CC1.nii</b>	<b>2.52</b>	<b>4.69e-03</b>	<b>.016</b>	<b>3.20e-04</b>	<b>1.79e-02</b>	<b>&lt;0.01, 0.01]</b>
T_CC2.nii	1.95	3.25e-03	.062	1.90e-04	1.38e-02	[-0.01, 0.01]
T_CC3.nii	1.93	3.21e-03	.074	1.86e-04	1.36e-02	[-0.01, 0.01]
T_CC4.nii	1.29	8.37e-03	.243	8.28e-05	9.10e-03	[-0.01, 0.02]
T_CC5.nii	1.61	1.08e-02	.168	1.31e-04	1.14e-02	[-0.01, 0.02]
T_CC6.nii	0.50	7.43e-04	.795	1.25e-05	3.54e-03	[-0.01, <0.01]
T_CC7.nii	0.97	1.47e-03	.459	4.67e-05	6.84e-03	[-0.01, <0.01]
T_CPC.nii	1.35	1.71e-03	.324	9.12e-05	9.55e-03	[-0.01, <0.01]
T_CR-F_left.nii	1.48	2.21e-03	.190	1.09e-04	1.05e-02	[-0.01, 0.01]
T_CR-F_right.nii	1.45	2.16e-03	.180	1.04e-04	1.02e-02	[-0.01, 0.01]
T_CR-P_left.nii	1.13	7.53e-03	.316	6.37e-05	7.98e-03	[-0.01, 0.02]
T_CR-P_right.nii	0.45	7.00e-04	.714	1.03e-05	3.21e-03	[-0.01, <0.01]
T_CST_left.nii	1.58	2.34e-03	.158	1.23e-04	1.11e-02	[-0.01, 0.01]
T_CST_right.nii	1.12	1.66e-03	.363	6.19e-05	7.87e-03	[-0.01, <0.01]
<b>T_EC_left.nii</b>	<b>2.12</b>	<b>1.39e-02</b>	<b>.047</b>	<b>2.27e-04</b>	<b>1.51e-02</b>	<b>&lt;0.01, 0.03]</b>
T_EC_right.nii	1.59	2.58e-03	.175	1.28e-04	1.13e-02	[-0.01, 0.01]
T_EmC_left.nii	1.60	1.02e-02	.150	1.29e-04	1.13e-02	[-0.01, 0.02]
T_EmC_right.nii	1.53	2.37e-03	.230	1.18e-04	1.09e-02	[-0.01, 0.01]
T_ICP_left.nii	-0.81	-1.86e-03	.509	3.29e-05	5.74e-03	[-0.01, <0.01]
T_ICP_right.nii	0.10	2.36e-04	1.00	5.32e-07	7.29e-04	[-0.01, <0.01]

Table S4

*ET PRS Association with White Matter Radial Diffusivity (RD) - O'Donnell Research Group (ORG)**Atlas*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
T_ILF_left.nii	1.28	1.92e-03	.316	8.17e-05	9.04e-03	[-0.01, <0.01]
T_ILF_right.nii	1.91	2.91e-03	.078	1.81e-04	1.35e-02	[-0.01, 0.01]
<b>T_Intra-CBLM-I&amp;P_left.nii</b>	<b>2.15</b>	<b>4.47e-03</b>	<b>.038</b>	<b>2.29e-04</b>	<b>1.51e-02</b>	<b>&lt;0.01, 0.01</b>
T_Intra-CBLM-I&P_right.nii	1.96	4.28e-03	.061	1.90e-04	1.38e-02	<0.01, 0.01]
T_Intra-CBLM-PaT_left.nii	1.63	1.10e-02	.127	1.52e-04	1.23e-02	[-0.01, 0.02]
T_Intra-CBLM-PaT_right.nii	1.52	6.62e-03	.202	1.65e-04	1.28e-02	[-0.01, 0.02]
<b>T_IOFF_left.nii</b>	<b>2.10</b>	<b>1.35e-02</b>	<b>.050</b>	<b>2.20e-04</b>	<b>1.49e-02</b>	<b>&lt;0.01, 0.03</b>
<b>T_IOFF_right.nii</b>	<b>2.22</b>	<b>3.36e-03</b>	<b>.049</b>	<b>2.47e-04</b>	<b>1.57e-02</b>	<b>&lt;0.01, 0.01</b>
<b>T_MCP.nii</b>	<b>2.58</b>	<b>4.79e-03</b>	<b>.014</b>	<b>3.31e-04</b>	<b>1.82e-02</b>	<b>&lt;0.01, 0.01</b>
T_MdLF_left.nii	0.76	1.11e-03	.546	2.87e-05	5.36e-03	[-0.01, <0.01]
T_MdLF_right.nii	1.49	2.15e-03	.187	1.10e-04	1.05e-02	[-0.01, <0.01]
T_PLIC_left.nii	1.03	6.60e-03	.417	5.28e-05	7.26e-03	[-0.01, 0.02]
T_PLIC_right.nii	1.08	6.94e-03	.307	5.83e-05	7.63e-03	[-0.01, 0.02]
T_SF_left.nii	1.97	2.83e-03	.078	1.90e-04	1.38e-02	<0.01, 0.01]
T_SF_right.nii	1.86	2.61e-03	.086	1.71e-04	1.31e-02	[-0.01, 0.01]
T_SLF-I_left.nii	1.71	2.60e-03	.120	1.44e-04	1.20e-02	[-0.01, 0.01]
T_SLF-I_right.nii	2.04	3.16e-03	.065	2.05e-04	1.43e-02	<0.01, 0.01]
T_SLF-II_left.nii	1.52	2.19e-03	.235	1.15e-04	1.07e-02	[-0.01, 0.01]
T_SLF-II_right.nii	1.66	2.45e-03	.134	1.36e-04	1.17e-02	[-0.01, 0.01]
T_SLF-III_left.nii	1.76	2.73e-03	.096	1.54e-04	1.24e-02	[-0.01, 0.01]
T_SLF-III_right.nii	1.36	2.18e-03	.211	9.25e-05	9.62e-03	[-0.01, 0.01]
T_SO_left.nii	1.13	7.32e-03	.356	6.38e-05	7.99e-03	[-0.01, 0.02]
T_SO_right.nii	1.21	7.81e-03	.314	7.26e-05	8.52e-03	[-0.01, 0.02]
T_SP_left.nii	1.18	1.62e-03	.289	6.93e-05	8.32e-03	[-0.01, <0.01]
T_SP_right.nii	1.52	2.15e-03	.158	1.13e-04	1.07e-02	[-0.01, <0.01]

Table S4

*ET PRS Association with White Matter Radial Diffusivity (RD) - O'Donnell Research Group (ORG)**Atlas*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
<b>T_Sup-F_left.nii</b>	<b>2.84</b>	<b>4.95e-03</b>	<b>.007</b>	<b>3.96e-04</b>	<b>1.99e-02</b>	<b>&lt;0.01, 0.01</b>
<b>T_Sup-F_right.nii</b>	<b>2.34</b>	<b>3.98e-03</b>	<b>.027</b>	<b>2.69e-04</b>	<b>1.64e-02</b>	<b>&lt;0.01, 0.01</b>
T_Sup-FP_left.nii	1.62	2.61e-03	.165	1.29e-04	1.14e-02	[-0.01, 0.01]
T_Sup-FP_right.nii	1.85	2.92e-03	.088	1.69e-04	1.30e-02	[-0.01, 0.01]
<b>T_Sup-O_left.nii</b>	<b>2.17</b>	<b>3.78e-03</b>	<b>.047</b>	<b>2.33e-04</b>	<b>1.53e-02</b>	<b>&lt;0.01, 0.01</b>
<b>T_Sup-O_right.nii</b>	<b>2.14</b>	<b>3.90e-03</b>	<b>.045</b>	<b>2.27e-04</b>	<b>1.51e-02</b>	<b>&lt;0.01, 0.01</b>
T_Sup-OT_left.nii	1.46	2.26e-03	.226	1.06e-04	1.03e-02	[-0.01, 0.01]
T_Sup-OT_right.nii	1.56	2.63e-03	.187	1.21e-04	1.10e-02	[-0.01, 0.01]
T_Sup-P_left.nii	1.15	1.86e-03	.307	6.49e-05	8.06e-03	[-0.01, 0.01]
T_Sup-P_right.nii	1.30	2.18e-03	.237	8.30e-05	9.11e-03	[-0.01, 0.01]
T_Sup-PO_left.nii	1.60	2.64e-03	.173	1.26e-04	1.12e-02	[-0.01, 0.01]
T_Sup-PO_right.nii	1.82	2.96e-03	.125	1.64e-04	1.28e-02	[-0.01, 0.01]
T_Sup-PT_left.nii	0.95	1.47e-03	.418	4.45e-05	6.67e-03	[-0.01, <0.01]
T_Sup-PT_right.nii	1.24	1.96e-03	.261	7.63e-05	8.74e-03	[-0.01, 0.01]
T_Sup-T_left.nii	1.53	2.42e-03	.153	1.16e-04	1.08e-02	[-0.01, 0.01]
T_Sup-T_right.nii	1.86	3.00e-03	.087	1.71e-04	1.31e-02	[-0.01, 0.01]
T_TF_left.nii	1.90	2.71e-03	.091	1.77e-04	1.33e-02	[-0.01, 0.01]
T_TF_right.nii	1.73	2.42e-03	.115	1.47e-04	1.21e-02	[-0.01, 0.01]
T_TO_left.nii	0.25	3.87e-04	.914	3.21e-06	1.79e-03	[-0.01, <0.01]
T_TO_right.nii	0.83	5.41e-03	.638	3.43e-05	5.86e-03	[-0.01, 0.02]
T_TP_left.nii	1.07	1.45e-03	.347	5.66e-05	7.53e-03	[-0.01, <0.01]
T_TP_right.nii	1.10	1.54e-03	.373	5.96e-05	7.72e-03	[-0.01, <0.01]
<b>T_UF_left.nii</b>	<b>2.28</b>	<b>3.82e-03</b>	<b>.028</b>	<b>2.59e-04</b>	<b>1.61e-02</b>	<b>&lt;0.01, 0.01</b>
<b>T_UF_right.nii</b>	<b>2.20</b>	<b>3.57e-03</b>	<b>.038</b>	<b>2.40e-04</b>	<b>1.55e-02</b>	<b>&lt;0.01, 0.01</b>

*Note*\*  $p < .05$ , \*\*  $p < .01$ , \*\*\*  $p < .001$ , 95% CI(B)

Table S5

*ET PRS Association with White Matter Axial Diffusivity (AD) - O'Donnell Research Group (ORG)**Atlas*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
T_AF_left.nii	1.66	2.35e-05	.178	1.37e-04	1.17e-02	[-0.01, <0.01]
T_AF_right.nii	1.42	2.17e-05	.243	1.01e-04	1.00e-02	[-0.01, <0.01]
T_CB_left.nii	1.03	1.86e-05	.473	5.26e-05	7.25e-03	[-0.01, <0.01]
T_CB_right.nii	0.92	1.71e-05	.457	4.17e-05	6.46e-03	[-0.01, <0.01]
<b>T_CC1.nii</b>	<b>2.26</b>	<b>4.56e-05</b>	<b>.033</b>	<b>2.59e-04</b>	<b>1.61e-02</b>	<b>&lt;0.01, &lt;0.01</b>
T_CC2.nii	0.95	1.68e-05	.377	4.48e-05	6.69e-03	[-0.01, <0.01]
<b>T_CC3.nii</b>	<b>2.61</b>	<b>4.77e-05</b>	<b>.012</b>	<b>3.42e-04</b>	<b>1.85e-02</b>	<b>&lt;0.01, &lt;0.01</b>
<b>T_CC4.nii</b>	<b>2.42</b>	<b>2.97e-04</b>	<b>.024</b>	<b>2.94e-04</b>	<b>1.71e-02</b>	<b>&lt;0.01, &lt;0.01</b>
T_CC5.nii	1.61	1.04e-02	.149	1.29e-04	1.14e-02	[-0.01, 0.02]
<b>T_CC6.nii</b>	<b>2.24</b>	<b>4.03e-05</b>	<b>.046</b>	<b>2.51e-04</b>	<b>1.58e-02</b>	<b>&lt;0.01, &lt;0.01</b>
T_CC7.nii	1.92	3.86e-05	.086	1.84e-04	1.36e-02	[-0.01, <0.01]
T_CPC.nii	1.10	1.70e-05	.336	6.10e-05	7.81e-03	[-0.01, <0.01]
<b>T_CR-F_left.nii</b>	<b>2.23</b>	<b>3.51e-05</b>	<b>.047</b>	<b>2.48e-04</b>	<b>1.57e-02</b>	<b>&lt;0.01, &lt;0.01</b>
T_CR-F_right.nii	2.10	3.29e-05	.078	2.19e-04	1.48e-02	[-0.01, <0.01]
T_CR-P_left.nii	2.04	2.28e-04	.092	2.07e-04	1.44e-02	[-0.01, <0.01]
T_CR-P_right.nii	1.92	3.30e-05	.100	1.84e-04	1.36e-02	[-0.01, <0.01]
T_CST_left.nii	2.27	3.65e-05	.052	2.55e-04	1.60e-02	[-0.01, <0.01]
T_CST_right.nii	1.96	3.15e-05	.110	1.91e-04	1.38e-02	[-0.01, <0.01]
<b>T_EC_left.nii</b>	<b>2.22</b>	<b>1.55e-02</b>	<b>.042</b>	<b>2.50e-04</b>	<b>1.58e-02</b>	<b>&lt;0.01, 0.03</b>
T_EC_right.nii	2.05	4.20e-05	.055	2.14e-04	1.46e-02	[-0.01, <0.01]
T_EmC_left.nii	1.16	7.89e-03	.303	6.70e-05	8.19e-03	[-0.01, 0.02]
T_EmC_right.nii	0.88	1.56e-05	.463	3.88e-05	6.23e-03	[-0.01, <0.01]
T_ICP_left.nii	-1.44	-4.27e-05	.237	1.03e-04	1.01e-02	[-0.01, <0.01]
T_ICP_right.nii	-0.42	-1.20e-05	.828	8.65e-06	2.94e-03	[-0.01, <0.01]

Table S5

*ET PRS Association with White Matter Axial Diffusivity (AD) - O'Donnell Research Group (ORG)**Atlas*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
T_ILF_left.nii	0.97	1.46e-05	.416	4.68e-05	6.84e-03	[-0.01, <0.01]
<b>T_ILF_right.nii</b>	<b>2.26</b>	<b>3.48e-05</b>	<b>.037</b>	<b>2.56e-04</b>	<b>1.60e-02</b>	<b>&lt;0.01, &lt;0.01]</b>
T_Intra-CBLM-I&P_left.nii	1.69	2.85e-05	.101	1.41e-04	1.19e-02	[-0.01, <0.01]
T_Intra-CBLM-I&P_right.nii	1.64	2.80e-05	.138	1.33e-04	1.16e-02	[-0.01, <0.01]
T_Intra-CBLM-PaT_left.nii	1.31	9.55e-03	.261	9.91e-05	9.96e-03	[-0.01, 0.02]
T_Intra-CBLM-PaT_right.nii	0.68	3.51e-05	.606	3.30e-05	5.74e-03	[-0.01, <0.01]
T_IOFF_left.nii	0.95	6.52e-03	.418	4.54e-05	6.74e-03	[-0.01, 0.02]
T_IOFF_right.nii	1.01	1.78e-05	.385	5.07e-05	7.12e-03	[-0.01, <0.01]
T_MCP.nii	1.62	2.78e-05	.145	1.31e-04	1.14e-02	[-0.01, <0.01]
T_MdLF_left.nii	1.68	2.41e-05	.114	1.39e-04	1.18e-02	[-0.01, <0.01]
T_MdLF_right.nii	1.47	2.17e-05	.155	1.07e-04	1.04e-02	[-0.01, <0.01]
T_PLIC_left.nii	1.40	1.48e-04	.253	9.75e-05	9.88e-03	[-0.01, <0.01]
T_PLIC_right.nii	1.66	1.11e-02	.134	1.37e-04	1.17e-02	[-0.01, 0.02]
T_SF_left.nii	2.13	2.97e-05	.060	2.24e-04	1.50e-02	<0.01, <0.01]
<b>T_SF_right.nii</b>	<b>2.19</b>	<b>3.05e-05</b>	<b>.045</b>	<b>2.36e-04</b>	<b>1.54e-02</b>	<b>&lt;0.01, &lt;0.01]</b>
T_SLF-I_left.nii	1.11	1.66e-05	.367	6.06e-05	7.79e-03	[-0.01, <0.01]
T_SLF-I_right.nii	0.79	1.20e-05	.528	3.04e-05	5.51e-03	[-0.01, <0.01]
T_SLF-II_left.nii	1.32	1.85e-05	.345	8.56e-05	9.25e-03	[-0.01, <0.01]
T_SLF-II_right.nii	1.10	1.60e-05	.332	5.97e-05	7.72e-03	[-0.01, <0.01]
T_SLF-III_left.nii	1.70	2.46e-05	.140	1.44e-04	1.20e-02	[-0.01, <0.01]
T_SLF-III_right.nii	1.87	2.81e-05	.112	1.74e-04	1.32e-02	[-0.01, <0.01]
T_SO_left.nii	1.73	1.14e-02	.131	1.50e-04	1.22e-02	[-0.01, 0.02]
T_SO_right.nii	2.14	1.41e-02	.050	2.30e-04	1.52e-02	<0.01, 0.03]
<b>T_SP_left.nii</b>	<b>2.62</b>	<b>3.86e-05</b>	<b>.016</b>	<b>3.39e-04</b>	<b>1.84e-02</b>	<b>&lt;0.01, &lt;0.01]</b>
<b>T_SP_right.nii</b>	<b>2.86</b>	<b>4.48e-05</b>	<b>.008</b>	<b>4.03e-04</b>	<b>2.01e-02</b>	<b>&lt;0.01, &lt;0.01]</b>

Table S5

*ET PRS Association with White Matter Axial Diffusivity (AD) - O'Donnell Research Group (ORG)**Atlas*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
T_Sup-F_left.nii	1.97	2.84e-05	.077	1.91e-04	1.38e-02	[<0.01, <0.01]
<b>T_Sup-F_right.nii</b>	<b>2.26</b>	<b>3.21e-05</b>	<b>.037</b>	<b>2.52e-04</b>	<b>1.59e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>
T_Sup-FP_left.nii	1.06	1.55e-05	.398	5.52e-05	7.43e-03	[-0.01, <0.01]
T_Sup-FP_right.nii	1.18	1.75e-05	.317	6.87e-05	8.29e-03	[-0.01, <0.01]
T_Sup-O_left.nii	2.06	3.50e-05	.062	2.10e-04	1.45e-02	[<0.01, <0.01]
T_Sup-O_right.nii	1.73	3.01e-05	.116	1.48e-04	1.21e-02	[-0.01, <0.01]
T_Sup-OT_left.nii	2.01	3.09e-05	.061	2.00e-04	1.41e-02	[<0.01, <0.01]
T_Sup-OT_right.nii	1.41	2.28e-05	.216	9.91e-05	9.96e-03	[-0.01, <0.01]
T_Sup-P_left.nii	1.74	2.54e-05	.128	1.50e-04	1.22e-02	[-0.01, <0.01]
T_Sup-P_right.nii	1.18	1.80e-05	.292	6.81e-05	8.25e-03	[-0.01, <0.01]
<b>T_Sup-PO_left.nii</b>	<b>2.28</b>	<b>3.52e-05</b>	<b>.036</b>	<b>2.56e-04</b>	<b>1.60e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>
<b>T_Sup-PO_right.nii</b>	<b>2.59</b>	<b>3.86e-05</b>	<b>.015</b>	<b>3.30e-04</b>	<b>1.82e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>
T_Sup-PT_left.nii	0.96	1.44e-05	.407	4.52e-05	6.73e-03	[-0.01, <0.01]
T_Sup-PT_right.nii	1.22	1.84e-05	.308	7.30e-05	8.54e-03	[-0.01, <0.01]
T_Sup-T_left.nii	1.34	1.99e-05	.221	8.84e-05	9.40e-03	[-0.01, <0.01]
T_Sup-T_right.nii	1.64	2.52e-05	.140	1.33e-04	1.15e-02	[-0.01, <0.01]
T_TF_left.nii	1.95	2.90e-05	.080	1.87e-04	1.37e-02	[-0.01, <0.01]
<b>T_TF_right.nii</b>	<b>2.23</b>	<b>3.35e-05</b>	<b>.048</b>	<b>2.44e-04</b>	<b>1.56e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>
T_TO_left.nii	1.93	3.46e-05	.098	1.85e-04	1.36e-02	[-0.01, <0.01]
<b>T_TO_right.nii</b>	<b>2.64</b>	<b>3.09e-04</b>	<b>.013</b>	<b>3.46e-04</b>	<b>1.86e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>
<b>T_TP_left.nii</b>	<b>2.28</b>	<b>3.43e-05</b>	<b>.041</b>	<b>2.57e-04</b>	<b>1.60e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>
T_TP_right.nii	2.01	3.19e-05	.082	1.98e-04	1.41e-02	[<0.01, <0.01]
T_UF_left.nii	1.33	2.10e-05	.288	8.84e-05	9.40e-03	[-0.01, <0.01]
T_UF_right.nii	1.81	2.84e-05	.110	1.64e-04	1.28e-02	[-0.01, <0.01]

*Note*\*  $p < .05$ , \*\*  $p < .01$ , \*\*\*  $p < .001$ , 95% CI(B)

**Table S6**

*ET PRS Associations with grey matter fractional anisotropy (FA) - LeadDBS\_Atlas\_compendium (Zhang's 2017 substantia nigra segmentation & Buckner's 2011 functional Cerebellum)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Cerebellar_Functional_Networks_17Networks_1	-0.40	-2.53e-03	.838	7.67e-06	2.77e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_10	-1.47	-8.98e-03	.220	1.02e-04	1.01e-02	[-0.02, <0.01]
Cerebellar_Functional_Networks_17Networks_11	0.33	2.11e-03	.886	5.14e-06	2.27e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_12	-0.40	-2.50e-03	.758	7.52e-06	2.74e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_13	-1.13	-6.86e-03	.358	5.94e-05	7.70e-03	[-0.02, 0.01]
Cerebellar_Functional_Networks_17Networks_14	-0.72	-4.65e-03	.649	2.43e-05	4.93e-03	[-0.02, 0.01]
Cerebellar_Functional_Networks_17Networks_15	0.32	1.96e-03	.842	4.67e-06	2.16e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_16	-0.75	-4.56e-03	.501	2.62e-05	5.11e-03	[-0.02, 0.01]
Cerebellar_Functional_Networks_17Networks_17	-0.77	-4.65e-03	.537	2.81e-05	5.30e-03	[-0.02, 0.01]
Cerebellar_Functional_Networks_17Networks_2	0.14	8.85e-04	1.00	9.49e-07	9.74e-04	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_3	-0.26	-1.67e-03	.873	3.21e-06	1.79e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_4	-0.44	-2.76e-03	.729	8.90e-06	2.98e-03	[-0.02, 0.01]
Cerebellar_Functional_Networks_17Networks_5	-0.49	-3.09e-03	.767	1.10e-05	3.32e-03	[-0.02, 0.01]
Cerebellar_Functional_Networks_17Networks_6	-0.42	-2.68e-03	.741	8.31e-06	2.88e-03	[-0.02, 0.01]
Cerebellar_Functional_Networks_17Networks_7	-0.45	-2.79e-03	.803	9.49e-06	3.08e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_8	-0.86	-5.18e-03	.538	3.45e-05	5.87e-03	[-0.02, 0.01]
Cerebellar_Functional_Networks_17Networks_9	0.99	6.59e-03	.396	4.56e-05	6.75e-03	[-0.01, 0.02]
Cerebellar_Functional_Networks_7Networks_1	0.36	2.21e-03	.873	6.06e-06	2.46e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_7Networks_2	-0.30	-1.91e-03	.837	4.33e-06	2.08e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_7Networks_3	-0.35	-2.23e-03	.796	5.86e-06	2.42e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_7Networks_4	-0.48	-2.93e-03	.775	1.06e-05	3.26e-03	[-0.02, 0.01]
Cerebellar_Functional_Networks_7Networks_5	0.91	6.07e-03	.498	3.89e-05	6.24e-03	[-0.01, 0.02]
Cerebellar_Functional_Networks_7Networks_6	-0.80	-4.90e-03	.555	3.00e-05	5.48e-03	[-0.02, 0.01]



Table S6

*ET PRS Associations with grey matter fractional anisotropy (FA) - LeadDBS\_Atlas\_compendium (Zhang's 2017 substantia nigra segmentation & Buckner's 2011 functional Cerebellum)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Cerebellar_Functional_Networks_7Networks_7	-0.90	-5.40e-03	.406	3.78e-05	6.15e-03	[-0.02, 0.01]
DBS_targets_ET_VIM_L	0.79	5.34e-03	.525	2.96e-05	5.44e-03	[-0.01, 0.02]
DBS_targets_ET_VIM_R	0.54	3.60e-03	.694	1.36e-05	3.68e-03	[-0.01, 0.02]
Essential_Tremor_Hypointensity_Coldspot_L	0.81	5.51e-03	.596	3.10e-05	5.57e-03	[-0.01, 0.02]
Essential_Tremor_Hypointensity_Coldspot_R	0.60	4.04e-03	.752	1.70e-05	4.13e-03	[-0.01, 0.02]
Essential_Tremor_Hypointensity_gm_mask	0.67	4.46e-03	.678	2.08e-05	4.56e-03	[-0.01, 0.02]
Essential_Tremor_Hypointensity_GPe_L	-0.08	-5.29e-04	1.00	2.94e-07	5.42e-04	[-0.01, 0.01]
Essential_Tremor_Hypointensity_GPe_R	0.78	5.26e-03	.597	2.87e-05	5.35e-03	[-0.01, 0.02]
Essential_Tremor_Hypointensity_GPi_L	-0.15	-1.03e-03	.966	1.11e-06	1.05e-03	[-0.01, 0.01]
Essential_Tremor_Hypointensity_GPi_R	-0.52	-3.48e-03	.666	1.25e-05	3.54e-03	[-0.02, 0.01]
Essential_Tremor_Hypointensity_Hotspot_L	1.18	7.96e-03	.340	6.52e-05	8.08e-03	[-0.01, 0.02]
Essential_Tremor_Hypointensity_Hotspot_R	0.91	6.09e-03	.500	3.87e-05	6.22e-03	[-0.01, 0.02]
Essential_Tremor_Hypointensity_Hypointensity_L	1.23	8.24e-03	.402	7.08e-05	8.41e-03	[-0.01, 0.02]
Essential_Tremor_Hypointensity_Hypointensity_R	1.17	7.83e-03	.414	6.41e-05	8.01e-03	[-0.01, 0.02]
<b>Essential_Tremor_Hypointensity_RN_L</b>	<b>2.38</b>	<b>1.60e-02</b>	<b>.038</b>	<b>2.66e-04</b>	<b>1.63e-02</b>	<b>&lt;0.01, 0.03]</b>
<b>Essential_Tremor_Hypointensity_RN_R</b>	<b>2.98</b>	<b>1.99e-02</b>	<b>.006</b>	<b>4.15e-04</b>	<b>2.04e-02</b>	<b>[0.01, 0.03]</b>
Essential_Tremor_Hypointensity_STN_L	0.44	2.96e-03	1.00	8.94e-06	2.99e-03	[-0.01, 0.02]
Essential_Tremor_Hypointensity_STN_R	-0.19	-1.25e-03	1.00	1.63e-06	1.28e-03	[-0.01, 0.01]
Essential_Tremor_Hypointensity_VIM_L	0.36	2.44e-03	.788	6.21e-06	2.49e-03	[-0.01, 0.02]
Essential_Tremor_Hypointensity_VIM_R	0.60	4.05e-03	.600	1.71e-05	4.14e-03	[-0.01, 0.02]
Essential_Tremor_Probabilistic_Mapping_pGPe_L	-0.08	-5.29e-04	1.00	2.94e-07	5.42e-04	[-0.01, 0.01]
Essential_Tremor_Probabilistic_Mapping_pGPe_R	0.78	5.26e-03	.597	2.87e-05	5.35e-03	[-0.01, 0.02]
Essential_Tremor_Probabilistic_Mapping_pGPi_L	-0.15	-1.03e-03	.966	1.11e-06	1.05e-03	[-0.01, 0.01]

Table S6

*ET PRS Associations with grey matter fractional anisotropy (FA) - LeadDBS\_Atlas\_compendium (Zhang's 2017 substantia nigra segmentation & Buckner's 2011 functional Cerebellum)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Essential_Tremor_Probabilistic_Mapping_pGPI_R	-0.52	-3.48e-03	.666	1.25e-05	3.54e-03	[-0.02, 0.01]
Essential_Tremor_Probabilistic_Mapping_pMeanMap_L	0.98	6.62e-03	.524	4.54e-05	6.74e-03	[-0.01, 0.02]
Essential_Tremor_Probabilistic_Mapping_pMeanMap_R	1.20	8.06e-03	.335	6.78e-05	8.23e-03	[-0.01, 0.02]
<b>Essential_Tremor_Probabilistic_Mapping_pRN_L</b>	<b>2.38</b>	<b>1.60e-02</b>	<b>.038</b>	<b>2.66e-04</b>	<b>1.63e-02</b>	<b>&lt;0.01, 0.03]</b>
<b>Essential_Tremor_Probabilistic_Mapping_pRN_R</b>	<b>2.98</b>	<b>1.99e-02</b>	<b>.006</b>	<b>4.15e-04</b>	<b>2.04e-02</b>	<b>[0.01, 0.03]</b>
Essential_Tremor_Probabilistic_Mapping_pSignificantMap_L	1.46	9.85e-03	.400	9.93e-05	9.97e-03	[-0.01, 0.02]
Essential_Tremor_Probabilistic_Mapping_pSignificantMap_R	1.04	6.98e-03	.466	5.05e-05	7.11e-03	[-0.01, 0.02]
Essential_Tremor_Probabilistic_Mapping_pSTN_L	0.44	2.96e-03	1.00	8.94e-06	2.99e-03	[-0.01, 0.02]
Essential_Tremor_Probabilistic_Mapping_pSTN_R	-0.19	-1.25e-03	1.00	1.63e-06	1.28e-03	[-0.01, 0.01]
Essential_Tremor_Probabilistic_Mapping_pVIM_L	0.36	2.44e-03	.788	6.21e-06	2.49e-03	[-0.01, 0.02]
Essential_Tremor_Probabilistic_Mapping_pVIM_R	0.60	4.05e-03	.600	1.71e-05	4.14e-03	[-0.01, 0.02]
left_amygdala	1.02	6.58e-03	.394	4.90e-05	7.00e-03	[-0.01, 0.02]
left_caudate	-2.05	-1.33e-02	.056	1.96e-04	1.40e-02	[-0.03, -0.01]
left_globus_pallidus_externa	-0.12	-7.77e-04	.997	6.47e-07	8.04e-04	[-0.01, 0.01]
left_globus_pallidus_interna	-0.02	-1.62e-04	1.00	2.74e-08	1.66e-04	[-0.01, 0.01]
left_hippocampus	-0.09	-5.33e-04	1.00	3.44e-07	5.87e-04	[-0.01, 0.01]
left_nucleus_accumbens	0.58	3.67e-03	.689	1.56e-05	3.96e-03	[-0.01, 0.02]
left_putamen	0.43	2.74e-03	.738	8.48e-06	2.91e-03	[-0.01, 0.02]
<b>left_red_nucleus</b>	<b>2.60</b>	<b>1.75e-02</b>	<b>.025</b>	<b>3.17e-04</b>	<b>1.78e-02</b>	<b>&lt;0.01, 0.03]</b>
left_substantia_nigra	-0.85	-5.75e-03	.477	3.37e-05	5.81e-03	[-0.02, 0.01]
left_subthalamic_nucleus	0.57	3.86e-03	.836	1.52e-05	3.90e-03	[-0.01, 0.02]

Table S6

*ET PRS Associations with grey matter fractional anisotropy (FA) - LeadDBS\_Atlas\_compendium (Zhang's 2017 substantia nigra segmentation & Buckner's 2011 functional Cerebellum)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
left_thalamus	-0.34	-2.27e-03	.894	5.54e-06	2.35e-03	[-0.02, 0.01]
right_amygdala	1.52	9.75e-03	.157	1.08e-04	1.04e-02	[-0.01, 0.02]
right_caudate	-1.31	-8.51e-03	.246	8.02e-05	8.96e-03	[-0.02, <0.01]
right_globus_pallidus_externa	0.50	3.38e-03	.844	1.19e-05	3.46e-03	[-0.01, 0.02]
right_globus_pallidus_Interna	-0.79	-5.35e-03	.521	2.96e-05	5.44e-03	[-0.02, 0.01]
right_hippocampus	0.51	3.15e-03	.673	1.20e-05	3.47e-03	[-0.01, 0.02]
right_nucleus_accumbens	0.89	5.59e-03	.459	3.68e-05	6.06e-03	[-0.01, 0.02]
right_putamen	0.99	6.30e-03	.507	4.58e-05	6.77e-03	[-0.01, 0.02]
<b>right_red_nucleus</b>	<b>3.18</b>	<b>2.13e-02</b>	<b>.003</b>	<b>4.75e-04</b>	<b>2.18e-02</b>	<b>[0.01, 0.03]</b>
right_substantia_nigra	-0.53	-3.56e-03	.728	1.32e-05	3.63e-03	[-0.02, 0.01]
right_subthalamic_nucleus	-0.29	-1.93e-03	.905	3.89e-06	1.97e-03	[-0.02, 0.01]
right_thalamus	-0.02	-1.31e-04	1.00	1.82e-08	1.35e-04	[-0.01, 0.01]
SN1_LH	-1.30	-8.76e-03	.304	7.93e-05	8.91e-03	[-0.02, <0.01]
SN1_RH	-1.06	-7.07e-03	.415	5.28e-05	7.26e-03	[-0.02, 0.01]
SN2_LH	-0.18	-1.21e-03	1.00	1.49e-06	1.22e-03	[-0.01, 0.01]
SN2_RH	-0.24	-1.61e-03	.988	2.75e-06	1.66e-03	[-0.01, 0.01]
SN3_LH	0.37	2.47e-03	.783	6.41e-06	2.53e-03	[-0.01, 0.02]
SN3_RH	0.80	5.34e-03	.666	3.00e-05	5.48e-03	[-0.01, 0.02]
T1_LH	-0.46	-2.97e-03	.789	9.90e-06	3.15e-03	[-0.02, 0.01]
T1_RH	-0.29	-1.84e-03	.853	3.81e-06	1.95e-03	[-0.01, 0.01]
T2_LH	0.12	7.91e-04	.995	6.80e-07	8.25e-04	[-0.01, 0.01]
T2_RH	0.17	1.08e-03	.956	1.28e-06	1.13e-03	[-0.01, 0.01]
T3_LH	-0.03	-2.04e-04	1.00	4.43e-08	2.10e-04	[-0.01, 0.01]

**Table S6**

***ET PRS Associations with grey matter fractional anisotropy (FA) - LeadDBS\_Atlas\_compendium (Zhang's 2017 substantia nigra segmentation & Buckner's 2011 functional Cerebellum)***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
T3_RH	0.04	2.93e-04	1.00	9.11e-08	3.02e-04	[-0.01, 0.01]
talairach_label_GM_Hypothalamus	0.32	2.15e-03	.820	4.95e-06	2.22e-03	[-0.01, 0.02]
talairach_label_Left_Sublobar_GMHypothalamus	-0.39	-2.58e-03	.852	7.09e-06	2.66e-03	[-0.02, 0.01]
talairach_label_Right_Sublobar_GMHypothalamus	-0.28	-1.87e-03	.858	3.66e-06	1.91e-03	[-0.02, 0.01]

*Note*

\*  $p < .05$ , \*\*  $p < .01$ , \*\*\*  $p < .001$ , 95% CI(B)

**Table S7**

***ET PRS Associations with grey matter mean diffusivity (MD) - LeadDBS\_Atlas\_compendium (Buckner's 2011 functional Cerebellum)***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Cerebellar_Functional_Networks_17Networks_1	1.17	2.69e-04	.334	6.40e-05	8.00e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_10	0.55	2.86e-04	.739	1.42e-05	3.77e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_11	0.75	2.14e-04	.623	2.64e-05	5.14e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_12	0.38	5.38e-05	.922	6.72e-06	2.59e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_13	1.14	2.06e-04	.350	6.08e-05	7.80e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_14	0.37	6.79e-05	.873	6.30e-06	2.51e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_15	0.85	2.13e-04	.432	3.42e-05	5.85e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_16	0.24	4.94e-05	.987	2.77e-06	1.66e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_17	-0.02	-4.42e-06	1.00	2.34e-08	1.53e-04	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_2	1.07	2.96e-04	.446	5.38e-05	7.34e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_3	0.68	8.99e-05	.606	2.17e-05	4.66e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_4	0.52	6.73e-05	.741	1.25e-05	3.53e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_5	-0.45	-6.43e-05	.717	9.57e-06	3.09e-03	[-0.01, <0.01]

Table S7

*ET PRS Associations with grey matter mean diffusivity (MD) - LeadDBS\_Atlas\_compendium (Buckner's 2011 functional Cerebellum)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Cerebellar_Functional_Networks_17Networks_6	0.93	1.79e-04	.432	4.03e-05	6.35e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_7	1.10	1.54e-04	.370	5.72e-05	7.56e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_8	0.98	1.77e-04	.398	4.53e-05	6.73e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_9	0.57	8.81e-05	.625	1.53e-05	3.91e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_7Networks_1	0.99	2.25e-04	.397	4.55e-05	6.75e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_7Networks_2	0.72	9.86e-05	.576	2.43e-05	4.93e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_7Networks_3	0.75	1.39e-04	.502	2.60e-05	5.10e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_7Networks_4	1.17	1.74e-04	.331	6.44e-05	8.03e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_7Networks_5	0.60	9.97e-05	.604	1.69e-05	4.11e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_7Networks_6	0.98	1.57e-04	.450	4.50e-05	6.71e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_7Networks_7	0.25	4.86e-05	.884	2.90e-06	1.70e-03	[-0.01, <0.01]
DBS_targets_ET_VIM_L	0.06	9.85e-06	1.00	1.82e-07	4.26e-04	[-0.01, <0.01]
DBS_targets_ET_VIM_R	0.06	9.48e-06	1.00	1.64e-07	4.05e-04	[-0.01, <0.01]
Essential_Tremor_Hypointensity_Coldspot_L	-0.62	-1.24e-04	.990	1.83e-05	4.27e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_Coldspot_R	-0.34	-6.93e-05	.899	5.36e-06	2.31e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_gm_mask	-0.29	-4.19e-05	.852	3.84e-06	1.96e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_GPe_L	0.09	1.33e-05	1.00	3.42e-07	5.85e-04	[-0.01, <0.01]
Essential_Tremor_Hypointensity_GPe_R	-0.27	-4.24e-05	.865	3.44e-06	1.86e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_GPi_L	0.28	5.32e-05	.898	3.80e-06	1.95e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_GPi_R	-0.46	-8.80e-05	.707	1.01e-05	3.17e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_Hotspot_L	-0.53	-8.63e-05	.816	1.34e-05	3.66e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_Hotspot_R	-0.40	-7.07e-05	.935	7.55e-06	2.75e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_Hypointensity_L	-0.42	-6.92e-05	.742	8.26e-06	2.87e-03	[-0.01, <0.01]

**Table S7**

***ET PRS Associations with grey matter mean diffusivity (MD) - LeadDBS\_Atlas\_compendium (Buckner's 2011 functional Cerebellum)***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Essential_Tremor_Hypointensity_Hypointensity_R	-0.46	-6.63e-05	.990	1.00e-05	3.17e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_RN_L	-0.41	-7.96e-05	.794	7.86e-06	2.80e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_RN_R	-0.60	-1.21e-04	.752	1.70e-05	4.12e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_STN_L	-0.81	-1.95e-04	.578	3.04e-05	5.51e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_STN_R	-0.72	-1.82e-04	.530	2.42e-05	4.92e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_VIM_L	-0.30	-4.24e-05	1.00	4.20e-06	2.05e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_VIM_R	-0.28	-3.90e-05	.949	3.78e-06	1.94e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pGPe_L	0.09	1.33e-05	1.00	3.42e-07	5.85e-04	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pGPe_R	-0.27	-4.24e-05	.865	3.44e-06	1.86e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pGPi_L	0.28	5.32e-05	.898	3.80e-06	1.95e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pGPi_R	-0.46	-8.80e-05	.707	1.01e-05	3.17e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pMeanMap_L	-0.53	-8.42e-05	.727	1.33e-05	3.64e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pMeanMap_R	-0.76	-1.23e-04	.617	2.69e-05	5.19e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pRN_L	-0.41	-7.96e-05	.794	7.86e-06	2.80e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pRN_R	-0.60	-1.21e-04	.752	1.70e-05	4.12e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pSignificantMap_L	-0.57	-9.89e-05	.779	1.54e-05	3.92e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pSignificantMap_R	-0.46	-8.08e-05	1.00	9.84e-06	3.14e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pSTN_L	-0.81	-1.95e-04	.578	3.04e-05	5.51e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pSTN_R	-0.72	-1.82e-04	.530	2.42e-05	4.92e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pVIM_L	-0.30	-4.24e-05	1.00	4.20e-06	2.05e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pVIM_R	-0.28	-3.90e-05	.949	3.78e-06	1.94e-03	[-0.01, <0.01]

Table S7

*ET PRS Associations with grey matter mean diffusivity (MD) - LeadDBS\_Atlas\_compendium (Buckner's 2011 functional Cerebellum)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
left_amygdala	0.20	2.65e-05	.925	1.90e-06	1.38e-03	[-0.01, <0.01]
left_caudate	1.52	3.64e-04	.158	1.08e-04	1.04e-02	[-0.01, <0.01]
left_globus_pallidus_externa	0.13	1.99e-05	.990	7.45e-07	8.63e-04	[-0.01, <0.01]
left_globus_pallidus_interna	0.35	6.53e-05	.891	5.64e-06	2.37e-03	[-0.01, <0.01]
<b>left_hippocampus</b>	<b>2.19</b>	<b>3.66e-04</b>	<b>.034</b>	<b>2.26e-04</b>	<b>1.50e-02</b>	<b>&lt;0.01, &lt;0.01]</b>
left_nucleus_accumbens	-0.32	-6.32e-05	.949	4.77e-06	2.18e-03	[-0.01, <0.01]
left_putamen	1.05	1.33e-04	.358	5.19e-05	7.20e-03	[-0.01, <0.01]
left_red_nucleus	-0.49	-9.88e-05	.764	1.12e-05	3.34e-03	[-0.01, <0.01]
left_substantia_nigra	0.40	9.24e-05	.756	7.59e-06	2.75e-03	[-0.01, <0.01]
left_subthalamic_nucleus	-0.90	-2.26e-04	.507	3.78e-05	6.15e-03	[-0.01, <0.01]
left_thalamus	1.60	2.30e-04	.151	1.20e-04	1.09e-02	[-0.01, <0.01]
right_amygdala	-0.23	-3.11e-05	.896	2.59e-06	1.61e-03	[-0.01, <0.01]
right_caudate	1.02	2.88e-04	.339	4.87e-05	6.98e-03	[-0.01, <0.01]
right_globus_pallidus_externa	-0.15	-2.37e-05	.970	1.03e-06	1.02e-03	[-0.01, <0.01]
right_globus_pallidus_Interna	-0.37	-6.68e-05	.784	6.35e-06	2.52e-03	[-0.01, <0.01]
right_hippocampus	1.03	1.65e-04	.370	4.97e-05	7.05e-03	[-0.01, <0.01]
right_nucleus_accumbens	-0.36	-6.96e-05	.789	6.13e-06	2.48e-03	[-0.01, <0.01]
right_putamen	0.65	8.31e-05	.564	2.01e-05	4.48e-03	[-0.01, <0.01]
right_red_nucleus	-0.63	-1.30e-04	.723	1.89e-05	4.34e-03	[-0.01, <0.01]
right_substantia_nigra	-0.46	-9.95e-05	.788	9.95e-06	3.15e-03	[-0.01, <0.01]
right_subthalamic_nucleus	-0.72	-1.87e-04	.521	2.41e-05	4.91e-03	[-0.01, <0.01]
right_thalamus	0.91	1.33e-04	.398	3.90e-05	6.24e-03	[-0.01, <0.01]
SN1_LH	0.47	1.33e-04	.781	1.03e-05	3.21e-03	[-0.01, <0.01]

**Table S7**

***ET PRS Associations with grey matter mean diffusivity (MD) - LeadDBS\_Atlas\_compendium (Buckner's 2011 functional Cerebellum)***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
SN1_RH	-0.42	-1.13e-04	.923	8.46e-06	2.91e-03	[-0.01, <0.01]
SN2_LH	0.02	3.72e-06	1.00	1.19e-08	1.09e-04	[-0.01, <0.01]
SN2_RH	-1.12	-2.63e-04	.333	5.88e-05	7.67e-03	[-0.01, <0.01]
SN3_LH	-0.55	-1.25e-04	.642	1.41e-05	3.75e-03	[-0.01, <0.01]
SN3_RH	-1.62	-3.72e-04	.166	1.23e-04	1.11e-02	[-0.01, <0.01]
T1_LH	0.53	6.33e-05	.657	1.31e-05	3.62e-03	[-0.01, <0.01]
T1_RH	1.02	1.24e-04	.377	4.88e-05	6.98e-03	[-0.01, <0.01]
T2_LH	1.13	1.53e-04	.443	5.96e-05	7.72e-03	[-0.01, <0.01]
T2_RH	0.71	9.73e-05	.558	2.34e-05	4.84e-03	[-0.01, <0.01]
T3_LH	1.11	1.34e-04	.328	5.74e-05	7.58e-03	[-0.01, <0.01]
T3_RH	0.59	7.00e-05	.683	1.60e-05	4.01e-03	[-0.01, <0.01]
talairach_label_GM_Hypothalamus	1.18	4.83e-04	.325	6.56e-05	8.10e-03	[-0.01, <0.01]
talairach_label_Left_Sublobar_GMHypothalamus	0.95	2.44e-04	.420	4.20e-05	6.48e-03	[-0.01, <0.01]
talairach_label_Right_Sublobar_GMHypothalamus	0.39	1.04e-04	.847	7.08e-06	2.66e-03	[-0.01, <0.01]

*Note*

\*  $p < .05$ , \*\*  $p < .01$ , \*\*\*  $p < .001$ , 95% CI(B)

**Table S8**

***ET PRS Associations with grey matter radial diffusivity (RD) - LeadDBS\_Atlas\_compendium***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Cerebellar_Functional_Networks_17Networks_1	1.18	5.75e-03	.290	6.55e-05	8.09e-03	[-0.01, 0.02]
Cerebellar_Functional_Networks_17Networks_10	0.66	4.11e-03	.697	2.07e-05	4.55e-03	[-0.01, 0.02]
Cerebellar_Functional_Networks_17Networks_11	0.73	3.86e-03	.735	2.47e-05	4.97e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_12	0.45	1.61e-03	.795	9.64e-06	3.10e-03	[-0.01, 0.01]



**Table S8**

***ET PRS Associations with grey matter radial diffusivity (RD) - LeadDBS\_Atlas\_compendium***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Cerebellar_Functional_Networks_17Networks_13	0.89	3.54e-03	.517	3.67e-05	6.06e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_14	0.48	2.08e-03	.769	1.09e-05	3.31e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_15	0.84	4.28e-03	.487	3.34e-05	5.78e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_16	0.31	1.42e-03	.829	4.62e-06	2.15e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_17	0.03	1.53e-04	1.00	5.53e-08	2.35e-04	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_2	1.06	5.66e-03	.452	5.30e-05	7.28e-03	[-0.01, 0.02]
Cerebellar_Functional_Networks_17Networks_3	0.71	2.41e-03	.529	2.33e-05	4.83e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_4	0.56	1.90e-03	.702	1.48e-05	3.85e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_5	-0.42	-1.50e-03	.742	8.26e-06	2.87e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_6	0.94	4.11e-03	.479	4.12e-05	6.42e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_7	1.17	4.15e-03	.330	6.47e-05	8.04e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_8	1.03	4.31e-03	.369	4.99e-05	7.06e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_17Networks_9	0.42	1.52e-03	.743	8.20e-06	2.86e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_7Networks_1	0.95	4.65e-03	.469	4.25e-05	6.52e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_7Networks_2	0.74	2.60e-03	.562	2.56e-05	5.06e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_7Networks_3	0.79	3.41e-03	.472	2.93e-05	5.41e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_7Networks_4	1.23	4.54e-03	.266	7.13e-05	8.45e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_7Networks_5	0.48	1.87e-03	.690	1.10e-05	3.32e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_7Networks_6	0.85	3.23e-03	.545	3.37e-05	5.81e-03	[-0.01, 0.01]
Cerebellar_Functional_Networks_7Networks_7	0.27	1.19e-03	.867	3.38e-06	1.84e-03	[-0.01, 0.01]
DBS_targets_ET_VIM_L	0.01	5.02e-05	1.00	7.68e-09	8.76e-05	[-0.01, 0.01]
DBS_targets_ET_VIM_R	0.04	1.62e-04	1.00	7.96e-08	2.82e-04	[-0.01, 0.01]
Essential_Tremor_Hypointensity_Coldspot_L	-0.68	-3.19e-03	.947	2.18e-05	4.67e-03	[-0.01, 0.01]
Essential_Tremor_Hypointensity_Coldspot_R	-0.25	-1.15e-03	.883	2.94e-06	1.71e-03	[-0.01, 0.01]

**Table S8**

***ET PRS Associations with grey matter radial diffusivity (RD) - LeadDBS\_Atlas\_compendium***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Essential_Tremor_Hypointensity_gm_mask	-0.27	-1.01e-03	.862	3.53e-06	1.88e-03	[-0.01, 0.01]
Essential_Tremor_Hypointensity_GPe_L	0.21	8.08e-04	.918	2.05e-06	1.43e-03	[-0.01, 0.01]
Essential_Tremor_Hypointensity_GPe_R	-0.34	-1.32e-03	.809	5.36e-06	2.31e-03	[-0.01, 0.01]
Essential_Tremor_Hypointensity_GPi_L	0.41	1.83e-03	.895	7.97e-06	2.82e-03	[-0.01, 0.01]
Essential_Tremor_Hypointensity_GPi_R	-0.23	-1.02e-03	.902	2.44e-06	1.56e-03	[-0.01, 0.01]
Essential_Tremor_Hypointensity_Hotspot_L	-0.65	-2.59e-03	.629	1.99e-05	4.46e-03	[-0.01, 0.01]
Essential_Tremor_Hypointensity_Hotspot_R	-0.57	-2.37e-03	.801	1.50e-05	3.87e-03	[-0.01, 0.01]
Essential_Tremor_Hypointensity_Hypointensity_L	-0.54	-2.11e-03	.649	1.36e-05	3.69e-03	[-0.01, 0.01]
Essential_Tremor_Hypointensity_Hypointensity_R	-0.58	-2.04e-03	.975	1.55e-05	3.94e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_RN_L	-0.60	-2.69e-03	.673	1.67e-05	4.08e-03	[-0.01, 0.01]
Essential_Tremor_Hypointensity_RN_R	-0.97	-4.46e-03	.607	4.43e-05	6.65e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_STN_L	-0.73	-3.78e-03	.636	2.53e-05	5.03e-03	[-0.01, 0.01]
Essential_Tremor_Hypointensity_STN_R	-0.52	-2.71e-03	.738	1.26e-05	3.56e-03	[-0.01, 0.01]
Essential_Tremor_Hypointensity_VIM_L	-0.26	-9.24e-04	.874	3.17e-06	1.78e-03	[-0.01, 0.01]
Essential_Tremor_Hypointensity_VIM_R	-0.36	-1.23e-03	.952	5.98e-06	2.45e-03	[-0.01, 0.01]
Essential_Tremor_Probabilistic_Mapping_pGPe_L	0.21	8.08e-04	.918	2.05e-06	1.43e-03	[-0.01, 0.01]
Essential_Tremor_Probabilistic_Mapping_pGPe_R	-0.34	-1.32e-03	.809	5.36e-06	2.31e-03	[-0.01, 0.01]
Essential_Tremor_Probabilistic_Mapping_pGPi_L	0.41	1.83e-03	.895	7.97e-06	2.82e-03	[-0.01, 0.01]
Essential_Tremor_Probabilistic_Mapping_pGPi_R	-0.23	-1.02e-03	.902	2.44e-06	1.56e-03	[-0.01, 0.01]
Essential_Tremor_Probabilistic_Mapping_pMeanMap_L	-0.60	-2.33e-03	.672	1.67e-05	4.09e-03	[-0.01, 0.01]
Essential_Tremor_Probabilistic_Mapping_pMeanMap_R	-0.89	-3.52e-03	.589	3.70e-05	6.08e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pRN_L	-0.60	-2.69e-03	.673	1.67e-05	4.08e-03	[-0.01, 0.01]
Essential_Tremor_Probabilistic_Mapping_pRN_R	-0.97	-4.46e-03	.607	4.43e-05	6.65e-03	[-0.01, <0.01]

**Table S8**

***ET PRS Associations with grey matter radial diffusivity (RD) - LeadDBS\_Atlas\_compendium***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Essential_Tremor_Probabilistic_Mapping_pSignificantMap_L	-0.76	-3.18e-03	.614	2.72e-05	5.21e-03	[-0.01, 0.01]
Essential_Tremor_Probabilistic_Mapping_pSignificantMap_R	-0.64	-2.71e-03	.746	1.94e-05	4.41e-03	[-0.01, 0.01]
Essential_Tremor_Probabilistic_Mapping_pSTN_L	-0.73	-3.78e-03	.636	2.53e-05	5.03e-03	[-0.01, 0.01]
Essential_Tremor_Probabilistic_Mapping_pSTN_R	-0.52	-2.71e-03	.738	1.26e-05	3.56e-03	[-0.01, 0.01]
Essential_Tremor_Probabilistic_Mapping_pVIM_L	-0.26	-9.24e-04	.874	3.17e-06	1.78e-03	[-0.01, 0.01]
Essential_Tremor_Probabilistic_Mapping_pVIM_R	-0.36	-1.23e-03	.952	5.98e-06	2.45e-03	[-0.01, 0.01]
left_amygdala	0.09	3.16e-04	1.00	4.05e-07	6.36e-04	[-0.01, 0.01]
left_caudate	1.64	7.80e-03	.124	1.26e-04	1.12e-02	[-0.01, 0.02]
left_globus_pallidus_externa	0.25	9.54e-04	.887	2.82e-06	1.68e-03	[-0.01, 0.01]
left_globus_pallidus_interna	0.45	1.99e-03	.900	9.36e-06	3.06e-03	[-0.01, 0.01]
<b>left_hippocampus</b>	<b>2.20</b>	<b>8.68e-03</b>	<b>.034</b>	<b>2.27e-04</b>	<b>1.51e-02</b>	<b>&lt;0.01, 0.02]</b>
left_nucleus_accumbens	-0.36	-1.62e-03	.917	6.02e-06	2.45e-03	[-0.01, 0.01]
left_putamen	1.04	3.39e-03	.466	5.06e-05	7.12e-03	[-0.01, 0.01]
left_red_nucleus	-0.72	-3.35e-03	.574	2.45e-05	4.95e-03	[-0.01, 0.01]
left_substantia_nigra	0.64	3.23e-03	.575	1.91e-05	4.37e-03	[-0.01, 0.01]
left_subthalamic_nucleus	-0.84	-4.39e-03	.571	3.33e-05	5.77e-03	[-0.01, 0.01]
left_thalamus	1.74	6.07e-03	.101	1.41e-04	1.19e-02	[-0.01, 0.01]
right_amygdala	-0.42	-1.41e-03	.745	8.10e-06	2.85e-03	[-0.01, 0.01]
right_caudate	1.08	5.44e-03	.310	5.42e-05	7.36e-03	[-0.01, 0.02]
right_globus_pallidus_externa	-0.17	-6.85e-04	.968	1.41e-06	1.19e-03	[-0.01, 0.01]
right_globus_pallidus_Interna	-0.08	-3.46e-04	1.00	2.97e-07	5.45e-04	[-0.01, 0.01]
right_hippocampus	0.99	3.82e-03	.353	4.62e-05	6.80e-03	[-0.01, 0.01]

**Table S8**

***ET PRS Associations with grey matter radial diffusivity (RD) - LeadDBS\_Atlas\_compendium***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
right_nucleus_accumbens	-0.40	-1.79e-03	.838	7.66e-06	2.77e-03	[-0.01, 0.01]
right_putamen	0.54	1.78e-03	.646	1.38e-05	3.72e-03	[-0.01, 0.01]
right_red_nucleus	-1.06	-4.97e-03	.527	5.31e-05	7.29e-03	[-0.01, <0.01]
right_substantia_nigra	-0.08	-3.98e-04	1.00	3.11e-07	5.58e-04	[-0.01, 0.01]
right_subthalamic_nucleus	-0.51	-2.68e-03	.747	1.21e-05	3.48e-03	[-0.01, 0.01]
right_thalamus	0.98	3.46e-03	.360	4.49e-05	6.70e-03	[-0.01, 0.01]
SN1_LH	0.66	3.62e-03	.711	2.06e-05	4.54e-03	[-0.01, 0.01]
SN1_RH	0.08	4.26e-04	1.00	2.89e-07	5.37e-04	[-0.01, 0.01]
SN2_LH	0.19	9.67e-04	1.00	1.76e-06	1.33e-03	[-0.01, 0.01]
SN2_RH	-0.79	-3.95e-03	.541	2.91e-05	5.39e-03	[-0.01, 0.01]
SN3_LH	-0.45	-2.20e-03	.720	9.40e-06	3.07e-03	[-0.01, 0.01]
SN3_RH	-1.43	-7.19e-03	.283	9.52e-05	9.76e-03	[-0.02, <0.01]
T1_LH	0.65	1.95e-03	.568	1.98e-05	4.44e-03	[-0.01, 0.01]
T1_RH	1.00	3.04e-03	.348	4.71e-05	6.86e-03	[-0.01, 0.01]
T2_LH	1.24	4.03e-03	.335	7.17e-05	8.47e-03	[-0.01, 0.01]
T2_RH	0.77	2.55e-03	.539	2.78e-05	5.27e-03	[-0.01, 0.01]
T3_LH	1.23	3.62e-03	.269	7.04e-05	8.39e-03	[-0.01, 0.01]
T3_RH	0.67	1.98e-03	.613	2.11e-05	4.60e-03	[-0.01, 0.01]
talairach_label_GM_Hypothalamus	1.08	6.44e-03	.387	5.43e-05	7.37e-03	[-0.01, 0.02]
talairach_label_Left_Sublobar_GMHypothalamus	0.92	4.76e-03	.394	3.95e-05	6.29e-03	[-0.01, 0.01]
talairach_label_Right_Sublobar_GMHypothalamus	0.39	2.10e-03	.883	7.31e-06	2.70e-03	[-0.01, 0.01]

*Note*

\* *p* < .05, \*\* *p* < .01, \*\*\* *p* < .001, 95% CI(B)

**Table S9**

***ET PRS Associations with gray matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Cerebellar_Functional_Networks_17Networks_1	1.14	9.17e-05	.313	6.04e-05	7.77e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_10	0.33	7.23e-05	.909	5.00e-06	2.24e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_11	0.78	8.19e-05	.600	2.84e-05	5.33e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_12	0.26	1.46e-05	.960	3.15e-06	1.78e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_13	1.20	1.15e-04	.317	6.74e-05	8.21e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_14	0.17	1.19e-05	.951	1.37e-06	1.17e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_15	0.86	7.76e-05	.429	3.47e-05	5.89e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_16	0.11	8.50e-06	1.00	5.61e-07	7.49e-04	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_17	-0.12	-8.87e-06	.998	6.39e-07	7.99e-04	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_2	1.08	1.06e-04	.487	5.49e-05	7.41e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_3	0.63	3.24e-05	.647	1.86e-05	4.31e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_4	0.44	2.21e-05	.807	9.03e-06	3.01e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_5	-0.50	-2.77e-05	.758	1.15e-05	3.39e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_6	0.88	6.50e-05	.419	3.61e-05	6.00e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_7	0.98	5.26e-05	.515	4.49e-05	6.70e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_8	0.88	5.95e-05	.462	3.65e-05	6.04e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_17Networks_9	0.76	5.17e-05	.545	2.72e-05	5.22e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_7Networks_1	1.03	8.42e-05	.332	4.99e-05	7.06e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_7Networks_2	0.68	3.54e-05	.611	2.14e-05	4.62e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_7Networks_3	0.65	4.64e-05	.568	1.98e-05	4.45e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_7Networks_4	1.07	6.09e-05	.389	5.40e-05	7.35e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_7Networks_5	0.74	5.30e-05	.562	2.56e-05	5.06e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_7Networks_6	1.06	7.41e-05	.396	5.28e-05	7.27e-03	[-0.01, <0.01]
Cerebellar_Functional_Networks_7Networks_7	0.21	1.55e-05	.982	2.00e-06	1.41e-03	[-0.01, <0.01]

**Table S9**

***ET PRS Associations with gray matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
DBS_targets_ET_VIM_L	0.12	8.46e-06	.991	7.21e-07	8.49e-04	[-0.01, <0.01]
DBS_targets_ET_VIM_R	0.08	5.18e-06	1.00	2.64e-07	5.14e-04	[-0.01, <0.01]
Essential_Tremor_Hypointensity_Coldspot_L	-0.44	-3.33e-05	.810	8.93e-06	2.99e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_Coldspot_R	-0.45	-3.70e-05	.715	9.63e-06	3.10e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_gm_mask	-0.29	-1.67e-05	.852	3.84e-06	1.96e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_GPe_L	-0.13	-7.76e-06	.988	7.72e-07	8.79e-04	[-0.01, <0.01]
Essential_Tremor_Hypointensity_GPe_R	-0.15	-8.86e-06	.972	1.00e-06	1.00e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_GPi_L	0.03	2.27e-06	1.00	5.07e-08	2.25e-04	[-0.01, <0.01]
Essential_Tremor_Hypointensity_GPi_R	-0.86	-6.02e-05	.476	3.48e-05	5.90e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_Hotspot_L	-0.29	-1.93e-05	.945	3.89e-06	1.97e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_Hotspot_R	-0.10	-6.90e-06	1.00	4.24e-07	6.51e-04	[-0.01, <0.01]
Essential_Tremor_Hypointensity_Hypointensity_L	-0.24	-1.62e-05	.894	2.64e-06	1.62e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_Hypointensity_R	-0.28	-1.68e-05	1.00	3.61e-06	1.90e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_RN_L	-0.08	-6.18e-06	1.00	3.11e-07	5.57e-04	[-0.01, <0.01]
Essential_Tremor_Hypointensity_RN_R	0.06	4.33e-06	1.00	1.47e-07	3.83e-04	[-0.01, <0.01]
Essential_Tremor_Hypointensity_STN_L	-0.87	-7.70e-05	.530	3.53e-05	5.94e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_STN_R	-1.04	-9.53e-05	.444	5.05e-05	7.11e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_VIM_L	-0.34	-2.00e-05	.890	5.27e-06	2.30e-03	[-0.01, <0.01]
Essential_Tremor_Hypointensity_VIM_R	-0.16	-9.23e-06	.963	1.14e-06	1.07e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pGPe_L	-0.13	-7.76e-06	.988	7.72e-07	8.79e-04	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pGPe_R	-0.15	-8.86e-06	.972	1.00e-06	1.00e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pGPi_L	0.03	2.27e-06	1.00	5.07e-08	2.25e-04	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pGPi_R	-0.86	-6.02e-05	.476	3.48e-05	5.90e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pMeanMap_L	-0.39	-2.47e-05	.856	6.95e-06	2.64e-03	[-0.01, <0.01]

Table S9

*ET PRS Associations with gray matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Essential_Tremor_Probabilistic_Mapping_pMeanMap_R	-0.48	-3.19e-05	.764	1.10e-05	3.31e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pRN_L	-0.08	-6.18e-06	1.00	3.11e-07	5.57e-04	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pRN_R	0.06	4.33e-06	1.00	1.47e-07	3.83e-04	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pSignificantMap_L	-0.23	-1.59e-05	1.00	2.41e-06	1.55e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pSignificantMap_R	-0.10	-7.51e-06	1.00	5.16e-07	7.19e-04	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pSTN_L	-0.87	-7.70e-05	.530	3.53e-05	5.94e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pSTN_R	-1.04	-9.53e-05	.444	5.05e-05	7.11e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pVIM_L	-0.34	-2.00e-05	.890	5.27e-06	2.30e-03	[-0.01, <0.01]
Essential_Tremor_Probabilistic_Mapping_pVIM_R	-0.16	-9.23e-06	.963	1.14e-06	1.07e-03	[-0.01, <0.01]
left_amygdala	0.36	1.88e-05	.791	6.08e-06	2.46e-03	[-0.01, <0.01]
left_caudate	1.29	1.13e-04	.215	7.84e-05	8.85e-03	[-0.01, <0.01]
left_globus_pallidus_externa	-0.08	-4.74e-06	1.00	2.83e-07	5.32e-04	[-0.01, <0.01]
left_globus_pallidus_interna	0.16	1.15e-05	1.00	1.27e-06	1.13e-03	[-0.01, <0.01]
<b>left_hippocampus</b>	<b>2.14</b>	<b>1.35e-04</b>	<b>.044</b>	<b>2.15e-04</b>	<b>1.47e-02</b>	<b>&lt;0.01, &lt;0.01</b>
left_nucleus_accumbens	-0.24	-1.83e-05	1.00	2.70e-06	1.64e-03	[-0.01, <0.01]
left_putamen	1.04	5.19e-05	.366	5.04e-05	7.10e-03	[-0.01, <0.01]
left_red_nucleus	-0.05	-4.27e-06	1.00	1.40e-07	3.74e-04	[-0.01, <0.01]
left_substantia_nigra	-0.07	-6.45e-06	1.00	2.45e-07	4.95e-04	[-0.01, <0.01]
left_subthalamic_nucleus	-0.93	-8.60e-05	.551	4.08e-05	6.39e-03	[-0.01, <0.01]
left_thalamus	1.35	7.97e-05	.242	8.59e-05	9.27e-03	[-0.01, <0.01]
right_amygdala	0.05	2.83e-06	1.00	1.34e-07	3.66e-04	[-0.01, <0.01]
right_caudate	0.91	9.33e-05	.397	3.92e-05	6.26e-03	[-0.01, <0.01]

**Table S9**

***ET PRS Associations with gray matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
right_globus_pallidus_externa	-0.10	-6.24e-06	1.00	4.87e-07	6.98e-04	[-0.01, <0.01]
right_globus_pallidus_Interna	-0.87	-5.88e-05	.468	3.56e-05	5.97e-03	[-0.01, <0.01]
right_hippocampus	1.09	6.59e-05	.338	5.54e-05	7.45e-03	[-0.01, <0.01]
right_nucleus_accumbens	-0.27	-1.98e-05	.964	3.37e-06	1.84e-03	[-0.01, <0.01]
right_putamen	0.81	4.10e-05	.514	3.04e-05	5.51e-03	[-0.01, <0.01]
right_red_nucleus	0.14	1.08e-05	.980	8.85e-07	9.41e-04	[-0.01, <0.01]
right_substantia_nigra	-1.05	-8.94e-05	.407	5.12e-05	7.16e-03	[-0.01, <0.01]
right_subthalamic_nucleus	-1.05	-1.00e-04	.458	5.21e-05	7.22e-03	[-0.01, <0.01]
right_thalamus	0.79	4.77e-05	.472	2.94e-05	5.42e-03	[-0.01, <0.01]
SN1_LH	0.09	9.85e-06	1.00	3.91e-07	6.26e-04	[-0.01, <0.01]
SN1_RH	-1.28	-1.30e-04	.247	7.62e-05	8.73e-03	[-0.01, <0.01]
SN2_LH	-0.29	-2.63e-05	.847	4.01e-06	2.00e-03	[-0.01, <0.01]
SN2_RH	-1.60	-1.46e-04	.171	1.21e-04	1.10e-02	[-0.01, <0.01]
SN3_LH	-0.68	-5.95e-05	.606	2.17e-05	4.66e-03	[-0.01, <0.01]
SN3_RH	-1.68	-1.51e-04	.146	1.32e-04	1.15e-02	[-0.01, <0.01]
T1_LH	0.34	1.73e-05	.807	5.42e-06	2.33e-03	[-0.01, <0.01]
T1_RH	1.01	5.26e-05	.492	4.77e-05	6.91e-03	[-0.01, <0.01]
T2_LH	0.94	5.64e-05	.474	4.15e-05	6.45e-03	[-0.01, <0.01]
T2_RH	0.60	3.59e-05	.632	1.69e-05	4.11e-03	[-0.01, <0.01]
T3_LH	0.92	4.95e-05	.504	3.93e-05	6.27e-03	[-0.01, <0.01]
T3_RH	0.45	2.39e-05	.898	9.47e-06	3.08e-03	[-0.01, <0.01]
talairach_label_GM_Hypothalamus	1.30	2.01e-04	.267	7.90e-05	8.89e-03	[-0.01, <0.01]
talairach_label_Left_Sublobar_GMHypothalamus	0.95	9.06e-05	.468	4.26e-05	6.53e-03	[-0.01, <0.01]
talairach_label_Right_Sublobar_GMHypothalamus	0.37	3.51e-05	.873	6.29e-06	2.51e-03	[-0.01, <0.01]

*Note*



**Table S9*****ET PRS Associations with gray matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
-------	----------	---------	----------	------	----------	--------

\* *p* < .05, \*\* *p* < .01, \*\*\* *p* < .001, 95% CI(B)**Table S10*****ET PRS Associations with grey matter fractional anisotropy (FA) - LeadDBS\_Atlas\_compendium\_extendedTable***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_anterior_commissure_L	0.33	2.24e-03	.815	5.13e-06	2.26e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_anterior_commissure_R	0.95	6.44e-03	.467	4.27e-05	6.53e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_anterior_hypothalamic_area_L	1.20	7.89e-03	.254	6.74e-05	8.21e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_anterior_hypothalamic_area_R	1.27	8.35e-03	.249	7.58e-05	8.71e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_arcuate_hypothalamic_nucleus_L	0.88	5.82e-03	.464	3.62e-05	6.02e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_arcuate_hypothalamic_nucleus_R	0.43	2.83e-03	.734	8.64e-06	2.94e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_bed_nucleus_of_the_stria_terminalis_L	-1.13	-7.13e-03	.354	6.00e-05	7.75e-03	[-0.02, 0.01]
Atlas_of_the_Human_Hypothalamus_bed_nucleus_of_the_stria_terminalis_R	0.26	1.67e-03	.870	3.28e-06	1.81e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_diagonal_band_of_Broca_L	0.07	4.56e-04	1.00	2.45e-07	4.95e-04	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_diagonal_band_of_Broca_R	0.07	4.51e-04	1.00	2.45e-07	4.95e-04	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_dorsal_periventricular_hypothalamic_nucleus_L	0.30	1.90e-03	.840	4.25e-06	2.06e-03	[-0.01, 0.01]

**Table S10**

***ET PRS Associations with grey matter fractional anisotropy (FA) - LeadDBS\_Atlas\_compendium\_extendedTable***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_dorsal_periventricular_hypothalamic_nucleus_R	0.71	4.54e-03	.525	2.37e-05	4.87e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_dorsomedial_hypothalamic_nucleus_L	0.52	3.46e-03	.666	1.25e-05	3.54e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_dorsomedial_hypothalamic_nucleus_R	1.01	6.78e-03	.428	4.80e-05	6.93e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_fornix_L	-0.97	-5.98e-03	.406	4.40e-05	6.63e-03	[-0.02, 0.01]
Atlas_of_the_Human_Hypothalamus_fornix_R	0.21	1.31e-03	1.00	2.06e-06	1.44e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_gm_mask	0.41	2.76e-03	.834	7.86e-06	2.80e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_inferior_thalamic_nucle_L	-0.28	-1.91e-03	.855	3.75e-06	1.94e-03	[-0.02, 0.01]
Atlas_of_the_Human_Hypothalamus_inferior_thalamic_nucle_R	0.32	2.17e-03	.912	4.91e-06	2.22e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_lateral_hypothalamus_L	-0.85	-5.65e-03	.597	3.37e-05	5.81e-03	[-0.02, 0.01]
Atlas_of_the_Human_Hypothalamus_lateral_hypothalamus_R	0.03	2.25e-04	1.00	5.34e-08	2.31e-04	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_mammillary_bodies_L	-0.19	-1.20e-03	.935	1.68e-06	1.30e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_mammillary_bodies_R	1.01	6.38e-03	.493	4.75e-05	6.89e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_mammillothalamic_tract_L	0.58	3.83e-03	.690	1.56e-05	3.95e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_mammillothalamic_tract_R	1.64	1.10e-02	.186	1.26e-04	1.12e-02	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_medial_preoptic_nucleus_L	-0.06	-4.01e-04	1.00	1.86e-07	4.31e-04	[-0.01, 0.01]

**Table S10**

***ET PRS Associations with grey matter fractional anisotropy (FA) - LeadDBS\_Atlas\_compendium\_extendedTable***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_medial_preoptic_nucleus_R	-0.01	-7.88e-05	1.00	7.27e-09	8.53e-05	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_nucleus_basalis_of_Meynert_L	1.11	7.55e-03	.368	5.75e-05	7.58e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_nucleus_basalis_of_Meynert_R	1.19	8.09e-03	.365	6.69e-05	8.18e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_paraventricular_nucleus_L	0.44	2.81e-03	.846	8.93e-06	2.99e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_paraventricular_nucleus_R	-0.04	-2.50e-04	1.00	7.16e-08	2.68e-04	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_periventricular_hypothalamic_nucleus_L	0.93	6.17e-03	.390	4.02e-05	6.34e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_periventricular_hypothalamic_nucleus_R	0.50	3.29e-03	.680	1.16e-05	3.41e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_posterior_hypothalamic_nucleus_L	0.49	3.29e-03	.722	1.13e-05	3.36e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_posterior_hypothalamic_nucleus_R	1.16	7.69e-03	.341	6.25e-05	7.91e-03	[-0.01, 0.02]
<b>Atlas_of_the_Human_Hypothalamus_red_nucleus_L</b>	<b>2.59</b>	<b>1.74e-02</b>	<b>.021</b>	<b>3.13e-04</b>	<b>1.77e-02</b>	<b>&lt;0.01, 0.03]</b>
<b>Atlas_of_the_Human_Hypothalamus_red_nucleus_R</b>	<b>3.13</b>	<b>2.09e-02</b>	<b>.004</b>	<b>4.58e-04</b>	<b>2.14e-02</b>	<b>[0.01, 0.03]</b>
Atlas_of_the_Human_Hypothalamus_substantia_nigra_L	-0.54	-3.68e-03	.745	1.37e-05	3.70e-03	[-0.02, 0.01]
Atlas_of_the_Human_Hypothalamus_substantia_nigra_R	-0.31	-2.10e-03	1.00	4.55e-06	2.13e-03	[-0.02, 0.01]
Atlas_of_the_Human_Hypothalamus_subthalamic_nucleus_L	0.02	1.46e-04	1.00	2.17e-08	1.47e-04	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_subthalamic_nucleus_R	-0.34	-2.27e-03	.810	5.33e-06	2.31e-03	[-0.02, 0.01]

**Table S10*****ET PRS Associations with grey matter fractional anisotropy (FA) - LeadDBS\_Atlas\_compendium\_extendedTable***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_suprachiasmatic_hypothalamic_nucleus_L	0.93	6.16e-03	.431	4.04e-05	6.36e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_suprachiasmatic_hypothalamic_nucleus_R	0.31	2.08e-03	.829	4.61e-06	2.15e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_supraoptic_hypothalamic_nucleus_L	1.33	8.71e-03	.225	8.27e-05	9.09e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_supraoptic_hypothalamic_nucleus_R	0.15	9.53e-04	.996	1.00e-06	1.00e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_tuberomammillary_hypothalamic_nucleus_L	0.52	3.35e-03	.740	1.25e-05	3.54e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_tuberomammillary_hypothalamic_nucleus_R	0.69	4.45e-03	.676	2.22e-05	4.71e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_ventromedial_hypothalamic_nucleus_L	1.19	7.90e-03	.369	6.62e-05	8.13e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_ventromedial_hypothalamic_nucleus_R	1.64	1.09e-02	.124	1.26e-04	1.12e-02	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_zona_incerta_L	0.72	4.90e-03	.865	2.43e-05	4.93e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_zona_incerta_R	0.36	2.45e-03	.973	6.17e-06	2.48e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_CST_L	0.05	3.57e-04	1.00	1.30e-07	3.61e-04	[-0.01, 0.01]
Brainstem_Connectome_Atlas_CST_R	0.20	1.36e-03	.926	1.87e-06	1.37e-03	[-0.01, 0.01]
Brainstem_Connectome_Atlas_FPT_L	-0.52	-3.50e-03	.832	1.25e-05	3.54e-03	[-0.02, 0.01]
Brainstem_Connectome_Atlas_FPT_R	-0.60	-4.04e-03	.865	1.66e-05	4.08e-03	[-0.02, 0.01]
Brainstem_Connectome_Atlas_gm_mask	0.83	5.57e-03	.449	3.20e-05	5.66e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_ICPMC_L	0.68	4.41e-03	.548	2.15e-05	4.64e-03	[-0.01, 0.02]

**Table S10**

***ET PRS Associations with grey matter fractional anisotropy (FA) - LeadDBS\_Atlas\_compendium\_extendedTable***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Brainstem_Connectome_Atlas_ICPMC_R	0.57	3.76e-03	.623	1.54e-05	3.92e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_ICPVC_L	0.45	2.91e-03	.718	9.52e-06	3.09e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_ICPVC_R	0.52	3.42e-03	.663	1.27e-05	3.57e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_LL_L	0.51	3.35e-03	.673	1.21e-05	3.47e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_LL_R	1.01	6.77e-03	.433	4.74e-05	6.89e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_MCP_M	0.34	2.24e-03	.810	5.30e-06	2.30e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_ML_L	0.85	5.73e-03	.433	3.42e-05	5.85e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_ML_R	1.11	7.39e-03	.328	5.74e-05	7.57e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_POTPT_L	0.20	1.38e-03	.922	1.96e-06	1.40e-03	[-0.01, 0.01]
Brainstem_Connectome_Atlas_POTPT_R	0.39	2.64e-03	.798	7.10e-06	2.66e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_SCPCR_L	0.86	5.72e-03	.428	3.48e-05	5.90e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_SCPCR_R	0.41	2.69e-03	.837	7.73e-06	2.78e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_SCPCT_L	0.84	5.59e-03	.439	3.33e-05	5.77e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_SCPCT_R	0.49	3.24e-03	.765	1.11e-05	3.34e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_SCPSC_L	0.63	4.15e-03	.581	1.86e-05	4.32e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_SCPSC_R	1.04	6.93e-03	.365	5.07e-05	7.12e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_STT_L	0.79	5.22e-03	.474	2.91e-05	5.40e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_STT_R	0.98	6.56e-03	.398	4.52e-05	6.73e-03	[-0.01, 0.02]
DBS_targets_AD_FORNIX_L	-1.01	-6.42e-03	.380	4.81e-05	6.94e-03	[-0.02, 0.01]
DBS_targets_AD_FORNIX_R	0.43	2.72e-03	.736	8.54e-06	2.92e-03	[-0.01, 0.02]
DBS_targets_ADD_NAc_L	1.55	1.02e-02	.149	1.12e-04	1.06e-02	[-0.01, 0.02]
DBS_targets_ADD_NAc_R	2.10	1.40e-02	.096	2.08e-04	1.44e-02	[<0.01, 0.03]
DBS_targets_Dyt_GPi_L	0.62	4.17e-03	.966	1.81e-05	4.25e-03	[-0.01, 0.02]
DBS_targets_Dyt_GPi_R	-0.82	-5.50e-03	.645	3.17e-05	5.63e-03	[-0.02, 0.01]

**Table S10**

***ET PRS Associations with grey matter fractional anisotropy (FA) - LeadDBS\_Atlas\_compendium\_extendedTable***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
DBS_targets_ET_VIM_L	0.79	5.34e-03	.525	2.96e-05	5.44e-03	[-0.01, 0.02]
DBS_targets_ET_VIM_R	0.54	3.60e-03	.694	1.36e-05	3.68e-03	[-0.01, 0.02]
DBS_targets_MD_SCC_L	-0.23	-1.54e-03	.964	2.56e-06	1.60e-03	[-0.01, 0.01]
DBS_targets_MD_SCC_R	-0.99	-6.48e-03	.507	4.59e-05	6.77e-03	[-0.02, 0.01]
DBS_targets_OCD_ALIC_L	-0.27	-1.80e-03	.868	3.35e-06	1.83e-03	[-0.02, 0.01]
DBS_targets_OCD_ALIC_R	0.29	1.93e-03	.957	3.82e-06	1.95e-03	[-0.01, 0.02]
DBS_targets_OCD_NAc_L	-0.35	-2.24e-03	.802	5.61e-06	2.37e-03	[-0.01, 0.01]
DBS_targets_OCD_NAc_R	0.40	2.58e-03	.846	7.36e-06	2.71e-03	[-0.01, 0.02]
DBS_targets_PD_STN_L	1.37	9.32e-03	.374	8.82e-05	9.39e-03	[-0.01, 0.02]
DBS_targets_PD_STN_R	0.09	6.15e-04	1.00	3.90e-07	6.24e-04	[-0.01, 0.01]
DBS_targets_TS_CMPVVOI_L	1.84	1.23e-02	.144	1.59e-04	1.26e-02	[-0.01, 0.03]
DBS_targets_TS_CMPVVOI_R	1.41	9.51e-03	.290	9.33e-05	9.66e-03	[-0.01, 0.02]
DBS_Tractography_Atlas_Ca	-1.20	-7.72e-03	.254	6.73e-05	8.21e-03	[-0.02, <0.01]
DBS_Tractography_Atlas_EXA	-0.09	-5.72e-04	1.00	3.62e-07	6.02e-04	[-0.01, 0.01]
DBS_Tractography_Atlas_HN	0.35	2.31e-03	.802	5.62e-06	2.37e-03	[-0.01, 0.02]
DBS_Tractography_Atlas_HTH	0.28	1.84e-03	.857	3.68e-06	1.92e-03	[-0.01, 0.01]
DBS_Tractography_Atlas_L_STN_associative	0.71	4.83e-03	.692	2.38e-05	4.88e-03	[-0.01, 0.02]
DBS_Tractography_Atlas_L_STN_limbic	-0.32	-2.18e-03	1.00	4.84e-06	2.20e-03	[-0.02, 0.01]
DBS_Tractography_Atlas_L_STN_motor	0.92	6.23e-03	.560	3.99e-05	6.31e-03	[-0.01, 0.02]
DBS_Tractography_Atlas_MN	0.41	2.58e-03	.751	7.82e-06	2.80e-03	[-0.01, 0.01]
DBS_Tractography_Atlas_NAC	0.73	4.60e-03	.511	2.51e-05	5.01e-03	[-0.01, 0.02]
DBS_Tractography_Atlas_PBP	1.26	8.47e-03	.329	7.39e-05	8.60e-03	[-0.01, 0.02]
DBS_Tractography_Atlas_Pu	0.68	4.46e-03	.610	2.14e-05	4.63e-03	[-0.01, 0.02]

**Table S10**

***ET PRS Associations with grey matter fractional anisotropy (FA) - LeadDBS\_Atlas\_compendium\_extendedTable***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
DBS_Tractography_Atlas_R_STN_associative	0.02	1.39e-04	1.00	1.98e-08	1.41e-04	[-0.01, 0.01]
DBS_Tractography_Atlas_R_STN_limbic	-0.69	-4.65e-03	.670	2.26e-05	4.75e-03	[-0.02, 0.01]
DBS_Tractography_Atlas_R_STN_motor	-0.15	-9.99e-04	.970	1.04e-06	1.02e-03	[-0.01, 0.01]
DBS_Tractography_Atlas_SNc	0.15	1.01e-03	.968	1.06e-06	1.03e-03	[-0.01, 0.01]
DBS_Tractography_Atlas_SNr	-0.53	-3.61e-03	.789	1.33e-05	3.65e-03	[-0.02, 0.01]
DBS_Tractography_Atlas_VeP	0.61	4.11e-03	.661	1.75e-05	4.19e-03	[-0.01, 0.02]
DBS_Tractography_Atlas_VTA	0.35	2.40e-03	.996	5.84e-06	2.42e-03	[-0.01, 0.02]
Dystonia_Response_Tract_Atlas_Sweetspot_cervical_L	0.16	1.05e-03	.991	1.15e-06	1.07e-03	[-0.01, 0.01]
Dystonia_Response_Tract_Atlas_Sweetspot_cervical_R	-0.46	-3.09e-03	.710	9.93e-06	3.15e-03	[-0.02, 0.01]
Dystonia_Response_Tract_Atlas_Sweetspot_generalized_L	0.53	3.58e-03	.726	1.33e-05	3.65e-03	[-0.01, 0.02]
Dystonia_Response_Tract_Atlas_Sweetspot_generalized_R	-0.45	-3.01e-03	.719	9.43e-06	3.07e-03	[-0.02, 0.01]
Nigral_O'Donnell Research Group (ORG)anization_atlas_lateral_SNc_somatomotor_L	-0.04	-2.95e-04	1.00	8.97e-08	3.00e-04	[-0.01, 0.01]
Nigral_O'Donnell Research Group (ORG)anization_atlas_lateral_SNc_somatomotor_R	0.07	4.93e-04	1.00	2.55e-07	5.05e-04	[-0.01, 0.01]
Nigral_O'Donnell Research Group (ORG)anization_atlas_medial_SNc_limbic_L	-0.36	-2.46e-03	.787	6.21e-06	2.49e-03	[-0.02, 0.01]
Nigral_O'Donnell Research Group (ORG)anization_atlas_medial_SNc_limbic_R	0.04	2.78e-04	1.00	8.12e-08	2.85e-04	[-0.01, 0.01]
Nigral_O'Donnell Research Group (ORG)anization_atlas_ventral_SN_associative_L	-0.83	-5.60e-03	.447	3.23e-05	5.68e-03	[-0.02, 0.01]
Nigral_O'Donnell Research Group (ORG)anization_atlas_ventral_SN_associative_R	-0.43	-2.91e-03	.730	8.85e-06	2.97e-03	[-0.02, 0.01]
Striatum_Functional_Networks_17Networks_1	1.06	7.17e-03	.318	5.27e-05	7.26e-03	[-0.01, 0.02]

**Table S10**

***ET PRS Associations with grey matter fractional anisotropy (FA) - LeadDBS\_Atlas\_compendium\_extendedTable***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Striatal_Functional_Networks_17Networks_10	0.60	3.84e-03	.723	1.70e-05	4.12e-03	[-0.01, 0.02]
Striatal_Functional_Networks_17Networks_12	0.67	4.49e-03	.618	2.08e-05	4.56e-03	[-0.01, 0.02]
Striatal_Functional_Networks_17Networks_13	-1.10	-7.22e-03	.375	5.64e-05	7.51e-03	[-0.02, 0.01]
Striatal_Functional_Networks_17Networks_14	-0.39	-2.62e-03	1.00	7.13e-06	2.67e-03	[-0.02, 0.01]
Striatal_Functional_Networks_17Networks_16	-0.82	-5.19e-03	.565	3.17e-05	5.63e-03	[-0.02, 0.01]
Striatal_Functional_Networks_17Networks_17	0.71	4.60e-03	.525	2.36e-05	4.86e-03	[-0.01, 0.02]
Striatal_Functional_Networks_17Networks_3	0.24	1.63e-03	.888	2.79e-06	1.67e-03	[-0.01, 0.01]
Striatal_Functional_Networks_17Networks_4	0.30	1.95e-03	.844	4.11e-06	2.03e-03	[-0.01, 0.01]
Striatal_Functional_Networks_17Networks_6	0.60	3.90e-03	.602	1.70e-05	4.12e-03	[-0.01, 0.02]
Striatal_Functional_Networks_17Networks_7	0.34	2.25e-03	.804	5.53e-06	2.35e-03	[-0.01, 0.02]
Striatal_Functional_Networks_17Networks_8	0.08	5.14e-04	1.00	3.11e-07	5.57e-04	[-0.01, 0.01]
Striatal_Functional_Networks_17Networks_9	0.85	5.73e-03	.486	3.36e-05	5.79e-03	[-0.01, 0.02]
Striatal_Functional_Networks_7Networks_1	1.06	7.17e-03	.318	5.27e-05	7.26e-03	[-0.01, 0.02]
Striatal_Functional_Networks_7Networks_2	0.28	1.84e-03	.859	3.62e-06	1.90e-03	[-0.01, 0.01]
Striatal_Functional_Networks_7Networks_3	0.76	5.16e-03	.544	2.73e-05	5.23e-03	[-0.01, 0.02]
Striatal_Functional_Networks_7Networks_4	0.44	2.82e-03	.727	9.04e-06	3.01e-03	[-0.01, 0.02]
Striatal_Functional_Networks_7Networks_5	0.60	3.85e-03	.751	1.71e-05	4.13e-03	[-0.01, 0.02]
Striatal_Functional_Networks_7Networks_6	-0.52	-3.31e-03	.820	1.26e-05	3.55e-03	[-0.02, 0.01]
Striatal_Functional_Networks_7Networks_7	-0.51	-3.21e-03	.840	1.21e-05	3.48e-03	[-0.02, 0.01]
Thalamic_Functional_Atlas_1_L	0.91	6.13e-03	.444	3.88e-05	6.23e-03	[-0.01, 0.02]
Thalamic_Functional_Atlas_1_R	0.91	6.13e-03	.444	3.88e-05	6.23e-03	[-0.01, 0.02]
Thalamic_Functional_Atlas_10_L	0.19	1.26e-03	1.00	1.69e-06	1.30e-03	[-0.01, 0.01]
Thalamic_Functional_Atlas_10_R	0.55	3.66e-03	.751	1.44e-05	3.80e-03	[-0.01, 0.02]
Thalamic_Functional_Atlas_11_L	-0.31	-2.03e-03	.835	4.42e-06	2.10e-03	[-0.02, 0.01]



**Table S10**

***ET PRS Associations with grey matter fractional anisotropy (FA) - LeadDBS\_Atlas\_compendium\_extendedTable***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Thalamic_Functional_Atlas_11_R	-0.67	-4.44e-03	.617	2.09e-05	4.57e-03	[-0.02, 0.01]
Thalamic_Functional_Atlas_12_L	-0.33	-1.96e-03	.865	5.25e-06	2.29e-03	[-0.01, 0.01]
Thalamic_Functional_Atlas_12_R	-0.13	-7.40e-04	.990	7.44e-07	8.62e-04	[-0.01, 0.01]
Thalamic_Functional_Atlas_13_R	0.91	6.16e-03	.662	3.91e-05	6.25e-03	[-0.01, 0.02]
Thalamic_Functional_Atlas_13A_L	-0.20	-1.28e-03	.926	1.87e-06	1.37e-03	[-0.01, 0.01]
Thalamic_Functional_Atlas_13B_L	1.10	7.41e-03	.331	5.68e-05	7.53e-03	[-0.01, 0.02]
Thalamic_Functional_Atlas_14_L	-1.84	-1.15e-02	.098	1.58e-04	1.26e-02	[-0.02, <0.01]
Thalamic_Functional_Atlas_14_R	-1.35	-8.48e-03	.216	8.56e-05	9.25e-03	[-0.02, <0.01]
Thalamic_Functional_Atlas_15_L	-0.32	-2.15e-03	.913	4.87e-06	2.21e-03	[-0.02, 0.01]
Thalamic_Functional_Atlas_15_R	0.34	2.19e-03	.872	5.32e-06	2.31e-03	[-0.01, 0.01]
Thalamic_Functional_Atlas_2_L	-0.15	-9.96e-04	.970	1.03e-06	1.01e-03	[-0.01, 0.01]
Thalamic_Functional_Atlas_2_R	0.76	5.09e-03	.546	2.71e-05	5.21e-03	[-0.01, 0.02]
Thalamic_Functional_Atlas_3_R	0.12	7.90e-04	1.00	6.45e-07	8.03e-04	[-0.01, 0.01]
Thalamic_Functional_Atlas_4_R	0.26	1.78e-03	.977	3.23e-06	1.80e-03	[-0.01, 0.02]
Thalamic_Functional_Atlas_4A_L	0.55	3.72e-03	.639	1.43e-05	3.78e-03	[-0.01, 0.02]
Thalamic_Functional_Atlas_4B_L	0.14	9.40e-04	1.00	9.10e-07	9.54e-04	[-0.01, 0.01]
Thalamic_Functional_Atlas_5_R	-0.94	-6.21e-03	.410	4.12e-05	6.42e-03	[-0.02, 0.01]
Thalamic_Functional_Atlas_6_L	-0.80	-5.17e-03	.579	3.03e-05	5.51e-03	[-0.02, 0.01]
Thalamic_Functional_Atlas_6_R	0.98	6.45e-03	.528	4.50e-05	6.71e-03	[-0.01, 0.02]
<b>Thalamic_Functional_Atlas_7_L</b>	<b>-2.06</b>	<b>-1.24e-02</b>	<b>.048</b>	<b>1.99e-04</b>	<b>1.41e-02</b>	<b>[-0.02, -0.01]</b>
Thalamic_Functional_Atlas_7_R	-1.53	-9.56e-03	.153	1.10e-04	1.05e-02	[-0.02, <0.01]

**Table S10**

***ET PRS Associations with grey matter fractional anisotropy (FA) - LeadDBS\_Atlas\_compendium\_extendedTable***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Thalamic_Functional_Atlas_8_L	0.55	3.67e-03	.715	1.40e-05	3.74e-03	[-0.01, 0.02]
Thalamic_Functional_Atlas_8_R	0.41	2.71e-03	.754	7.71e-06	2.78e-03	[-0.01, 0.02]
Thalamic_Functional_Atlas_9_R	-0.31	-2.03e-03	.832	4.53e-06	2.13e-03	[-0.01, 0.01]
Thalamic_Functional_Atlas_9A_L	-0.31	-1.99e-03	.828	4.65e-06	2.16e-03	[-0.01, 0.01]
Thalamic_Functional_Atlas_9B_L	-0.30	-1.99e-03	.843	4.14e-06	2.04e-03	[-0.02, 0.01]
TOR_PSM_dystonia_gpi_n64_coldspot_L	0.08	5.05e-04	1.00	2.73e-07	5.23e-04	[-0.01, 0.01]
TOR_PSM_dystonia_gpi_n64_coldspot_R	-0.15	-9.81e-04	.971	1.02e-06	1.01e-03	[-0.01, 0.01]
TOR_PSM_dystonia_gpi_n64_hotspot_L	0.11	7.32e-04	1.00	5.54e-07	7.44e-04	[-0.01, 0.01]
TOR_PSM_dystonia_gpi_n64_hotspot_R	0.20	1.35e-03	1.00	1.87e-06	1.37e-03	[-0.01, 0.01]
TOR_PSM_pd_gpi_n28_coldspot_L	-0.43	-2.95e-03	.762	8.85e-06	2.97e-03	[-0.02, 0.01]
TOR_PSM_pd_gpi_n28_coldspot_R	0.16	1.04e-03	.964	1.13e-06	1.06e-03	[-0.01, 0.01]
TOR_PSM_pd_gpi_n28_hotspot_L	0.35	2.35e-03	.800	5.72e-06	2.39e-03	[-0.01, 0.02]
TOR_PSM_pd_gpi_n28_hotspot_R	0.01	9.56e-05	1.00	9.46e-09	9.72e-05	[-0.01, 0.01]
TOR_PSM_pd_stn_n275_coldspot_L	0.36	2.38e-03	1.00	5.91e-06	2.43e-03	[-0.01, 0.02]
TOR_PSM_pd_stn_n275_coldspot_R	1.39	9.33e-03	.257	9.09e-05	9.53e-03	[-0.01, 0.02]
TOR_PSM_pd_stn_n275_hotspot_L	0.60	4.07e-03	.861	1.69e-05	4.11e-03	[-0.01, 0.02]
TOR_PSM_pd_stn_n275_hotspot_R	0.10	6.78e-04	1.00	4.75e-07	6.89e-04	[-0.01, 0.01]
TOR_PSM_psych_scc_n76_coldspot_L	-0.74	-4.97e-03	.724	2.55e-05	5.05e-03	[-0.02, 0.01]
TOR_PSM_psych_scc_n76_coldspot_R	-0.23	-1.52e-03	.970	2.48e-06	1.57e-03	[-0.01, 0.01]
TOR_PSM_psych_scc_n76_hotspot_L	-0.35	-2.30e-03	.797	5.82e-06	2.41e-03	[-0.02, 0.01]
TOR_PSM_psych_scc_n76_hotspot_R	-0.47	-3.08e-03	.843	1.05e-05	3.25e-03	[-0.02, 0.01]
TOR_PSM_tremor_vim_n39_coldspot_L	1.88	1.27e-02	.134	1.65e-04	1.28e-02	[-0.01, 0.03]
TOR_PSM_tremor_vim_n39_coldspot_R	1.50	1.01e-02	.293	1.06e-04	1.03e-02	[-0.01, 0.02]
TOR_PSM_tremor_vim_n39_hotspot_L	0.67	4.48e-03	.553	2.10e-05	4.59e-03	[-0.01, 0.02]

**Table S10**

***ET PRS Associations with grey matter fractional anisotropy (FA) - LeadDBS\_Atlas\_compendium\_extendedTable***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
TOR_PSM_tremor_vim_n39_hotspot_R	1.12	7.56e-03	.319	5.92e-05	7.70e-03	[-0.01, 0.02]
TOR_signPD_axial_signs_coldspot_L	0.04	2.64e-04	1.00	7.27e-08	2.70e-04	[-0.01, 0.01]
TOR_signPD_axial_signs_coldspot_R	0.97	6.49e-03	.523	4.40e-05	6.63e-03	[-0.01, 0.02]
TOR_signPD_axial_signs_hotspot_L	0.27	1.82e-03	.960	3.38e-06	1.84e-03	[-0.01, 0.02]
TOR_signPD_axial_signs_hotspot_R	0.31	2.11e-03	.921	4.61e-06	2.15e-03	[-0.01, 0.02]
TOR_signPD_bradykinesia_coldspot_L	0.37	2.45e-03	.858	6.27e-06	2.50e-03	[-0.01, 0.02]
TOR_signPD_bradykinesia_coldspot_R	1.28	8.57e-03	.366	7.70e-05	8.78e-03	[-0.01, 0.02]
TOR_signPD_bradykinesia_hotspot_L	0.65	4.38e-03	.815	1.96e-05	4.42e-03	[-0.01, 0.02]
TOR_signPD_bradykinesia_hotspot_R	0.24	1.59e-03	.903	2.61e-06	1.61e-03	[-0.01, 0.01]
TOR_signPD_rigidity_coldspot_L	0.18	1.22e-03	.942	1.53e-06	1.24e-03	[-0.01, 0.01]
TOR_signPD_rigidity_coldspot_R	0.85	5.68e-03	.624	3.36e-05	5.80e-03	[-0.01, 0.02]
TOR_signPD_rigidity_hotspot_L	-0.34	-2.28e-03	.811	5.29e-06	2.30e-03	[-0.02, 0.01]
TOR_signPD_rigidity_hotspot_R	0.27	1.81e-03	.964	3.37e-06	1.84e-03	[-0.01, 0.02]
TOR_signPD_tremor_coldspot_L	1.32	8.77e-03	.295	8.14e-05	9.02e-03	[-0.01, 0.02]
TOR_signPD_tremor_coldspot_R	1.57	1.04e-02	.215	1.15e-04	1.07e-02	[-0.01, 0.02]
TOR_signPD_tremor_hotspot_L	0.18	1.25e-03	.940	1.58e-06	1.26e-03	[-0.01, 0.01]
TOR_signPD_tremor_hotspot_R	0.51	3.40e-03	.750	1.20e-05	3.46e-03	[-0.01, 0.02]
Zona_Incerta_Atlas_cZI_L	1.90	1.28e-02	.126	1.69e-04	1.30e-02	[-0.01, 0.03]
Zona_Incerta_Atlas_cZI_R	1.63	1.10e-02	.141	1.25e-04	1.12e-02	[-0.01, 0.02]
Zona_Incerta_Atlas_fct_L	1.97	1.32e-02	.134	1.82e-04	1.35e-02	<0.01, 0.03]
Zona_Incerta_Atlas_fct_R	1.62	1.08e-02	.194	1.23e-04	1.11e-02	[-0.01, 0.02]
Zona_Incerta_Atlas_fl_L	0.31	2.11e-03	.866	4.51e-06	2.12e-03	[-0.01, 0.02]
Zona_Incerta_Atlas_fl_R	1.16	7.78e-03	.427	6.34e-05	7.96e-03	[-0.01, 0.02]
Zona_Incerta_Atlas_ft_L	1.30	8.78e-03	.291	7.93e-05	8.91e-03	[-0.01, 0.02]

**Table S10*****ET PRS Associations with grey matter fractional anisotropy (FA) - LeadDBS\_Atlas\_compendium\_extendedTable***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Zona_Incerta_Atlas_ft_R	1.73	1.16e-02	.197	1.40e-04	1.18e-02	[-0.01, 0.02]
Zona_Incerta_Atlas_gm_mask	1.42	9.54e-03	.284	9.47e-05	9.73e-03	[-0.01, 0.02]
Zona_Incerta_Atlas_hf_L	1.16	7.82e-03	.672	6.36e-05	7.97e-03	[-0.01, 0.02]
Zona_Incerta_Atlas_hf_R	1.92	1.28e-02	.121	1.72e-04	1.31e-02	[-0.01, 0.03]
Zona_Incerta_Atlas_hfields_L	0.94	6.36e-03	.581	4.14e-05	6.43e-03	[-0.01, 0.02]
Zona_Incerta_Atlas_hfields_R	1.69	1.13e-02	.251	1.34e-04	1.16e-02	[-0.01, 0.02]
Zona_Incerta_Atlas_ml_L	-0.12	-7.92e-04	.997	6.48e-07	8.05e-04	[-0.01, 0.01]
Zona_Incerta_Atlas_ml_R	0.11	7.31e-04	1.00	5.68e-07	7.53e-04	[-0.01, 0.01]
Zona_Incerta_Atlas_rZI_L	0.57	3.88e-03	.625	1.53e-05	3.91e-03	[-0.01, 0.02]
Zona_Incerta_Atlas_rZI_R	1.15	7.74e-03	.455	6.24e-05	7.90e-03	[-0.01, 0.02]
Zona_Incerta_Atlas_ZI_L	1.24	8.39e-03	.395	7.20e-05	8.49e-03	[-0.01, 0.02]
Zona_Incerta_Atlas_ZI_R	1.47	9.86e-03	.311	1.01e-04	1.01e-02	[-0.01, 0.02]
Zona_Incerta_Atlas_zRN_L	2.24	1.51e-02	.069	2.35e-04	1.53e-02	<0.01, 0.03]
<b>Zona_Incerta_Atlas_zRN_R</b>	<b>2.94</b>	<b>1.98e-02</b>	<b>.007</b>	<b>4.06e-04</b>	<b>2.02e-02</b>	<b>[0.01, 0.03]</b>
Zona_Incerta_Atlas_zSTN_L	0.63	4.27e-03	.832	1.85e-05	4.30e-03	[-0.01, 0.02]
Zona_Incerta_Atlas_zSTN_R	-0.12	-8.24e-04	1.00	7.02e-07	8.38e-04	[-0.01, 0.01]

*Note*\* *p* < .05, \*\* *p* < .01, \*\*\* *p* < .001, 95% CI(B)**Table S11*****ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS\_Atlas\_compendium\_extended (Zhang’s 2017 substantia nigra segmentation)***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_anterior_commissure_ L	0.03	5.87e-06	1.00	5.33e-08	2.31e-04	[-0.01, <0.01]

**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS Atlas compendium extended (Zhang’s 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_anterior_commissure_R	-0.41	-6.77e-05	1.00	7.74e-06	2.78e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_anterior_hypothalamic_area_L	0.47	1.23e-04	.701	1.04e-05	3.22e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_anterior_hypothalamic_area_R	0.65	1.75e-04	.565	2.00e-05	4.47e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_arcuate_hypothalamic_nucleus_L	1.21	4.95e-04	.311	6.87e-05	8.29e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_arcuate_hypothalamic_nucleus_R	1.77	7.44e-04	.140	1.47e-04	1.21e-02	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_bed_nucleus_of_the_stria_terminalis_L	0.62	1.33e-04	.840	1.81e-05	4.25e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_bed_nucleus_of_the_stria_terminalis_R	1.03	2.30e-04	.370	4.98e-05	7.05e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_diagonal_band_of_Broca_L	-0.45	-1.13e-04	.796	9.57e-06	3.09e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_diagonal_band_of_Broca_R	0.02	6.46e-06	1.00	2.53e-08	1.59e-04	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_dorsal_periventricular_hypothalamic_nucleus_L	-0.08	-2.55e-05	1.00	2.94e-07	5.42e-04	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_dorsal_periventricular_hypothalamic_nucleus_R	0.30	9.74e-05	.863	4.19e-06	2.05e-03	[-0.01, <0.01]

**Table S11**

***ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS Atlas compendium extended (Zhang’s 2017 substantia nigra segmentation)***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_dorsomedial_hypothalamic_nucleus_L	0.39	1.09e-04	.848	7.27e-06	2.70e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_dorsomedial_hypothalamic_nucleus_R	0.73	2.27e-04	.566	2.52e-05	5.02e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_fornix_L	1.06	2.52e-04	.355	5.25e-05	7.24e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_fornix_R	-0.04	-1.07e-05	1.00	9.34e-08	3.06e-04	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_gm_mask	0.39	6.79e-05	.766	7.12e-06	2.67e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_inferior_thalamic_peduncle_L	0.16	3.83e-05	.958	1.23e-06	1.11e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_inferior_thalamic_peduncle_R	-0.27	-6.97e-05	.924	3.34e-06	1.83e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_lateral_hypothalamus_L	0.81	1.99e-04	.510	3.08e-05	5.55e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_lateral_hypothalamus_R	-0.20	-4.97e-05	1.00	1.88e-06	1.37e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_mammillary_bodies_L	1.56	5.21e-04	.162	1.15e-04	1.07e-02	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_mammillary_bodies_R	1.60	5.46e-04	.152	1.19e-04	1.09e-02	[-0.01, <0.01]

**Table S11**

***ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS Atlas compendium extended (Zhang’s 2017 substantia nigra segmentation)***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_mammillothalamic_tract_L	0.04	9.59e-06	1.00	8.53e-08	2.92e-04	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_mammillothalamic_tract_R	-0.24	-5.65e-05	.986	2.80e-06	1.67e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_medial_preoptic_nucleus_L	-0.55	-1.42e-04	.800	1.42e-05	3.77e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_medial_preoptic_nucleus_R	0.41	1.31e-04	.747	8.03e-06	2.83e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_nucleus_basalis_of_Meynert_L	0.39	7.56e-05	.784	7.05e-06	2.65e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_nucleus_basalis_of_Meynert_R	-1.07	-2.03e-04	.348	5.36e-05	7.32e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_paraventricular_nucleus_L	0.30	9.05e-05	.840	4.25e-06	2.06e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_paraventricular_nucleus_R	1.31	5.47e-04	.260	8.07e-05	8.99e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_periventricular_hypothalamic_nucleus_L	0.75	2.39e-04	.496	2.66e-05	5.16e-03	[-0.01, <0.01]
<b>Atlas_of_the_Human_Hypothalamus_periventricular_hypothalamic_nucleus_R</b>	<b>2.05</b>	<b>7.34e-04</b>	<b>.049</b>	<b>1.97e-04</b>	<b>1.40e-02</b>	<b>&lt;0.01, &lt;0.01]</b>
Atlas_of_the_Human_Hypothalamus_posterior_hypothalamic_nucleus_L	0.33	9.32e-05	.817	5.06e-06	2.25e-03	[-0.01, <0.01]

**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS Atlas compendium\_extended (Zhang's 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_posterior_hypotahalam ic_nucleus_R	0.67	2.25e-04	.615	2.10e-05	4.59e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_red_nucleus_L	-0.41	-8.08e-05	.874	7.78e-06	2.79e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_red_nucleus_R	-0.74	-1.49e-04	.561	2.57e-05	5.07e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_substantia_nigra_L	0.19	3.90e-05	.935	1.68e-06	1.30e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_substantia_nigra_R	-0.37	-7.37e-05	.867	6.53e-06	2.55e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_subthalamic_nucleus_ L	-0.44	-1.07e-04	.866	9.05e-06	3.01e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_subthalamic_nucleus_ R	-0.39	-9.69e-05	.765	7.16e-06	2.68e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_suprachiasmatic_hypot halamic_nucleus_L	-0.05	-2.08e-05	1.00	1.15e-07	3.39e-04	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_suprachiasmatic_hypot halamic_nucleus_R	0.96	4.05e-04	.526	4.36e-05	6.60e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_supraoptic_hypothala mic_nucleus_L	0.53	1.65e-04	.653	1.33e-05	3.65e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_supraoptic_hypothala mic_nucleus_R	0.68	2.13e-04	.609	2.19e-05	4.68e-03	[-0.01, <0.01]



**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS Atlas compendium\_extended (Zhang’s 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_tuberomammillary_hypothalamic_nucleus_L	1.53	4.85e-04	.154	1.10e-04	1.05e-02	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_tuberomammillary_hypothalamic_nucleus_R	0.91	2.81e-04	.441	3.92e-05	6.26e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_ventromedial_hypothalamus_L	0.99	2.88e-04	.395	4.58e-05	6.76e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_ventromedial_hypothalamus_R	1.13	3.33e-04	.314	6.02e-05	7.76e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_zona_incerta_L	-0.60	-1.46e-04	.756	1.68e-05	4.10e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_zona_incerta_R	-0.78	-1.96e-04	.533	2.84e-05	5.33e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_CST_L	0.89	1.75e-04	.458	3.69e-05	6.08e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_CST_R	0.53	9.75e-05	.737	1.34e-05	3.66e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_FPT_L	1.48	3.28e-04	.220	1.02e-04	1.01e-02	[-0.01, <0.01]
Brainstem_Connectome_Atlas_FPT_R	1.19	2.56e-04	.366	6.67e-05	8.17e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_gm_mask	0.32	4.75e-05	.821	4.91e-06	2.22e-03	[-0.01, <0.01]

**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS\_Atlas\_compendium\_extended (Zhang's 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Brainstem_Connectome_Atlas_ICPMC_L	-0.26	-3.51e-05	.873	3.21e-06	1.79e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_ICPMC_R	-0.54	-7.11e-05	.813	1.35e-05	3.67e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_ICPVC_L	-0.29	-3.61e-05	.850	3.90e-06	1.97e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_ICPVC_R	-0.60	-7.73e-05	.720	1.68e-05	4.10e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_LL_L	1.14	2.26e-04	.398	6.12e-05	7.82e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_LL_R	0.20	3.59e-05	.925	1.89e-06	1.37e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_MCP_M	0.38	4.74e-05	.858	6.84e-06	2.62e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_ML_L	0.48	6.92e-05	.698	1.06e-05	3.25e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_ML_R	0.50	6.86e-05	.849	1.17e-05	3.42e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_POTPT_L	0.67	1.25e-04	.615	2.10e-05	4.59e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_POTPT_R	0.13	2.18e-05	.988	7.65e-07	8.75e-04	[-0.01, <0.01]

**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS\_Atlas\_compendium\_extended (Zhang’s 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Brainstem_Connectome_Atlas_SCPCR_L	-0.60	-6.49e-05	.673	1.67e-05	4.09e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_SCPCR_R	-0.46	-5.16e-05	.787	1.00e-05	3.17e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_SCPCT_L	-0.43	-4.75e-05	.815	8.69e-06	2.95e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_SCPCT_R	-0.37	-4.10e-05	.869	6.43e-06	2.54e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_SCPSC_L	0.56	1.11e-04	.630	1.49e-05	3.86e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_SCPSC_R	0.04	6.69e-06	1.00	7.33e-08	2.71e-04	[-0.01, <0.01]
Brainstem_Connectome_Atlas_STT_L	0.62	1.10e-04	.591	1.78e-05	4.22e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_STT_R	0.49	7.30e-05	.730	1.12e-05	3.35e-03	[-0.01, <0.01]
DBS_targets_AD_FORNIX_L	-0.18	-4.01e-05	1.00	1.49e-06	1.22e-03	[-0.01, <0.01]
DBS_targets_AD_FORNIX_R	0.42	9.65e-05	.740	8.38e-06	2.90e-03	[-0.01, <0.01]
DBS_targets_ADD_NAc_L	-0.07	-2.15e-05	1.00	2.63e-07	5.13e-04	[-0.01, <0.01]

**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS\_Atlas\_compendium\_extended (Zhang’s 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
DBS_targets_ADD_NAc_R	-0.30	-8.30e-05	.844	4.10e-06	2.02e-03	[-0.01, <0.01]
DBS_targets_Dyt_GPi_L	1.23	2.34e-04	.342	7.12e-05	8.44e-03	[-0.01, <0.01]
DBS_targets_Dyt_GPi_R	0.45	8.06e-05	.775	9.39e-06	3.06e-03	[-0.01, <0.01]
DBS_targets_ET_VIM_L	0.06	9.85e-06	1.00	1.82e-07	4.26e-04	[-0.01, <0.01]
DBS_targets_ET_VIM_R	0.06	9.48e-06	1.00	1.64e-07	4.05e-04	[-0.01, <0.01]
DBS_targets_MD_SCC_L	-1.38	-2.18e-04	.250	8.97e-05	9.47e-03	[-0.01, <0.01]
DBS_targets_MD_SCC_R	-1.12	-1.80e-04	.322	5.86e-05	7.66e-03	[-0.01, <0.01]
DBS_targets_OCD_ALIC_L	0.61	1.07e-04	.597	1.74e-05	4.17e-03	[-0.01, <0.01]
DBS_targets_OCD_ALIC_R	0.73	1.26e-04	.566	2.52e-05	5.02e-03	[-0.01, <0.01]
DBS_targets_OCD_NAc_L	-0.58	-1.43e-04	.689	1.56e-05	3.95e-03	[-0.01, <0.01]
DBS_targets_OCD_NAc_R	-0.78	-2.02e-04	.596	2.87e-05	5.36e-03	[-0.01, <0.01]

**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS\_Atlas\_compendium\_extended (Zhang's 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
DBS_targets_PD_STN_L	-1.19	-2.76e-04	.368	6.64e-05	8.15e-03	[-0.01, <0.01]
DBS_targets_PD_STN_R	-0.64	-1.60e-04	.718	1.92e-05	4.38e-03	[-0.01, <0.01]
DBS_targets_TS_CMPVVOI_L	<0.01	6.12e-07	1.00	3.66e-10	1.91e-05	[-0.01, <0.01]
DBS_targets_TS_CMPVVOI_R	-0.51	-1.19e-04	.674	1.20e-05	3.46e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_Ca	1.53	3.49e-04	.155	1.09e-04	1.04e-02	[-0.01, <0.01]
DBS_Tractography_Atlas_EXA	0.92	1.73e-04	.442	3.94e-05	6.28e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_HN	1.80	6.10e-04	.098	1.53e-04	1.24e-02	[-0.01, <0.01]
DBS_Tractography_Atlas_HTH	0.65	1.47e-04	.623	1.99e-05	4.46e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_L_STN_associative	-0.68	-1.90e-04	.609	2.15e-05	4.64e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_L_STN_limbic	-0.36	-9.37e-05	.790	6.10e-06	2.47e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_L_STN_motor	-1.34	-3.09e-04	.284	8.39e-05	9.16e-03	[-0.01, <0.01]

**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS\_Atlas\_compendium\_extended (Zhang's 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
DBS_Tractography_Atlas_MN	1.63	5.06e-04	.162	1.25e-04	1.12e-02	[-0.01, <0.01]
DBS_Tractography_Atlas_NAC	-0.21	-3.70e-05	1.00	2.09e-06	1.44e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_PBP	-0.51	-9.00e-05	.746	1.22e-05	3.49e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_Pu	0.83	9.89e-05	.444	3.27e-05	5.72e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_R_STN_associative	-0.70	-1.93e-04	.531	2.31e-05	4.81e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_R_STN_limbic	-0.73	-2.10e-04	.512	2.49e-05	4.99e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_R_STN_motor	-0.46	-1.08e-04	.711	9.87e-06	3.14e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_SNc	-0.34	-6.15e-05	.899	5.34e-06	2.31e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_SNr	-0.08	-1.50e-05	1.00	2.68e-07	5.18e-04	[-0.01, <0.01]
DBS_Tractography_Atlas_VeP	-0.18	-4.16e-05	.940	1.57e-06	1.25e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_VTA	-0.01	-1.69e-06	1.00	3.92e-09	6.26e-05	[-0.01, <0.01]

**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS\_Atlas\_compendium\_extended (Zhang’s 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Dystonia_Response_Tract_Atlas_Sweetspot_cervical_L	0.91	1.38e-04	.569	3.90e-05	6.25e-03	[-0.01, <0.01]
Dystonia_Response_Tract_Atlas_Sweetspot_cervical_R	-0.48	-6.86e-05	.776	1.06e-05	3.25e-03	[-0.01, <0.01]
Dystonia_Response_Tract_Atlas_Sweetspot_generalized_L	0.87	1.31e-04	.730	3.51e-05	5.93e-03	[-0.01, <0.01]
Dystonia_Response_Tract_Atlas_Sweetspot_generalized_R	-0.11	-1.57e-05	1.00	5.28e-07	7.27e-04	[-0.01, <0.01]
Nigral_O’Donnell Research Group (ORG)anization_atlas_lateral_SNc_somatomotor_L	-0.11	-2.45e-05	1.00	6.02e-07	7.76e-04	[-0.01, <0.01]
Nigral_O’Donnell Research Group (ORG)anization_atlas_lateral_SNc_somatomotor_R	-1.12	-2.44e-04	.322	5.86e-05	7.66e-03	[-0.01, <0.01]
Nigral_O’Donnell Research Group (ORG)anization_atlas_medial_SNc_limbic_L	0.17	3.78e-05	.949	1.41e-06	1.19e-03	[-0.01, <0.01]
Nigral_O’Donnell Research Group (ORG)anization_atlas_medial_SNc_limbic_R	-1.09	-2.39e-04	.335	5.61e-05	7.49e-03	[-0.01, <0.01]
Nigral_O’Donnell Research Group (ORG)anization_atlas_ventral_SN_associative_L	0.24	5.57e-05	.903	2.70e-06	1.64e-03	[-0.01, <0.01]
Nigral_O’Donnell Research Group (ORG)anization_atlas_ventral_SN_associative_R	-0.80	-1.87e-04	.516	3.02e-05	5.49e-03	[-0.01, <0.01]
Striatal_Functional_Networks_17Networks_1	-1.01	-1.59e-04	.341	4.82e-05	6.95e-03	[-0.01, <0.01]

**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS\_Atlas\_compendium\_extended (Zhang’s 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Striatal_Functional_Networks_17Networks_10	0.01	1.35e-06	1.00	3.29e-09	5.74e-05	[-0.01, <0.01]
Striatal_Functional_Networks_17Networks_12	0.15	1.88e-05	.972	9.99e-07	9.99e-04	[-0.01, <0.01]
Striatal_Functional_Networks_17Networks_13	1.42	5.32e-04	.171	9.46e-05	9.72e-03	[-0.01, <0.01]
Striatal_Functional_Networks_17Networks_14	2.13	3.01e-04	.061	2.12e-04	1.46e-02	[<0.01, <0.01]
Striatal_Functional_Networks_17Networks_16	1.04	2.89e-04	.328	5.08e-05	7.13e-03	[-0.01, <0.01]
Striatal_Functional_Networks_17Networks_17	1.55	3.32e-04	.133	1.13e-04	1.06e-02	[-0.01, <0.01]
Striatal_Functional_Networks_17Networks_3	1.44	1.81e-04	.236	9.72e-05	9.86e-03	[-0.01, <0.01]
Striatal_Functional_Networks_17Networks_4	0.48	6.57e-05	.835	1.09e-05	3.30e-03	[-0.01, <0.01]
Striatal_Functional_Networks_17Networks_6	-0.19	-3.01e-05	.932	1.74e-06	1.32e-03	[-0.01, <0.01]
Striatal_Functional_Networks_17Networks_7	1.22	1.63e-04	.307	6.96e-05	8.34e-03	[-0.01, <0.01]
Striatal_Functional_Networks_17Networks_8	1.13	1.46e-04	.285	5.98e-05	7.73e-03	[-0.01, <0.01]



**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS\_Atlas\_compendium\_extended (Zhang’s 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Striatal_Functional_Networks_17Networks_9	-0.11	-1.56e-05	1.00	5.35e-07	7.31e-04	[-0.01, <0.01]
Striatal_Functional_Networks_7Networks_1	-1.01	-1.59e-04	.341	4.82e-05	6.95e-03	[-0.01, <0.01]
Striatal_Functional_Networks_7Networks_2	1.10	1.37e-04	.372	5.70e-05	7.55e-03	[-0.01, <0.01]
Striatal_Functional_Networks_7Networks_3	-0.31	-4.28e-05	.832	4.50e-06	2.12e-03	[-0.01, <0.01]
Striatal_Functional_Networks_7Networks_4	1.30	1.67e-04	.235	7.96e-05	8.92e-03	[-0.01, <0.01]
Striatal_Functional_Networks_7Networks_5	-0.03	-4.32e-06	1.00	3.38e-08	1.84e-04	[-0.01, <0.01]
Striatal_Functional_Networks_7Networks_6	1.27	2.19e-04	.224	7.59e-05	8.71e-03	[-0.01, <0.01]
Striatal_Functional_Networks_7Networks_7	1.19	3.37e-04	.256	6.68e-05	8.18e-03	[-0.01, <0.01]
Thalamic_Functional_Atlas_1_L	-0.21	-2.77e-05	.918	2.05e-06	1.43e-03	[-0.01, <0.01]
Thalamic_Functional_Atlas_1_R	-0.21	-2.77e-05	.918	2.05e-06	1.43e-03	[-0.01, <0.01]
Thalamic_Functional_Atlas_10_L	1.69	3.25e-04	.142	1.34e-04	1.16e-02	[-0.01, <0.01]

**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS\_Atlas\_compendium\_extended (Zhang’s 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Thalamic_Functional_Atlas_10_R	0.05	7.84e-06	1.00	1.22e-07	3.49e-04	[-0.01, <0.01]
Thalamic_Functional_Atlas_11_L	2.01	3.97e-04	.081	1.90e-04	1.38e-02	[<0.01, <0.01]
Thalamic_Functional_Atlas_11_R	1.83	3.97e-04	.093	1.56e-04	1.25e-02	[-0.01, <0.01]
Thalamic_Functional_Atlas_12_L	0.44	1.72e-04	.766	8.94e-06	2.99e-03	[-0.01, <0.01]
Thalamic_Functional_Atlas_12_R	0.53	1.77e-04	.657	1.31e-05	3.62e-03	[-0.01, <0.01]
Thalamic_Functional_Atlas_13_R	0.49	8.32e-05	.686	1.13e-05	3.36e-03	[-0.01, <0.01]
<b>Thalamic_Functional_Atlas_13A_L</b>	<b>2.56</b>	<b>4.66e-04</b>	<b>.015</b>	<b>3.06e-04</b>	<b>1.75e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>
Thalamic_Functional_Atlas_13B_L	-0.43	-6.27e-05	.918	8.64e-06	2.94e-03	[-0.01, <0.01]
<b>Thalamic_Functional_Atlas_14_L</b>	<b>2.48</b>	<b>1.08e-03</b>	<b>.020</b>	<b>2.89e-04</b>	<b>1.70e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>
<b>Thalamic_Functional_Atlas_14_R</b>	<b>2.15</b>	<b>9.20e-04</b>	<b>.049</b>	<b>2.17e-04</b>	<b>1.47e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>
Thalamic_Functional_Atlas_15_L	1.09	1.47e-04	.379	5.56e-05	7.46e-03	[-0.01, <0.01]

**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS\_Atlas\_compendium\_extended (Zhang’s 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
<b>Thalamic_Functional_Atlas_15_R</b>	<b>2.24</b>	<b>3.82e-04</b>	<b>.034</b>	<b>2.36e-04</b>	<b>1.53e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>
Thalamic_Functional_Atlas_2_L	0.27	3.80e-05	.865	3.45e-06	1.86e-03	[-0.01, <0.01]
Thalamic_Functional_Atlas_2_R	0.55	7.99e-05	.706	1.43e-05	3.78e-03	[-0.01, <0.01]
<b>Thalamic_Functional_Atlas_3_R</b>	<b>2.27</b>	<b>3.83e-04</b>	<b>.028</b>	<b>2.42e-04</b>	<b>1.56e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>
Thalamic_Functional_Atlas_4_R	1.69	2.50e-04	.126	1.33e-04	1.16e-02	[-0.01, <0.01]
Thalamic_Functional_Atlas_4A_L	-0.18	-2.44e-05	1.00	1.57e-06	1.25e-03	[-0.01, <0.01]
<b>Thalamic_Functional_Atlas_4B_L</b>	<b>2.12</b>	<b>3.65e-04</b>	<b>.042</b>	<b>2.11e-04</b>	<b>1.45e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>
Thalamic_Functional_Atlas_5_R	1.65	5.02e-04	.136	1.28e-04	1.13e-02	[-0.01, <0.01]
Thalamic_Functional_Atlas_6_L	1.12	2.60e-04	.362	5.87e-05	7.66e-03	[-0.01, <0.01]
Thalamic_Functional_Atlas_6_R	0.21	5.06e-05	.914	2.15e-06	1.47e-03	[-0.01, <0.01]
<b>Thalamic_Functional_Atlas_7_L</b>	<b>2.40</b>	<b>6.97e-04</b>	<b>.026</b>	<b>2.70e-04</b>	<b>1.64e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>

**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS\_Atlas\_compendium\_extended (Zhang’s 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Thalamic_Functional_Atlas_7_R	1.79	4.92e-04	.082	1.49e-04	1.22e-02	[-0.01, <0.01]
Thalamic_Functional_Atlas_8_L	0.78	8.73e-05	.601	2.83e-05	5.32e-03	[-0.01, <0.01]
Thalamic_Functional_Atlas_8_R	0.78	9.72e-05	.535	2.82e-05	5.31e-03	[-0.01, <0.01]
Thalamic_Functional_Atlas_9_R	1.79	5.40e-04	.135	1.50e-04	1.23e-02	[-0.01, <0.01]
Thalamic_Functional_Atlas_9A_L	1.79	5.73e-04	.100	1.51e-04	1.23e-02	[-0.01, <0.01]
Thalamic_Functional_Atlas_9B_L	2.01	6.16e-04	.082	1.89e-04	1.38e-02	[<0.01, <0.01]
TOR_PSM_dystonia_gpi_n64_coldspot_L	0.52	7.96e-05	.666	1.25e-05	3.54e-03	[-0.01, <0.01]
TOR_PSM_dystonia_gpi_n64_coldspot_R	-0.15	-2.19e-05	1.00	9.96e-07	9.98e-04	[-0.01, <0.01]
TOR_PSM_dystonia_gpi_n64_hotspot_L	0.79	1.09e-04	.619	2.90e-05	5.38e-03	[-0.01, <0.01]
TOR_PSM_dystonia_gpi_n64_hotspot_R	-0.22	-2.97e-05	.908	2.29e-06	1.51e-03	[-0.01, <0.01]
TOR_PSM_pd_gpi_n28_coldspot_L	0.60	1.06e-04	.669	1.70e-05	4.12e-03	[-0.01, <0.01]

**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS\_Atlas\_compendium\_extended (Zhang’s 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
TOR_PSM_pd_gpi_n28_coldspot_R	-0.80	-1.34e-04	.465	3.01e-05	5.49e-03	[-0.01, <0.01]
TOR_PSM_pd_gpi_n28_hotspot_L	0.90	1.40e-04	.505	3.81e-05	6.18e-03	[-0.01, <0.01]
TOR_PSM_pd_gpi_n28_hotspot_R	0.12	1.83e-05	.998	7.07e-07	8.41e-04	[-0.01, <0.01]
TOR_PSM_pd_stn_n275_coldspot_L	-0.60	-1.07e-04	.671	1.68e-05	4.10e-03	[-0.01, <0.01]
TOR_PSM_pd_stn_n275_coldspot_R	-1.15	-2.16e-04	.456	6.23e-05	7.90e-03	[-0.01, <0.01]
TOR_PSM_pd_stn_n275_hotspot_L	-0.88	-1.91e-04	.520	3.64e-05	6.03e-03	[-0.01, <0.01]
TOR_PSM_pd_stn_n275_hotspot_R	-0.55	-1.24e-04	.640	1.43e-05	3.78e-03	[-0.01, <0.01]
TOR_PSM_psych_scc_n76_coldspot_L	0.04	1.11e-05	1.00	6.31e-08	2.51e-04	[-0.01, <0.01]
TOR_PSM_psych_scc_n76_coldspot_R	-0.20	-5.48e-05	.925	1.89e-06	1.38e-03	[-0.01, <0.01]
TOR_PSM_psych_scc_n76_hotspot_L	-1.07	-1.79e-04	.347	5.38e-05	7.34e-03	[-0.01, <0.01]
TOR_PSM_psych_scc_n76_hotspot_R	-1.13	-1.84e-04	.282	6.03e-05	7.77e-03	[-0.01, <0.01]

**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS\_Atlas\_compendium\_extended (Zhang’s 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
TOR_PSM_tremor_vim_n39_coldspot_L	-0.86	-1.46e-04	.534	3.49e-05	5.91e-03	[-0.01, <0.01]
TOR_PSM_tremor_vim_n39_coldspot_R	-0.18	-3.01e-05	1.00	1.51e-06	1.23e-03	[-0.01, <0.01]
TOR_PSM_tremor_vim_n39_hotspot_L	-0.69	-8.93e-05	.770	2.24e-05	4.73e-03	[-0.01, <0.01]
TOR_PSM_tremor_vim_n39_hotspot_R	-0.33	-4.11e-05	.908	5.03e-06	2.24e-03	[-0.01, <0.01]
TOR_signPD_axial_signs_coldspot_L	-0.33	-5.27e-05	1.00	5.15e-06	2.27e-03	[-0.01, <0.01]
TOR_signPD_axial_signs_coldspot_R	-0.77	-1.26e-04	.810	2.77e-05	5.27e-03	[-0.01, <0.01]
TOR_signPD_axial_signs_hotspot_L	-0.95	-2.00e-04	.540	4.20e-05	6.48e-03	[-0.01, <0.01]
TOR_signPD_axial_signs_hotspot_R	-0.81	-1.85e-04	.513	3.05e-05	5.52e-03	[-0.01, <0.01]
TOR_signPD_bradykinesia_coldspot_L	-0.58	-1.03e-04	.776	1.56e-05	3.95e-03	[-0.01, <0.01]
TOR_signPD_bradykinesia_coldspot_R	-1.16	-2.17e-04	.544	6.28e-05	7.92e-03	[-0.01, <0.01]
TOR_signPD_bradykinesia_hotspot_L	-0.97	-2.10e-04	.523	4.40e-05	6.63e-03	[-0.01, <0.01]

**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS\_Atlas\_compendium\_extended (Zhang's 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
TOR_signPD_bradykinesia_hotspot_R	-0.36	-8.37e-05	.790	6.12e-06	2.47e-03	[-0.01, <0.01]
TOR_signPD_rigidity_coldspot_L	-0.55	-8.76e-05	.912	1.43e-05	3.78e-03	[-0.01, <0.01]
TOR_signPD_rigidity_coldspot_R	-0.97	-1.60e-04	.654	4.40e-05	6.64e-03	[-0.01, <0.01]
TOR_signPD_rigidity_hotspot_L	-0.41	-7.87e-05	.830	8.04e-06	2.84e-03	[-0.01, <0.01]
TOR_signPD_rigidity_hotspot_R	-0.66	-1.36e-04	.626	2.01e-05	4.49e-03	[-0.01, <0.01]
TOR_signPD_tremor_coldspot_L	-0.28	-5.19e-05	.854	3.78e-06	1.94e-03	[-0.01, <0.01]
TOR_signPD_tremor_coldspot_R	-0.81	-1.49e-04	.604	3.05e-05	5.52e-03	[-0.01, <0.01]
TOR_signPD_tremor_hotspot_L	-0.17	-3.64e-05	.955	1.29e-06	1.14e-03	[-0.01, <0.01]
TOR_signPD_tremor_hotspot_R	-0.66	-1.53e-04	.702	2.03e-05	4.51e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_cZI_L	-0.75	-1.30e-04	.556	2.61e-05	5.11e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_cZI_R	-0.86	-1.48e-04	.616	3.43e-05	5.86e-03	[-0.01, <0.01]

**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS\_Atlas\_compendium\_extended (Zhang’s 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Zona_Incerta_Atlas_fct_L	-0.48	-8.97e-05	.872	1.06e-05	3.26e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_fct_R	-0.62	-1.21e-04	.656	1.79e-05	4.23e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_fl_L	-0.02	-4.79e-06	1.00	1.52e-08	1.23e-04	[-0.01, <0.01]
Zona_Incerta_Atlas_fl_R	-0.51	-1.43e-04	.750	1.20e-05	3.46e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_ft_L	-0.40	-9.52e-05	.845	7.39e-06	2.72e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_ft_R	-1.01	-2.56e-04	.575	4.76e-05	6.90e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_gm_mask	-0.40	-7.48e-05	.838	7.68e-06	2.77e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_hf_L	-0.43	-1.15e-04	.733	8.71e-06	2.95e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_hf_R	-0.73	-2.02e-04	.607	2.47e-05	4.97e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_hfields_L	-0.27	-6.72e-05	.862	3.53e-06	1.88e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_hfields_R	-0.81	-2.10e-04	.578	3.05e-05	5.52e-03	[-0.01, <0.01]



**Table S11**

*ET PRS Associations with grey matter – mean diffusivity (MD) - LeadDBS\_Atlas\_compendium\_extended (Zhang’s 2017 substantia nigra segmentation)*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Zona_Incerta_Atlas_ml_L	0.58	8.75e-05	.783	1.57e-05	3.97e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_ml_R	0.16	2.31e-05	1.00	1.22e-06	1.10e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_rZI_L	-0.16	-4.02e-05	.956	1.27e-06	1.13e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_rZI_R	-0.64	-1.67e-04	.715	1.94e-05	4.41e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_ZI_L	-0.34	-7.13e-05	.803	5.58e-06	2.36e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_ZI_R	-0.74	-1.61e-04	.617	2.55e-05	5.05e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_zRN_L	-0.39	-7.61e-05	.767	7.08e-06	2.66e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_zRN_R	-0.61	-1.21e-04	.664	1.73e-05	4.16e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_zSTN_L	-0.72	-1.76e-04	.573	2.46e-05	4.96e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_zSTN_R	-0.66	-1.68e-04	.625	2.02e-05	4.50e-03	[-0.01, <0.01]

\* *p* < .05, \*\* *p* < .01, \*\*\* *p* < .001, 95% CI(B)

**Table S12*****ET PRS Associations with grey matter radial diffusivity (RD) - LeadDBS\_Atlas\_compendium\_extended***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_anterior_commissure_L	-0.02	-8.86e-05	1.00	1.90e-08	1.38e-04	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_anterior_commissure_R	-0.57	-2.44e-03	.778	1.54e-05	3.93e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_anterior_hypothalamic_area_L	0.32	1.67e-03	.824	4.79e-06	2.19e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_anterior_hypothalamic_area_R	0.43	2.27e-03	.731	8.80e-06	2.97e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_arcuate_hypothalamic_nucleus_L	1.04	6.22e-03	.387	5.06e-05	7.12e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_arcuate_hypothalamic_nucleus_R	1.69	1.01e-02	.168	1.33e-04	1.15e-02	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_bed_nucleus_of_the_stria_terminalis_L	0.77	3.58e-03	.693	2.78e-05	5.28e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_bed_nucleus_of_the_stria_terminalis_R	1.01	4.79e-03	.380	4.81e-05	6.94e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_diagonal_band_of_Broca_L	-0.43	-2.14e-03	.738	8.48e-06	2.91e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_diagonal_band_of_Broca_R	0.05	2.49e-04	1.00	1.09e-07	3.30e-04	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_dorsal_periventricular_hypothalamic_nucleus_L	-0.09	-4.82e-04	1.00	3.88e-07	6.23e-04	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_dorsal_periventricular_hypothalamic_nucleus_R	0.25	1.36e-03	.979	2.98e-06	1.73e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_dorsomedial_hypothalamic_nucleus_L	0.31	1.62e-03	.835	4.40e-06	2.10e-03	[-0.01, 0.01]

**Table S12**

***ET PRS Associations with grey matter radial diffusivity (RD) - LeadDBS\_Atlas\_compendium\_extended***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_dorsomedial_hypothalamus_nucleus_R	0.61	3.30e-03	.596	1.74e-05	4.17e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_fornix_L	1.16	5.53e-03	.300	6.31e-05	7.95e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_fornix_R	-0.07	-3.54e-04	1.00	2.48e-07	4.98e-04	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_gm_mask	0.40	1.66e-03	.758	7.53e-06	2.74e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_inferior_thalamic_peduncle_L	0.26	1.34e-03	.872	3.25e-06	1.80e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_inferior_thalamic_peduncle_R	-0.26	-1.39e-03	.969	3.23e-06	1.80e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_lateral_hypothalamus_L	0.90	4.64e-03	.519	3.84e-05	6.20e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_lateral_hypothalamus_R	-0.18	-9.10e-04	.945	1.47e-06	1.21e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_mammillary_bodies_L	1.54	8.41e-03	.170	1.11e-04	1.05e-02	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_mammillary_bodies_R	1.46	8.07e-03	.197	1.00e-04	1.00e-02	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_mammillothalamic_tract_L	0.01	4.49e-05	1.00	4.06e-09	6.37e-05	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_mammillothalamic_tract_R	-0.44	-2.14e-03	.912	8.90e-06	2.98e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_medial_preoptic_nucleus_L	-0.45	-2.31e-03	.798	9.50e-06	3.08e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_medial_preoptic_nucleus_R	0.44	2.38e-03	.724	9.20e-06	3.03e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_nucleus_basalis_of_Meynert_L	0.21	9.61e-04	.921	1.98e-06	1.41e-03	[-0.01, 0.01]

**Table S12**

***ET PRS Associations with grey matter radial diffusivity (RD) - LeadDBS\_Atlas\_compendium\_extended***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_nucleus_basalis_of_Meynert_R	-1.13	-5.12e-03	.374	5.96e-05	7.72e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_paraventricular_nucleus_L	0.29	1.55e-03	.845	4.07e-06	2.02e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_paraventricular_nucleus_R	1.29	7.29e-03	.309	7.81e-05	8.84e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_periventricular_hypothalamic_nucleus_L	0.57	3.16e-03	.625	1.53e-05	3.91e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_periventricular_hypothalamic_nucleus_R	1.89	1.07e-02	.069	1.68e-04	1.30e-02	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_posterior_hypothalamic_nucleus_L	0.23	1.23e-03	.998	2.52e-06	1.59e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_posterior_hypothalamic_nucleus_R	0.52	2.87e-03	.733	1.29e-05	3.59e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_red_nucleus_L	-0.65	-2.98e-03	.808	2.00e-05	4.47e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_red_nucleus_R	-1.13	-5.22e-03	.494	6.00e-05	7.75e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_substantia_nigra_L	0.40	1.93e-03	.758	7.52e-06	2.74e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_substantia_nigra_R	-0.07	-3.07e-04	1.00	2.01e-07	4.48e-04	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_subthalamic_nucleus_L	-0.33	-1.70e-03	.910	4.99e-06	2.23e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_subthalamic_nucleus_R	-0.14	-7.49e-04	.974	9.70e-07	9.85e-04	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_suprachiasmatic_hypothalamic_nucleus_L	-0.19	-1.14e-03	.934	1.70e-06	1.30e-03	[-0.01, 0.01]

**Table S12**

***ET PRS Associations with grey matter radial diffusivity (RD) - LeadDBS\_Atlas\_compendium\_extended***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_suprachiasmatic_hypothalamic_nucleus_R	0.92	5.51e-03	.435	3.99e-05	6.32e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_supraoptic_hypothalamic_nucleus_L	0.33	1.79e-03	.816	5.09e-06	2.26e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_supraoptic_hypothalamic_nucleus_R	0.64	3.50e-03	.685	1.92e-05	4.38e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_tuberomammillary_hypothalamic_nucleus_L	1.46	8.06e-03	.197	1.00e-04	1.00e-02	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_tuberomammillary_hypothalamic_nucleus_R	0.75	4.09e-03	.679	2.64e-05	5.14e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_ventromedial_hypothalamic_nucleus_L	0.73	3.96e-03	.573	2.46e-05	4.96e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_ventromedial_hypothalamic_nucleus_R	0.83	4.54e-03	.495	3.25e-05	5.70e-03	[-0.01, 0.02]
Atlas_of_the_Human_Hypothalamus_zona_incerta_L	-0.62	-3.18e-03	.740	1.78e-05	4.21e-03	[-0.01, 0.01]
Atlas_of_the_Human_Hypothalamus_zona_incerta_R	-0.71	-3.70e-03	.602	2.37e-05	4.87e-03	[-0.01, 0.01]
Brainstem_Connectome_Atlas_CST_L	0.86	3.77e-03	.536	3.47e-05	5.89e-03	[-0.01, 0.01]
Brainstem_Connectome_Atlas_CST_R	0.45	1.92e-03	.820	9.67e-06	3.11e-03	[-0.01, 0.01]
Brainstem_Connectome_Atlas_FPT_L	1.57	7.45e-03	.215	1.15e-04	1.07e-02	[-0.01, 0.02]
Brainstem_Connectome_Atlas_FPT_R	1.32	6.23e-03	.293	8.19e-05	9.05e-03	[-0.01, 0.02]
Brainstem_Connectome_Atlas_gm_mask	0.13	4.56e-04	.988	7.66e-07	8.75e-04	[-0.01, 0.01]
Brainstem_Connectome_Atlas_ICPMC_L	-0.40	-1.33e-03	.761	7.35e-06	2.71e-03	[-0.01, 0.01]
Brainstem_Connectome_Atlas_ICPMC_R	-0.58	-1.94e-03	.649	1.59e-05	3.98e-03	[-0.01, <0.01]

**Table S12**

***ET PRS Associations with grey matter radial diffusivity (RD) - LeadDBS\_Atlas\_compendium\_extended***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Brainstem_Connectome_Atlas_ICPVC_L	-0.36	-1.15e-03	.877	6.12e-06	2.47e-03	[-0.01, 0.01]
Brainstem_Connectome_Atlas_ICPVC_R	-0.63	-2.06e-03	.579	1.88e-05	4.33e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_LL_L	1.07	4.69e-03	.389	5.40e-05	7.35e-03	[-0.01, 0.01]
Brainstem_Connectome_Atlas_LL_R	-0.11	-4.39e-04	1.00	5.39e-07	7.34e-04	[-0.01, 0.01]
Brainstem_Connectome_Atlas_MCP_M	0.35	1.12e-03	.845	5.89e-06	2.43e-03	[-0.01, 0.01]
Brainstem_Connectome_Atlas_ML_L	0.25	8.55e-04	.885	2.88e-06	1.70e-03	[-0.01, 0.01]
Brainstem_Connectome_Atlas_ML_R	0.20	6.68e-04	.926	1.88e-06	1.37e-03	[-0.01, 0.01]
Brainstem_Connectome_Atlas_POTPT_L	0.62	2.68e-03	.591	1.78e-05	4.22e-03	[-0.01, 0.01]
Brainstem_Connectome_Atlas_POTPT_R	0.11	4.38e-04	1.00	5.22e-07	7.23e-04	[-0.01, 0.01]
Brainstem_Connectome_Atlas_SCPCR_L	-0.88	-2.43e-03	.518	3.66e-05	6.05e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_SCPCR_R	-0.58	-1.64e-03	.686	1.58e-05	3.98e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_SCPCT_L	-0.64	-1.81e-03	.715	1.94e-05	4.41e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_SCPCT_R	-0.48	-1.35e-03	.773	1.07e-05	3.28e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_SCPSC_L	0.46	2.01e-03	.712	9.81e-06	3.13e-03	[-0.01, 0.01]
Brainstem_Connectome_Atlas_SCPSC_R	-0.23	-8.94e-04	.903	2.41e-06	1.55e-03	[-0.01, 0.01]
Brainstem_Connectome_Atlas_STT_L	0.49	2.00e-03	.683	1.15e-05	3.39e-03	[-0.01, 0.01]
Brainstem_Connectome_Atlas_STT_R	0.24	8.38e-04	.926	2.71e-06	1.65e-03	[-0.01, 0.01]
DBS_targets_AD_FORNIX_L	-0.04	-1.96e-04	1.00	7.52e-08	2.74e-04	[-0.01, 0.01]
DBS_targets_AD_FORNIX_R	0.40	1.95e-03	.761	7.34e-06	2.71e-03	[-0.01, 0.01]

**Table S12**

***ET PRS Associations with grey matter radial diffusivity (RD) - LeadDBS\_Atlas\_compendium\_extended***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
DBS_targets_ADD_NAc_L	-0.19	-1.06e-03	.984	1.78e-06	1.33e-03	[-0.01, 0.01]
DBS_targets_ADD_NAc_R	-0.46	-2.47e-03	.711	9.86e-06	3.14e-03	[-0.01, 0.01]
DBS_targets_Dyt_GPi_L	1.16	5.19e-03	.485	6.26e-05	7.91e-03	[-0.01, 0.01]
DBS_targets_Dyt_GPi_R	0.60	2.60e-03	.671	1.69e-05	4.11e-03	[-0.01, 0.01]
DBS_targets_ET_VIM_L	0.01	5.02e-05	1.00	7.68e-09	8.76e-05	[-0.01, 0.01]
DBS_targets_ET_VIM_R	0.04	1.62e-04	1.00	7.96e-08	2.82e-04	[-0.01, 0.01]
DBS_targets_MD_SCC_L	-1.44	-5.53e-03	.193	9.72e-05	9.86e-03	[-0.01, <0.01]
DBS_targets_MD_SCC_R	-0.90	-3.53e-03	.449	3.81e-05	6.17e-03	[-0.01, <0.01]
DBS_targets_OCD_ALIC_L	0.68	2.93e-03	.609	2.15e-05	4.64e-03	[-0.01, 0.01]
DBS_targets_OCD_ALIC_R	0.59	2.49e-03	.614	1.60e-05	4.01e-03	[-0.01, 0.01]
DBS_targets_OCD_NAc_L	-0.52	-2.64e-03	.711	1.26e-05	3.54e-03	[-0.01, 0.01]
DBS_targets_OCD_NAc_R	-0.76	-3.99e-03	.612	2.73e-05	5.23e-03	[-0.01, 0.01]
DBS_targets_PD_STN_L	-1.29	-6.43e-03	.364	7.74e-05	8.80e-03	[-0.02, <0.01]
DBS_targets_PD_STN_R	-0.51	-2.64e-03	.679	1.23e-05	3.51e-03	[-0.01, 0.01]
DBS_targets_TS_CMPVVOI_L	-0.11	-5.10e-04	1.00	5.42e-07	7.36e-04	[-0.01, 0.01]
DBS_targets_TS_CMPVVOI_R	-0.68	-3.34e-03	.547	2.16e-05	4.65e-03	[-0.01, 0.01]
DBS_Tractography_Atlas_Ca	1.62	7.53e-03	.129	1.23e-04	1.11e-02	[-0.01, 0.02]
DBS_Tractography_Atlas_EXA	0.97	4.16e-03	.523	4.39e-05	6.63e-03	[-0.01, 0.01]
DBS_Tractography_Atlas_HN	1.68	9.07e-03	.127	1.33e-04	1.15e-02	[-0.01, 0.02]
DBS_Tractography_Atlas_HTH	0.61	2.90e-03	.595	1.75e-05	4.18e-03	[-0.01, 0.01]
DBS_Tractography_Atlas_L_STN_associative	-0.68	-3.68e-03	.610	2.14e-05	4.63e-03	[-0.01, 0.01]

**Table S12**

***ET PRS Associations with grey matter radial diffusivity (RD) - LeadDBS\_Atlas\_compendium\_extended***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
DBS_Tractography_Atlas_L_STN_limbic	-0.19	-1.00e-03	.936	1.66e-06	1.29e-03	[-0.01, 0.01]
DBS_Tractography_Atlas_L_STN_motor	-1.31	-6.56e-03	.410	8.03e-05	8.96e-03	[-0.02, <0.01]
DBS_Tractography_Atlas_MN	1.55	8.24e-03	.192	1.12e-04	1.06e-02	[-0.01, 0.02]
DBS_Tractography_Atlas_NAC	-0.24	-1.01e-03	.977	2.75e-06	1.66e-03	[-0.01, 0.01]
DBS_Tractography_Atlas_PBP	-0.54	-2.25e-03	.928	1.36e-05	3.69e-03	[-0.01, 0.01]
DBS_Tractography_Atlas_Pu	0.76	2.34e-03	.612	2.73e-05	5.23e-03	[-0.01, 0.01]
DBS_Tractography_Atlas_R_STN_associative	-0.57	-3.10e-03	.692	1.54e-05	3.93e-03	[-0.01, 0.01]
DBS_Tractography_Atlas_R_STN_limbic	-0.40	-2.19e-03	.844	7.41e-06	2.72e-03	[-0.01, 0.01]
DBS_Tractography_Atlas_R_STN_motor	-0.30	-1.49e-03	.844	4.10e-06	2.02e-03	[-0.01, 0.01]
DBS_Tractography_Atlas_SNc	-0.17	-7.32e-04	.951	1.37e-06	1.17e-03	[-0.01, 0.01]
DBS_Tractography_Atlas_SNr	0.21	9.80e-04	1.00	2.07e-06	1.44e-03	[-0.01, 0.01]
DBS_Tractography_Atlas_VeP	-0.24	-1.21e-03	.892	2.78e-06	1.67e-03	[-0.01, 0.01]
DBS_Tractography_Atlas_VTA	0.14	5.98e-04	.980	8.75e-07	9.35e-04	[-0.01, 0.01]
Dystonia_Response_Tract_Atlas_Sweetspot_cervical_L	1.03	3.97e-03	.553	5.00e-05	7.07e-03	[-0.01, 0.01]
Dystonia_Response_Tract_Atlas_Sweetspot_cervical_R	-0.12	-4.29e-04	1.00	6.35e-07	7.97e-04	[-0.01, 0.01]
Dystonia_Response_Tract_Atlas_Sweetspot_generalized_L	0.89	3.39e-03	.661	3.67e-05	6.06e-03	[-0.01, 0.01]
Dystonia_Response_Tract_Atlas_Sweetspot_generalized_R	0.19	7.23e-04	1.00	1.75e-06	1.32e-03	[-0.01, 0.01]
Nigral_O'Donnell Research Group (ORG)anization_atlas_lateral_SNc_somatomotor_L	-0.01	-3.28e-05	1.00	2.20e-09	4.69e-05	[-0.01, 0.01]
Nigral_O'Donnell Research Group (ORG)anization_atlas_lateral_SNc_somatomotor_R	-0.82	-4.02e-03	.505	3.14e-05	5.60e-03	[-0.01, 0.01]
Nigral_O'Donnell Research Group (ORG)anization_atlas_medial_SNc_limbic_L	0.32	1.54e-03	.915	4.80e-06	2.19e-03	[-0.01, 0.01]



**Table S12**

***ET PRS Associations with grey matter radial diffusivity (RD) - LeadDBS\_Atlas\_compendium\_extended***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Nigral_O'Donnell Research Group (ORG)anization_atlas_medial_SNc_limbic_R	-0.79	-3.85e-03	.576	2.90e-05	5.39e-03	[-0.01, 0.01]
Nigral_O'Donnell Research Group (ORG)anization_atlas_ventral_SN_associative_L	0.45	2.25e-03	.809	9.54e-06	3.09e-03	[-0.01, 0.01]
Nigral_O'Donnell Research Group (ORG)anization_atlas_ventral_SN_associative_R	-0.42	-2.14e-03	.928	8.24e-06	2.87e-03	[-0.01, 0.01]
Striatal_Functional_Networks_17Networks_1	-1.02	-4.03e-03	.337	4.91e-05	7.01e-03	[-0.01, <0.01]
Striatal_Functional_Networks_17Networks_10	-0.05	-1.97e-04	1.00	1.18e-07	3.44e-04	[-0.01, 0.01]
Striatal_Functional_Networks_17Networks_12	-0.01	-1.22e-05	1.00	6.04e-10	2.46e-05	[-0.01, 0.01]
Striatal_Functional_Networks_17Networks_13	1.45	7.91e-03	.161	9.88e-05	9.94e-03	[-0.01, 0.02]
Striatal_Functional_Networks_17Networks_14	2.15	7.80e-03	.058	2.16e-04	1.47e-02	[<0.01, 0.01]
Striatal_Functional_Networks_17Networks_16	1.07	5.46e-03	.311	5.41e-05	7.36e-03	[-0.01, 0.02]
Striatal_Functional_Networks_17Networks_17	1.53	6.99e-03	.155	1.09e-04	1.04e-02	[-0.01, 0.02]
Striatal_Functional_Networks_17Networks_3	1.48	4.80e-03	.217	1.03e-04	1.02e-02	[-0.01, 0.01]
Striatal_Functional_Networks_17Networks_4	0.47	1.65e-03	.781	1.03e-05	3.21e-03	[-0.01, 0.01]
Striatal_Functional_Networks_17Networks_6	-0.25	-9.64e-04	.884	2.89e-06	1.70e-03	[-0.01, 0.01]
Striatal_Functional_Networks_17Networks_7	1.22	4.19e-03	.270	7.03e-05	8.39e-03	[-0.01, 0.01]
Striatal_Functional_Networks_17Networks_8	1.16	3.84e-03	.271	6.31e-05	7.94e-03	[-0.01, 0.01]
Striatal_Functional_Networks_17Networks_9	-0.24	-8.96e-04	.894	2.63e-06	1.62e-03	[-0.01, 0.01]
Striatal_Functional_Networks_7Networks_1	-1.02	-4.03e-03	.337	4.91e-05	7.01e-03	[-0.01, <0.01]
Striatal_Functional_Networks_7Networks_2	1.13	3.65e-03	.354	6.02e-05	7.76e-03	[-0.01, 0.01]
Striatal_Functional_Networks_7Networks_3	-0.40	-1.45e-03	.755	7.65e-06	2.77e-03	[-0.01, 0.01]

Table S12

*ET PRS Associations with grey matter radial diffusivity (RD) - LeadDBS\_Atlas\_compendium\_extended*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Striatal_Functional_Networks_7Networks_4	1.30	4.30e-03	.265	7.94e-05	8.91e-03	[-0.01, 0.01]
Striatal_Functional_Networks_7Networks_5	-0.09	-3.44e-04	1.00	3.59e-07	5.99e-04	[-0.01, 0.01]
Striatal_Functional_Networks_7Networks_6	1.33	5.34e-03	.201	8.33e-05	9.13e-03	[-0.01, 0.01]
Striatal_Functional_Networks_7Networks_7	1.21	6.16e-03	.249	6.87e-05	8.29e-03	[-0.01, 0.02]
Thalamic_Functional_Atlas_1_L	-0.50	-1.72e-03	.679	1.17e-05	3.42e-03	[-0.01, 0.01]
Thalamic_Functional_Atlas_1_R	-0.50	-1.72e-03	.679	1.17e-05	3.42e-03	[-0.01, 0.01]
Thalamic_Functional_Atlas_10_L	1.73	7.56e-03	.115	1.40e-04	1.18e-02	[-0.01, 0.02]
Thalamic_Functional_Atlas_10_R	0.05	1.73e-04	1.00	1.03e-07	3.20e-04	[-0.01, 0.01]
Thalamic_Functional_Atlas_11_L	2.03	8.80e-03	.078	1.92e-04	1.39e-02	<0.01, 0.02]
Thalamic_Functional_Atlas_11_R	1.82	8.46e-03	.094	1.56e-04	1.25e-02	[-0.01, 0.02]
Thalamic_Functional_Atlas_12_L	0.44	2.33e-03	.723	9.20e-06	3.03e-03	[-0.01, 0.01]
Thalamic_Functional_Atlas_12_R	0.52	2.60e-03	.665	1.25e-05	3.54e-03	[-0.01, 0.01]
Thalamic_Functional_Atlas_13_R	0.37	1.48e-03	.869	6.43e-06	2.54e-03	[-0.01, 0.01]
<b>Thalamic_Functional_Atlas_13A_L</b>	<b>2.60</b>	<b>1.05e-02</b>	<b>.012</b>	<b>3.16e-04</b>	<b>1.78e-02</b>	<b>&lt;0.01, 0.02]</b>
Thalamic_Functional_Atlas_13B_L	-0.64	-2.32e-03	.634	1.91e-05	4.37e-03	[-0.01, <0.01]
<b>Thalamic_Functional_Atlas_14_L</b>	<b>2.51</b>	<b>1.47e-02</b>	<b>.017</b>	<b>2.95e-04</b>	<b>1.72e-02</b>	<b>&lt;0.01, 0.03]</b>
<b>Thalamic_Functional_Atlas_14_R</b>	<b>2.12</b>	<b>1.24e-02</b>	<b>.047</b>	<b>2.11e-04</b>	<b>1.45e-02</b>	<b>&lt;0.01, 0.02]</b>
Thalamic_Functional_Atlas_15_L	1.24	4.19e-03	.336	7.24e-05	8.51e-03	[-0.01, 0.01]
<b>Thalamic_Functional_Atlas_15_R</b>	<b>2.15</b>	<b>8.39e-03</b>	<b>.049</b>	<b>2.17e-04</b>	<b>1.47e-02</b>	<b>&lt;0.01, 0.02]</b>
Thalamic_Functional_Atlas_2_L	0.38	1.37e-03	.856	6.93e-06	2.63e-03	[-0.01, 0.01]
Thalamic_Functional_Atlas_2_R	0.46	1.61e-03	.712	9.81e-06	3.13e-03	[-0.01, 0.01]
<b>Thalamic_Functional_Atlas_3_R</b>	<b>2.34</b>	<b>9.07e-03</b>	<b>.024</b>	<b>2.56e-04</b>	<b>1.60e-02</b>	<b>&lt;0.01, 0.02]</b>
Thalamic_Functional_Atlas_4_R	1.69	5.99e-03	.124	1.34e-04	1.16e-02	[-0.01, 0.01]

**Table S12**

***ET PRS Associations with grey matter radial diffusivity (RD) - LeadDBS\_Atlas\_compendium\_extended***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Thalamic_Functional_Atlas_4A_L	-0.35	-1.25e-03	.795	5.89e-06	2.43e-03	[-0.01, 0.01]
<b>Thalamic_Functional_Atlas_4B_L</b>	<b>2.18</b>	<b>8.59e-03</b>	<b>.036</b>	<b>2.22e-04</b>	<b>1.49e-02</b>	<b>&lt;0.01, 0.02]</b>
Thalamic_Functional_Atlas_5_R	1.71	9.40e-03	.159	1.38e-04	1.17e-02	[-0.01, 0.02]
Thalamic_Functional_Atlas_6_L	1.23	5.78e-03	.269	7.04e-05	8.39e-03	[-0.01, 0.02]
Thalamic_Functional_Atlas_6_R	0.11	5.49e-04	1.00	6.04e-07	7.77e-04	[-0.01, 0.01]
<b>Thalamic_Functional_Atlas_7_L</b>	<b>2.49</b>	<b>1.26e-02</b>	<b>.020</b>	<b>2.90e-04</b>	<b>1.70e-02</b>	<b>&lt;0.01, 0.02]</b>
Thalamic_Functional_Atlas_7_R	1.89	9.42e-03	.065	1.67e-04	1.29e-02	[-0.01, 0.02]
Thalamic_Functional_Atlas_8_L	0.64	1.88e-03	.636	1.94e-05	4.40e-03	[-0.01, 0.01]
Thalamic_Functional_Atlas_8_R	0.73	2.35e-03	.567	2.51e-05	5.01e-03	[-0.01, 0.01]
Thalamic_Functional_Atlas_9_R	1.76	9.45e-03	.143	1.46e-04	1.21e-02	[-0.01, 0.02]
Thalamic_Functional_Atlas_9A_L	1.72	9.06e-03	.117	1.39e-04	1.18e-02	[-0.01, 0.02]
Thalamic_Functional_Atlas_9B_L	1.91	1.04e-02	.102	1.72e-04	1.31e-02	[-0.01, 0.02]
TOR_PSM_dystonia_gpi_n64_coldspot_L	0.66	2.53e-03	.561	2.03e-05	4.51e-03	[-0.01, 0.01]
TOR_PSM_dystonia_gpi_n64_coldspot_R	-0.06	-2.21e-04	1.00	1.63e-07	4.03e-04	[-0.01, 0.01]
TOR_PSM_dystonia_gpi_n64_hotspot_L	0.90	3.23e-03	.579	3.79e-05	6.16e-03	[-0.01, 0.01]
TOR_PSM_dystonia_gpi_n64_hotspot_R	-0.11	-3.90e-04	1.00	5.91e-07	7.69e-04	[-0.01, 0.01]
TOR_PSM_pd_gpi_n28_coldspot_L	0.96	4.15e-03	.414	4.30e-05	6.55e-03	[-0.01, 0.01]
TOR_PSM_pd_gpi_n28_coldspot_R	-0.65	-2.67e-03	.670	1.96e-05	4.42e-03	[-0.01, 0.01]
TOR_PSM_pd_gpi_n28_hotspot_L	0.93	3.63e-03	.544	4.08e-05	6.39e-03	[-0.01, 0.01]
TOR_PSM_pd_gpi_n28_hotspot_R	0.25	9.50e-04	.879	3.03e-06	1.74e-03	[-0.01, 0.01]
TOR_PSM_pd_stn_n275_coldspot_L	-0.53	-2.24e-03	.818	1.33e-05	3.64e-03	[-0.01, 0.01]
TOR_PSM_pd_stn_n275_coldspot_R	-1.30	-5.68e-03	.354	7.94e-05	8.91e-03	[-0.01, <0.01]
TOR_PSM_pd_stn_n275_hotspot_L	-0.82	-4.00e-03	.651	3.13e-05	5.59e-03	[-0.01, 0.01]

**Table S12**

***ET PRS Associations with grey matter radial diffusivity (RD) - LeadDBS\_Atlas\_compendium\_extended***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
TOR_PSM_pd_stn_n275_hotspot_R	-0.40	-1.97e-03	.791	7.37e-06	2.71e-03	[-0.01, 0.01]
TOR_PSM_psych_scc_n76_coldspot_L	0.10	5.32e-04	1.00	4.46e-07	6.68e-04	[-0.01, 0.01]
TOR_PSM_psych_scc_n76_coldspot_R	-0.14	-7.14e-04	.980	8.82e-07	9.39e-04	[-0.01, 0.01]
TOR_PSM_psych_scc_n76_hotspot_L	-1.05	-4.22e-03	.359	5.17e-05	7.19e-03	[-0.01, <0.01]
TOR_PSM_psych_scc_n76_hotspot_R	-1.03	-4.05e-03	.334	4.96e-05	7.04e-03	[-0.01, <0.01]
TOR_PSM_tremor_vim_n39_coldspot_L	-1.21	-5.02e-03	.396	6.81e-05	8.25e-03	[-0.01, <0.01]
TOR_PSM_tremor_vim_n39_coldspot_R	-0.55	-2.25e-03	.911	1.40e-05	3.74e-03	[-0.01, 0.01]
TOR_PSM_tremor_vim_n39_hotspot_L	-0.88	-2.98e-03	.462	3.64e-05	6.04e-03	[-0.01, <0.01]
TOR_PSM_tremor_vim_n39_hotspot_R	-0.61	-2.00e-03	.659	1.76e-05	4.20e-03	[-0.01, <0.01]
TOR_signPD_axial_signs_coldspot_L	-0.17	-6.70e-04	1.00	1.39e-06	1.18e-03	[-0.01, 0.01]
TOR_signPD_axial_signs_coldspot_R	-0.91	-3.63e-03	.497	3.91e-05	6.25e-03	[-0.01, <0.01]
TOR_signPD_axial_signs_hotspot_L	-0.76	-3.70e-03	.699	2.73e-05	5.23e-03	[-0.01, 0.01]
TOR_signPD_axial_signs_hotspot_R	-0.61	-3.04e-03	.823	1.72e-05	4.15e-03	[-0.01, 0.01]
TOR_signPD_bradykinesia_coldspot_L	-0.48	-1.99e-03	.755	1.06e-05	3.25e-03	[-0.01, 0.01]
TOR_signPD_bradykinesia_coldspot_R	-1.29	-5.61e-03	.310	7.79e-05	8.83e-03	[-0.01, <0.01]
TOR_signPD_bradykinesia_hotspot_L	-0.90	-4.47e-03	.575	3.83e-05	6.19e-03	[-0.01, 0.01]
TOR_signPD_bradykinesia_hotspot_R	-0.23	-1.19e-03	.896	2.58e-06	1.61e-03	[-0.01, 0.01]

**Table S12**

***ET PRS Associations with grey matter radial diffusivity (RD) - LeadDBS\_Atlas\_compendium\_extended***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
TOR_signPD_rigidity_coldspot_L	-0.43	-1.66e-03	.906	8.54e-06	2.92e-03	[-0.01, 0.01]
TOR_signPD_rigidity_coldspot_R	-1.09	-4.36e-03	.570	5.59e-05	7.48e-03	[-0.01, <0.01]
TOR_signPD_rigidity_hotspot_L	-0.13	-6.08e-04	.986	7.98e-07	8.93e-04	[-0.01, 0.01]
TOR_signPD_rigidity_hotspot_R	-0.51	-2.45e-03	.779	1.20e-05	3.46e-03	[-0.01, 0.01]
TOR_signPD_tremor_coldspot_L	-0.35	-1.50e-03	.798	5.79e-06	2.41e-03	[-0.01, 0.01]
TOR_signPD_tremor_coldspot_R	-0.95	-4.06e-03	.541	4.20e-05	6.48e-03	[-0.01, <0.01]
TOR_signPD_tremor_hotspot_L	-0.15	-7.49e-04	1.00	1.09e-06	1.04e-03	[-0.01, 0.01]
TOR_signPD_tremor_hotspot_R	-0.65	-3.25e-03	.922	1.95e-05	4.42e-03	[-0.01, 0.01]
Zona_Incerta_Atlas_cZI_L	-1.05	-4.43e-03	.536	5.20e-05	7.21e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_cZI_R	-1.06	-4.45e-03	.451	5.32e-05	7.29e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_fct_L	-0.66	-2.89e-03	.888	2.04e-05	4.51e-03	[-0.01, 0.01]
Zona_Incerta_Atlas_fct_R	-0.79	-3.49e-03	.593	2.90e-05	5.39e-03	[-0.01, 0.01]
Zona_Incerta_Atlas_fl_L	-0.07	-3.76e-04	1.00	2.31e-07	4.81e-04	[-0.01, 0.01]
Zona_Incerta_Atlas_fl_R	-0.68	-3.76e-03	.776	2.19e-05	4.68e-03	[-0.01, 0.01]
Zona_Incerta_Atlas_ft_L	-0.54	-2.73e-03	.741	1.38e-05	3.72e-03	[-0.01, 0.01]
Zona_Incerta_Atlas_ft_R	-1.20	-6.25e-03	.503	6.80e-05	8.24e-03	[-0.02, <0.01]
Zona_Incerta_Atlas_gm_mask	-0.53	-2.30e-03	.727	1.33e-05	3.64e-03	[-0.01, 0.01]
Zona_Incerta_Atlas_hf_L	-0.56	-2.95e-03	.717	1.47e-05	3.83e-03	[-0.01, 0.01]
Zona_Incerta_Atlas_hf_R	-0.93	-4.99e-03	.487	4.02e-05	6.34e-03	[-0.02, 0.01]

**Table S12*****ET PRS Associations with grey matter radial diffusivity (RD) - LeadDBS Atlas compendium extended***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Zona_Incerta_Atlas_hfields_L	-0.39	-2.00e-03	.765	7.18e-06	2.68e-03	[-0.01, 0.01]
Zona_Incerta_Atlas_hfields_R	-1.01	-5.31e-03	.690	4.76e-05	6.90e-03	[-0.02, 0.01]
Zona_Incerta_Atlas_ml_L	0.70	2.68e-03	.737	2.32e-05	4.81e-03	[-0.01, 0.01]
Zona_Incerta_Atlas_ml_R	0.31	1.13e-03	.830	4.57e-06	2.14e-03	[-0.01, 0.01]
Zona_Incerta_Atlas_rZI_L	-0.22	-1.11e-03	1.00	2.22e-06	1.49e-03	[-0.01, 0.01]
Zona_Incerta_Atlas_rZI_R	-0.78	-4.08e-03	.688	2.82e-05	5.31e-03	[-0.01, 0.01]
Zona_Incerta_Atlas_ZI_L	-0.48	-2.25e-03	.898	1.09e-05	3.30e-03	[-0.01, 0.01]
Zona_Incerta_Atlas_ZI_R	-0.90	-4.36e-03	.586	3.84e-05	6.19e-03	[-0.01, 0.01]
Zona_Incerta_Atlas_zRN_L	-0.57	-2.57e-03	.696	1.52e-05	3.89e-03	[-0.01, 0.01]
Zona_Incerta_Atlas_zRN_R	-0.97	-4.45e-03	.522	4.41e-05	6.64e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_zSTN_L	-0.70	-3.60e-03	.664	2.31e-05	4.81e-03	[-0.01, 0.01]
Zona_Incerta_Atlas_zSTN_R	-0.48	-2.49e-03	.851	1.06e-05	3.26e-03	[-0.01, 0.01]

*Note*\* *p* < .05, \*\* *p* < .01, \*\*\* *p* < .001, 95% CI(B)**Table S13*****ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS Atlas compendium extended***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_anterior_commissure_L	0.11	7.62e-06	1.00	5.63e-07	7.50e-04	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_anterior_commissure_R	-0.05	-3.00e-06	1.00	9.51e-08	3.08e-04	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_anterior_hypothalamic_area_L	0.72	7.12e-05	.574	2.45e-05	4.95e-03	[-0.01, <0.01]

**Table S13**

*ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_anterior_hypothalamic_area_R	1.00	1.01e-04	.388	4.68e-05	6.84e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_arcuate_hypothalamic_nucleus_L	1.47	2.24e-04	.261	1.01e-04	1.00e-02	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_arcuate_hypothalamic_nucleus_R	1.85	2.91e-04	.101	1.61e-04	1.27e-02	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_bed_nucleus_of_the_striatum_L	0.34	2.76e-05	.804	5.55e-06	2.36e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_bed_nucleus_of_the_striatum_R	1.04	8.61e-05	.327	5.09e-05	7.13e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_diagonal_band_of_Broca_L	-0.50	-4.59e-05	.756	1.16e-05	3.41e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_diagonal_band_of_Broca_R	-0.01	-1.28e-06	1.00	7.53e-09	8.68e-05	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_dorsal_periventricular_hypothalamic_nucleus_L	-0.06	-7.08e-06	1.00	1.67e-07	4.08e-04	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_dorsal_periventricular_hypothalamic_nucleus_R	0.38	4.47e-05	.863	6.66e-06	2.58e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_dorsomedial_hypothalamic_nucleus_L	0.53	5.56e-05	.817	1.33e-05	3.65e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_dorsomedial_hypothalamic_nucleus_R	0.92	1.08e-04	.490	3.99e-05	6.31e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_fornix_L	0.84	7.60e-05	.441	3.31e-05	5.75e-03	[-0.01, <0.01]

**Table S13**

*ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_fornix_R	0.01	1.10e-06	1.00	7.11e-09	8.43e-05	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_gm_mask	0.35	2.38e-05	.802	5.60e-06	2.37e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_inferior_thalamic_peduncle_L	-0.04	-3.65e-06	1.00	8.70e-08	2.95e-04	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_inferior_thalamic_peduncle_R	-0.27	-2.47e-05	.964	3.37e-06	1.84e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_lateral_hypothalamus_L	0.61	5.45e-05	.596	1.74e-05	4.18e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_lateral_hypothalamus_R	-0.23	-2.11e-05	.930	2.58e-06	1.61e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_mammillary_bodies_L	1.58	1.91e-04	.181	1.16e-04	1.08e-02	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_mammillary_bodies_R	1.80	2.23e-04	.098	1.52e-04	1.23e-02	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_mammillothalamic_tract_L	0.10	8.24e-06	1.00	4.41e-07	6.64e-04	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_mammillothalamic_tract_R	0.10	8.35e-06	1.00	4.35e-07	6.59e-04	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_medial_preoptic_nucleus_L	-0.71	-6.79e-05	.654	2.39e-05	4.89e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_medial_preoptic_nucleus_R	0.35	3.99e-05	.802	5.64e-06	2.37e-03	[-0.01, <0.01]



**Table S13**

***ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_nucleus_basalis_of_Meynert_L	0.66	4.93e-05	.703	2.02e-05	4.50e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_nucleus_basalis_of_Meynert_R	-0.82	-6.02e-05	.564	3.18e-05	5.64e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_paraventricular_nucleus_L	0.30	3.34e-05	.841	4.21e-06	2.05e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_paraventricular_nucleus_R	1.33	2.05e-04	.252	8.30e-05	9.11e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_periventricular_hypothalamic_nucleus_L	1.05	1.24e-04	.325	5.13e-05	7.16e-03	[-0.01, <0.01]
<b>Atlas_of_the_Human_Hypothalamus_periventricular_hypothalamic_nucleus_R</b>	<b>2.25</b>	<b>3.02e-04</b>	<b>.034</b>	<b>2.37e-04</b>	<b>1.54e-02</b>	<b>&lt;0.01, &lt;0.01]</b>
Atlas_of_the_Human_Hypothalamus_posterior_hypothalamic_nucleus_L	0.49	5.14e-05	.689	1.11e-05	3.33e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_posterior_hypothalamic_nucleus_R	0.91	1.13e-04	.445	3.87e-05	6.22e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_red_nucleus_L	0.02	1.54e-06	1.00	1.86e-08	1.36e-04	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_red_nucleus_R	-0.04	-2.78e-06	1.00	5.92e-08	2.43e-04	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_substantia_nigra_L	-0.23	-1.83e-05	.900	2.48e-06	1.58e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_substantia_nigra_R	-0.84	-6.60e-05	.551	3.31e-05	5.76e-03	[-0.01, <0.01]

**Table S13**

*ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Atlas_of_the_Human_Hypothalamus_subthalamic_nucleus_L	-0.61	-5.32e-05	.747	1.73e-05	4.16e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_subthalamic_nucleus_R	-0.82	-7.36e-05	.566	3.16e-05	5.62e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_suprachiasmatic_hypothalamic_nucleus_L	0.18	2.97e-05	.944	1.49e-06	1.22e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_suprachiasmatic_hypothalamic_nucleus_R	0.99	1.64e-04	.396	4.57e-05	6.76e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_supraoptic_hypothalamic_nucleus_L	0.83	1.03e-04	.445	3.25e-05	5.70e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_supraoptic_hypothalamic_nucleus_R	0.72	8.94e-05	.641	2.43e-05	4.93e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_tuberomammillary_hypothalamic_nucleus_L	1.61	1.94e-04	.131	1.22e-04	1.10e-02	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_tuberomammillary_hypothalamic_nucleus_R	1.17	1.36e-04	.295	6.44e-05	8.03e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_ventromedial_hypothalamic_nucleus_L	1.41	1.53e-04	.217	9.35e-05	9.67e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_ventromedial_hypothalamic_nucleus_R	1.62	1.75e-04	.165	1.23e-04	1.11e-02	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_zona_incerta_L	-0.52	-4.58e-05	.828	1.27e-05	3.57e-03	[-0.01, <0.01]
Atlas_of_the_Human_Hypothalamus_zona_incerta_R	-0.87	-7.86e-05	.532	3.51e-05	5.92e-03	[-0.01, <0.01]

**Table S13**

*ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Brainstem_Connectome_Atlas_CST_L	0.85	7.27e-05	.482	3.40e-05	5.83e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_CST_R	0.59	4.68e-05	.675	1.66e-05	4.07e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_FPT_L	1.24	1.11e-04	.336	7.25e-05	8.51e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_FPT_R	0.92	7.80e-05	.489	4.00e-05	6.32e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_gm_mask	0.56	3.69e-05	.633	1.47e-05	3.83e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_ICPMC_L	-0.05	-3.04e-06	1.00	1.32e-07	3.64e-04	[-0.01, <0.01]
Brainstem_Connectome_Atlas_ICPMC_R	-0.44	-2.47e-05	.727	9.02e-06	3.00e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_ICPVC_L	-0.16	-8.75e-06	.956	1.27e-06	1.13e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_ICPVC_R	-0.51	-2.80e-05	.749	1.20e-05	3.47e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_LL_L	1.17	9.77e-05	.381	6.40e-05	8.00e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_LL_R	0.61	4.89e-05	.902	1.75e-05	4.18e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_MCP_M	0.39	2.12e-05	.942	7.12e-06	2.67e-03	[-0.01, <0.01]

**Table S13**

*ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Brainstem_Connectome_Atlas_ML_L	0.70	4.87e-05	.531	2.31e-05	4.81e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_ML_R	0.81	5.33e-05	.507	3.11e-05	5.58e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_POTPT_L	0.71	5.26e-05	.526	2.36e-05	4.86e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_POTPT_R	0.15	1.07e-05	.965	1.12e-06	1.06e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_SCPCR_L	-0.18	-9.07e-06	.940	1.57e-06	1.25e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_SCPCR_R	-0.27	-1.35e-05	.865	3.44e-06	1.85e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_SCPCT_L	-0.12	-5.77e-06	.997	6.48e-07	8.05e-04	[-0.01, <0.01]
Brainstem_Connectome_Atlas_SCPCT_R	-0.20	-9.97e-06	.922	1.95e-06	1.40e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_SCPSC_L	0.70	5.75e-05	.589	2.32e-05	4.82e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_SCPSC_R	0.41	3.02e-05	.751	7.83e-06	2.80e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_STT_L	0.76	5.95e-05	.613	2.73e-05	5.22e-03	[-0.01, <0.01]
Brainstem_Connectome_Atlas_STT_R	0.76	5.33e-05	.547	2.73e-05	5.23e-03	[-0.01, <0.01]

**Table S13**

*ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
DBS_targets_AD_FORNIX_L	-0.43	-3.59e-05	.734	8.67e-06	2.94e-03	[-0.01, <0.01]
DBS_targets_AD_FORNIX_R	0.46	3.85e-05	.712	9.80e-06	3.13e-03	[-0.01, <0.01]
DBS_targets_ADD_NAc_L	0.14	1.48e-05	.981	8.73e-07	9.34e-04	[-0.01, <0.01]
DBS_targets_ADD_NAc_R	-0.01	-3.12e-07	1.00	4.11e-10	2.03e-05	[-0.01, <0.01]
DBS_targets_Dyt_GPi_L	1.28	9.16e-05	.313	7.72e-05	8.79e-03	[-0.01, <0.01]
DBS_targets_Dyt_GPi_R	0.15	1.01e-05	1.00	1.01e-06	1.01e-03	[-0.01, <0.01]
DBS_targets_ET_VIM_L	0.12	8.46e-06	.991	7.21e-07	8.49e-04	[-0.01, <0.01]
DBS_targets_ET_VIM_R	0.08	5.18e-06	1.00	2.64e-07	5.14e-04	[-0.01, <0.01]
DBS_targets_MD_SCC_L	-1.25	-7.90e-05	.429	7.27e-05	8.53e-03	[-0.01, <0.01]
DBS_targets_MD_SCC_R	-1.39	-9.06e-05	.339	9.03e-05	9.50e-03	[-0.01, <0.01]
DBS_targets_OCD_ALIC_L	0.37	2.76e-05	.901	6.55e-06	2.56e-03	[-0.01, <0.01]
DBS_targets_OCD_ALIC_R	0.77	5.83e-05	.581	2.78e-05	5.28e-03	[-0.01, <0.01]

**Table S13**

*ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
DBS_targets_OCD_NAc_L	-0.66	-6.09e-05	.620	2.06e-05	4.54e-03	[-0.01, <0.01]
DBS_targets_OCD_NAc_R	-0.80	-7.61e-05	.583	2.99e-05	5.47e-03	[-0.01, <0.01]
DBS_targets_PD_STN_L	-0.92	-8.01e-05	.490	3.99e-05	6.31e-03	[-0.01, <0.01]
DBS_targets_PD_STN_R	-0.83	-7.72e-05	.556	3.26e-05	5.71e-03	[-0.01, <0.01]
DBS_targets_TS_CMPVVOI_L	0.19	1.62e-05	.933	1.73e-06	1.31e-03	[-0.01, <0.01]
DBS_targets_TS_CMPVVOI_R	-0.19	-1.72e-05	.932	1.74e-06	1.32e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_Ca	1.36	1.16e-04	.191	8.67e-05	9.31e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_EXA	0.79	5.67e-05	.527	2.91e-05	5.39e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_HN	1.99	2.47e-04	.056	1.86e-04	1.37e-02	[<0.01, <0.01]
DBS_Tractography_Atlas_HTH	0.71	5.99e-05	.587	2.33e-05	4.83e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_L_STN_associative	-0.62	-6.37e-05	.908	1.82e-05	4.27e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_L_STN_limbic	-0.65	-6.15e-05	.706	2.00e-05	4.48e-03	[-0.01, <0.01]

**Table S13**

*ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
DBS_Tractography_Atlas_L_STN_motor	-1.26	-1.08e-04	.325	7.48e-05	8.65e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_MN	1.75	1.98e-04	.111	1.43e-04	1.20e-02	[-0.01, <0.01]
DBS_Tractography_Atlas_NAC	-0.15	-1.04e-05	.965	1.11e-06	1.05e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_PBP	-0.44	-3.14e-05	.723	9.22e-06	3.04e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_Pu	0.91	4.44e-05	.442	3.90e-05	6.24e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_R_STN_associative	-0.90	-8.95e-05	.464	3.79e-05	6.16e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_R_STN_limbic	-1.31	-1.35e-04	.301	7.99e-05	8.94e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_R_STN_motor	-0.71	-6.22e-05	.585	2.35e-05	4.85e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_SNc	-0.58	-4.31e-05	.685	1.59e-05	3.98e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_SNr	-0.55	-4.31e-05	.798	1.43e-05	3.78e-03	[-0.01, <0.01]
DBS_Tractography_Atlas_VeP	-0.07	-5.81e-06	1.00	2.21e-07	4.70e-04	[-0.01, <0.01]
DBS_Tractography_Atlas_VTA	-0.26	-1.90e-05	.967	3.27e-06	1.81e-03	[-0.01, <0.01]

**Table S13**

***ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Dystonia_Response_Tract_Atlas_Sweetspot_cervical_L	0.64	3.89e-05	.625	1.92e-05	4.39e-03	[-0.01, <0.01]
Dystonia_Response_Tract_Atlas_Sweetspot_cervical_R	-1.01	-5.93e-05	.441	4.81e-05	6.94e-03	[-0.01, <0.01]
Dystonia_Response_Tract_Atlas_Sweetspot_generalized_L	0.77	4.76e-05	.536	2.81e-05	5.30e-03	[-0.01, <0.01]
Dystonia_Response_Tract_Atlas_Sweetspot_generalized_R	-0.57	-3.45e-05	.698	1.51e-05	3.88e-03	[-0.01, <0.01]
Nigral_O'Donnell Research Group (ORG)anization_atlas_lateral_SNc_somatomotor_L	-0.29	-2.39e-05	.904	3.83e-06	1.96e-03	[-0.01, <0.01]
Nigral_O'Donnell Research Group (ORG)anization_atlas_lateral_SNc_somatomotor_R	-1.50	-1.25e-04	.239	1.05e-04	1.03e-02	[-0.01, <0.01]
Nigral_O'Donnell Research Group (ORG)anization_atlas_medial_SNc_limbic_L	-0.09	-7.20e-06	1.00	3.41e-07	5.84e-04	[-0.01, <0.01]
Nigral_O'Donnell Research Group (ORG)anization_atlas_medial_SNc_limbic_R	-1.51	-1.27e-04	.206	1.07e-04	1.03e-02	[-0.01, <0.01]
Nigral_O'Donnell Research Group (ORG)anization_atlas_ventral_SN_associative_L	-0.14	-1.24e-05	1.00	9.17e-07	9.57e-04	[-0.01, <0.01]
Nigral_O'Donnell Research Group (ORG)anization_atlas_ventral_SN_associative_R	-1.38	-1.23e-04	.264	8.91e-05	9.44e-03	[-0.01, <0.01]
Striatal_Functional_Networks_17Networks_1	-0.91	-5.69e-05	.443	3.89e-05	6.24e-03	[-0.01, <0.01]
Striatal_Functional_Networks_17Networks_10	0.10	6.44e-06	1.00	5.03e-07	7.09e-04	[-0.01, <0.01]



**Table S13**

*ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Striatum_Functional_Networks_17Networks_12	0.35	2.00e-05	.833	5.87e-06	2.42e-03	[-0.01, <0.01]
Striatum_Functional_Networks_17Networks_13	1.35	1.83e-04	.194	8.57e-05	9.26e-03	[-0.01, <0.01]
Striatum_Functional_Networks_17Networks_14	1.94	1.08e-04	.082	1.77e-04	1.33e-02	[-0.01, <0.01]
Striatum_Functional_Networks_17Networks_16	0.97	9.60e-05	.364	4.43e-05	6.65e-03	[-0.01, <0.01]
Striatum_Functional_Networks_17Networks_17	1.58	1.26e-04	.126	1.17e-04	1.08e-02	[-0.01, <0.01]
Striatum_Functional_Networks_17Networks_3	1.31	6.73e-05	.262	8.02e-05	8.95e-03	[-0.01, <0.01]
Striatum_Functional_Networks_17Networks_4	0.48	2.60e-05	.694	1.08e-05	3.29e-03	[-0.01, <0.01]
Striatum_Functional_Networks_17Networks_6	-0.08	-5.41e-06	1.00	2.65e-07	5.15e-04	[-0.01, <0.01]
Striatum_Functional_Networks_17Networks_7	1.17	6.19e-05	.298	6.36e-05	7.98e-03	[-0.01, <0.01]
Striatum_Functional_Networks_17Networks_8	1.04	5.38e-05	.326	5.11e-05	7.15e-03	[-0.01, <0.01]
Striatum_Functional_Networks_17Networks_9	0.11	6.53e-06	1.00	5.67e-07	7.53e-04	[-0.01, <0.01]
Striatum_Functional_Networks_7Networks_1	-0.91	-5.69e-05	.443	3.89e-05	6.24e-03	[-0.01, <0.01]

**Table S13**

*ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Striatal_Functional_Networks_7Networks_2	1.02	5.18e-05	.376	4.88e-05	6.98e-03	[-0.01, <0.01]
Striatal_Functional_Networks_7Networks_3	-0.12	-7.27e-06	.995	6.71e-07	8.19e-04	[-0.01, <0.01]
Striatal_Functional_Networks_7Networks_4	1.28	6.51e-05	.244	7.70e-05	8.78e-03	[-0.01, <0.01]
Striatal_Functional_Networks_7Networks_5	0.07	4.51e-06	1.00	2.46e-07	4.96e-04	[-0.01, <0.01]
Striatal_Functional_Networks_7Networks_6	1.15	7.58e-05	.274	6.22e-05	7.89e-03	[-0.01, <0.01]
Striatal_Functional_Networks_7Networks_7	1.16	1.16e-04	.272	6.27e-05	7.92e-03	[-0.01, <0.01]
Thalamic_Functional_Atlas_1_L	0.24	1.47e-05	.888	2.80e-06	1.67e-03	[-0.01, <0.01]
Thalamic_Functional_Atlas_1_R	0.24	1.47e-05	.888	2.80e-06	1.67e-03	[-0.01, <0.01]
Thalamic_Functional_Atlas_10_L	1.59	1.16e-04	.155	1.18e-04	1.09e-02	[-0.01, <0.01]
Thalamic_Functional_Atlas_10_R	0.06	3.88e-06	1.00	1.73e-07	4.16e-04	[-0.01, <0.01]
Thalamic_Functional_Atlas_11_L	1.92	1.45e-04	.101	1.73e-04	1.31e-02	[-0.01, <0.01]
Thalamic_Functional_Atlas_11_R	1.76	1.42e-04	.123	1.45e-04	1.21e-02	[-0.01, <0.01]

**Table S13**

*ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Thalamic_Functional_Atlas_12_L	0.42	5.89e-05	.821	8.42e-06	2.90e-03	[-0.01, <0.01]
Thalamic_Functional_Atlas_12_R	0.54	6.48e-05	.648	1.37e-05	3.70e-03	[-0.01, <0.01]
Thalamic_Functional_Atlas_13_R	0.63	4.48e-05	.581	1.86e-05	4.32e-03	[-0.01, <0.01]
<b>Thalamic_Functional_Atlas_13A_L</b>	<b>2.42</b>	<b>1.74e-04</b>	<b>.022</b>	<b>2.73e-04</b>	<b>1.65e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>
Thalamic_Functional_Atlas_13B_L	-0.09	-5.35e-06	1.00	3.39e-07	5.82e-04	[-0.01, <0.01]
<b>Thalamic_Functional_Atlas_14_L</b>	<b>2.36</b>	<b>3.42e-04</b>	<b>.041</b>	<b>2.61e-04</b>	<b>1.62e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>
Thalamic_Functional_Atlas_14_R	2.14	3.06e-04	.071	2.15e-04	1.47e-02	[-0.01, <0.01]
Thalamic_Functional_Atlas_15_L	0.85	4.78e-05	.487	3.35e-05	5.79e-03	[-0.01, <0.01]
<b>Thalamic_Functional_Atlas_15_R</b>	<b>2.31</b>	<b>1.57e-04</b>	<b>.029</b>	<b>2.49e-04</b>	<b>1.58e-02</b>	<b>[&lt;0.01, &lt;0.01]</b>
Thalamic_Functional_Atlas_2_L	0.07	3.84e-06	1.00	2.09e-07	4.58e-04	[-0.01, <0.01]
Thalamic_Functional_Atlas_2_R	0.66	4.12e-05	.561	2.04e-05	4.51e-03	[-0.01, <0.01]
Thalamic_Functional_Atlas_3_R	2.10	1.51e-04	.057	2.06e-04	1.44e-02	[-0.01, <0.01]

**Table S13**

*ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Thalamic_Functional_Atlas_4_R	1.56	1.02e-04	.187	1.14e-04	1.07e-02	[-0.01, <0.01]
Thalamic_Functional_Atlas_4A_L	0.11	6.53e-06	1.00	5.95e-07	7.71e-04	[-0.01, <0.01]
Thalamic_Functional_Atlas_4B_L	1.94	1.38e-04	.072	1.76e-04	1.33e-02	[-0.01, <0.01]
Thalamic_Functional_Atlas_5_R	1.50	1.63e-04	.209	1.06e-04	1.03e-02	[-0.01, <0.01]
Thalamic_Functional_Atlas_6_L	0.90	7.91e-05	.503	3.84e-05	6.19e-03	[-0.01, <0.01]
Thalamic_Functional_Atlas_6_R	0.39	3.44e-05	.763	7.27e-06	2.70e-03	[-0.01, <0.01]
<b>Thalamic_Functional_Atlas_7_L</b>	<b>2.17</b>	<b>2.26e-04</b>	<b>.047</b>	<b>2.22e-04</b>	<b>1.49e-02</b>	<b>&lt;-0.01,</b> <b>&lt;-0.01]</b>
Thalamic_Functional_Atlas_7_R	1.54	1.54e-04	.135	1.12e-04	1.06e-02	[-0.01, <0.01]
Thalamic_Functional_Atlas_8_L	0.87	4.50e-05	.469	3.55e-05	5.96e-03	[-0.01, <0.01]
Thalamic_Functional_Atlas_8_R	0.78	4.10e-05	.481	2.83e-05	5.32e-03	[-0.01, <0.01]
Thalamic_Functional_Atlas_9_R	1.81	1.99e-04	.111	1.53e-04	1.24e-02	[-0.01, <0.01]
Thalamic_Functional_Atlas_9A_L	1.89	2.23e-04	.072	1.68e-04	1.29e-02	[-0.01, <0.01]

**Table S13**

*ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Thalamic_Functional_Atlas_9B_L	2.06	2.25e-04	.072	1.99e-04	1.41e-02	[<0.01, <0.01]
TOR_PSM_dystonia_gpi_n64_coldspot_L	0.27	1.61e-05	.866	3.42e-06	1.85e-03	[-0.01, <0.01]
TOR_PSM_dystonia_gpi_n64_coldspot_R	-0.29	-1.71e-05	.848	3.97e-06	1.99e-03	[-0.01, <0.01]
TOR_PSM_dystonia_gpi_n64_hotspot_L	0.51	2.98e-05	.839	1.22e-05	3.49e-03	[-0.01, <0.01]
TOR_PSM_dystonia_gpi_n64_hotspot_R	-0.37	-2.12e-05	.870	6.40e-06	2.53e-03	[-0.01, <0.01]
TOR_PSM_pd_gpi_n28_coldspot_L	-0.10	-7.07e-06	1.00	4.37e-07	6.61e-04	[-0.01, <0.01]
TOR_PSM_pd_gpi_n28_coldspot_R	-0.94	-6.46e-05	.477	4.15e-05	6.44e-03	[-0.01, <0.01]
TOR_PSM_pd_gpi_n28_hotspot_L	0.79	5.04e-05	.526	2.91e-05	5.40e-03	[-0.01, <0.01]
TOR_PSM_pd_gpi_n28_hotspot_R	-0.09	-5.38e-06	1.00	3.57e-07	5.97e-04	[-0.01, <0.01]
TOR_PSM_pd_stn_n275_coldspot_L	-0.68	-4.83e-05	.687	2.14e-05	4.62e-03	[-0.01, <0.01]
TOR_PSM_pd_stn_n275_coldspot_R	-0.85	-6.19e-05	.547	3.35e-05	5.79e-03	[-0.01, <0.01]
TOR_PSM_pd_stn_n275_hotspot_L	-0.91	-7.20e-05	.566	3.87e-05	6.22e-03	[-0.01, <0.01]

**Table S13**

*ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
TOR_PSM_pd_stn_n275_hotspot_R	-0.79	-6.45e-05	.592	2.91e-05	5.39e-03	[-0.01, <0.01]
TOR_PSM_psych_scc_n76_coldspot_L	-0.07	-8.05e-06	1.00	2.20e-07	4.69e-04	[-0.01, <0.01]
TOR_PSM_psych_scc_n76_coldspot_R	-0.31	-3.19e-05	.832	4.50e-06	2.12e-03	[-0.01, <0.01]
TOR_PSM_psych_scc_n76_hotspot_L	-1.07	-7.11e-05	.396	5.34e-05	7.31e-03	[-0.01, <0.01]
TOR_PSM_psych_scc_n76_hotspot_R	-1.26	-8.14e-05	.363	7.42e-05	8.61e-03	[-0.01, <0.01]
TOR_PSM_tremor_vim_n39_coldspot_L	-0.18	-1.29e-05	.939	1.60e-06	1.27e-03	[-0.01, <0.01]
TOR_PSM_tremor_vim_n39_coldspot_R	0.43	2.98e-05	.884	8.51e-06	2.92e-03	[-0.01, <0.01]
TOR_PSM_tremor_vim_n39_hotspot_L	-0.29	-1.71e-05	.846	4.04e-06	2.01e-03	[-0.01, <0.01]
TOR_PSM_tremor_vim_n39_hotspot_R	0.12	7.04e-06	.994	6.93e-07	8.32e-04	[-0.01, <0.01]
TOR_signPD_axial_signs_coldspot_L	-0.55	-3.56e-05	.713	1.41e-05	3.75e-03	[-0.01, <0.01]
TOR_signPD_axial_signs_coldspot_R	-0.49	-3.25e-05	.686	1.13e-05	3.36e-03	[-0.01, <0.01]
TOR_signPD_axial_signs_hotspot_L	-1.16	-9.05e-05	.385	6.33e-05	7.96e-03	[-0.01, <0.01]

**Table S13**

*ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
TOR_signPD_axial_signs_hotspot_R	-1.10	-9.14e-05	.430	5.62e-05	7.50e-03	[-0.01, <0.01]
TOR_signPD_bradykinesia_coldspot_L	-0.71	-5.13e-05	.584	2.36e-05	4.86e-03	[-0.01, <0.01]
TOR_signPD_bradykinesia_coldspot_R	-0.87	-6.49e-05	.563	3.55e-05	5.96e-03	[-0.01, <0.01]
TOR_signPD_bradykinesia_hotspot_L	-0.93	-7.44e-05	.464	4.02e-05	6.34e-03	[-0.01, <0.01]
TOR_signPD_bradykinesia_hotspot_R	-0.54	-4.64e-05	.895	1.39e-05	3.72e-03	[-0.01, <0.01]
TOR_signPD_rigidity_coldspot_L	-0.69	-4.63e-05	.596	2.26e-05	4.75e-03	[-0.01, <0.01]
TOR_signPD_rigidity_coldspot_R	-0.69	-4.73e-05	.597	2.25e-05	4.74e-03	[-0.01, <0.01]
TOR_signPD_rigidity_hotspot_L	-0.87	-6.28e-05	.468	3.57e-05	5.98e-03	[-0.01, <0.01]
TOR_signPD_rigidity_hotspot_R	-0.82	-6.32e-05	.647	3.16e-05	5.62e-03	[-0.01, <0.01]
TOR_signPD_tremor_coldspot_L	-0.16	-1.16e-05	1.00	1.13e-06	1.06e-03	[-0.01, <0.01]
TOR_signPD_tremor_coldspot_R	-0.53	-3.94e-05	.823	1.30e-05	3.60e-03	[-0.01, <0.01]
TOR_signPD_tremor_hotspot_L	-0.17	-1.40e-05	.949	1.41e-06	1.19e-03	[-0.01, <0.01]

**Table S13**

*ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
TOR_signPD_tremor_hotspot_R	-0.64	-5.43e-05	.615	1.91e-05	4.37e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_cZI_L	-0.19	-1.32e-05	.938	1.62e-06	1.27e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_cZI_R	-0.43	-3.10e-05	.813	8.79e-06	2.97e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_fct_L	-0.16	-1.19e-05	1.00	1.14e-06	1.07e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_fct_R	-0.30	-2.35e-05	.934	4.21e-06	2.05e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_fl_L	0.08	7.80e-06	1.00	3.06e-07	5.53e-04	[-0.01, <0.01]
Zona_Incerta_Atlas_fl_R	-0.16	-1.58e-05	.998	1.14e-06	1.07e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_ft_L	-0.13	-1.17e-05	1.00	7.83e-07	8.85e-04	[-0.01, <0.01]
Zona_Incerta_Atlas_ft_R	-0.62	-5.88e-05	.738	1.82e-05	4.26e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_gm_mask	-0.19	-1.35e-05	.953	1.64e-06	1.28e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_hf_L	-0.19	-1.90e-05	.933	1.73e-06	1.31e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_hf_R	-0.35	-3.62e-05	.796	5.87e-06	2.42e-03	[-0.01, <0.01]



**Table S13**

*ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended*

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
Zona_Incerta_Atlas_hfields_L	-0.07	-6.58e-06	1.00	2.45e-07	4.95e-04	[-0.01, <0.01]
Zona_Incerta_Atlas_hfields_R	-0.43	-4.08e-05	.737	8.53e-06	2.92e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_ml_L	0.31	2.06e-05	.922	4.58e-06	2.14e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_ml_R	-0.08	-5.30e-06	1.00	3.27e-07	5.72e-04	[-0.01, <0.01]
Zona_Incerta_Atlas_rZI_L	-0.06	-5.83e-06	1.00	1.97e-07	4.44e-04	[-0.01, <0.01]
Zona_Incerta_Atlas_rZI_R	-0.38	-3.62e-05	.784	6.87e-06	2.62e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_ZI_L	-0.09	-7.40e-06	1.00	4.12e-07	6.42e-04	[-0.01, <0.01]
Zona_Incerta_Atlas_ZI_R	-0.43	-3.53e-05	.761	8.53e-06	2.92e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_zRN_L	-0.07	-5.27e-06	1.00	2.26e-07	4.75e-04	[-0.01, <0.01]
Zona_Incerta_Atlas_zRN_R	0.03	2.12e-06	1.00	3.54e-08	1.88e-04	[-0.01, <0.01]
Zona_Incerta_Atlas_zSTN_L	-0.71	-6.27e-05	.740	2.36e-05	4.86e-03	[-0.01, <0.01]
Zona_Incerta_Atlas_zSTN_R	-0.96	-8.85e-05	.454	4.29e-05	6.55e-03	[-0.01, <0.01]

*Note.*

**Table S13**

***ET PRS Associations with grey matter axial diffusivity (AD) - LeadDBS\_Atlas\_compendium\_extended***

Tract	<i>t</i>	$\beta$	<i>p</i>	Eta2	Cohens_f	95% CI
-------	----------	---------	----------	------	----------	--------

\* *p* < .05, \*\* *p* < .01, \*\*\* *p* < .001, 95% CI(B)

**Table S14**

***ET PRS Lead DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
AHEAD_Atlas_GPe_L.nii.gz	0.40	6.32e-05	-2.47e-04	3.73e-04	.941	7.47e-06	2.73e-03
AHEAD_Atlas_GPe_R_mask.nii.gz	-0.09	-1.43e-05	-3.30e-04	3.01e-04	1.00	3.69e-07	6.08e-04
AHEAD_Atlas_GPi_L_mask.nii.gz	-0.31	-5.82e-05	-4.21e-04	3.05e-04	.912	4.62e-06	2.15e-03
AHEAD_Atlas_GPi_R_mask.nii.gz	0.03	6.05e-06	-3.59e-04	3.71e-04	1.00	4.95e-08	2.22e-04
AHEAD_Atlas_RN_L_mask.nii.gz	-1.65	-3.46e-04	-7.59e-04	6.63e-05	.157	1.27e-04	1.13e-02
AHEAD_Atlas_RN_R_mask.nii.gz	-1.29	-2.79e-04	-7.03e-04	1.46e-04	.311	7.77e-05	8.82e-03
AHEAD_Atlas_SN_L_mask.nii.gz	-0.53	-1.17e-04	-5.49e-04	3.15e-04	.842	1.32e-05	3.64e-03
AHEAD_Atlas_SN_R_mask.nii.gz	-1.16	-2.41e-04	-6.49e-04	1.66e-04	.339	6.31e-05	7.95e-03
AHEAD_Atlas_STN_L_mask.nii.gz	-1.19	-3.06e-04	-8.09e-04	1.98e-04	.368	6.64e-05	8.15e-03
AHEAD_Atlas_STN_R_mask.nii.gz	-0.78	-2.10e-04	-7.41e-04	3.21e-04	.482	2.82e-05	5.31e-03
Atlas_Basal_Ganglia_and_Thalamus_all_histo_label s.nii.gz	0.91	1.34e-04	-1.55e-04	4.22e-04	.401	3.85e-05	6.21e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Acc.nii.gz	-0.21	-3.94e-05	-4.14e-04	3.35e-04	.920	1.99e-06	1.41e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Cau- ia.nii.gz	0.73	1.50e-04	-2.54e-04	5.53e-04	.514	2.48e-05	4.98e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Cau- im.nii.gz	0.88	2.41e-04	-2.94e-04	7.75e-04	.415	3.65e-05	6.04e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Cau- sa.nii.gz	1.37	4.99e-04	-2.16e-04	1.21e-03	.188	8.78e-05	9.37e-03

**Table S14**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Atlas_Basal_Ganglia_and_Thalamus_L_Cau-sp.nii.gz	1.66	5.38e-04	-9.79e-05	1.17e-03	.119	1.29e-04	1.14e-02
Atlas_Basal_Ganglia_and_Thalamus_L_GPe.nii.gz	-0.30	-5.31e-05	-3.98e-04	2.91e-04	.907	4.28e-06	2.07e-03
Atlas_Basal_Ganglia_and_Thalamus_L_GP_i.nii.gz	-0.62	-1.05e-04	-4.39e-04	2.29e-04	.740	1.78e-05	4.21e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Put-ia.nii.gz	0.18	2.90e-05	-2.82e-04	3.40e-04	.950	1.57e-06	1.25e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Put-im.nii.gz	-0.17	-2.42e-05	-3.12e-04	2.63e-04	.956	1.28e-06	1.13e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Put-sa.nii.gz	1.00	1.46e-04	-1.40e-04	4.31e-04	.387	4.70e-05	6.86e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Put-sm.nii.gz	1.00	1.40e-04	-1.34e-04	4.14e-04	.436	4.69e-05	6.85e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Put-sp.nii.gz	<0.01	7.30e-07	-2.99e-04	3.01e-04	1.00	1.07e-09	3.27e-05
Atlas_Basal_Ganglia_and_Thalamus_L_SN.nii.gz	-0.67	-1.53e-04	-6.03e-04	2.96e-04	.626	2.10e-05	4.58e-03
Atlas_Basal_Ganglia_and_Thalamus_L_STN.nii.gz	-1.11	-2.72e-04	-7.54e-04	2.10e-04	.422	5.74e-05	7.57e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Tha-a.nii.gz	1.18	2.37e-04	-1.58e-04	6.32e-04	.293	6.48e-05	8.05e-03
<b>Atlas_Basal_Ganglia_and_Thalamus_L_Tha-ld.nii.gz</b>	<b>2.18</b>	<b>3.71e-04</b>	<b>3.72e-05</b>	<b>7.05e-04</b>	<b>.040</b>	<b>2.22e-04</b>	<b>1.49e-02</b>
Atlas_Basal_Ganglia_and_Thalamus_L_Tha-lp.nii.gz	1.95	3.12e-04	-1.03e-06	6.26e-04	.062	1.79e-04	1.34e-02
Atlas_Basal_Ganglia_and_Thalamus_L_Tha-lpu.nii.gz	-0.15	-2.52e-05	-3.51e-04	3.00e-04	.967	1.08e-06	1.04e-03
<b>Atlas_Basal_Ganglia_and_Thalamus_L_Tha-md.nii.gz</b>	<b>2.12</b>	<b>5.79e-04</b>	<b>4.37e-05</b>	<b>1.11e-03</b>	<b>.047</b>	<b>2.11e-04</b>	<b>1.45e-02</b>

**Table S14**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Atlas_Basal_Ganglia_and_Thalamus_L_Tha-mpu.nii.gz	1.70	3.80e-04	-5.86e-05	8.19e-04	.109	1.35e-04	1.16e-02
Atlas_Basal_Ganglia_and_Thalamus_L_Tha-vp.nii.gz	1.05	1.45e-04	-1.26e-04	4.15e-04	.405	5.16e-05	7.18e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Acc.nii.gz	-0.74	-1.44e-04	-5.29e-04	2.40e-04	.564	2.54e-05	5.04e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Cau-ia.nii.gz	-0.10	-2.30e-05	-4.83e-04	4.37e-04	1.00	4.50e-07	6.71e-04
Atlas_Basal_Ganglia_and_Thalamus_R_Cau-im.nii.gz	0.45	1.20e-04	-4.05e-04	6.45e-04	.720	9.40e-06	3.07e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Cau-sa.nii.gz	0.61	2.04e-04	-4.49e-04	8.58e-04	.594	1.76e-05	4.19e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Cau-sp.nii.gz	1.33	4.03e-04	-1.91e-04	9.98e-04	.202	8.29e-05	9.10e-03
Atlas_Basal_Ganglia_and_Thalamus_R_GPe.nii.gz	0.24	4.16e-05	-3.00e-04	3.84e-04	.893	2.66e-06	1.63e-03
Atlas_Basal_Ganglia_and_Thalamus_R_GPi.nii.gz	-0.35	-5.99e-05	-3.97e-04	2.77e-04	.800	5.70e-06	2.39e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Put-ia.nii.gz	-0.60	-9.70e-05	-4.14e-04	2.20e-04	.603	1.69e-05	4.11e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Put-im.nii.gz	0.05	7.20e-06	-2.67e-04	2.81e-04	1.00	1.24e-07	3.52e-04
Atlas_Basal_Ganglia_and_Thalamus_R_Put-sa.nii.gz	0.85	1.20e-04	-1.56e-04	3.96e-04	.433	3.41e-05	5.84e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Put-sm.nii.gz	1.10	1.51e-04	-1.18e-04	4.19e-04	.332	5.67e-05	7.53e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Put-sp.nii.gz	0.56	8.02e-05	-2.01e-04	3.61e-04	.767	1.47e-05	3.83e-03

Table S14

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Atlas_Basal_Ganglia_and_Thalamus_R_SN.nii.gz	-1.52	-3.55e-04	-8.12e-04	1.02e-04	.200	1.09e-04	1.04e-02
Atlas_Basal_Ganglia_and_Thalamus_R_STN.nii.gz	-0.87	-2.31e-04	-7.51e-04	2.89e-04	.469	3.56e-05	5.96e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha-a.nii.gz	0.39	6.77e-05	-2.75e-04	4.11e-04	.769	7.02e-06	2.65e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha-ld.nii.gz	1.57	2.63e-04	-6.58e-05	5.91e-04	.129	1.15e-04	1.07e-02
Atlas_Basal_Ganglia_and_Thalamus_R_Tha-lp.nii.gz	1.66	2.12e-04	-3.76e-05	4.62e-04	.132	1.30e-04	1.14e-02
Atlas_Basal_Ganglia_and_Thalamus_R_Tha-lpu.nii.gz	1.08	1.92e-04	-1.55e-04	5.39e-04	.307	5.50e-05	7.42e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha-md.nii.gz	1.10	1.94e-04	-1.52e-04	5.40e-04	.331	5.68e-05	7.54e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha-mpu.nii.gz	1.68	4.14e-04	-6.80e-05	8.96e-04	.113	1.33e-04	1.15e-02
Atlas_Basal_Ganglia_and_Thalamus_R_Tha-vp.nii.gz	0.34	4.78e-05	-2.25e-04	3.20e-04	.804	5.54e-06	2.35e-03
DISTAL_L_1.nii.gz	1.07	1.70e-04	-1.41e-04	4.81e-04	.313	5.36e-05	7.32e-03
DISTAL_L_100.nii.gz	1.73	3.44e-04	-4.67e-05	7.36e-04	.103	1.40e-04	1.18e-02
<b>DISTAL_L_101.nii.gz</b>	<b>2.29</b>	<b>4.74e-04</b>	<b>6.76e-05</b>	<b>8.80e-04</b>	<b>.031</b>	<b>2.45e-04</b>	<b>1.57e-02</b>
DISTAL_L_105.nii.gz	1.45	3.46e-04	-1.22e-04	8.15e-04	.224	9.83e-05	9.91e-03
DISTAL_L_106.nii.gz	0.91	1.97e-04	-2.29e-04	6.24e-04	.401	3.85e-05	6.21e-03
DISTAL_L_107.nii.gz	0.03	5.01e-06	-3.17e-04	3.27e-04	1.00	4.36e-08	2.09e-04
DISTAL_L_108.nii.gz	0.36	7.67e-05	-3.43e-04	4.96e-04	.792	6.02e-06	2.45e-03
DISTAL_L_109.nii.gz	1.63	5.97e-04	-1.20e-04	1.31e-03	.226	1.25e-04	1.12e-02

Table S14

*ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
DISTAL_L_110.nii.gz	-0.15	-1.80e-05	-2.58e-04	2.22e-04	.971	1.02e-06	1.01e-03
DISTAL_L_111.nii.gz	1.35	2.47e-04	-1.11e-04	6.05e-04	.216	8.55e-05	9.25e-03
DISTAL_L_112.nii.gz	0.79	1.10e-04	-1.65e-04	3.85e-04	.475	2.89e-05	5.38e-03
DISTAL_L_118.nii.gz	0.57	9.22e-05	-2.27e-04	4.11e-04	.628	1.51e-05	3.88e-03
DISTAL_L_14.nii.gz	-0.86	-1.40e-04	-4.60e-04	1.80e-04	.537	3.46e-05	5.88e-03
DISTAL_L_16.nii.gz	1.26	6.01e-04	-3.35e-04	1.54e-03	.272	7.42e-05	8.62e-03
DISTAL_L_2.nii.gz	0.50	7.09e-05	-2.08e-04	3.50e-04	.681	1.16e-05	3.41e-03
DISTAL_L_24.nii.gz	-0.70	-1.40e-04	-5.35e-04	2.54e-04	.668	2.28e-05	4.77e-03
DISTAL_L_26.nii.gz	0.40	6.72e-05	-2.61e-04	3.95e-04	.757	7.57e-06	2.75e-03
DISTAL_L_28.nii.gz	1.63	6.60e-04	-1.36e-04	1.46e-03	.114	1.24e-04	1.11e-02
DISTAL_L_29.nii.gz	0.60	2.36e-04	-5.40e-04	1.01e-03	.673	1.67e-05	4.09e-03
<b>DISTAL_L_35.nii.gz</b>	<b>2.28</b>	<b>1.11e-03</b>	<b>1.54e-04</b>	<b>2.07e-03</b>	<b>.031</b>	<b>2.43e-04</b>	<b>1.56e-02</b>
DISTAL_L_36.nii.gz	0.45	5.92e-05	-1.96e-04	3.14e-04	.714	9.68e-06	3.11e-03
<b>DISTAL_L_37.nii.gz</b>	<b>2.57</b>	<b>6.72e-04</b>	<b>1.60e-04</b>	<b>1.18e-03</b>	<b>.016</b>	<b>3.10e-04</b>	<b>1.76e-02</b>
DISTAL_L_4.nii.gz	0.07	7.90e-06	-2.12e-04	2.28e-04	1.00	2.32e-07	4.82e-04
DISTAL_L_40.nii.gz	-0.05	-1.14e-05	-4.71e-04	4.48e-04	1.00	1.10e-07	3.32e-04
DISTAL_L_47.nii.gz	-0.60	-1.31e-04	-5.62e-04	3.00e-04	.674	1.66e-05	4.08e-03
DISTAL_L_49.nii.gz	1.26	1.89e-04	-1.04e-04	4.81e-04	.284	7.49e-05	8.65e-03
DISTAL_L_6.nii.gz	-0.71	-9.90e-05	-3.71e-04	1.73e-04	.523	2.39e-05	4.89e-03
DISTAL_L_60.nii.gz	0.45	7.37e-05	-2.48e-04	3.95e-04	.991	9.46e-06	3.08e-03
DISTAL_L_63.nii.gz	-0.23	-6.64e-05	-6.33e-04	5.00e-04	.900	2.47e-06	1.57e-03
DISTAL_L_68.nii.gz	-0.36	-8.95e-05	-5.74e-04	3.95e-04	.877	6.13e-06	2.48e-03
DISTAL_L_7.nii.gz	0.96	2.24e-04	-2.34e-04	6.81e-04	.465	4.30e-05	6.56e-03

Table S14

*ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
DISTAL_L_70.nii.gz	0.03	7.25e-06	-4.20e-04	4.35e-04	1.00	5.17e-08	2.27e-04
DISTAL_L_76.nii.gz	1.01	1.53e-04	-1.43e-04	4.48e-04	.342	4.81e-05	6.94e-03
DISTAL_L_8.nii.gz	-0.97	-1.48e-04	-4.48e-04	1.51e-04	.456	4.41e-05	6.64e-03
DISTAL_L_86.nii.gz	0.83	1.47e-04	-2.02e-04	4.96e-04	.641	3.21e-05	5.67e-03
DISTAL_L_87.nii.gz	0.95	1.57e-04	-1.67e-04	4.81e-04	.520	4.24e-05	6.51e-03
DISTAL_L_89.nii.gz	0.06	1.10e-05	-3.66e-04	3.88e-04	1.00	1.54e-07	3.92e-04
DISTAL_L_91.nii.gz	1.97	3.02e-04	1.07e-06	6.03e-04	.090	1.81e-04	1.35e-02
DISTAL_L_92.nii.gz	1.74	2.19e-04	-2.76e-05	4.66e-04	.112	1.42e-04	1.19e-02
DISTAL_L_93.nii.gz	1.41	2.10e-04	-8.26e-05	5.03e-04	.195	9.28e-05	9.63e-03
DISTAL_L_94.nii.gz	1.12	1.52e-04	-1.13e-04	4.18e-04	.364	5.92e-05	7.69e-03
DISTAL_L_97.nii.gz	2.06	2.83e-04	1.35e-05	5.52e-04	.062	1.99e-04	1.41e-02
<b>DISTAL_L_98.nii.gz</b>	<b>2.61</b>	<b>3.74e-04</b>	<b>9.29e-05</b>	<b>6.56e-04</b>	<b>.020</b>	<b>3.18e-04</b>	<b>1.78e-02</b>
DISTAL_L_GPe.nii.gz	-0.04	-8.29e-06	-3.95e-04	3.79e-04	1.00	8.27e-08	2.88e-04
DISTAL_L_GPi_sensorimotor.nii.gz	-0.34	-5.04e-05	-3.42e-04	2.41e-04	.808	5.39e-06	2.32e-03
DISTAL_L_GPi.nii.gz	-0.46	-1.00e-04	-5.31e-04	3.30e-04	.772	9.78e-06	3.13e-03
DISTAL_L_RN.nii.gz	-1.78	-3.78e-04	-7.94e-04	3.84e-05	.138	1.48e-04	1.22e-02
DISTAL_L_STN_associative.nii.gz	-1.35	-3.91e-04	-9.61e-04	1.79e-04	.245	8.49e-05	9.21e-03
DISTAL_L_STN_limbic.nii.gz	-0.49	-1.53e-04	-7.71e-04	4.64e-04	.689	1.11e-05	3.33e-03
DISTAL_L_STN_motor.nii.gz	-1.30	-3.12e-04	-7.84e-04	1.59e-04	.356	7.90e-05	8.89e-03
DISTAL_L_STN.nii.gz	-1.36	-3.75e-04	-9.16e-04	1.66e-04	.245	8.65e-05	9.30e-03
DISTAL_R_1.nii.gz	0.73	1.25e-04	-2.13e-04	4.64e-04	.514	2.47e-05	4.97e-03
DISTAL_R_100.nii.gz	1.97	3.67e-04	2.44e-06	7.32e-04	.067	1.82e-04	1.35e-02
DISTAL_R_101.nii.gz	1.98	3.76e-04	3.72e-06	7.48e-04	.058	1.84e-04	1.36e-02

**Table S14**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
DISTAL_R_105.nii.gz	0.15	4.01e-05	-4.88e-04	5.68e-04	.970	1.04e-06	1.02e-03
DISTAL_R_106.nii.gz	0.89	1.93e-04	-2.34e-04	6.21e-04	.460	3.69e-05	6.07e-03
DISTAL_R_107.nii.gz	0.72	1.26e-04	-2.17e-04	4.69e-04	.520	2.42e-05	4.91e-03
DISTAL_R_108.nii.gz	0.22	4.87e-05	-3.80e-04	4.77e-04	.906	2.33e-06	1.53e-03
DISTAL_R_109.nii.gz	1.71	6.27e-04	-9.33e-05	1.35e-03	.194	1.36e-04	1.17e-02
DISTAL_R_110.nii.gz	-0.01	-6.13e-07	-2.40e-04	2.39e-04	1.00	1.18e-09	3.44e-05
DISTAL_R_111.nii.gz	1.55	3.40e-04	-9.05e-05	7.70e-04	.134	1.12e-04	1.06e-02
DISTAL_R_112.nii.gz	0.64	9.14e-05	-1.90e-04	3.73e-04	.577	1.90e-05	4.36e-03
DISTAL_R_118.nii.gz	-0.20	-3.40e-05	-3.60e-04	2.92e-04	1.00	1.97e-06	1.40e-03
DISTAL_R_13.nii.gz	-0.78	-2.44e-04	-8.57e-04	3.68e-04	.683	2.86e-05	5.35e-03
DISTAL_R_14.nii.gz	-1.36	-2.16e-04	-5.26e-04	9.45e-05	.238	8.71e-05	9.33e-03
DISTAL_R_16.nii.gz	1.84	8.85e-04	-5.93e-05	1.83e-03	.104	1.58e-04	1.26e-02
DISTAL_R_2.nii.gz	0.20	2.67e-05	-2.40e-04	2.94e-04	.929	1.81e-06	1.34e-03
DISTAL_R_24.nii.gz	-0.44	-8.31e-05	-4.50e-04	2.84e-04	.758	9.24e-06	3.04e-03
DISTAL_R_26.nii.gz	0.51	8.72e-05	-2.45e-04	4.19e-04	.667	1.24e-05	3.52e-03
DISTAL_R_28.nii.gz	1.25	5.06e-04	-2.89e-04	1.30e-03	.239	7.30e-05	8.54e-03
DISTAL_R_29.nii.gz	0.33	1.30e-04	-6.33e-04	8.93e-04	.840	5.19e-06	2.28e-03
DISTAL_R_35.nii.gz	1.37	6.66e-04	-2.88e-04	1.62e-03	.188	8.78e-05	9.37e-03
DISTAL_R_36.nii.gz	0.80	1.10e-04	-1.60e-04	3.79e-04	.468	2.98e-05	5.46e-03
DISTAL_R_37.nii.gz	1.73	4.51e-04	-6.03e-05	9.63e-04	.092	1.40e-04	1.18e-02
DISTAL_R_4.nii.gz	-0.01	-1.37e-06	-2.24e-04	2.21e-04	1.00	6.77e-09	8.23e-05
DISTAL_R_40.nii.gz	-0.90	-2.19e-04	-6.98e-04	2.60e-04	.509	3.76e-05	6.13e-03
DISTAL_R_47.nii.gz	-1.15	-2.40e-04	-6.48e-04	1.68e-04	.392	6.22e-05	7.89e-03



**Table S14**

***ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
DISTAL_R_49.nii.gz	1.36	2.07e-04	-9.11e-05	5.06e-04	.318	8.69e-05	9.32e-03
DISTAL_R_6.nii.gz	-0.56	-7.51e-05	-3.39e-04	1.89e-04	.706	1.46e-05	3.82e-03
DISTAL_R_60.nii.gz	0.90	1.55e-04	-1.82e-04	4.92e-04	.480	3.81e-05	6.17e-03
DISTAL_R_63.nii.gz	-0.19	-4.83e-05	-5.44e-04	4.47e-04	.933	1.71e-06	1.31e-03
DISTAL_R_68.nii.gz	-0.26	-6.78e-05	-5.72e-04	4.36e-04	.871	3.26e-06	1.81e-03
DISTAL_R_7.nii.gz	0.67	1.59e-04	-3.06e-04	6.24e-04	.613	2.12e-05	4.60e-03
DISTAL_R_70.nii.gz	0.97	1.86e-04	-1.89e-04	5.60e-04	.364	4.43e-05	6.65e-03
DISTAL_R_76.nii.gz	1.40	2.02e-04	-8.16e-05	4.86e-04	.256	9.14e-05	9.56e-03
DISTAL_R_8.nii.gz	-0.81	-1.20e-04	-4.11e-04	1.70e-04	.574	3.09e-05	5.56e-03
DISTAL_R_86.nii.gz	0.74	1.43e-04	-2.38e-04	5.25e-04	.635	2.54e-05	5.04e-03
DISTAL_R_87.nii.gz	0.65	1.15e-04	-2.32e-04	4.63e-04	.630	1.98e-05	4.45e-03
DISTAL_R_89.nii.gz	0.49	9.52e-05	-2.89e-04	4.79e-04	.690	1.11e-05	3.33e-03
DISTAL_R_91.nii.gz	0.79	1.27e-04	-1.87e-04	4.41e-04	.525	2.93e-05	5.41e-03
DISTAL_R_92.nii.gz	0.59	7.86e-05	-1.82e-04	3.40e-04	.611	1.63e-05	4.04e-03
DISTAL_R_93.nii.gz	1.48	2.34e-04	-7.58e-05	5.44e-04	.152	1.03e-04	1.01e-02
DISTAL_R_94.nii.gz	-0.14	-1.87e-05	-2.82e-04	2.44e-04	.978	9.10e-07	9.54e-04
DISTAL_R_97.nii.gz	1.28	1.71e-04	-9.08e-05	4.33e-04	.315	7.68e-05	8.76e-03
DISTAL_R_GPe.nii.gz	0.29	5.77e-05	-3.26e-04	4.42e-04	.845	4.07e-06	2.02e-03
DISTAL_R_GP_i_sensorimotor.nii.gz	-0.48	-7.24e-05	-3.69e-04	2.25e-04	.696	1.07e-05	3.27e-03
DISTAL_R_GP_i.nii.gz	-0.09	-2.05e-05	-4.53e-04	4.12e-04	1.00	4.05e-07	6.36e-04
DISTAL_R_RN.nii.gz	-1.09	-2.43e-04	-6.83e-04	1.96e-04	.436	5.52e-05	7.43e-03
DISTAL_R_STN_associative.nii.gz	-0.72	-2.20e-04	-8.16e-04	3.76e-04	.568	2.45e-05	4.95e-03
DISTAL_R_STN_limbic.nii.gz	-1.95	-6.27e-04	-1.26e-03	2.00e-06	.112	1.79e-04	1.34e-02

Table S14

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)*

Tract	$t$	$\beta$	CI_low	CI_up	$p$	Eta2	Cohens_f
DISTAL_R_STN_motor.nii.gz	-0.62	-1.63e-04	-6.82e-04	3.55e-04	.591	1.79e-05	4.23e-03
DISTAL_R_STN.nii.gz	-0.80	-2.32e-04	-8.00e-04	3.37e-04	.467	2.98e-05	5.46e-03
Human_Motor_Thalamus_L_A.nii.gz	1.68	6.39e-04	-1.08e-04	1.39e-03	.103	1.32e-04	1.15e-02
Human_Motor_Thalamus_L_acbcbasc.nii.gz	-0.73	-1.21e-04	-4.45e-04	2.03e-04	.568	2.51e-05	5.01e-03
Human_Motor_Thalamus_L_alfrxmtpc.nii.gz	1.72	4.68e-04	-6.63e-05	1.00e-03	.095	1.38e-04	1.18e-02
Human_Motor_Thalamus_L_BasalForebrain.nii.gz	0.13	2.63e-05	-3.67e-04	4.20e-04	.985	8.03e-07	8.96e-04
Human_Motor_Thalamus_L_CdPutVSt.nii.gz	1.17	1.87e-04	-1.26e-04	5.00e-04	.266	6.43e-05	8.02e-03
Human_Motor_Thalamus_L_CMPf.nii.gz	1.22	1.79e-04	-1.09e-04	4.67e-04	.351	6.94e-05	8.33e-03
Human_Motor_Thalamus_L_eml.nii.gz	-0.13	-2.92e-05	-4.74e-04	4.16e-04	1.00	7.76e-07	8.81e-04
Human_Motor_Thalamus_L_GPI.nii.gz	-0.13	-2.23e-05	-3.71e-04	3.27e-04	.990	7.35e-07	8.57e-04
Human_Motor_Thalamus_L_GPm.nii.gz	-0.39	-7.49e-05	-4.49e-04	3.00e-04	.765	7.19e-06	2.68e-03
Human_Motor_Thalamus_L_Hbl.nii.gz	2.08	1.11e-03	6.32e-05	2.16e-03	.052	2.02e-04	1.42e-02
Human_Motor_Thalamus_L_Hypothalamus.nii.gz	0.74	1.71e-04	-2.80e-04	6.22e-04	.721	2.58e-05	5.07e-03
Human_Motor_Thalamus_L_ic.nii.gz	1.35	2.03e-04	-9.24e-05	4.99e-04	.245	8.51e-05	9.22e-03
<b>Human_Motor_Thalamus_L_LD.nii.gz</b>	<b>2.54</b>	<b>1.29e-03</b>	<b>2.96e-04</b>	<b>2.29e-03</b>	<b>.017</b>	<b>3.02e-04</b>	<b>1.74e-02</b>
Human_Motor_Thalamus_L_LG.nii.gz	0.63	1.25e-04	-2.63e-04	5.13e-04	.605	1.86e-05	4.31e-03
Human_Motor_Thalamus_L_Li.nii.gz	1.22	2.15e-04	-1.30e-04	5.60e-04	.244	7.00e-05	8.36e-03
Human_Motor_Thalamus_L_M.nii.gz	0.11	2.66e-05	-4.57e-04	5.11e-04	1.00	5.44e-07	7.37e-04
Human_Motor_Thalamus_L_MB.nii.gz	0.83	3.71e-04	-5.03e-04	1.24e-03	.558	3.24e-05	5.69e-03
Human_Motor_Thalamus_L_MD.nii.gz	2.12	4.36e-04	3.21e-05	8.40e-04	.054	2.10e-04	1.45e-02
Human_Motor_Thalamus_L_MDCL.nii.gz	2.04	3.08e-04	1.22e-05	6.04e-04	.057	1.95e-04	1.40e-02
Human_Motor_Thalamus_L_MG.nii.gz	-0.13	-3.39e-05	-5.47e-04	4.79e-04	1.00	7.86e-07	8.87e-04
Human_Motor_Thalamus_L_MI.nii.gz	-0.33	-1.27e-04	-8.90e-04	6.36e-04	.819	4.99e-06	2.23e-03

**Table S14**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Human_Motor_Thalamus_L_Midbrain.nii.gz	0.61	8.67e-05	-1.90e-04	3.64e-04	.593	1.77e-05	4.20e-03
Human_Motor_Thalamus_L_ot.nii.gz	-0.14	-2.77e-05	-4.29e-04	3.73e-04	.982	8.57e-07	9.26e-04
Human_Motor_Thalamus_L_Po.nii.gz	0.01	1.85e-06	-3.47e-04	3.51e-04	1.00	5.04e-09	7.10e-05
Human_Motor_Thalamus_L_PPN.nii.gz	-0.18	-4.30e-05	-5.23e-04	4.37e-04	.946	1.45e-06	1.20e-03
Human_Motor_Thalamus_L_Pul.nii.gz	1.11	1.81e-04	-1.39e-04	5.00e-04	.294	5.76e-05	7.59e-03
Human_Motor_Thalamus_L_R.nii.gz	-1.83	-3.78e-04	-7.84e-04	2.78e-05	.124	1.56e-04	1.25e-02
Human_Motor_Thalamus_L_Rt.nii.gz	-0.26	-3.41e-05	-2.90e-04	2.22e-04	.874	3.19e-06	1.79e-03
Human_Motor_Thalamus_L_SN.nii.gz	-0.64	-1.36e-04	-5.53e-04	2.82e-04	.641	1.90e-05	4.36e-03
Human_Motor_Thalamus_L_STN.nii.gz	-1.26	-3.33e-04	-8.51e-04	1.84e-04	.380	7.46e-05	8.64e-03
Human_Motor_Thalamus_L_VAn.nii.gz	-0.42	-8.52e-05	-4.81e-04	3.11e-04	.741	8.33e-06	2.89e-03
Human_Motor_Thalamus_L_VAp.nii.gz	0.29	4.36e-05	-2.51e-04	3.38e-04	.930	3.94e-06	1.99e-03
Human_Motor_Thalamus_L_VLdVLv.nii.gz	1.23	1.54e-04	-9.13e-05	3.99e-04	.344	7.09e-05	8.42e-03
Human_Motor_Thalamus_L_VPi.nii.gz	-0.74	-1.35e-04	-4.92e-04	2.22e-04	.561	2.57e-05	5.07e-03
Human_Motor_Thalamus_L_VPIVpm.nii.gz	1.07	1.50e-04	-1.24e-04	4.23e-04	.390	5.40e-05	7.35e-03
Human_Motor_Thalamus_R_A.nii.gz	1.32	4.88e-04	-2.39e-04	1.22e-03	.207	8.12e-05	9.01e-03
Human_Motor_Thalamus_R_acbcbcs.nii.gz	-1.02	-1.73e-04	-5.05e-04	1.58e-04	.420	4.92e-05	7.02e-03
Human_Motor_Thalamus_R_alfrfxmtpc.nii.gz	1.31	4.08e-04	-2.02e-04	1.02e-03	.209	8.05e-05	8.97e-03
Human_Motor_Thalamus_R_BasalForebrain.nii.gz	0.10	2.13e-05	-3.77e-04	4.20e-04	1.00	5.15e-07	7.18e-04
Human_Motor_Thalamus_R_CdPutVSt.nii.gz	1.01	1.70e-04	-1.60e-04	5.00e-04	.345	4.77e-05	6.90e-03
Human_Motor_Thalamus_R_CMPf.nii.gz	1.16	1.78e-04	-1.22e-04	4.77e-04	.336	6.35e-05	7.97e-03
Human_Motor_Thalamus_R_Connectivetissue.nii.gz	1.12	4.49e-04	-3.36e-04	1.23e-03	.361	5.89e-05	7.67e-03
Human_Motor_Thalamus_R_eml.nii.gz	-0.40	-1.04e-04	-6.11e-04	4.04e-04	.758	7.51e-06	2.74e-03
Human_Motor_Thalamus_R_GPl.nii.gz	0.22	3.77e-05	-2.99e-04	3.74e-04	.909	2.26e-06	1.50e-03

Table S14

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Human_Motor_Thalamus_R_GPm.nii.gz	-0.22	-4.23e-05	-4.25e-04	3.41e-04	.912	2.19e-06	1.48e-03
Human_Motor_Thalamus_R_Hbl.nii.gz	1.53	7.67e-04	-2.13e-04	1.75e-03	.153	1.10e-04	1.05e-02
Human_Motor_Thalamus_R_Hypothalamus.nii.gz	0.24	5.51e-05	-4.00e-04	5.10e-04	.993	2.64e-06	1.63e-03
Human_Motor_Thalamus_R_ic.nii.gz	1.29	1.97e-04	-1.03e-04	4.96e-04	.271	7.79e-05	8.83e-03
<b>Human_Motor_Thalamus_R_LD.nii.gz</b>	<b>2.46</b>	<b>1.26e-03</b>	<b>2.54e-04</b>	<b>2.26e-03</b>	<b>.019</b>	<b>2.83e-04</b>	<b>1.68e-02</b>
Human_Motor_Thalamus_R_LG.nii.gz	1.54	3.19e-04	-8.60e-05	7.24e-04	.193	1.12e-04	1.06e-02
Human_Motor_Thalamus_R_Li.nii.gz	1.33	2.20e-04	-1.04e-04	5.45e-04	.223	8.32e-05	9.12e-03
Human_Motor_Thalamus_R_M.nii.gz	-0.71	-1.56e-04	-5.88e-04	2.75e-04	.524	2.37e-05	4.87e-03
Human_Motor_Thalamus_R_MB.nii.gz	1.06	4.60e-04	-3.93e-04	1.31e-03	.457	5.23e-05	7.23e-03
Human_Motor_Thalamus_R_MD.nii.gz	1.32	2.84e-04	-1.36e-04	7.04e-04	.204	8.21e-05	9.06e-03
Human_Motor_Thalamus_R_MDCL.nii.gz	1.96	3.00e-04	-8.39e-08	6.01e-04	.055	1.80e-04	1.34e-02
Human_Motor_Thalamus_R_MG.nii.gz	-0.05	-1.37e-05	-5.26e-04	4.98e-04	1.00	1.29e-07	3.60e-04
Human_Motor_Thalamus_R_MGC.nii.gz	0.86	1.66e-04	-2.10e-04	5.42e-04	.533	3.50e-05	5.91e-03
Human_Motor_Thalamus_R_MI.nii.gz	-0.84	-4.03e-04	-1.34e-03	5.39e-04	.442	3.30e-05	5.74e-03
Human_Motor_Thalamus_R_Midbrain.nii.gz	0.31	4.39e-05	-2.32e-04	3.20e-04	.831	4.56e-06	2.13e-03
Human_Motor_Thalamus_R_ot.nii.gz	1.25	3.50e-04	-1.99e-04	8.98e-04	.291	7.31e-05	8.55e-03
Human_Motor_Thalamus_R_PC.nii.gz	1.39	3.43e-04	-1.39e-04	8.25e-04	.179	9.12e-05	9.55e-03
Human_Motor_Thalamus_R_Po.nii.gz	1.01	1.70e-04	-1.60e-04	5.00e-04	.344	4.77e-05	6.91e-03
Human_Motor_Thalamus_R_PPN.nii.gz	-1.18	-2.25e-04	-5.97e-04	1.47e-04	.344	6.57e-05	8.10e-03
Human_Motor_Thalamus_R_Pul.nii.gz	1.10	1.82e-04	-1.43e-04	5.07e-04	.374	5.66e-05	7.53e-03
Human_Motor_Thalamus_R_R.nii.gz	-1.11	-2.40e-04	-6.65e-04	1.85e-04	.422	5.74e-05	7.58e-03
Human_Motor_Thalamus_R_Rt.nii.gz	-0.07	-8.48e-06	-2.49e-04	2.32e-04	1.00	2.24e-07	4.73e-04
Human_Motor_Thalamus_R_SN.nii.gz	-1.30	-2.60e-04	-6.53e-04	1.33e-04	.279	7.89e-05	8.88e-03

Table S14

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)*

Tract	$t$	$\beta$	CI_low	CI_up	$p$	Eta2	Cohens_f
Human_Motor_Thalamus_R_STN.nii.gz	-0.92	-2.50e-04	-7.81e-04	2.80e-04	.434	4.01e-05	6.33e-03
Human_Motor_Thalamus_R_VAn.nii.gz	-0.31	-6.03e-05	-4.47e-04	3.26e-04	.836	4.38e-06	2.09e-03
Human_Motor_Thalamus_R_VAp.nii.gz	0.25	3.82e-05	-2.66e-04	3.43e-04	.886	2.83e-06	1.68e-03
Human_Motor_Thalamus_R_VLdVLv.nii.gz	1.05	1.36e-04	-1.18e-04	3.91e-04	.360	5.16e-05	7.18e-03
Human_Motor_Thalamus_R_VPi.nii.gz	-1.28	-2.30e-04	-5.82e-04	1.22e-04	.368	7.68e-05	8.76e-03
Human_Motor_Thalamus_R_VPIVPm.nii.gz	0.06	8.20e-06	-2.57e-04	2.73e-04	1.00	1.72e-07	4.15e-04
HybraPD_Atlas_L_Ca.nii.gz	0.77	1.82e-04	-2.79e-04	6.43e-04	.483	2.81e-05	5.30e-03
HybraPD_Atlas_L_DN.nii.gz	-0.54	-9.05e-05	-4.19e-04	2.38e-04	.649	1.36e-05	3.69e-03
HybraPD_Atlas_L_GPe.nii.gz	0.24	5.18e-05	-3.63e-04	4.67e-04	.976	2.81e-06	1.68e-03
HybraPD_Atlas_L_GPi.nii.gz	-0.50	-1.06e-04	-5.20e-04	3.07e-04	.676	1.19e-05	3.45e-03
HybraPD_Atlas_L_NAC.nii.gz	-0.96	-2.16e-04	-6.55e-04	2.23e-04	.461	4.35e-05	6.60e-03
HybraPD_Atlas_L_Pu.nii.gz	0.82	1.16e-04	-1.63e-04	3.94e-04	.497	3.11e-05	5.58e-03
HybraPD_Atlas_L_RN.nii.gz	-1.78	-3.92e-04	-8.23e-04	4.03e-05	.138	1.48e-04	1.22e-02
HybraPD_Atlas_L_TH.MN.nii.gz	1.53	2.32e-04	-6.60e-05	5.31e-04	.175	1.09e-04	1.04e-02
HybraPD_Atlas_L_TH.P.nii.gz	-0.37	-6.27e-05	-3.98e-04	2.73e-04	.873	6.29e-06	2.51e-03
HybraPD_Atlas_L_TH.VN.nii.gz	1.27	1.48e-04	-7.96e-05	3.76e-04	.247	7.62e-05	8.73e-03
HybraPD_Atlas_R_Ca.nii.gz	0.34	9.40e-05	-4.48e-04	6.36e-04	.807	5.42e-06	2.33e-03
HybraPD_Atlas_R_DN.nii.gz	-0.26	-4.35e-05	-3.76e-04	2.89e-04	.877	3.09e-06	1.76e-03
HybraPD_Atlas_R_GPe.nii.gz	0.75	1.50e-04	-2.43e-04	5.43e-04	.695	2.63e-05	5.13e-03
HybraPD_Atlas_R_GPi.nii.gz	-0.13	-2.66e-05	-4.32e-04	3.78e-04	.987	7.79e-07	8.83e-04
HybraPD_Atlas_R_NAC.nii.gz	-0.71	-1.57e-04	-5.87e-04	2.74e-04	.581	2.38e-05	4.88e-03
HybraPD_Atlas_R_Pu.nii.gz	0.42	5.96e-05	-2.17e-04	3.36e-04	.740	8.37e-06	2.89e-03
HybraPD_Atlas_R_RN.nii.gz	-0.93	-2.16e-04	-6.72e-04	2.40e-04	.554	4.05e-05	6.36e-03

Table S14

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
HybraPD_Atlas_R_TH.MN.nii.gz	1.22	1.97e-04	-1.20e-04	5.15e-04	.307	6.96e-05	8.34e-03
HybraPD_Atlas_R_TH.P.nii.gz	-0.20	-3.76e-05	-4.09e-04	3.33e-04	.927	1.85e-06	1.36e-03
HybraPD_Atlas_R_TH.VN.nii.gz	0.68	8.27e-05	-1.56e-04	3.21e-04	.546	2.16e-05	4.65e-03
Melbourne_Subcortex_Atlas_LH_aCAU.nii.gz	1.33	4.03e-04	-1.93e-04	9.98e-04	.226	8.24e-05	9.08e-03
Melbourne_Subcortex_Atlas_LH_aGP.nii.gz	-0.37	-7.83e-05	-4.96e-04	3.40e-04	.785	6.32e-06	2.51e-03
Melbourne_Subcortex_Atlas_LH_aHIP.nii.gz	-0.03	-4.97e-06	-3.45e-04	3.35e-04	1.00	3.85e-08	1.96e-04
Melbourne_Subcortex_Atlas_LH_AMY.nii.gz	-0.44	-7.11e-05	-3.85e-04	2.42e-04	.722	9.26e-06	3.04e-03
Melbourne_Subcortex_Atlas_LH_aPUT.nii.gz	0.46	6.37e-05	-2.10e-04	3.38e-04	.792	9.76e-06	3.12e-03
Melbourne_Subcortex_Atlas_LH_aTHA.nii.gz	2.08	4.37e-04	2.56e-05	8.48e-04	.051	2.03e-04	1.43e-02
Melbourne_Subcortex_Atlas_LH_CAU-body.nii.gz	1.57	5.06e-04	-1.28e-04	1.14e-03	.144	1.15e-04	1.07e-02
Melbourne_Subcortex_Atlas_LH_CAU-DA.nii.gz	1.44	5.02e-04	-1.84e-04	1.19e-03	.166	9.66e-05	9.83e-03
Melbourne_Subcortex_Atlas_LH_CAU-tail.nii.gz	1.92	6.32e-04	-1.20e-05	1.28e-03	.060	1.73e-04	1.32e-02
Melbourne_Subcortex_Atlas_LH_CAU-VA.nii.gz	1.02	2.94e-04	-2.68e-04	8.57e-04	.336	4.92e-05	7.02e-03
Melbourne_Subcortex_Atlas_LH_CAU.nii.gz	1.49	4.52e-04	-1.42e-04	1.05e-03	.166	1.04e-04	1.02e-02
Melbourne_Subcortex_Atlas_LH_GP.nii.gz	-0.31	-5.37e-05	-3.90e-04	2.82e-04	.830	4.59e-06	2.14e-03
Melbourne_Subcortex_Atlas_LH_HIP-body.nii.gz	1.38	2.80e-04	-1.17e-04	6.77e-04	.230	8.94e-05	9.46e-03
Melbourne_Subcortex_Atlas_LH_HIP-head-l.nii.gz	0.18	3.21e-05	-3.12e-04	3.76e-04	.940	1.57e-06	1.25e-03
Melbourne_Subcortex_Atlas_LH_HIP-head-m.nii.gz	-0.33	-7.11e-05	-4.94e-04	3.51e-04	.816	5.10e-06	2.26e-03
Melbourne_Subcortex_Atlas_LH_HIP-head- m1.nii.gz	-0.34	-6.79e-05	-4.58e-04	3.22e-04	.896	5.45e-06	2.34e-03
Melbourne_Subcortex_Atlas_LH_HIP-head- m2.nii.gz	-0.28	-7.32e-05	-5.82e-04	4.36e-04	.856	3.72e-06	1.93e-03
<b>Melbourne_Subcortex_Atlas_LH_HIP-tail.nii.gz</b>	<b>2.61</b>	<b>6.12e-04</b>	<b>1.53e-04</b>	<b>1.07e-03</b>	<b>.012</b>	<b>3.20e-04</b>	<b>1.79e-02</b>

Table S14

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Melbourne_Subcortex_Atlas_LH_HIP.nii.gz	0.99	1.70e-04	-1.68e-04	5.07e-04	.397	4.55e-05	6.74e-03
Melbourne_Subcortex_Atlas_LH_lAMY.nii.gz	-0.90	-1.23e-04	-3.88e-04	1.43e-04	.402	3.83e-05	6.19e-03
Melbourne_Subcortex_Atlas_LH_mAMY.nii.gz	-0.04	-7.52e-06	-4.07e-04	3.92e-04	1.00	6.38e-08	2.53e-04
Melbourne_Subcortex_Atlas_LH_NAc-core.nii.gz	0.79	1.94e-04	-2.85e-04	6.73e-04	.469	2.96e-05	5.44e-03
Melbourne_Subcortex_Atlas_LH_NAc-shell.nii.gz	-0.26	-4.80e-05	-4.06e-04	3.10e-04	.872	3.24e-06	1.80e-03
Melbourne_Subcortex_Atlas_LH_NAc.nii.gz	0.32	6.00e-05	-3.08e-04	4.28e-04	.824	4.80e-06	2.19e-03
Melbourne_Subcortex_Atlas_LH_pCAU.nii.gz	1.69	5.43e-04	-8.82e-05	1.17e-03	.112	1.33e-04	1.15e-02
Melbourne_Subcortex_Atlas_LH_pGP.nii.gz	-0.18	-2.56e-05	-3.05e-04	2.53e-04	1.00	1.51e-06	1.23e-03
Melbourne_Subcortex_Atlas_LH_pHIP.nii.gz	1.91	3.91e-04	-9.27e-06	7.90e-04	.068	1.72e-04	1.31e-02
Melbourne_Subcortex_Atlas_LH_pPUT.nii.gz	0.14	1.77e-05	-2.38e-04	2.74e-04	.981	8.60e-07	9.27e-04
Melbourne_Subcortex_Atlas_LH_pTHA.nii.gz	1.38	2.17e-04	-9.02e-05	5.24e-04	.203	8.98e-05	9.48e-03
Melbourne_Subcortex_Atlas_LH_PUT-DA.nii.gz	0.45	6.40e-05	-2.15e-04	3.43e-04	.718	9.49e-06	3.08e-03
Melbourne_Subcortex_Atlas_LH_PUT-DP.nii.gz	0.73	9.83e-05	-1.66e-04	3.63e-04	.570	2.49e-05	4.99e-03
Melbourne_Subcortex_Atlas_LH_PUT-VA.nii.gz	0.43	6.30e-05	-2.24e-04	3.50e-04	.818	8.69e-06	2.95e-03
Melbourne_Subcortex_Atlas_LH_PUT-VP.nii.gz	-0.46	-6.32e-05	-3.31e-04	2.04e-04	.708	1.01e-05	3.17e-03
Melbourne_Subcortex_Atlas_LH_PUT.nii.gz	0.31	3.94e-05	-2.13e-04	2.92e-04	.836	4.38e-06	2.09e-03
<b>Melbourne_Subcortex_Atlas_LH_THA-DA.nii.gz</b>	<b>2.83</b>	<b>6.81e-04</b>	<b>2.09e-04</b>	<b>1.15e-03</b>	<b>.006</b>	<b>3.75e-04</b>	<b>1.94e-02</b>
<b>Melbourne_Subcortex_Atlas_LH_THA-DAI.nii.gz</b>	<b>2.34</b>	<b>3.38e-04</b>	<b>5.48e-05</b>	<b>6.21e-04</b>	<b>.024</b>	<b>2.57e-04</b>	<b>1.60e-02</b>
<b>Melbourne_Subcortex_Atlas_LH_THA-DAm.nii.gz</b>	<b>2.77</b>	<b>9.63e-04</b>	<b>2.82e-04</b>	<b>1.64e-03</b>	<b>.008</b>	<b>3.60e-04</b>	<b>1.90e-02</b>
Melbourne_Subcortex_Atlas_LH_THA-DP.nii.gz	0.88	1.73e-04	-2.14e-04	5.59e-04	.419	3.60e-05	6.00e-03
Melbourne_Subcortex_Atlas_LH_THA-VA.nii.gz	1.37	2.99e-04	-1.30e-04	7.27e-04	.236	8.76e-05	9.36e-03
Melbourne_Subcortex_Atlas_LH_THA-VAi.nii.gz	0.71	1.66e-04	-2.93e-04	6.25e-04	.527	2.35e-05	4.84e-03

**Table S14**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Melbourne_Subcortex_Atlas_LH_THA-VAia.nii.gz	0.12	3.40e-05	-5.18e-04	5.86e-04	.994	6.84e-07	8.27e-04
Melbourne_Subcortex_Atlas_LH_THA-VAip.nii.gz	1.20	2.48e-04	-1.58e-04	6.54e-04	.282	6.74e-05	8.21e-03
<b>Melbourne_Subcortex_Atlas_LH_THA-VAs.nii.gz</b>	<b>2.25</b>	<b>5.07e-04</b>	<b>6.55e-05</b>	<b>9.48e-04</b>	<b>.034</b>	<b>2.38e-04</b>	<b>1.54e-02</b>
Melbourne_Subcortex_Atlas_LH_THA-VP.nii.gz	1.95	2.66e-04	-7.76e-07	5.33e-04	.080	1.79e-04	1.34e-02
Melbourne_Subcortex_Atlas_LH_THA-VPl.nii.gz	1.56	2.01e-04	-5.10e-05	4.53e-04	.185	1.15e-04	1.07e-02
Melbourne_Subcortex_Atlas_LH_THA-VPm.nii.gz	1.97	3.19e-04	2.00e-06	6.35e-04	.076	1.82e-04	1.35e-02
Melbourne_Subcortex_Atlas_RH_aCAU.nii.gz	0.44	1.03e-04	-3.55e-04	5.61e-04	.727	9.04e-06	3.01e-03
Melbourne_Subcortex_Atlas_RH_aGP.nii.gz	-0.03	-5.28e-06	-4.11e-04	4.01e-04	1.00	3.04e-08	1.74e-04
Melbourne_Subcortex_Atlas_RH_aHIP.nii.gz	-0.01	-1.75e-06	-3.30e-04	3.27e-04	1.00	5.09e-09	7.13e-05
Melbourne_Subcortex_Atlas_RH_AMY.nii.gz	-0.43	-6.42e-05	-3.55e-04	2.27e-04	.813	8.76e-06	2.96e-03
Melbourne_Subcortex_Atlas_RH_aPUT.nii.gz	0.17	2.31e-05	-2.46e-04	2.92e-04	.953	1.33e-06	1.15e-03
Melbourne_Subcortex_Atlas_RH_aTHA.nii.gz	1.72	3.13e-04	-4.43e-05	6.69e-04	.095	1.38e-04	1.18e-02
Melbourne_Subcortex_Atlas_RH_CAU-body.nii.gz	0.81	1.83e-04	-2.60e-04	6.25e-04	.460	3.07e-05	5.54e-03
Melbourne_Subcortex_Atlas_RH_CAU-DA.nii.gz	0.41	1.17e-04	-4.37e-04	6.72e-04	.746	8.07e-06	2.84e-03
Melbourne_Subcortex_Atlas_RH_CAU-tail.nii.gz	0.97	1.93e-04	-1.97e-04	5.83e-04	.365	4.41e-05	6.64e-03
Melbourne_Subcortex_Atlas_RH_CAU-VA.nii.gz	0.41	8.05e-05	-3.01e-04	4.62e-04	.747	8.01e-06	2.83e-03
Melbourne_Subcortex_Atlas_RH_CAU.nii.gz	0.59	1.31e-04	-3.03e-04	5.64e-04	.610	1.63e-05	4.04e-03
Melbourne_Subcortex_Atlas_RH_GP.nii.gz	0.10	1.58e-05	-3.09e-04	3.40e-04	1.00	4.26e-07	6.53e-04
Melbourne_Subcortex_Atlas_RH_HIP-body.nii.gz	1.17	2.41e-04	-1.63e-04	6.45e-04	.297	6.40e-05	8.00e-03
Melbourne_Subcortex_Atlas_RH_HIP-head-l.nii.gz	-0.09	-1.62e-05	-3.63e-04	3.31e-04	1.00	3.94e-07	6.28e-04
Melbourne_Subcortex_Atlas_RH_HIP-head-m.nii.gz	-0.09	-1.71e-05	-4.04e-04	3.69e-04	1.00	3.52e-07	5.94e-04
Melbourne_Subcortex_Atlas_RH_HIP-head-ml.nii.gz	-0.81	-1.49e-04	-5.09e-04	2.10e-04	.458	3.10e-05	5.57e-03



**Table S14**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Melbourne_Subcortex_Atlas_RH_HIP-head-m2.nii.gz	0.82	2.12e-04	-2.94e-04	7.18e-04	.453	3.16e-05	5.62e-03
Melbourne_Subcortex_Atlas_RH_HIP-tail.nii.gz	1.40	3.17e-04	-1.26e-04	7.60e-04	.178	9.19e-05	9.59e-03
Melbourne_Subcortex_Atlas_RH_HIP.nii.gz	0.72	1.20e-04	-2.06e-04	4.46e-04	.573	2.46e-05	4.96e-03
Melbourne_Subcortex_Atlas_RH_lAMY.nii.gz	-1.05	-1.40e-04	-4.00e-04	1.21e-04	.404	5.17e-05	7.19e-03
Melbourne_Subcortex_Atlas_RH_mAMY.nii.gz	0.12	2.15e-05	-3.29e-04	3.72e-04	.995	6.74e-07	8.21e-04
Melbourne_Subcortex_Atlas_RH_NAc-core.nii.gz	-0.24	-4.57e-05	-4.24e-04	3.33e-04	.894	2.62e-06	1.62e-03
Melbourne_Subcortex_Atlas_RH_NAc-shell.nii.gz	-0.67	-1.19e-04	-4.67e-04	2.29e-04	.553	2.11e-05	4.59e-03
Melbourne_Subcortex_Atlas_RH_NAc.nii.gz	-0.52	-8.58e-05	-4.10e-04	2.38e-04	.664	1.26e-05	3.55e-03
Melbourne_Subcortex_Atlas_RH_pCAU.nii.gz	0.86	1.85e-04	-2.37e-04	6.06e-04	.429	3.46e-05	5.88e-03
Melbourne_Subcortex_Atlas_RH_pGP.nii.gz	0.27	3.74e-05	-2.30e-04	3.05e-04	.863	3.51e-06	1.87e-03
Melbourne_Subcortex_Atlas_RH_pHIP.nii.gz	1.32	2.65e-04	-1.27e-04	6.58e-04	.204	8.22e-05	9.07e-03
Melbourne_Subcortex_Atlas_RH_pPUT.nii.gz	0.69	8.92e-05	-1.63e-04	3.41e-04	.606	2.26e-05	4.75e-03
Melbourne_Subcortex_Atlas_RH_pTHA.nii.gz	1.52	2.47e-04	-7.11e-05	5.65e-04	.157	1.09e-04	1.04e-02
Melbourne_Subcortex_Atlas_RH_PUT-DA.nii.gz	0.60	8.24e-05	-1.87e-04	3.51e-04	.603	1.69e-05	4.11e-03
Melbourne_Subcortex_Atlas_RH_PUT-DP.nii.gz	1.04	1.39e-04	-1.23e-04	4.02e-04	.329	5.06e-05	7.11e-03
Melbourne_Subcortex_Atlas_RH_PUT-VA.nii.gz	-0.25	-3.71e-05	-3.25e-04	2.50e-04	.880	3.00e-06	1.73e-03
Melbourne_Subcortex_Atlas_RH_PUT-VP.nii.gz	0.29	3.73e-05	-2.17e-04	2.92e-04	.908	3.86e-06	1.96e-03
Melbourne_Subcortex_Atlas_RH_PUT.nii.gz	0.45	5.71e-05	-1.92e-04	3.06e-04	.718	9.49e-06	3.08e-03
<b>Melbourne_Subcortex_Atlas_RH_THA-DA.nii.gz</b>	<b>2.67</b>	<b>6.00e-04</b>	<b>1.59e-04</b>	<b>1.04e-03</b>	<b>.011</b>	<b>3.33e-04</b>	<b>1.83e-02</b>
Melbourne_Subcortex_Atlas_RH_THA-DAl.nii.gz	1.99	2.79e-04	4.15e-06	5.54e-04	.065	1.86e-04	1.36e-02
<b>Melbourne_Subcortex_Atlas_RH_THA-DAm.nii.gz</b>	<b>2.67</b>	<b>8.27e-04</b>	<b>2.19e-04</b>	<b>1.44e-03</b>	<b>.011</b>	<b>3.33e-04</b>	<b>1.83e-02</b>

**Table S14**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Melbourne_Subcortex_Atlas_RH_THA-DP.nii.gz	1.71	3.59e-04	-5.35e-05	7.71e-04	.138	1.36e-04	1.17e-02
Melbourne_Subcortex_Atlas_RH_THA-VA.nii.gz	0.82	1.49e-04	-2.05e-04	5.02e-04	.452	3.17e-05	5.63e-03
Melbourne_Subcortex_Atlas_RH_THA-VAi.nii.gz	0.24	4.57e-05	-3.32e-04	4.23e-04	.894	2.64e-06	1.62e-03
Melbourne_Subcortex_Atlas_RH_THA-VAia.nii.gz	-0.64	-1.44e-04	-5.86e-04	2.99e-04	.577	1.90e-05	4.36e-03
Melbourne_Subcortex_Atlas_RH_THA-VAip.nii.gz	0.97	1.77e-04	-1.82e-04	5.36e-04	.367	4.38e-05	6.62e-03
Melbourne_Subcortex_Atlas_RH_THA-VAs.nii.gz	1.64	3.16e-04	-6.10e-05	6.93e-04	.110	1.27e-04	1.12e-02
Melbourne_Subcortex_Atlas_RH_THA-VP.nii.gz	1.04	1.40e-04	-1.23e-04	4.04e-04	.327	5.09e-05	7.13e-03
Melbourne_Subcortex_Atlas_RH_THA-VPl.nii.gz	0.19	2.46e-05	-2.34e-04	2.83e-04	.999	1.63e-06	1.28e-03
Melbourne_Subcortex_Atlas_RH_THA-VPm.nii.gz	1.64	2.55e-04	-5.03e-05	5.61e-04	.112	1.26e-04	1.12e-02
MNI_PD25_subcortical_LH_amygdala.nii.gz	-1.17	-1.56e-04	-4.18e-04	1.06e-04	.267	6.41e-05	8.00e-03
MNI_PD25_subcortical_LH_caudate.nii.gz	1.26	3.03e-04	-1.68e-04	7.74e-04	.228	7.44e-05	8.63e-03
MNI_PD25_subcortical_LH_globus_pallidus_externus.nii.gz	-0.15	-2.36e-05	-3.33e-04	2.86e-04	.970	1.04e-06	1.02e-03
MNI_PD25_subcortical_LH_globus_pallidus_internus.nii.gz	-0.39	-7.25e-05	-4.33e-04	2.88e-04	.762	7.30e-06	2.70e-03
MNI_PD25_subcortical_LH_hippocampus.nii.gz	1.32	2.23e-04	-1.08e-04	5.53e-04	.228	8.18e-05	9.04e-03
MNI_PD25_subcortical_LH_nucleus_accumbens.nii.gz	-0.56	-1.11e-04	-5.00e-04	2.77e-04	.632	1.48e-05	3.84e-03
MNI_PD25_subcortical_LH_putamen.nii.gz	0.40	5.16e-05	-2.00e-04	3.03e-04	.757	7.57e-06	2.75e-03
MNI_PD25_subcortical_LH_red_nucleus.nii.gz	-1.74	-3.53e-04	-7.50e-04	4.43e-05	.128	1.42e-04	1.19e-02
MNI_PD25_subcortical_LH_substantia_nigra.nii.gz	-0.25	-5.76e-05	-5.11e-04	3.96e-04	1.00	2.91e-06	1.71e-03
MNI_PD25_subcortical_LH_subthalamic_nucleus.nii.gz	-1.21	-3.02e-04	-7.91e-04	1.88e-04	.357	6.83e-05	8.26e-03

**Table S14**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
MNI_PD25_subcortical_LH_thalamus.nii.gz	1.80	2.61e-04	-2.39e-05	5.45e-04	.100	1.51e-04	1.23e-02
MNI_PD25_subcortical_RH_amygdala.nii.gz	-1.00	-1.37e-04	-4.03e-04	1.30e-04	.347	4.73e-05	6.88e-03
MNI_PD25_subcortical_RH_caudate.nii.gz	0.77	2.18e-04	-3.38e-04	7.74e-04	.486	2.77e-05	5.26e-03
MNI_PD25_subcortical_RH_globus_pallidus_externus.nii.gz	0.33	5.26e-05	-2.59e-04	3.64e-04	.974	5.12e-06	2.26e-03
MNI_PD25_subcortical_RH_globus_pallidus_Internus.nii.gz	-0.21	-3.70e-05	-3.91e-04	3.16e-04	.921	1.98e-06	1.41e-03
MNI_PD25_subcortical_RH_hippocampus.nii.gz	0.83	1.36e-04	-1.84e-04	4.55e-04	.481	3.26e-05	5.71e-03
MNI_PD25_subcortical_RH_nucleus_accumbens.nii.gz	-0.92	-1.79e-04	-5.63e-04	2.04e-04	.495	3.93e-05	6.27e-03
MNI_PD25_subcortical_RH_putamen.nii.gz	0.43	5.46e-05	-1.95e-04	3.04e-04	.736	8.58e-06	2.93e-03
MNI_PD25_subcortical_RH_red_nucleus.nii.gz	-1.12	-2.34e-04	-6.44e-04	1.75e-04	.360	5.90e-05	7.68e-03
MNI_PD25_subcortical_RH_substantia_nigra.nii.gz	-1.01	-2.19e-04	-6.43e-04	2.05e-04	.427	4.82e-05	6.94e-03
MNI_PD25_subcortical_RH_subthalamic_nucleus.nii.gz	-0.97	-2.52e-04	-7.62e-04	2.58e-04	.407	4.40e-05	6.63e-03
MNI_PD25_subcortical_RH_thalamus.nii.gz	1.29	1.91e-04	-9.84e-05	4.81e-04	.215	7.86e-05	8.86e-03
Thalamic_DBS_Connectivity_atlas_LH_Dentate.nii.gz	0.68	8.85e-05	-1.67e-04	3.44e-04	.684	2.16e-05	4.65e-03
Thalamic_DBS_Connectivity_atlas_RH_Dentate.nii.gz	0.34	4.30e-05	-2.04e-04	2.90e-04	.806	5.45e-06	2.33e-03
Thomas_Atlas_LH_AV.nii.gz	1.71	5.70e-04	-8.24e-05	1.22e-03	.096	1.37e-04	1.17e-02
Thomas_Atlas_LH_CM.nii.gz	1.51	2.12e-04	-6.37e-05	4.89e-04	.181	1.07e-04	1.03e-02
<b>Thomas_Atlas_LH_Hb.nii.gz</b>	<b>2.39</b>	<b>8.79e-04</b>	<b>1.59e-04</b>	<b>1.60e-03</b>	<b>.026</b>	<b>2.68e-04</b>	<b>1.64e-02</b>

Table S14

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Thomas_Atlas_LH_LGN.nii.gz	0.58	9.08e-05	-2.16e-04	3.98e-04	.687	1.57e-05	3.97e-03
<b>Thomas_Atlas_LH_MD-Pf.nii.gz</b>	<b>2.36</b>	<b>4.40e-04</b>	<b>7.40e-05</b>	<b>8.05e-04</b>	<b>.029</b>	<b>2.60e-04</b>	<b>1.61e-02</b>
Thomas_Atlas_LH_MGN.nii.gz	-0.04	-8.93e-06	-4.21e-04	4.03e-04	1.00	8.47e-08	2.91e-04
Thomas_Atlas_LH_MTT.nii.gz	-0.48	-1.05e-04	-5.35e-04	3.26e-04	.698	1.06e-05	3.26e-03
Thomas_Atlas_LH_Pul.nii.gz	1.24	2.01e-04	-1.17e-04	5.18e-04	.237	7.19e-05	8.48e-03
Thomas_Atlas_LH_THALAMUS.nii.gz	1.65	2.33e-04	-4.35e-05	5.10e-04	.125	1.28e-04	1.13e-02
Thomas_Atlas_LH_VA.nii.gz	0.06	1.10e-05	-3.21e-04	3.43e-04	1.00	1.97e-07	4.44e-04
Thomas_Atlas_LH_VLa.nii.gz	0.16	2.58e-05	-2.95e-04	3.47e-04	1.00	1.16e-06	1.08e-03
Thomas_Atlas_LH_VLP.nii.gz	1.19	1.47e-04	-9.51e-05	3.89e-04	.368	6.64e-05	8.15e-03
Thomas_Atlas_LH_VLPd.nii.gz	1.07	1.38e-04	-1.15e-04	3.92e-04	.391	5.37e-05	7.33e-03
Thomas_Atlas_LH_VLPv.nii.gz	1.18	1.62e-04	-1.07e-04	4.32e-04	.435	6.54e-05	8.09e-03
Thomas_Atlas_LH_VPL.nii.gz	1.51	1.89e-04	-5.64e-05	4.34e-04	.241	1.07e-04	1.03e-02
Thomas_Atlas_RH_AV.nii.gz	1.06	3.49e-04	-2.98e-04	9.96e-04	.320	5.23e-05	7.23e-03
Thomas_Atlas_RH_CM.nii.gz	1.39	2.05e-04	-8.46e-05	4.95e-04	.293	9.03e-05	9.50e-03
<b>Thomas_Atlas_RH_Hb.nii.gz</b>	<b>2.12</b>	<b>7.30e-04</b>	<b>5.50e-05</b>	<b>1.41e-03</b>	<b>.047</b>	<b>2.11e-04</b>	<b>1.45e-02</b>
Thomas_Atlas_RH_LGN.nii.gz	0.96	1.56e-04	-1.62e-04	4.74e-04	.463	4.33e-05	6.58e-03
Thomas_Atlas_RH_MD-Pf.nii.gz	1.69	3.28e-04	-5.16e-05	7.07e-04	.099	1.34e-04	1.16e-02
Thomas_Atlas_RH_MGN.nii.gz	0.82	1.64e-04	-2.30e-04	5.59e-04	.506	3.12e-05	5.59e-03
Thomas_Atlas_RH_MTT.nii.gz	-0.45	-1.02e-04	-5.46e-04	3.43e-04	.800	9.39e-06	3.06e-03
Thomas_Atlas_RH_Pul.nii.gz	1.29	2.12e-04	-1.10e-04	5.34e-04	.270	7.83e-05	8.85e-03
Thomas_Atlas_RH_THALAMUS.nii.gz	1.34	1.94e-04	-9.01e-05	4.77e-04	.199	8.38e-05	9.16e-03
Thomas_Atlas_RH_VA.nii.gz	-0.15	-2.65e-05	-3.62e-04	3.09e-04	.965	1.12e-06	1.06e-03
Thomas_Atlas_RH_VLa.nii.gz	0.25	4.43e-05	-3.06e-04	3.94e-04	.983	2.88e-06	1.70e-03

**Table S14*****ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Mean Diffusivity (MD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Thomas_Atlas_RH_VLP.nii.gz	0.88	1.13e-04	-1.39e-04	3.64e-04	.466	3.60e-05	6.00e-03
Thomas_Atlas_RH_VLPd.nii.gz	1.01	1.35e-04	-1.28e-04	3.98e-04	.384	4.75e-05	6.89e-03
Thomas_Atlas_RH_VLPv.nii.gz	0.55	7.94e-05	-2.02e-04	3.61e-04	.709	1.43e-05	3.78e-03
Thomas_Atlas_RH_VPL.nii.gz	0.65	8.33e-05	-1.67e-04	3.33e-04	.627	2.00e-05	4.48e-03

*Note*\* *p* < .05, \*\* *p* < .01, \*\*\* *p* < .001, 95% CI(B)**Table S15*****ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
AHEAD_Atlas_GPe_L.nii.gz	-0.17	-1.14e-03	-1.42e-02	1.19e-02	.950	1.37e-06	1.17e-03
AHEAD_Atlas_GPe_R_mask.nii.gz	0.22	1.43e-03	-1.15e-02	1.43e-02	.911	2.21e-06	1.49e-03
AHEAD_Atlas_GPi_L_mask.nii.gz	0.80	5.33e-03	-7.79e-03	1.84e-02	.722	2.97e-05	5.45e-03
AHEAD_Atlas_GPi_R_mask.nii.gz	-0.82	-5.49e-03	-1.87e-02	7.68e-03	.650	3.13e-05	5.59e-03
<b>AHEAD_Atlas_RN_L_mask.nii.gz</b>	<b>3.26</b>	<b>2.19e-02</b>	<b>8.70e-03</b>	<b>3.50e-02</b>	<b>.003</b>	<b>4.97e-04</b>	<b>2.23e-02</b>
<b>AHEAD_Atlas_RN_R_mask.nii.gz</b>	<b>3.32</b>	<b>2.23e-02</b>	<b>9.12e-03</b>	<b>3.54e-02</b>	<b>.002</b>	<b>5.16e-04</b>	<b>2.27e-02</b>
AHEAD_Atlas_SN_L_mask.nii.gz	-0.48	-3.23e-03	-1.65e-02	1.01e-02	.775	1.06e-05	3.25e-03
AHEAD_Atlas_SN_R_mask.nii.gz	0.07	4.94e-04	-1.27e-02	1.37e-02	1.00	2.53e-07	5.03e-04
AHEAD_Atlas_STN_L_mask.nii.gz	0.76	5.15e-03	-8.10e-03	1.84e-02	.614	2.72e-05	5.21e-03
AHEAD_Atlas_STN_R_mask.nii.gz	-0.44	-2.94e-03	-1.61e-02	1.02e-02	.808	8.99e-06	3.00e-03
Atlas_Basal_Ganglia_and_Thalamus_all_histo_labels.nii.gz	0.29	1.89e-03	-1.10e-02	1.48e-02	.946	3.85e-06	1.96e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Acc.nii.gz	0.16	1.04e-03	-1.14e-02	1.35e-02	.957	1.25e-06	1.12e-03

Table S15

*ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
<b>Atlas_Basal_Ganglia_and_Thalamus_L_Cau- ia.nii.gz</b>	<b>-2.24</b>	<b>-1.46e-02</b>	<b>-2.73e-02</b>	<b>-1.82e-03</b>	<b>.046</b>	<b>2.35e-04</b>	<b>1.53e-02</b>
Atlas_Basal_Ganglia_and_Thalamus_L_Cau- im.nii.gz	-1.11	-7.02e-03	-1.95e-02	5.42e-03	.369	5.73e-05	7.57e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Cau- sa.nii.gz	-1.27	-8.33e-03	-2.12e-02	4.55e-03	.282	7.53e-05	8.68e-03
<b>Atlas_Basal_Ganglia_and_Thalamus_L_Cau- sp.nii.gz</b>	<b>-2.51</b>	<b>-1.66e-02</b>	<b>-2.96e-02</b>	<b>-3.62e-03</b>	<b>.019</b>	<b>2.94e-04</b>	<b>1.71e-02</b>
Atlas_Basal_Ganglia_and_Thalamus_L_GPe.nii.gz	0.54	3.64e-03	-9.50e-03	1.68e-02	.808	1.38e-05	3.71e-03
Atlas_Basal_Ganglia_and_Thalamus_L_GPi.nii.gz	-0.07	-4.85e-04	-1.37e-02	1.27e-02	1.00	2.43e-07	4.93e-04
Atlas_Basal_Ganglia_and_Thalamus_L_Put- ia.nii.gz	-0.02	-1.53e-04	-1.26e-02	1.22e-02	1.00	2.74e-08	1.65e-04
Atlas_Basal_Ganglia_and_Thalamus_L_Put- im.nii.gz	1.05	6.67e-03	-5.84e-03	1.92e-02	.465	5.12e-05	7.15e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Put- sa.nii.gz	-0.66	-4.23e-03	-1.68e-02	8.34e-03	.561	2.03e-05	4.51e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Put- sm.nii.gz	0.51	3.34e-03	-9.38e-03	1.61e-02	.667	1.24e-05	3.52e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Put- sp.nii.gz	-0.12	-8.14e-04	-1.39e-02	1.23e-02	.993	6.95e-07	8.33e-04
Atlas_Basal_Ganglia_and_Thalamus_L_SN.nii.gz	-0.25	-1.70e-03	-1.49e-02	1.15e-02	.978	3.00e-06	1.73e-03
Atlas_Basal_Ganglia_and_Thalamus_L_STN.nii.gz	2.10	1.43e-02	9.36e-04	2.76e-02	.145	2.06e-04	1.44e-02

**Table S15**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Atlas_Basal_Ganglia_and_Thalamus_L_Tha- a.nii.gz	-1.38	-8.85e-03	-2.14e-02	3.69e-03	.183	8.97e-05	9.47e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Tha- ld.nii.gz	-0.76	-5.07e-03	-1.82e-02	8.07e-03	.550	2.68e-05	5.17e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Tha- lp.nii.gz	-0.43	-2.94e-03	-1.62e-02	1.03e-02	.812	8.84e-06	2.97e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Tha- lpu.nii.gz	0.38	2.54e-03	-1.07e-02	1.58e-02	1.00	6.60e-06	2.57e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Tha- md.nii.gz	-0.38	-2.51e-03	-1.53e-02	1.03e-02	.857	6.92e-06	2.63e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Tha- mpu.nii.gz	-1.05	-6.98e-03	-2.00e-02	6.07e-03	.360	5.15e-05	7.18e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Tha- vp.nii.gz	-0.78	-5.21e-03	-1.83e-02	7.85e-03	.531	2.86e-05	5.35e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Acc.nii.gz	0.79	5.05e-03	-7.42e-03	1.75e-02	.470	2.95e-05	5.43e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Cau- ia.nii.gz	-1.45	-9.42e-03	-2.22e-02	3.35e-03	.163	9.78e-05	9.89e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Cau- im.nii.gz	-0.87	-5.56e-03	-1.81e-02	7.01e-03	.424	3.52e-05	5.93e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Cau- sa.nii.gz	-1.26	-8.28e-03	-2.11e-02	4.56e-03	.284	7.48e-05	8.65e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Cau- sp.nii.gz	-1.84	-1.23e-02	-2.53e-02	8.32e-04	.091	1.58e-04	1.26e-02

**Table S15**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Atlas_Basal_Ganglia_and_Thalamus_R_GPe.nii.gz	0.36	2.44e-03	-1.07e-02	1.56e-02	.835	6.18e-06	2.49e-03
Atlas_Basal_Ganglia_and_Thalamus_R_GPi.nii.gz	-0.44	-2.91e-03	-1.60e-02	1.02e-02	.730	8.87e-06	2.98e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Put- ia.nii.gz	0.61	3.93e-03	-8.63e-03	1.65e-02	.594	1.76e-05	4.20e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Put- im.nii.gz	0.69	4.39e-03	-8.08e-03	1.69e-02	.599	2.23e-05	4.73e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Put- sa.nii.gz	0.23	1.45e-03	-1.11e-02	1.40e-02	.902	2.42e-06	1.56e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Put- sm.nii.gz	0.69	4.45e-03	-8.25e-03	1.71e-02	.542	2.21e-05	4.70e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Put- sp.nii.gz	0.26	1.72e-03	-1.14e-02	1.48e-02	.876	3.12e-06	1.77e-03
Atlas_Basal_Ganglia_and_Thalamus_R_SN.nii.gz	-0.02	-1.27e-04	-1.32e-02	1.29e-02	1.00	1.70e-08	1.30e-04
Atlas_Basal_Ganglia_and_Thalamus_R_STN.nii.gz	0.43	2.91e-03	-1.04e-02	1.62e-02	.816	8.64e-06	2.94e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha- a.nii.gz	0.08	5.15e-04	-1.25e-02	1.35e-02	1.00	2.83e-07	5.32e-04
Atlas_Basal_Ganglia_and_Thalamus_R_Tha- ld.nii.gz	-0.34	-2.30e-03	-1.55e-02	1.09e-02	.805	5.50e-06	2.35e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha- lp.nii.gz	-0.52	-3.55e-03	-1.68e-02	9.72e-03	.734	1.29e-05	3.59e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha- lpu.nii.gz	<0.01	1.81e-06	-1.32e-02	1.33e-02	1.00	3.38e-12	1.84e-06



**Table S15**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Atlas_Basal_Ganglia_and_Thalamus_R_Tha- md.nii.gz	-0.84	-5.57e-03	-1.86e-02	7.44e-03	.441	3.30e-05	5.74e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha- mpu.nii.gz	-0.71	-4.70e-03	-1.77e-02	8.26e-03	.583	2.37e-05	4.87e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha- vp.nii.gz	-0.46	-3.12e-03	-1.64e-02	1.01e-02	.788	9.97e-06	3.16e-03
DISTAL_L_1.nii.gz	-0.89	-5.62e-03	-1.80e-02	6.75e-03	.513	3.72e-05	6.10e-03
DISTAL_L_100.nii.gz	0.46	3.14e-03	-1.02e-02	1.64e-02	.884	1.01e-05	3.17e-03
DISTAL_L_101.nii.gz	0.10	6.43e-04	-1.26e-02	1.39e-02	1.00	4.24e-07	6.51e-04
DISTAL_L_105.nii.gz	-1.10	-7.41e-03	-2.06e-02	5.81e-03	.499	5.65e-05	7.52e-03
DISTAL_L_106.nii.gz	0.03	2.00e-04	-1.29e-02	1.33e-02	1.00	4.21e-08	2.05e-04
DISTAL_L_107.nii.gz	0.66	4.45e-03	-8.82e-03	1.77e-02	.624	2.02e-05	4.50e-03
DISTAL_L_108.nii.gz	0.50	3.30e-03	-9.69e-03	1.63e-02	.756	1.16e-05	3.41e-03
DISTAL_L_109.nii.gz	-1.34	-8.27e-03	-2.04e-02	3.82e-03	.283	8.41e-05	9.17e-03
DISTAL_L_110.nii.gz	0.31	2.07e-03	-1.11e-02	1.52e-02	.926	4.45e-06	2.11e-03
DISTAL_L_111.nii.gz	-0.20	-1.38e-03	-1.46e-02	1.19e-02	.923	1.94e-06	1.39e-03
DISTAL_L_112.nii.gz	0.92	6.23e-03	-7.04e-03	1.95e-02	.634	3.97e-05	6.30e-03
DISTAL_L_118.nii.gz	-0.17	-1.18e-03	-1.44e-02	1.20e-02	.947	1.43e-06	1.20e-03
DISTAL_L_14.nii.gz	1.27	8.25e-03	-4.45e-03	2.09e-02	.279	7.58e-05	8.71e-03
DISTAL_L_16.nii.gz	-0.96	-6.33e-03	-1.92e-02	6.58e-03	.430	4.32e-05	6.57e-03
DISTAL_L_2.nii.gz	-0.01	-5.92e-05	-1.19e-02	1.18e-02	1.00	4.51e-09	6.71e-05
DISTAL_L_24.nii.gz	1.14	7.68e-03	-5.52e-03	2.09e-02	.280	6.09e-05	7.80e-03
DISTAL_L_26.nii.gz	-0.92	-6.25e-03	-1.95e-02	7.02e-03	.392	3.99e-05	6.32e-03

Table S15

*ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
<b>DISTAL_L_28.nii.gz</b>	<b>-2.80</b>	<b>-1.73e-02</b>	<b>-2.95e-02</b>	<b>-5.20e-03</b>	<b>.006</b>	<b>3.67e-04</b>	<b>1.92e-02</b>
DISTAL_L_29.nii.gz	0.53	3.46e-03	-9.28e-03	1.62e-02	.818	1.33e-05	3.64e-03
DISTAL_L_35.nii.gz	-1.22	-7.48e-03	-1.94e-02	4.49e-03	.270	7.02e-05	8.38e-03
DISTAL_L_36.nii.gz	-0.15	-1.02e-03	-1.43e-02	1.22e-02	.968	1.07e-06	1.04e-03
DISTAL_L_37.nii.gz	-0.31	-2.06e-03	-1.51e-02	1.10e-02	.833	4.48e-06	2.12e-03
DISTAL_L_4.nii.gz	0.92	6.31e-03	-7.07e-03	1.97e-02	.651	4.00e-05	6.33e-03
DISTAL_L_40.nii.gz	0.41	2.80e-03	-1.04e-02	1.60e-02	.746	8.06e-06	2.84e-03
DISTAL_L_47.nii.gz	-0.57	-3.83e-03	-1.70e-02	9.35e-03	.663	1.52e-05	3.90e-03
DISTAL_L_49.nii.gz	-1.00	-6.72e-03	-1.98e-02	6.39e-03	.433	4.73e-05	6.88e-03
DISTAL_L_6.nii.gz	-0.57	-3.86e-03	-1.70e-02	9.31e-03	.732	1.54e-05	3.93e-03
DISTAL_L_60.nii.gz	0.33	2.27e-03	-1.10e-02	1.56e-02	1.00	5.22e-06	2.28e-03
DISTAL_L_63.nii.gz	-0.16	-1.09e-03	-1.42e-02	1.20e-02	.958	1.24e-06	1.11e-03
DISTAL_L_68.nii.gz	0.34	2.25e-03	-1.09e-02	1.54e-02	.811	5.26e-06	2.29e-03
DISTAL_L_7.nii.gz	0.36	2.36e-03	-1.03e-02	1.51e-02	.894	6.21e-06	2.49e-03
DISTAL_L_70.nii.gz	-0.62	-4.17e-03	-1.74e-02	9.02e-03	.654	1.80e-05	4.24e-03
DISTAL_L_76.nii.gz	-0.38	-2.54e-03	-1.55e-02	1.05e-02	.772	6.87e-06	2.62e-03
DISTAL_L_8.nii.gz	0.57	3.72e-03	-9.13e-03	1.66e-02	.697	1.51e-05	3.88e-03
DISTAL_L_86.nii.gz	-0.43	-2.84e-03	-1.59e-02	1.02e-02	.819	8.50e-06	2.91e-03
DISTAL_L_87.nii.gz	-0.03	-1.85e-04	-1.33e-02	1.29e-02	1.00	3.59e-08	1.90e-04
DISTAL_L_89.nii.gz	-0.58	-3.92e-03	-1.71e-02	9.27e-03	.616	1.59e-05	3.99e-03
DISTAL_L_91.nii.gz	-1.03	-6.92e-03	-2.01e-02	6.26e-03	.477	4.96e-05	7.04e-03
DISTAL_L_92.nii.gz	-0.65	-4.40e-03	-1.76e-02	8.84e-03	.708	1.99e-05	4.46e-03
DISTAL_L_93.nii.gz	-0.56	-3.73e-03	-1.68e-02	9.37e-03	.705	1.46e-05	3.82e-03

Table S15

*ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
DISTAL_L_94.nii.gz	-0.66	-4.44e-03	-1.76e-02	8.74e-03	.622	2.04e-05	4.52e-03
<b>DISTAL_L_97.nii.gz</b>	<b>-2.41</b>	<b>-1.64e-02</b>	<b>-2.98e-02</b>	<b>-3.07e-03</b>	<b>.025</b>	<b>2.72e-04</b>	<b>1.65e-02</b>
DISTAL_L_98.nii.gz	-0.63	-4.24e-03	-1.75e-02	9.03e-03	.730	1.84e-05	4.29e-03
DISTAL_L_GPe.nii.gz	0.20	1.31e-03	-1.18e-02	1.44e-02	.929	1.80e-06	1.34e-03
DISTAL_L_GPi_sensorimotor.nii.gz	0.54	3.61e-03	-9.53e-03	1.68e-02	.721	1.36e-05	3.69e-03
DISTAL_L_GPi.nii.gz	0.55	3.71e-03	-9.43e-03	1.69e-02	.798	1.43e-05	3.79e-03
<b>DISTAL_L_RN.nii.gz</b>	<b>3.56</b>	<b>2.38e-02</b>	<b>1.07e-02</b>	<b>3.68e-02</b>	<b>.001</b>	<b>5.94e-04</b>	<b>2.44e-02</b>
DISTAL_L_STN_associative.nii.gz	1.37	9.28e-03	-4.00e-03	2.26e-02	.235	8.79e-05	9.38e-03
DISTAL_L_STN_limbic.nii.gz	-1.03	-7.00e-03	-2.03e-02	6.30e-03	.406	4.99e-05	7.06e-03
DISTAL_L_STN_motor.nii.gz	1.16	7.86e-03	-5.37e-03	2.11e-02	.448	6.35e-05	7.97e-03
DISTAL_L_STN.nii.gz	1.13	7.62e-03	-5.61e-03	2.08e-02	.475	5.97e-05	7.72e-03
DISTAL_R_1.nii.gz	-0.46	-2.90e-03	-1.52e-02	9.44e-03	.788	9.96e-06	3.16e-03
DISTAL_R_100.nii.gz	-0.71	-4.79e-03	-1.79e-02	8.36e-03	.523	2.39e-05	4.89e-03
DISTAL_R_101.nii.gz	-0.23	-1.54e-03	-1.48e-02	1.17e-02	.902	2.43e-06	1.56e-03
DISTAL_R_105.nii.gz	1.44	9.74e-03	-3.50e-03	2.30e-02	.329	9.73e-05	9.87e-03
DISTAL_R_106.nii.gz	-0.72	-4.75e-03	-1.78e-02	8.27e-03	.653	2.39e-05	4.89e-03
DISTAL_R_107.nii.gz	-0.66	-4.39e-03	-1.75e-02	8.73e-03	.703	2.02e-05	4.49e-03
DISTAL_R_108.nii.gz	0.49	3.25e-03	-9.73e-03	1.62e-02	.686	1.13e-05	3.36e-03
DISTAL_R_109.nii.gz	-1.45	-9.05e-03	-2.13e-02	3.17e-03	.230	9.87e-05	9.94e-03
DISTAL_R_110.nii.gz	0.34	2.28e-03	-1.09e-02	1.54e-02	.807	5.42e-06	2.33e-03
DISTAL_R_111.nii.gz	0.50	3.39e-03	-9.81e-03	1.66e-02	.840	1.19e-05	3.45e-03
DISTAL_R_112.nii.gz	0.89	6.04e-03	-7.19e-03	1.93e-02	.596	3.75e-05	6.13e-03
DISTAL_R_118.nii.gz	-0.01	-5.82e-05	-1.33e-02	1.32e-02	1.00	3.46e-09	5.88e-05

**Table S15**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
DISTAL_R_13.nii.gz	-0.43	-2.87e-03	-1.61e-02	1.03e-02	.811	8.48e-06	2.91e-03
DISTAL_R_14.nii.gz	0.79	5.06e-03	-7.47e-03	1.76e-02	.524	2.93e-05	5.41e-03
DISTAL_R_16.nii.gz	-1.82	-1.18e-02	-2.46e-02	9.30e-04	.096	1.55e-04	1.24e-02
DISTAL_R_2.nii.gz	-0.59	-3.51e-03	-1.52e-02	8.15e-03	.679	1.63e-05	4.04e-03
DISTAL_R_24.nii.gz	1.02	6.86e-03	-6.29e-03	2.00e-02	.375	4.90e-05	7.00e-03
DISTAL_R_26.nii.gz	-0.13	-8.52e-04	-1.40e-02	1.23e-02	1.00	7.53e-07	8.68e-04
DISTAL_R_28.nii.gz	-1.90	-1.18e-02	-2.41e-02	3.94e-04	.071	1.69e-04	1.30e-02
DISTAL_R_29.nii.gz	0.63	4.07e-03	-8.59e-03	1.67e-02	.646	1.86e-05	4.31e-03
DISTAL_R_35.nii.gz	-0.73	-4.45e-03	-1.65e-02	7.58e-03	.515	2.47e-05	4.97e-03
DISTAL_R_36.nii.gz	0.80	5.38e-03	-7.82e-03	1.86e-02	.710	2.99e-05	5.47e-03
DISTAL_R_37.nii.gz	-0.83	-5.49e-03	-1.85e-02	7.54e-03	.450	3.20e-05	5.65e-03
DISTAL_R_4.nii.gz	1.23	8.43e-03	-4.95e-03	2.18e-02	.298	7.14e-05	8.45e-03
DISTAL_R_40.nii.gz	-0.42	-2.85e-03	-1.61e-02	1.04e-02	.823	8.34e-06	2.89e-03
DISTAL_R_47.nii.gz	-0.18	-1.21e-03	-1.43e-02	1.18e-02	.985	1.56e-06	1.25e-03
DISTAL_R_49.nii.gz	-1.28	-8.53e-03	-2.16e-02	4.55e-03	.277	7.65e-05	8.75e-03
DISTAL_R_6.nii.gz	-0.12	-8.38e-04	-1.40e-02	1.23e-02	.991	7.32e-07	8.55e-04
DISTAL_R_60.nii.gz	-0.33	-2.20e-03	-1.54e-02	1.11e-02	1.00	4.95e-06	2.22e-03
DISTAL_R_63.nii.gz	0.96	6.45e-03	-6.70e-03	1.96e-02	.452	4.33e-05	6.58e-03
DISTAL_R_68.nii.gz	0.02	1.48e-04	-1.30e-02	1.33e-02	1.00	2.27e-08	1.51e-04
DISTAL_R_7.nii.gz	-0.15	-9.57e-04	-1.37e-02	1.18e-02	.971	1.02e-06	1.01e-03
DISTAL_R_70.nii.gz	-1.69	-1.15e-02	-2.48e-02	1.82e-03	.333	1.34e-04	1.16e-02
DISTAL_R_76.nii.gz	0.50	3.39e-03	-9.82e-03	1.66e-02	.677	1.18e-05	3.44e-03
DISTAL_R_8.nii.gz	-0.76	-5.00e-03	-1.78e-02	7.82e-03	.543	2.74e-05	5.23e-03

Table S15

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
DISTAL_R_86.nii.gz	-0.82	-5.50e-03	-1.86e-02	7.62e-03	.452	3.16e-05	5.62e-03
DISTAL_R_87.nii.gz	0.11	7.64e-04	-1.24e-02	1.39e-02	1.00	6.06e-07	7.78e-04
DISTAL_R_89.nii.gz	-0.46	-3.08e-03	-1.63e-02	1.01e-02	.712	9.82e-06	3.13e-03
DISTAL_R_91.nii.gz	-1.10	-7.37e-03	-2.06e-02	5.81e-03	.429	5.63e-05	7.50e-03
DISTAL_R_92.nii.gz	0.42	2.83e-03	-1.04e-02	1.61e-02	.743	8.20e-06	2.86e-03
DISTAL_R_93.nii.gz	-1.08	-7.23e-03	-2.03e-02	5.89e-03	.343	5.46e-05	7.39e-03
DISTAL_R_94.nii.gz	0.13	8.83e-04	-1.24e-02	1.41e-02	.986	7.98e-07	8.93e-04
DISTAL_R_97.nii.gz	-1.05	-7.15e-03	-2.05e-02	6.22e-03	.463	5.15e-05	7.17e-03
DISTAL_R_GPe.nii.gz	0.20	1.38e-03	-1.18e-02	1.46e-02	1.00	1.96e-06	1.40e-03
DISTAL_R_GPi_sensorimotor.nii.gz	-0.40	-2.69e-03	-1.59e-02	1.05e-02	.842	7.50e-06	2.74e-03
DISTAL_R_GPi.nii.gz	-1.34	-9.01e-03	-2.22e-02	4.18e-03	.284	8.39e-05	9.16e-03
<b>DISTAL_R_RN.nii.gz</b>	<b>3.32</b>	<b>2.21e-02</b>	<b>9.06e-03</b>	<b>3.51e-02</b>	<b>.002</b>	<b>5.17e-04</b>	<b>2.27e-02</b>
DISTAL_R_STN_associative.nii.gz	-0.54	-3.65e-03	-1.69e-02	9.57e-03	.647	1.37e-05	3.70e-03
DISTAL_R_STN_limbic.nii.gz	0.52	3.52e-03	-9.69e-03	1.67e-02	.827	1.28e-05	3.58e-03
DISTAL_R_STN_motor.nii.gz	-0.53	-3.53e-03	-1.67e-02	9.64e-03	.875	1.29e-05	3.59e-03
DISTAL_R_STN.nii.gz	-0.57	-3.83e-03	-1.70e-02	9.37e-03	.626	1.52e-05	3.89e-03
<b>Human_Motor_Thalamus_L_A.nii.gz</b>	<b>-2.63</b>	<b>-1.60e-02</b>	<b>-2.78e-02</b>	<b>-4.09e-03</b>	<b>.010</b>	<b>3.25e-04</b>	<b>1.80e-02</b>
Human_Motor_Thalamus_L_acbcbssc.nii.gz	1.13	7.70e-03	-5.62e-03	2.10e-02	.354	6.01e-05	7.76e-03
Human_Motor_Thalamus_L_alfrfxmtpc.nii.gz	-0.61	-3.83e-03	-1.61e-02	8.48e-03	.662	1.74e-05	4.18e-03
Human_Motor_Thalamus_L_BasalForebrain.nii.gz	1.04	6.71e-03	-5.89e-03	1.93e-02	.363	5.10e-05	7.14e-03
Human_Motor_Thalamus_L_CdPutVSt.nii.gz	-1.84	-1.18e-02	-2.43e-02	7.87e-04	.121	1.58e-04	1.26e-02
Human_Motor_Thalamus_L_CMPf.nii.gz	-0.55	-3.68e-03	-1.67e-02	9.36e-03	.709	1.43e-05	3.78e-03
Human_Motor_Thalamus_L_eml.nii.gz	0.88	5.87e-03	-7.20e-03	1.89e-02	.463	3.62e-05	6.02e-03

Table S15

*ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Human_Motor_Thalamus_L_GPl.nii.gz	0.25	1.67e-03	-1.14e-02	1.47e-02	.882	2.96e-06	1.72e-03
Human_Motor_Thalamus_L_GPm.nii.gz	0.57	3.80e-03	-9.33e-03	1.69e-02	.887	1.51e-05	3.88e-03
Human_Motor_Thalamus_L_Hbl.nii.gz	-0.60	-3.96e-03	-1.69e-02	8.94e-03	.602	1.70e-05	4.12e-03
Human_Motor_Thalamus_L_Hypothalamus.nii.gz	-0.01	-5.68e-05	-1.30e-02	1.29e-02	1.00	3.46e-09	5.89e-05
Human_Motor_Thalamus_L_ic.nii.gz	0.49	3.32e-03	-1.00e-02	1.67e-02	.859	1.12e-05	3.35e-03
Human_Motor_Thalamus_L_LD.nii.gz	-1.68	-1.03e-02	-2.24e-02	1.75e-03	.103	1.32e-04	1.15e-02
Human_Motor_Thalamus_L_LG.nii.gz	-0.22	-1.49e-03	-1.45e-02	1.15e-02	.962	2.36e-06	1.54e-03
Human_Motor_Thalamus_L_Li.nii.gz	-1.05	-7.09e-03	-2.03e-02	6.11e-03	.536	5.19e-05	7.21e-03
Human_Motor_Thalamus_L_M.nii.gz	0.80	5.43e-03	-7.82e-03	1.87e-02	.663	3.02e-05	5.49e-03
Human_Motor_Thalamus_L_MB.nii.gz	0.76	4.85e-03	-7.67e-03	1.74e-02	.615	2.70e-05	5.20e-03
Human_Motor_Thalamus_L_MD.nii.gz	-0.55	-3.67e-03	-1.67e-02	9.33e-03	.638	1.44e-05	3.79e-03
Human_Motor_Thalamus_L_MDCL.nii.gz	-0.09	-6.09e-04	-1.38e-02	1.26e-02	1.00	3.85e-07	6.21e-04
Human_Motor_Thalamus_L_MG.nii.gz	0.61	4.10e-03	-9.01e-03	1.72e-02	.660	1.76e-05	4.19e-03
Human_Motor_Thalamus_L_MI.nii.gz	-0.13	-8.55e-04	-1.33e-02	1.16e-02	.982	8.45e-07	9.19e-04
Human_Motor_Thalamus_L_Midbrain.nii.gz	0.42	2.77e-03	-1.03e-02	1.59e-02	.746	8.07e-06	2.84e-03
Human_Motor_Thalamus_L_ot.nii.gz	0.42	2.78e-03	-1.03e-02	1.59e-02	.932	8.07e-06	2.84e-03
Human_Motor_Thalamus_L_Po.nii.gz	0.65	4.39e-03	-8.92e-03	1.77e-02	.726	1.96e-05	4.43e-03
Human_Motor_Thalamus_L_PPN.nii.gz	1.95	1.32e-02	-9.93e-05	2.64e-02	.057	1.77e-04	1.33e-02
Human_Motor_Thalamus_L_Pul.nii.gz	-0.23	-1.55e-03	-1.47e-02	1.15e-02	.898	2.53e-06	1.59e-03
<b>Human_Motor_Thalamus_L_R.nii.gz</b>	<b>3.52</b>	<b>2.36e-02</b>	<b>1.05e-02</b>	<b>3.68e-02</b>	<b>.001</b>	<b>5.82e-04</b>	<b>2.41e-02</b>
Human_Motor_Thalamus_L_Rt.nii.gz	-0.36	-2.47e-03	-1.57e-02	1.08e-02	.787	6.23e-06	2.50e-03
Human_Motor_Thalamus_L_SN.nii.gz	-0.29	-1.92e-03	-1.51e-02	1.13e-02	.853	3.82e-06	1.96e-03
Human_Motor_Thalamus_L_STN.nii.gz	0.79	5.32e-03	-7.93e-03	1.86e-02	.790	2.90e-05	5.39e-03

**Table S15**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Human_Motor_Thalamus_L_VAn.nii.gz	-0.87	-5.88e-03	-1.92e-02	7.41e-03	.542	3.52e-05	5.94e-03
Human_Motor_Thalamus_L_VAp.nii.gz	-0.40	-2.67e-03	-1.59e-02	1.05e-02	.761	7.38e-06	2.72e-03
Human_Motor_Thalamus_L_VLdVLv.nii.gz	-0.42	-2.85e-03	-1.61e-02	1.04e-02	.740	8.34e-06	2.89e-03
Human_Motor_Thalamus_L_VPi.nii.gz	1.31	8.86e-03	-4.38e-03	2.21e-02	.298	8.05e-05	8.97e-03
Human_Motor_Thalamus_L_VPIVPm.nii.gz	-1.02	-6.88e-03	-2.01e-02	6.38e-03	.378	4.84e-05	6.96e-03
Human_Motor_Thalamus_R_A.nii.gz	-1.87	-1.14e-02	-2.34e-02	5.56e-04	.075	1.64e-04	1.28e-02
Human_Motor_Thalamus_R_acbcbssc.nii.gz	1.46	9.89e-03	-3.41e-03	2.32e-02	.218	9.94e-05	9.97e-03
Human_Motor_Thalamus_R_alfrfxmtpc.nii.gz	-0.43	-2.62e-03	-1.46e-02	9.38e-03	.736	8.56e-06	2.93e-03
Human_Motor_Thalamus_R_BasalForebrain.nii.gz	0.99	6.39e-03	-6.24e-03	1.90e-02	.393	4.61e-05	6.79e-03
Human_Motor_Thalamus_R_CdPutVSt.nii.gz	-1.15	-7.42e-03	-2.01e-02	5.27e-03	.462	6.15e-05	7.84e-03
Human_Motor_Thalamus_R_CMPf.nii.gz	-1.05	-7.01e-03	-2.00e-02	6.03e-03	.435	5.20e-05	7.21e-03
Human_Motor_Thalamus_R_Connectivetissue.nii.g z	-1.72	-1.13e-02	-2.42e-02	1.59e-03	.118	1.38e-04	1.18e-02
Human_Motor_Thalamus_R_eml.nii.gz	0.91	6.04e-03	-6.98e-03	1.91e-02	.444	3.87e-05	6.22e-03
Human_Motor_Thalamus_R_GPI.nii.gz	0.28	1.89e-03	-1.13e-02	1.51e-02	.856	3.70e-06	1.92e-03
Human_Motor_Thalamus_R_GPm.nii.gz	-0.99	-6.66e-03	-1.99e-02	6.54e-03	.394	4.58e-05	6.77e-03
Human_Motor_Thalamus_R_Hbl.nii.gz	-0.41	-2.67e-03	-1.56e-02	1.02e-02	.754	7.70e-06	2.78e-03
Human_Motor_Thalamus_R_Hypothalamus.nii.gz	0.59	3.88e-03	-9.06e-03	1.68e-02	.612	1.62e-05	4.02e-03
Human_Motor_Thalamus_R_ic.nii.gz	0.87	5.88e-03	-7.43e-03	1.92e-02	.531	3.52e-05	5.93e-03
Human_Motor_Thalamus_R_LD.nii.gz	-1.92	-1.18e-02	-2.40e-02	2.66e-04	.076	1.72e-04	1.31e-02
Human_Motor_Thalamus_R_LG.nii.gz	-0.35	-2.32e-03	-1.52e-02	1.06e-02	.835	5.80e-06	2.41e-03
Human_Motor_Thalamus_R_Li.nii.gz	-0.86	-5.85e-03	-1.91e-02	7.41e-03	.692	3.50e-05	5.92e-03
Human_Motor_Thalamus_R_M.nii.gz	0.49	3.29e-03	-9.92e-03	1.65e-02	.764	1.12e-05	3.34e-03

Table S15

*ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Human_Motor_Thalamus_R_MB.nii.gz	0.49	3.08e-03	-9.35e-03	1.55e-02	.767	1.10e-05	3.32e-03
Human_Motor_Thalamus_R_MD.nii.gz	-0.86	-5.66e-03	-1.86e-02	7.29e-03	.431	3.43e-05	5.86e-03
Human_Motor_Thalamus_R_MDCL.nii.gz	0.49	3.27e-03	-9.91e-03	1.65e-02	.766	1.11e-05	3.33e-03
Human_Motor_Thalamus_R_MG.nii.gz	0.24	1.59e-03	-1.15e-02	1.47e-02	.993	2.63e-06	1.62e-03
Human_Motor_Thalamus_R_MGC.nii.gz	-1.71	-1.17e-02	-2.50e-02	1.71e-03	.120	1.37e-04	1.17e-02
Human_Motor_Thalamus_R_MI.nii.gz	0.63	3.89e-03	-8.28e-03	1.61e-02	.649	1.84e-05	4.29e-03
Human_Motor_Thalamus_R_Midbrain.nii.gz	0.72	4.80e-03	-8.26e-03	1.79e-02	.519	2.43e-05	4.93e-03
Human_Motor_Thalamus_R_ot.nii.gz	-0.13	-8.46e-04	-1.35e-02	1.18e-02	1.00	8.09e-07	8.99e-04
Human_Motor_Thalamus_R_PC.nii.gz	0.08	5.23e-04	-1.24e-02	1.34e-02	1.00	2.96e-07	5.44e-04
Human_Motor_Thalamus_R_Po.nii.gz	0.34	2.26e-03	-1.09e-02	1.55e-02	.811	5.28e-06	2.30e-03
Human_Motor_Thalamus_R_PPN.nii.gz	1.95	1.32e-02	-6.87e-05	2.64e-02	.070	1.78e-04	1.33e-02
Human_Motor_Thalamus_R_Pul.nii.gz	-0.74	-4.92e-03	-1.80e-02	8.15e-03	.507	2.55e-05	5.05e-03
<b>Human_Motor_Thalamus_R_R.nii.gz</b>	<b>3.40</b>	<b>2.27e-02</b>	<b>9.59e-03</b>	<b>3.57e-02</b>	<b>.001</b>	<b>5.41e-04</b>	<b>2.33e-02</b>
Human_Motor_Thalamus_R_Rt.nii.gz	0.46	3.08e-03	-9.92e-03	1.61e-02	.706	1.01e-05	3.18e-03
Human_Motor_Thalamus_R_SN.nii.gz	0.21	1.42e-03	-1.17e-02	1.45e-02	.915	2.11e-06	1.45e-03
Human_Motor_Thalamus_R_STN.nii.gz	-0.37	-2.47e-03	-1.56e-02	1.07e-02	.785	6.31e-06	2.51e-03
Human_Motor_Thalamus_R_VAn.nii.gz	0.48	3.20e-03	-9.91e-03	1.63e-02	.773	1.07e-05	3.27e-03
Human_Motor_Thalamus_R_VAp.nii.gz	0.24	1.62e-03	-1.15e-02	1.48e-02	.890	2.74e-06	1.65e-03
Human_Motor_Thalamus_R_VLdVLv.nii.gz	0.04	2.91e-04	-1.29e-02	1.35e-02	1.00	8.73e-08	2.96e-04
Human_Motor_Thalamus_R_VPi.nii.gz	1.86	1.26e-02	-7.09e-04	2.59e-02	.140	1.61e-04	1.27e-02
Human_Motor_Thalamus_R_VPIVPm.nii.gz	0.03	1.90e-04	-1.31e-02	1.35e-02	1.00	3.67e-08	1.91e-04
<b>HybraPD_Atlas_L_Ca.nii.gz</b>	<b>-2.22</b>	<b>-1.43e-02</b>	<b>-2.70e-02</b>	<b>-1.67e-03</b>	<b>.042</b>	<b>2.31e-04</b>	<b>1.52e-02</b>
HybraPD_Atlas_L_DN.nii.gz	0.77	5.18e-03	-7.94e-03	1.83e-02	.604	2.80e-05	5.29e-03



Table S15

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
HybraPD_Atlas_L_GPe.nii.gz	-0.25	-1.67e-03	-1.47e-02	1.14e-02	.882	2.94e-06	1.72e-03
HybraPD_Atlas_L_GPi.nii.gz	0.86	5.75e-03	-7.39e-03	1.89e-02	.538	3.45e-05	5.87e-03
HybraPD_Atlas_L_NAC.nii.gz	0.03	2.11e-04	-1.26e-02	1.30e-02	1.00	4.93e-08	2.22e-04
HybraPD_Atlas_L_Pu.nii.gz	-0.47	-2.93e-03	-1.52e-02	9.34e-03	.949	1.02e-05	3.20e-03
<b>HybraPD_Atlas_L_RN.nii.gz</b>	<b>3.61</b>	<b>2.41e-02</b>	<b>1.10e-02</b>	<b>3.73e-02</b>	<b>.001</b>	<b>6.10e-04</b>	<b>2.47e-02</b>
HybraPD_Atlas_L_TH.MN.nii.gz	-0.57	-3.81e-03	-1.69e-02	9.24e-03	.693	1.53e-05	3.91e-03
HybraPD_Atlas_L_TH.P.nii.gz	0.38	2.56e-03	-1.05e-02	1.56e-02	.857	6.90e-06	2.63e-03
HybraPD_Atlas_L_TH.VN.nii.gz	-0.64	-4.32e-03	-1.75e-02	8.88e-03	.637	1.93e-05	4.39e-03
HybraPD_Atlas_R_Ca.nii.gz	-0.86	-5.58e-03	-1.82e-02	7.07e-03	.533	3.50e-05	5.91e-03
HybraPD_Atlas_R_DN.nii.gz	0.62	4.19e-03	-9.01e-03	1.74e-02	.734	1.82e-05	4.26e-03
HybraPD_Atlas_R_GPe.nii.gz	0.25	1.66e-03	-1.15e-02	1.48e-02	.983	2.88e-06	1.70e-03
HybraPD_Atlas_R_GPi.nii.gz	-1.05	-7.03e-03	-2.02e-02	6.11e-03	.324	5.15e-05	7.18e-03
HybraPD_Atlas_R_NAC.nii.gz	0.49	3.17e-03	-9.58e-03	1.59e-02	.688	1.11e-05	3.34e-03
HybraPD_Atlas_R_Pu.nii.gz	-0.33	-2.07e-03	-1.43e-02	1.02e-02	.904	5.16e-06	2.27e-03
<b>HybraPD_Atlas_R_RN.nii.gz</b>	<b>3.29</b>	<b>2.19e-02</b>	<b>8.84e-03</b>	<b>3.49e-02</b>	<b>.002</b>	<b>5.06e-04</b>	<b>2.25e-02</b>
HybraPD_Atlas_R_TH.MN.nii.gz	-1.16	-7.73e-03	-2.08e-02	5.30e-03	.337	6.33e-05	7.95e-03
HybraPD_Atlas_R_TH.P.nii.gz	-0.85	-5.66e-03	-1.87e-02	7.38e-03	.621	3.39e-05	5.82e-03
HybraPD_Atlas_R_TH.VN.nii.gz	0.03	2.00e-04	-1.31e-02	1.35e-02	1.00	4.12e-08	2.03e-04
Melbourne_Subcortex_Atlas_LH_aCAU.nii.gz	-1.99	-1.28e-02	-2.54e-02	-1.74e-04	.074	1.85e-04	1.36e-02
Melbourne_Subcortex_Atlas_LH_aGP.nii.gz	0.07	4.51e-04	-1.28e-02	1.37e-02	1.00	2.09e-07	4.57e-04
Melbourne_Subcortex_Atlas_LH_aHIP.nii.gz	0.24	1.51e-03	-1.07e-02	1.37e-02	.890	2.74e-06	1.66e-03
Melbourne_Subcortex_Atlas_LH_AMY.nii.gz	1.07	6.72e-03	-5.64e-03	1.91e-02	.350	5.32e-05	7.29e-03
Melbourne_Subcortex_Atlas_LH_aPUT.nii.gz	-0.18	-1.17e-03	-1.35e-02	1.12e-02	.939	1.60e-06	1.27e-03

Table S15

*ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Melbourne_Subcortex_Atlas_LH_aTHA.nii.gz	-0.96	-6.19e-03	-1.88e-02	6.41e-03	.369	4.34e-05	6.59e-03
<b>Melbourne_Subcortex_Atlas_LH_CAU-body.nii.gz</b>	<b>-2.63</b>	<b>-1.72e-02</b>	<b>-3.01e-02</b>	<b>-4.39e-03</b>	<b>.013</b>	<b>3.24e-04</b>	<b>1.80e-02</b>
Melbourne_Subcortex_Atlas_LH_CAU-DA.nii.gz	-1.99	-1.30e-02	-2.57e-02	-1.64e-04	.074	1.85e-04	1.36e-02
<b>Melbourne_Subcortex_Atlas_LH_CAU-tail.nii.gz</b>	<b>-2.45</b>	<b>-1.64e-02</b>	<b>-2.96e-02</b>	<b>-3.28e-03</b>	<b>.022</b>	<b>2.81e-04</b>	<b>1.68e-02</b>
Melbourne_Subcortex_Atlas_LH_CAU-VA.nii.gz	-1.59	-1.01e-02	-2.26e-02	2.33e-03	.153	1.19e-04	1.09e-02
<b>Melbourne_Subcortex_Atlas_LH_CAU.nii.gz</b>	<b>-2.45</b>	<b>-1.59e-02</b>	<b>-2.86e-02</b>	<b>-3.20e-03</b>	<b>.022</b>	<b>2.82e-04</b>	<b>1.68e-02</b>
Melbourne_Subcortex_Atlas_LH_GP.nii.gz	0.28	1.87e-03	-1.13e-02	1.51e-02	.859	3.63e-06	1.90e-03
Melbourne_Subcortex_Atlas_LH_HIP-body.nii.gz	-0.37	-2.32e-03	-1.45e-02	9.85e-03	.779	6.55e-06	2.56e-03
Melbourne_Subcortex_Atlas_LH_HIP-head-l.nii.gz	0.61	3.87e-03	-8.58e-03	1.63e-02	.597	1.74e-05	4.17e-03
Melbourne_Subcortex_Atlas_LH_HIP-head-m.nii.gz	-0.47	-2.91e-03	-1.51e-02	9.28e-03	.704	1.02e-05	3.20e-03
Melbourne_Subcortex_Atlas_LH_HIP-head-m1.nii.gz	-0.28	-1.77e-03	-1.39e-02	1.04e-02	.854	3.79e-06	1.95e-03
Melbourne_Subcortex_Atlas_LH_HIP-head-m2.nii.gz	-0.18	-1.15e-03	-1.38e-02	1.15e-02	.957	1.49e-06	1.22e-03
Melbourne_Subcortex_Atlas_LH_HIP-tail.nii.gz	-1.39	-8.66e-03	-2.09e-02	3.57e-03	.227	9.02e-05	9.50e-03
Melbourne_Subcortex_Atlas_LH_HIP.nii.gz	-0.38	-2.36e-03	-1.44e-02	9.66e-03	.963	6.94e-06	2.63e-03
Melbourne_Subcortex_Atlas_LH_IAMY.nii.gz	0.57	3.71e-03	-9.02e-03	1.64e-02	.625	1.53e-05	3.91e-03
Melbourne_Subcortex_Atlas_LH_mAMY.nii.gz	1.33	8.33e-03	-3.91e-03	2.06e-02	.251	8.33e-05	9.13e-03
Melbourne_Subcortex_Atlas_LH_NAc-core.nii.gz	-1.65	-1.07e-02	-2.34e-02	2.02e-03	.121	1.27e-04	1.13e-02
Melbourne_Subcortex_Atlas_LH_NAc-shell.nii.gz	0.41	2.62e-03	-9.92e-03	1.52e-02	.917	7.84e-06	2.80e-03
Melbourne_Subcortex_Atlas_LH_NAc.nii.gz	-0.69	-4.45e-03	-1.71e-02	8.19e-03	.599	2.23e-05	4.72e-03

**Table S15**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
<b>Melbourne_Subcortex_Atlas_LH_pCAU.nii.gz</b>	<b>-2.67</b>	<b>-1.76e-02</b>	<b>-3.06e-02</b>	<b>-4.69e-03</b>	<b>.012</b>	<b>3.34e-04</b>	<b>1.83e-02</b>
Melbourne_Subcortex_Atlas_LH_pGP.nii.gz	0.49	3.27e-03	-9.89e-03	1.64e-02	.689	1.11e-05	3.33e-03
Melbourne_Subcortex_Atlas_LH_pHIP.nii.gz	-0.74	-4.58e-03	-1.66e-02	7.48e-03	.558	2.59e-05	5.09e-03
Melbourne_Subcortex_Atlas_LH_pPUT.nii.gz	0.35	2.28e-03	-1.07e-02	1.52e-02	.864	5.58e-06	2.36e-03
Melbourne_Subcortex_Atlas_LH_pTHA.nii.gz	-0.90	-6.02e-03	-1.91e-02	7.11e-03	.451	3.78e-05	6.15e-03
Melbourne_Subcortex_Atlas_LH_PUT-DA.nii.gz	0.08	5.26e-04	-1.20e-02	1.30e-02	1.00	3.20e-07	5.65e-04
Melbourne_Subcortex_Atlas_LH_PUT-DP.nii.gz	0.27	1.77e-03	-1.10e-02	1.45e-02	.864	3.46e-06	1.86e-03
Melbourne_Subcortex_Atlas_LH_PUT-VA.nii.gz	-0.54	-3.47e-03	-1.60e-02	9.05e-03	.718	1.38e-05	3.72e-03
Melbourne_Subcortex_Atlas_LH_PUT-VP.nii.gz	0.37	2.47e-03	-1.06e-02	1.55e-02	.783	6.41e-06	2.53e-03
Melbourne_Subcortex_Atlas_LH_PUT.nii.gz	0.16	1.01e-03	-1.16e-02	1.36e-02	.963	1.14e-06	1.07e-03
Melbourne_Subcortex_Atlas_LH_THA-DA.nii.gz	-0.94	-6.25e-03	-1.92e-02	6.73e-03	.422	4.17e-05	6.46e-03
Melbourne_Subcortex_Atlas_LH_THA-DAI.nii.gz	-0.51	-3.44e-03	-1.67e-02	9.78e-03	.671	1.22e-05	3.49e-03
Melbourne_Subcortex_Atlas_LH_THA-DAm.nii.gz	-1.12	-7.31e-03	-2.01e-02	5.47e-03	.288	5.89e-05	7.67e-03
Melbourne_Subcortex_Atlas_LH_THA-DP.nii.gz	-0.36	-2.39e-03	-1.55e-02	1.07e-02	.909	6.04e-06	2.46e-03
Melbourne_Subcortex_Atlas_LH_THA-VA.nii.gz	-0.87	-5.54e-03	-1.80e-02	6.91e-03	.422	3.56e-05	5.97e-03
Melbourne_Subcortex_Atlas_LH_THA-VAi.nii.gz	-0.22	-1.42e-03	-1.40e-02	1.11e-02	.907	2.29e-06	1.51e-03
Melbourne_Subcortex_Atlas_LH_THA-VAia.nii.gz	-0.15	-9.43e-04	-1.32e-02	1.14e-02	.969	1.06e-06	1.03e-03
Melbourne_Subcortex_Atlas_LH_THA-VAip.nii.gz	-0.16	-1.06e-03	-1.38e-02	1.17e-02	.957	1.25e-06	1.12e-03
Melbourne_Subcortex_Atlas_LH_THA-VAs.nii.gz	-1.67	-1.06e-02	-2.30e-02	1.85e-03	.116	1.30e-04	1.14e-02
Melbourne_Subcortex_Atlas_LH_THA-VP.nii.gz	-1.19	-7.97e-03	-2.12e-02	5.21e-03	.288	6.59e-05	8.12e-03
Melbourne_Subcortex_Atlas_LH_THA-VPI.nii.gz	-1.15	-7.76e-03	-2.10e-02	5.48e-03	.306	6.18e-05	7.86e-03
Melbourne_Subcortex_Atlas_LH_THA-VPm.nii.gz	-0.96	-6.45e-03	-1.95e-02	6.65e-03	.409	4.36e-05	6.60e-03
Melbourne_Subcortex_Atlas_RH_aCAU.nii.gz	-1.03	-6.64e-03	-1.93e-02	6.02e-03	.418	4.95e-05	7.04e-03

**Table S15**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Melbourne_Subcortex_Atlas_RH_aGP.nii.gz	-0.23	-1.52e-03	-1.48e-02	1.17e-02	.904	2.38e-06	1.54e-03
Melbourne_Subcortex_Atlas_RH_aHIP.nii.gz	0.21	1.30e-03	-1.09e-02	1.35e-02	1.00	2.06e-06	1.43e-03
Melbourne_Subcortex_Atlas_RH_AMY.nii.gz	0.90	5.78e-03	-6.77e-03	1.83e-02	.448	3.81e-05	6.18e-03
Melbourne_Subcortex_Atlas_RH_aPUT.nii.gz	0.58	3.69e-03	-8.72e-03	1.61e-02	.616	1.59e-05	3.99e-03
Melbourne_Subcortex_Atlas_RH_aTHA.nii.gz	-0.54	-3.54e-03	-1.65e-02	9.38e-03	.651	1.35e-05	3.67e-03
Melbourne_Subcortex_Atlas_RH_CAU-body.nii.gz	-1.56	-1.03e-02	-2.33e-02	2.64e-03	.145	1.14e-04	1.07e-02
Melbourne_Subcortex_Atlas_RH_CAU-DA.nii.gz	-1.46	-9.51e-03	-2.23e-02	3.23e-03	.175	1.00e-04	1.00e-02
Melbourne_Subcortex_Atlas_RH_CAU-tail.nii.gz	-2.04	-1.37e-02	-2.70e-02	-5.08e-04	.058	1.94e-04	1.39e-02
Melbourne_Subcortex_Atlas_RH_CAU-VA.nii.gz	-0.38	-2.46e-03	-1.51e-02	1.02e-02	.886	6.75e-06	2.60e-03
Melbourne_Subcortex_Atlas_RH_CAU.nii.gz	-1.43	-9.33e-03	-2.21e-02	3.45e-03	.209	9.60e-05	9.80e-03
Melbourne_Subcortex_Atlas_RH_GP.nii.gz	-0.23	-1.52e-03	-1.47e-02	1.17e-02	.904	2.38e-06	1.54e-03
Melbourne_Subcortex_Atlas_RH_HIP-body.nii.gz	0.43	2.69e-03	-9.43e-03	1.48e-02	.738	8.84e-06	2.97e-03
Melbourne_Subcortex_Atlas_RH_HIP-head-l.nii.gz	0.38	2.36e-03	-9.96e-03	1.47e-02	.829	6.61e-06	2.57e-03
Melbourne_Subcortex_Atlas_RH_HIP-head- m.nii.gz	-0.13	-8.19e-04	-1.30e-02	1.14e-02	.985	8.11e-07	9.01e-04
Melbourne_Subcortex_Atlas_RH_HIP-head- m1.nii.gz	0.11	6.94e-04	-1.14e-02	1.28e-02	1.00	5.90e-07	7.68e-04
Melbourne_Subcortex_Atlas_RH_HIP-head- m2.nii.gz	-0.44	-2.83e-03	-1.54e-02	9.72e-03	.825	9.16e-06	3.03e-03
Melbourne_Subcortex_Atlas_RH_HIP-tail.nii.gz	-0.66	-4.16e-03	-1.66e-02	8.26e-03	.625	2.02e-05	4.50e-03
Melbourne_Subcortex_Atlas_RH_HIP.nii.gz	0.10	6.25e-04	-1.14e-02	1.27e-02	1.00	4.84e-07	6.96e-04
Melbourne_Subcortex_Atlas_RH_IAMY.nii.gz	0.40	2.63e-03	-1.04e-02	1.56e-02	.760	7.40e-06	2.72e-03
Melbourne_Subcortex_Atlas_RH_mAMY.nii.gz	1.19	7.44e-03	-4.79e-03	1.97e-02	.285	6.66e-05	8.16e-03

**Table S15**

***ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Melbourne_Subcortex_Atlas_RH_NAc-core.nii.gz	-1.04	-6.81e-03	-1.97e-02	6.07e-03	.354	5.03e-05	7.09e-03
Melbourne_Subcortex_Atlas_RH_NAc-shell.nii.gz	0.86	5.49e-03	-7.05e-03	1.80e-02	.430	3.45e-05	5.87e-03
Melbourne_Subcortex_Atlas_RH_NAc.nii.gz	-0.02	-1.05e-04	-1.28e-02	1.26e-02	1.00	1.24e-08	1.11e-04
Melbourne_Subcortex_Atlas_RH_pCAU.nii.gz	-1.79	-1.19e-02	-2.49e-02	1.15e-03	.090	1.50e-04	1.22e-02
Melbourne_Subcortex_Atlas_RH_pGP.nii.gz	-0.19	-1.29e-03	-1.45e-02	1.19e-02	.933	1.72e-06	1.31e-03
Melbourne_Subcortex_Atlas_RH_pHIP.nii.gz	0.02	9.76e-05	-1.20e-02	1.22e-02	1.00	1.17e-08	1.08e-04
Melbourne_Subcortex_Atlas_RH_pPUT.nii.gz	0.58	3.83e-03	-9.12e-03	1.68e-02	.618	1.57e-05	3.97e-03
Melbourne_Subcortex_Atlas_RH_pTHA.nii.gz	-0.69	-4.63e-03	-1.77e-02	8.48e-03	.672	2.24e-05	4.73e-03
Melbourne_Subcortex_Atlas_RH_PUT-DA.nii.gz	0.38	2.44e-03	-1.01e-02	1.49e-02	.818	6.82e-06	2.61e-03
Melbourne_Subcortex_Atlas_RH_PUT-DP.nii.gz	0.63	4.10e-03	-8.69e-03	1.69e-02	.728	1.85e-05	4.30e-03
Melbourne_Subcortex_Atlas_RH_PUT-VA.nii.gz	0.68	4.38e-03	-8.20e-03	1.69e-02	.605	2.18e-05	4.67e-03
Melbourne_Subcortex_Atlas_RH_PUT-VP.nii.gz	0.48	3.22e-03	-9.91e-03	1.63e-02	.694	1.08e-05	3.29e-03
Melbourne_Subcortex_Atlas_RH_PUT.nii.gz	0.69	4.48e-03	-8.23e-03	1.72e-02	.593	2.23e-05	4.73e-03
Melbourne_Subcortex_Atlas_RH_THA-DA.nii.gz	-0.93	-6.21e-03	-1.93e-02	6.85e-03	.483	4.07e-05	6.38e-03
Melbourne_Subcortex_Atlas_RH_THA-DAI.nii.gz	-0.35	-2.36e-03	-1.56e-02	1.09e-02	.800	5.71e-06	2.39e-03
Melbourne_Subcortex_Atlas_RH_THA-DAm.nii.gz	-1.28	-8.38e-03	-2.12e-02	4.40e-03	.273	7.73e-05	8.79e-03
Melbourne_Subcortex_Atlas_RH_THA-DP.nii.gz	-0.53	-3.54e-03	-1.66e-02	9.51e-03	.654	1.33e-05	3.64e-03
Melbourne_Subcortex_Atlas_RH_THA-VA.nii.gz	-0.23	-1.48e-03	-1.44e-02	1.14e-02	.904	2.37e-06	1.54e-03
Melbourne_Subcortex_Atlas_RH_THA-VAi.nii.gz	0.18	1.17e-03	-1.17e-02	1.41e-02	.946	1.47e-06	1.21e-03
Melbourne_Subcortex_Atlas_RH_THA-VAia.nii.gz	0.91	5.96e-03	-6.87e-03	1.88e-02	.399	3.89e-05	6.23e-03
Melbourne_Subcortex_Atlas_RH_THA-VAip.nii.gz	-0.46	-3.01e-03	-1.60e-02	9.96e-03	.714	9.70e-06	3.11e-03
Melbourne_Subcortex_Atlas_RH_THA-VAs.nii.gz	-0.76	-5.01e-03	-1.79e-02	7.88e-03	.490	2.72e-05	5.22e-03
Melbourne_Subcortex_Atlas_RH_THA-VP.nii.gz	-0.60	-4.08e-03	-1.73e-02	9.14e-03	.600	1.71e-05	4.14e-03

Table S15

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Melbourne_Subcortex_Atlas_RH_THA-VPl.nii.gz	0.13	8.53e-04	-1.24e-02	1.41e-02	.990	7.41e-07	8.61e-04
Melbourne_Subcortex_Atlas_RH_THA-VPm.nii.gz	-1.44	-9.67e-03	-2.28e-02	3.45e-03	.234	9.77e-05	9.88e-03
MNI_PD25_subcortical_LH_amygdala.nii.gz	0.90	5.80e-03	-6.83e-03	1.84e-02	.405	3.79e-05	6.16e-03
<b>MNI_PD25_subcortical_LH_caudate.nii.gz</b>	<b>-2.34</b>	<b>-1.52e-02</b>	<b>-2.79e-02</b>	<b>-2.46e-03</b>	<b>.030</b>	<b>2.56e-04</b>	<b>1.60e-02</b>
MNI_PD25_subcortical_LH_globus_pallidus_exterus.nii.gz	0.23	1.50e-03	-1.15e-02	1.45e-02	.903	2.40e-06	1.55e-03
MNI_PD25_subcortical_LH_globus_pallidus_internus.nii.gz	0.34	2.30e-03	-1.09e-02	1.54e-02	.860	5.49e-06	2.34e-03
MNI_PD25_subcortical_LH_hippocampus.nii.gz	-0.71	-4.39e-03	-1.66e-02	7.78e-03	.659	2.34e-05	4.84e-03
MNI_PD25_subcortical_LH_nucleus_accumbens.nii.gz	0.59	3.78e-03	-8.69e-03	1.62e-02	.676	1.65e-05	4.06e-03
MNI_PD25_subcortical_LH_putamen.nii.gz	0.44	2.84e-03	-9.81e-03	1.55e-02	.875	9.05e-06	3.01e-03
<b>MNI_PD25_subcortical_LH_red_nucleus.nii.gz</b>	<b>3.28</b>	<b>2.21e-02</b>	<b>8.87e-03</b>	<b>3.52e-02</b>	<b>.003</b>	<b>5.03e-04</b>	<b>2.24e-02</b>
MNI_PD25_subcortical_LH_substantia_nigra.nii.gz	-0.77	-5.25e-03	-1.85e-02	8.05e-03	.604	2.80e-05	5.29e-03
MNI_PD25_subcortical_LH_subthalamic_nucleus.nii.gz	0.83	5.59e-03	-7.67e-03	1.89e-02	.642	3.20e-05	5.66e-03
MNI_PD25_subcortical_LH_thalamus.nii.gz	-0.72	-4.79e-03	-1.78e-02	8.26e-03	.577	2.42e-05	4.92e-03
MNI_PD25_subcortical_RH_amygdala.nii.gz	0.89	5.70e-03	-6.91e-03	1.83e-02	.459	3.67e-05	6.06e-03
MNI_PD25_subcortical_RH_caudate.nii.gz	-1.69	-1.10e-02	-2.37e-02	1.77e-03	.144	1.33e-04	1.16e-02
MNI_PD25_subcortical_RH_globus_pallidus_exterus.nii.gz	0.06	4.34e-04	-1.27e-02	1.36e-02	1.00	1.96e-07	4.43e-04
MNI_PD25_subcortical_RH_globus_pallidus_Internus.nii.gz	-0.92	-6.18e-03	-1.94e-02	7.02e-03	.438	3.95e-05	6.28e-03

Table S15

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
MNI_PD25_subcortical_RH_hippocampus.nii.gz	-0.34	-2.10e-03	-1.42e-02	9.98e-03	.806	5.45e-06	2.33e-03
MNI_PD25_subcortical_RH_nucleus_accumbens.nii.gz	0.83	5.23e-03	-7.14e-03	1.76e-02	.448	3.22e-05	5.67e-03
MNI_PD25_subcortical_RH_putamen.nii.gz	0.81	5.15e-03	-7.39e-03	1.77e-02	.579	3.04e-05	5.51e-03
<b>MNI_PD25_subcortical_RH_red_nucleus.nii.gz</b>	<b>3.33</b>	<b>2.23e-02</b>	<b>9.17e-03</b>	<b>3.55e-02</b>	<b>.002</b>	<b>5.18e-04</b>	<b>2.28e-02</b>
MNI_PD25_subcortical_RH_substantia_nigra.nii.gz	-0.16	-1.07e-03	-1.42e-02	1.21e-02	.961	1.18e-06	1.09e-03
MNI_PD25_subcortical_RH_subthalamic_nucleus.nii.gz	-0.19	-1.29e-03	-1.45e-02	1.19e-02	.933	1.71e-06	1.31e-03
MNI_PD25_subcortical_RH_thalamus.nii.gz	-0.58	-3.90e-03	-1.70e-02	9.19e-03	.616	1.59e-05	3.99e-03
Thalamic_DBS_Connectivity_atlas_LH_Dentate.nii.gz	-0.15	-9.98e-04	-1.42e-02	1.22e-02	.970	1.04e-06	1.02e-03
Thalamic_DBS_Connectivity_atlas_RH_Dentate.nii.gz	0.50	3.35e-03	-9.81e-03	1.65e-02	.680	1.16e-05	3.41e-03
<b>Thomas_Atlas_LH_AV.nii.gz</b>	<b>-2.56</b>	<b>-1.55e-02</b>	<b>-2.74e-02</b>	<b>-3.64e-03</b>	<b>.013</b>	<b>3.07e-04</b>	<b>1.75e-02</b>
Thomas_Atlas_LH_CM.nii.gz	-1.02	-6.81e-03	-1.99e-02	6.32e-03	.486	4.84e-05	6.96e-03
Thomas_Atlas_LH_Hb.nii.gz	-0.67	-4.50e-03	-1.76e-02	8.62e-03	.552	2.11e-05	4.60e-03
Thomas_Atlas_LH_LGN.nii.gz	0.23	1.55e-03	-1.17e-02	1.48e-02	.901	2.44e-06	1.56e-03
Thomas_Atlas_LH_MD-Pf.nii.gz	-0.52	-3.45e-03	-1.65e-02	9.63e-03	.665	1.26e-05	3.54e-03
Thomas_Atlas_LH_MGN.nii.gz	-0.37	-2.48e-03	-1.57e-02	1.07e-02	.861	6.41e-06	2.53e-03
Thomas_Atlas_LH_MTT.nii.gz	0.64	4.31e-03	-8.82e-03	1.74e-02	.817	1.94e-05	4.40e-03
Thomas_Atlas_LH_Pul.nii.gz	-0.17	-1.11e-03	-1.43e-02	1.20e-02	.955	1.29e-06	1.14e-03
Thomas_Atlas_LH_THALAMUS.nii.gz	-0.59	-3.93e-03	-1.70e-02	9.13e-03	.610	1.63e-05	4.04e-03
Thomas_Atlas_LH_VA.nii.gz	-0.19	-1.29e-03	-1.45e-02	1.19e-02	.932	1.73e-06	1.32e-03

**Table S15**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Fractional Anisotropy (FA)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Thomas_Atlas_LH_VLa.nii.gz	0.28	1.84e-03	-1.13e-02	1.50e-02	.862	3.54e-06	1.88e-03
Thomas_Atlas_LH_VLP.nii.gz	-0.47	-3.15e-03	-1.63e-02	1.00e-02	.704	1.03e-05	3.20e-03
Thomas_Atlas_LH_VLPd.nii.gz	-0.23	-1.58e-03	-1.48e-02	1.17e-02	.897	2.56e-06	1.60e-03
Thomas_Atlas_LH_VLPv.nii.gz	-0.78	-5.20e-03	-1.83e-02	7.90e-03	.533	2.84e-05	5.33e-03
Thomas_Atlas_LH_VPL.nii.gz	-1.03	-6.97e-03	-2.02e-02	6.24e-03	.331	5.01e-05	7.08e-03
Thomas_Atlas_RH_AV.nii.gz	-1.69	-1.04e-02	-2.25e-02	1.69e-03	.112	1.33e-04	1.15e-02
Thomas_Atlas_RH_CM.nii.gz	-1.12	-7.52e-03	-2.06e-02	5.59e-03	.359	5.92e-05	7.69e-03
Thomas_Atlas_RH_Hb.nii.gz	-0.83	-5.57e-03	-1.87e-02	7.51e-03	.555	3.26e-05	5.71e-03
Thomas_Atlas_RH_LGN.nii.gz	0.34	2.33e-03	-1.09e-02	1.56e-02	.832	5.55e-06	2.36e-03
Thomas_Atlas_RH_MD-Pf.nii.gz	-1.05	-6.95e-03	-2.00e-02	6.08e-03	.325	5.12e-05	7.15e-03
Thomas_Atlas_RH_MGN.nii.gz	-1.52	-1.03e-02	-2.36e-02	2.98e-03	.235	1.08e-04	1.04e-02
Thomas_Atlas_RH_MTT.nii.gz	1.40	9.33e-03	-3.74e-03	2.24e-02	.356	9.17e-05	9.57e-03
Thomas_Atlas_RH_Pul.nii.gz	-0.98	-6.53e-03	-1.96e-02	6.56e-03	.361	4.48e-05	6.69e-03
Thomas_Atlas_RH_THALAMUS.nii.gz	-0.52	-3.49e-03	-1.66e-02	9.60e-03	.661	1.28e-05	3.58e-03
Thomas_Atlas_RH_VA.nii.gz	0.57	3.82e-03	-9.32e-03	1.70e-02	.695	1.52e-05	3.90e-03
Thomas_Atlas_RH_VLa.nii.gz	0.86	5.75e-03	-7.41e-03	1.89e-02	.431	3.43e-05	5.86e-03
Thomas_Atlas_RH_VLP.nii.gz	0.03	1.76e-04	-1.30e-02	1.33e-02	1.00	3.21e-08	1.79e-04
Thomas_Atlas_RH_VLPd.nii.gz	0.22	1.51e-03	-1.17e-02	1.47e-02	.905	2.34e-06	1.53e-03
Thomas_Atlas_RH_VLPv.nii.gz	-0.27	-1.79e-03	-1.49e-02	1.14e-02	.965	3.33e-06	1.82e-03
Thomas_Atlas_RH_VPL.nii.gz	-0.23	-1.54e-03	-1.49e-02	1.18e-02	.902	2.42e-06	1.55e-03

*Note*

\* *p* < .05, \*\* *p* < .01, \*\*\* *p* < .001, 95% CI(B)



**Table S16**

***ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
AHEAD_Atlas_GPe_L.nii.gz	0.40	6.32e-05	-2.47e-04	3.73e-04	.941	7.47e-06	2.73e-03
AHEAD_Atlas_GPe_R_mask.nii.gz	-0.09	-1.43e-05	-3.30e-04	3.01e-04	1.00	3.69e-07	6.08e-04
AHEAD_Atlas_GPi_L_mask.nii.gz	-0.31	-5.82e-05	-4.21e-04	3.05e-04	.912	4.62e-06	2.15e-03
AHEAD_Atlas_GPi_R_mask.nii.gz	0.03	6.05e-06	-3.59e-04	3.71e-04	1.00	4.95e-08	2.22e-04
AHEAD_Atlas_RN_L_mask.nii.gz	-1.65	-3.46e-04	-7.59e-04	6.63e-05	.157	1.27e-04	1.13e-02
AHEAD_Atlas_RN_R_mask.nii.gz	-1.29	-2.79e-04	-7.03e-04	1.46e-04	.311	7.77e-05	8.82e-03
AHEAD_Atlas_SN_L_mask.nii.gz	-0.53	-1.17e-04	-5.49e-04	3.15e-04	.842	1.32e-05	3.64e-03
AHEAD_Atlas_SN_R_mask.nii.gz	-1.16	-2.41e-04	-6.49e-04	1.66e-04	.339	6.31e-05	7.95e-03
AHEAD_Atlas_STN_L_mask.nii.gz	-1.19	-3.06e-04	-8.09e-04	1.98e-04	.368	6.64e-05	8.15e-03
AHEAD_Atlas_STN_R_mask.nii.gz	-0.78	-2.10e-04	-7.41e-04	3.21e-04	.482	2.82e-05	5.31e-03
Atlas_Basal_Ganglia_and_Thalamus_all_histo_label s.nii.gz	0.91	1.34e-04	-1.55e-04	4.22e-04	.401	3.85e-05	6.21e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Acc.nii.gz	-0.21	-3.94e-05	-4.14e-04	3.35e-04	.920	1.99e-06	1.41e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Cau- ia.nii.gz	0.73	1.50e-04	-2.54e-04	5.53e-04	.514	2.48e-05	4.98e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Cau- im.nii.gz	0.88	2.41e-04	-2.94e-04	7.75e-04	.415	3.65e-05	6.04e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Cau- sa.nii.gz	1.37	4.99e-04	-2.16e-04	1.21e-03	.188	8.78e-05	9.37e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Cau- sp.nii.gz	1.66	5.38e-04	-9.79e-05	1.17e-03	.119	1.29e-04	1.14e-02
Atlas_Basal_Ganglia_and_Thalamus_L_GPe.nii.gz	-0.30	-5.31e-05	-3.98e-04	2.91e-04	.907	4.28e-06	2.07e-03
Atlas_Basal_Ganglia_and_Thalamus_L_GPi.nii.gz	-0.62	-1.05e-04	-4.39e-04	2.29e-04	.740	1.78e-05	4.21e-03

**Table S16**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Atlas_Basal_Ganglia_and_Thalamus_L_Put-ia.nii.gz	0.18	2.90e-05	-2.82e-04	3.40e-04	.950	1.57e-06	1.25e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Put-im.nii.gz	-0.17	-2.42e-05	-3.12e-04	2.63e-04	.956	1.28e-06	1.13e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Put-sa.nii.gz	1.00	1.46e-04	-1.40e-04	4.31e-04	.387	4.70e-05	6.86e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Put-sm.nii.gz	1.00	1.40e-04	-1.34e-04	4.14e-04	.436	4.69e-05	6.85e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Put-sp.nii.gz	<0.01	7.30e-07	-2.99e-04	3.01e-04	1.00	1.07e-09	3.27e-05
Atlas_Basal_Ganglia_and_Thalamus_L_SN.nii.gz	-0.67	-1.53e-04	-6.03e-04	2.96e-04	.626	2.10e-05	4.58e-03
Atlas_Basal_Ganglia_and_Thalamus_L_STN.nii.gz	-1.11	-2.72e-04	-7.54e-04	2.10e-04	.422	5.74e-05	7.57e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Tha-a.nii.gz	1.18	2.37e-04	-1.58e-04	6.32e-04	.293	6.48e-05	8.05e-03
<b>Atlas_Basal_Ganglia_and_Thalamus_L_Tha-ld.nii.gz</b>	<b>2.18</b>	<b>3.71e-04</b>	<b>3.72e-05</b>	<b>7.05e-04</b>	<b>.040</b>	<b>2.22e-04</b>	<b>1.49e-02</b>
Atlas_Basal_Ganglia_and_Thalamus_L_Tha-lp.nii.gz	1.95	3.12e-04	-1.03e-06	6.26e-04	.062	1.79e-04	1.34e-02
Atlas_Basal_Ganglia_and_Thalamus_L_Tha-lpu.nii.gz	-0.15	-2.52e-05	-3.51e-04	3.00e-04	.967	1.08e-06	1.04e-03
<b>Atlas_Basal_Ganglia_and_Thalamus_L_Tha-md.nii.gz</b>	<b>2.12</b>	<b>5.79e-04</b>	<b>4.37e-05</b>	<b>1.11e-03</b>	<b>.047</b>	<b>2.11e-04</b>	<b>1.45e-02</b>
Atlas_Basal_Ganglia_and_Thalamus_L_Tha-mpu.nii.gz	1.70	3.80e-04	-5.86e-05	8.19e-04	.109	1.35e-04	1.16e-02
Atlas_Basal_Ganglia_and_Thalamus_L_Tha-vp.nii.gz	1.05	1.45e-04	-1.26e-04	4.15e-04	.405	5.16e-05	7.18e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Acc.nii.gz	-0.74	-1.44e-04	-5.29e-04	2.40e-04	.564	2.54e-05	5.04e-03

**Table S16**

***ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Atlas_Basal_Ganglia_and_Thalamus_R_Cau- ia.nii.gz	-0.10	-2.30e-05	-4.83e-04	4.37e-04	1.00	4.50e-07	6.71e-04
Atlas_Basal_Ganglia_and_Thalamus_R_Cau- im.nii.gz	0.45	1.20e-04	-4.05e-04	6.45e-04	.720	9.40e-06	3.07e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Cau- sa.nii.gz	0.61	2.04e-04	-4.49e-04	8.58e-04	.594	1.76e-05	4.19e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Cau- sp.nii.gz	1.33	4.03e-04	-1.91e-04	9.98e-04	.202	8.29e-05	9.10e-03
Atlas_Basal_Ganglia_and_Thalamus_R_GPe.nii.gz	0.24	4.16e-05	-3.00e-04	3.84e-04	.893	2.66e-06	1.63e-03
Atlas_Basal_Ganglia_and_Thalamus_R_GPi.nii.gz	-0.35	-5.99e-05	-3.97e-04	2.77e-04	.800	5.70e-06	2.39e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Put-ia.nii.gz	-0.60	-9.70e-05	-4.14e-04	2.20e-04	.603	1.69e-05	4.11e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Put- im.nii.gz	0.05	7.20e-06	-2.67e-04	2.81e-04	1.00	1.24e-07	3.52e-04
Atlas_Basal_Ganglia_and_Thalamus_R_Put-sa.nii.gz	0.85	1.20e-04	-1.56e-04	3.96e-04	.433	3.41e-05	5.84e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Put- sm.nii.gz	1.10	1.51e-04	-1.18e-04	4.19e-04	.332	5.67e-05	7.53e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Put- sp.nii.gz	0.56	8.02e-05	-2.01e-04	3.61e-04	.767	1.47e-05	3.83e-03
Atlas_Basal_Ganglia_and_Thalamus_R_SN.nii.gz	-1.52	-3.55e-04	-8.12e-04	1.02e-04	.200	1.09e-04	1.04e-02
Atlas_Basal_Ganglia_and_Thalamus_R_STN.nii.gz	-0.87	-2.31e-04	-7.51e-04	2.89e-04	.469	3.56e-05	5.96e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha-a.nii.gz	0.39	6.77e-05	-2.75e-04	4.11e-04	.769	7.02e-06	2.65e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha- ld.nii.gz	1.57	2.63e-04	-6.58e-05	5.91e-04	.129	1.15e-04	1.07e-02

Table S16

*ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Atlas_Basal_Ganglia_and_Thalamus_R_Tha- lp.nii.gz	1.66	2.12e-04	-3.76e-05	4.62e-04	.132	1.30e-04	1.14e-02
Atlas_Basal_Ganglia_and_Thalamus_R_Tha- lpu.nii.gz	1.08	1.92e-04	-1.55e-04	5.39e-04	.307	5.50e-05	7.42e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha- md.nii.gz	1.10	1.94e-04	-1.52e-04	5.40e-04	.331	5.68e-05	7.54e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha- mpu.nii.gz	1.68	4.14e-04	-6.80e-05	8.96e-04	.113	1.33e-04	1.15e-02
Atlas_Basal_Ganglia_and_Thalamus_R_Tha- vp.nii.gz	0.34	4.78e-05	-2.25e-04	3.20e-04	.804	5.54e-06	2.35e-03
DISTAL_L_1.nii.gz	1.07	1.70e-04	-1.41e-04	4.81e-04	.313	5.36e-05	7.32e-03
DISTAL_L_100.nii.gz	1.73	3.44e-04	-4.67e-05	7.36e-04	.103	1.40e-04	1.18e-02
<b>DISTAL_L_101.nii.gz</b>	<b>2.29</b>	<b>4.74e-04</b>	<b>6.76e-05</b>	<b>8.80e-04</b>	<b>.031</b>	<b>2.45e-04</b>	<b>1.57e-02</b>
DISTAL_L_105.nii.gz	1.45	3.46e-04	-1.22e-04	8.15e-04	.224	9.83e-05	9.91e-03
DISTAL_L_106.nii.gz	0.91	1.97e-04	-2.29e-04	6.24e-04	.401	3.85e-05	6.21e-03
DISTAL_L_107.nii.gz	0.03	5.01e-06	-3.17e-04	3.27e-04	1.00	4.36e-08	2.09e-04
DISTAL_L_108.nii.gz	0.36	7.67e-05	-3.43e-04	4.96e-04	.792	6.02e-06	2.45e-03
DISTAL_L_109.nii.gz	1.63	5.97e-04	-1.20e-04	1.31e-03	.226	1.25e-04	1.12e-02
DISTAL_L_110.nii.gz	-0.15	-1.80e-05	-2.58e-04	2.22e-04	.971	1.02e-06	1.01e-03
DISTAL_L_111.nii.gz	1.35	2.47e-04	-1.11e-04	6.05e-04	.216	8.55e-05	9.25e-03
DISTAL_L_112.nii.gz	0.79	1.10e-04	-1.65e-04	3.85e-04	.475	2.89e-05	5.38e-03
DISTAL_L_118.nii.gz	0.57	9.22e-05	-2.27e-04	4.11e-04	.628	1.51e-05	3.88e-03
DISTAL_L_14.nii.gz	-0.86	-1.40e-04	-4.60e-04	1.80e-04	.537	3.46e-05	5.88e-03

Table S16

*ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
DISTAL_L_16.nii.gz	1.26	6.01e-04	-3.35e-04	1.54e-03	.272	7.42e-05	8.62e-03
DISTAL_L_2.nii.gz	0.50	7.09e-05	-2.08e-04	3.50e-04	.681	1.16e-05	3.41e-03
DISTAL_L_24.nii.gz	-0.70	-1.40e-04	-5.35e-04	2.54e-04	.668	2.28e-05	4.77e-03
DISTAL_L_26.nii.gz	0.40	6.72e-05	-2.61e-04	3.95e-04	.757	7.57e-06	2.75e-03
DISTAL_L_28.nii.gz	1.63	6.60e-04	-1.36e-04	1.46e-03	.114	1.24e-04	1.11e-02
DISTAL_L_29.nii.gz	0.60	2.36e-04	-5.40e-04	1.01e-03	.673	1.67e-05	4.09e-03
<b>DISTAL_L_35.nii.gz</b>	<b>2.28</b>	<b>1.11e-03</b>	<b>1.54e-04</b>	<b>2.07e-03</b>	<b>.031</b>	<b>2.43e-04</b>	<b>1.56e-02</b>
DISTAL_L_36.nii.gz	0.45	5.92e-05	-1.96e-04	3.14e-04	.714	9.68e-06	3.11e-03
<b>DISTAL_L_37.nii.gz</b>	<b>2.57</b>	<b>6.72e-04</b>	<b>1.60e-04</b>	<b>1.18e-03</b>	<b>.016</b>	<b>3.10e-04</b>	<b>1.76e-02</b>
DISTAL_L_4.nii.gz	0.07	7.90e-06	-2.12e-04	2.28e-04	1.00	2.32e-07	4.82e-04
DISTAL_L_40.nii.gz	-0.05	-1.14e-05	-4.71e-04	4.48e-04	1.00	1.10e-07	3.32e-04
DISTAL_L_47.nii.gz	-0.60	-1.31e-04	-5.62e-04	3.00e-04	.674	1.66e-05	4.08e-03
DISTAL_L_49.nii.gz	1.26	1.89e-04	-1.04e-04	4.81e-04	.284	7.49e-05	8.65e-03
DISTAL_L_6.nii.gz	-0.71	-9.90e-05	-3.71e-04	1.73e-04	.523	2.39e-05	4.89e-03
DISTAL_L_60.nii.gz	0.45	7.37e-05	-2.48e-04	3.95e-04	.991	9.46e-06	3.08e-03
DISTAL_L_63.nii.gz	-0.23	-6.64e-05	-6.33e-04	5.00e-04	.900	2.47e-06	1.57e-03
DISTAL_L_68.nii.gz	-0.36	-8.95e-05	-5.74e-04	3.95e-04	.877	6.13e-06	2.48e-03
DISTAL_L_7.nii.gz	0.96	2.24e-04	-2.34e-04	6.81e-04	.465	4.30e-05	6.56e-03
DISTAL_L_70.nii.gz	0.03	7.25e-06	-4.20e-04	4.35e-04	1.00	5.17e-08	2.27e-04
DISTAL_L_76.nii.gz	1.01	1.53e-04	-1.43e-04	4.48e-04	.342	4.81e-05	6.94e-03
DISTAL_L_8.nii.gz	-0.97	-1.48e-04	-4.48e-04	1.51e-04	.456	4.41e-05	6.64e-03
DISTAL_L_86.nii.gz	0.83	1.47e-04	-2.02e-04	4.96e-04	.641	3.21e-05	5.67e-03
DISTAL_L_87.nii.gz	0.95	1.57e-04	-1.67e-04	4.81e-04	.520	4.24e-05	6.51e-03

Table S16

*ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
DISTAL_L_89.nii.gz	0.06	1.10e-05	-3.66e-04	3.88e-04	1.00	1.54e-07	3.92e-04
DISTAL_L_91.nii.gz	1.97	3.02e-04	1.07e-06	6.03e-04	.090	1.81e-04	1.35e-02
DISTAL_L_92.nii.gz	1.74	2.19e-04	-2.76e-05	4.66e-04	.112	1.42e-04	1.19e-02
DISTAL_L_93.nii.gz	1.41	2.10e-04	-8.26e-05	5.03e-04	.195	9.28e-05	9.63e-03
DISTAL_L_94.nii.gz	1.12	1.52e-04	-1.13e-04	4.18e-04	.364	5.92e-05	7.69e-03
DISTAL_L_97.nii.gz	2.06	2.83e-04	1.35e-05	5.52e-04	.062	1.99e-04	1.41e-02
<b>DISTAL_L_98.nii.gz</b>	<b>2.61</b>	<b>3.74e-04</b>	<b>9.29e-05</b>	<b>6.56e-04</b>	<b>.020</b>	<b>3.18e-04</b>	<b>1.78e-02</b>
DISTAL_L_GPe.nii.gz	-0.04	-8.29e-06	-3.95e-04	3.79e-04	1.00	8.27e-08	2.88e-04
DISTAL_L_GPi_sensorimotor.nii.gz	-0.34	-5.04e-05	-3.42e-04	2.41e-04	.808	5.39e-06	2.32e-03
DISTAL_L_GPi.nii.gz	-0.46	-1.00e-04	-5.31e-04	3.30e-04	.772	9.78e-06	3.13e-03
DISTAL_L_RN.nii.gz	-1.78	-3.78e-04	-7.94e-04	3.84e-05	.138	1.48e-04	1.22e-02
DISTAL_L_STN_associative.nii.gz	-1.35	-3.91e-04	-9.61e-04	1.79e-04	.245	8.49e-05	9.21e-03
DISTAL_L_STN_limbic.nii.gz	-0.49	-1.53e-04	-7.71e-04	4.64e-04	.689	1.11e-05	3.33e-03
DISTAL_L_STN_motor.nii.gz	-1.30	-3.12e-04	-7.84e-04	1.59e-04	.356	7.90e-05	8.89e-03
DISTAL_L_STN.nii.gz	-1.36	-3.75e-04	-9.16e-04	1.66e-04	.245	8.65e-05	9.30e-03
DISTAL_R_1.nii.gz	0.73	1.25e-04	-2.13e-04	4.64e-04	.514	2.47e-05	4.97e-03
DISTAL_R_100.nii.gz	1.97	3.67e-04	2.44e-06	7.32e-04	.067	1.82e-04	1.35e-02
DISTAL_R_101.nii.gz	1.98	3.76e-04	3.72e-06	7.48e-04	.058	1.84e-04	1.36e-02
DISTAL_R_105.nii.gz	0.15	4.01e-05	-4.88e-04	5.68e-04	.970	1.04e-06	1.02e-03
DISTAL_R_106.nii.gz	0.89	1.93e-04	-2.34e-04	6.21e-04	.460	3.69e-05	6.07e-03
DISTAL_R_107.nii.gz	0.72	1.26e-04	-2.17e-04	4.69e-04	.520	2.42e-05	4.91e-03
DISTAL_R_108.nii.gz	0.22	4.87e-05	-3.80e-04	4.77e-04	.906	2.33e-06	1.53e-03
DISTAL_R_109.nii.gz	1.71	6.27e-04	-9.33e-05	1.35e-03	.194	1.36e-04	1.17e-02

**Table S16**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
DISTAL_R_110.nii.gz	-0.01	-6.13e-07	-2.40e-04	2.39e-04	1.00	1.18e-09	3.44e-05
DISTAL_R_111.nii.gz	1.55	3.40e-04	-9.05e-05	7.70e-04	.134	1.12e-04	1.06e-02
DISTAL_R_112.nii.gz	0.64	9.14e-05	-1.90e-04	3.73e-04	.577	1.90e-05	4.36e-03
DISTAL_R_118.nii.gz	-0.20	-3.40e-05	-3.60e-04	2.92e-04	1.00	1.97e-06	1.40e-03
DISTAL_R_13.nii.gz	-0.78	-2.44e-04	-8.57e-04	3.68e-04	.683	2.86e-05	5.35e-03
DISTAL_R_14.nii.gz	-1.36	-2.16e-04	-5.26e-04	9.45e-05	.238	8.71e-05	9.33e-03
DISTAL_R_16.nii.gz	1.84	8.85e-04	-5.93e-05	1.83e-03	.104	1.58e-04	1.26e-02
DISTAL_R_2.nii.gz	0.20	2.67e-05	-2.40e-04	2.94e-04	.929	1.81e-06	1.34e-03
DISTAL_R_24.nii.gz	-0.44	-8.31e-05	-4.50e-04	2.84e-04	.758	9.24e-06	3.04e-03
DISTAL_R_26.nii.gz	0.51	8.72e-05	-2.45e-04	4.19e-04	.667	1.24e-05	3.52e-03
DISTAL_R_28.nii.gz	1.25	5.06e-04	-2.89e-04	1.30e-03	.239	7.30e-05	8.54e-03
DISTAL_R_29.nii.gz	0.33	1.30e-04	-6.33e-04	8.93e-04	.840	5.19e-06	2.28e-03
DISTAL_R_35.nii.gz	1.37	6.66e-04	-2.88e-04	1.62e-03	.188	8.78e-05	9.37e-03
DISTAL_R_36.nii.gz	0.80	1.10e-04	-1.60e-04	3.79e-04	.468	2.98e-05	5.46e-03
DISTAL_R_37.nii.gz	1.73	4.51e-04	-6.03e-05	9.63e-04	.092	1.40e-04	1.18e-02
DISTAL_R_4.nii.gz	-0.01	-1.37e-06	-2.24e-04	2.21e-04	1.00	6.77e-09	8.23e-05
DISTAL_R_40.nii.gz	-0.90	-2.19e-04	-6.98e-04	2.60e-04	.509	3.76e-05	6.13e-03
DISTAL_R_47.nii.gz	-1.15	-2.40e-04	-6.48e-04	1.68e-04	.392	6.22e-05	7.89e-03
DISTAL_R_49.nii.gz	1.36	2.07e-04	-9.11e-05	5.06e-04	.318	8.69e-05	9.32e-03
DISTAL_R_6.nii.gz	-0.56	-7.51e-05	-3.39e-04	1.89e-04	.706	1.46e-05	3.82e-03
DISTAL_R_60.nii.gz	0.90	1.55e-04	-1.82e-04	4.92e-04	.480	3.81e-05	6.17e-03
DISTAL_R_63.nii.gz	-0.19	-4.83e-05	-5.44e-04	4.47e-04	.933	1.71e-06	1.31e-03
DISTAL_R_68.nii.gz	-0.26	-6.78e-05	-5.72e-04	4.36e-04	.871	3.26e-06	1.81e-03

**Table S16**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
DISTAL_R_7.nii.gz	0.67	1.59e-04	-3.06e-04	6.24e-04	.613	2.12e-05	4.60e-03
DISTAL_R_70.nii.gz	0.97	1.86e-04	-1.89e-04	5.60e-04	.364	4.43e-05	6.65e-03
DISTAL_R_76.nii.gz	1.40	2.02e-04	-8.16e-05	4.86e-04	.256	9.14e-05	9.56e-03
DISTAL_R_8.nii.gz	-0.81	-1.20e-04	-4.11e-04	1.70e-04	.574	3.09e-05	5.56e-03
DISTAL_R_86.nii.gz	0.74	1.43e-04	-2.38e-04	5.25e-04	.635	2.54e-05	5.04e-03
DISTAL_R_87.nii.gz	0.65	1.15e-04	-2.32e-04	4.63e-04	.630	1.98e-05	4.45e-03
DISTAL_R_89.nii.gz	0.49	9.52e-05	-2.89e-04	4.79e-04	.690	1.11e-05	3.33e-03
DISTAL_R_91.nii.gz	0.79	1.27e-04	-1.87e-04	4.41e-04	.525	2.93e-05	5.41e-03
DISTAL_R_92.nii.gz	0.59	7.86e-05	-1.82e-04	3.40e-04	.611	1.63e-05	4.04e-03
DISTAL_R_93.nii.gz	1.48	2.34e-04	-7.58e-05	5.44e-04	.152	1.03e-04	1.01e-02
DISTAL_R_94.nii.gz	-0.14	-1.87e-05	-2.82e-04	2.44e-04	.978	9.10e-07	9.54e-04
DISTAL_R_97.nii.gz	1.28	1.71e-04	-9.08e-05	4.33e-04	.315	7.68e-05	8.76e-03
DISTAL_R_GPe.nii.gz	0.29	5.77e-05	-3.26e-04	4.42e-04	.845	4.07e-06	2.02e-03
DISTAL_R_GPi_sensorimotor.nii.gz	-0.48	-7.24e-05	-3.69e-04	2.25e-04	.696	1.07e-05	3.27e-03
DISTAL_R_GPi.nii.gz	-0.09	-2.05e-05	-4.53e-04	4.12e-04	1.00	4.05e-07	6.36e-04
DISTAL_R_RN.nii.gz	-1.09	-2.43e-04	-6.83e-04	1.96e-04	.436	5.52e-05	7.43e-03
DISTAL_R_STN_associative.nii.gz	-0.72	-2.20e-04	-8.16e-04	3.76e-04	.568	2.45e-05	4.95e-03
DISTAL_R_STN_limbic.nii.gz	-1.95	-6.27e-04	-1.26e-03	2.00e-06	.112	1.79e-04	1.34e-02
DISTAL_R_STN_motor.nii.gz	-0.62	-1.63e-04	-6.82e-04	3.55e-04	.591	1.79e-05	4.23e-03
DISTAL_R_STN.nii.gz	-0.80	-2.32e-04	-8.00e-04	3.37e-04	.467	2.98e-05	5.46e-03
Human_Motor_Thalamus_L_A.nii.gz	1.68	6.39e-04	-1.08e-04	1.39e-03	.103	1.32e-04	1.15e-02
Human_Motor_Thalamus_L_acbcbasc.nii.gz	-0.73	-1.21e-04	-4.45e-04	2.03e-04	.568	2.51e-05	5.01e-03
Human_Motor_Thalamus_L_alfrxmtpc.nii.gz	1.72	4.68e-04	-6.63e-05	1.00e-03	.095	1.38e-04	1.18e-02



Table S16

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Human_Motor_Thalamus_L_BasalForebrain.nii.gz	0.13	2.63e-05	-3.67e-04	4.20e-04	.985	8.03e-07	8.96e-04
Human_Motor_Thalamus_L_CdPutVSt.nii.gz	1.17	1.87e-04	-1.26e-04	5.00e-04	.266	6.43e-05	8.02e-03
Human_Motor_Thalamus_L_CMPf.nii.gz	1.22	1.79e-04	-1.09e-04	4.67e-04	.351	6.94e-05	8.33e-03
Human_Motor_Thalamus_L_eml.nii.gz	-0.13	-2.92e-05	-4.74e-04	4.16e-04	1.00	7.76e-07	8.81e-04
Human_Motor_Thalamus_L_GPl.nii.gz	-0.13	-2.23e-05	-3.71e-04	3.27e-04	.990	7.35e-07	8.57e-04
Human_Motor_Thalamus_L_GPm.nii.gz	-0.39	-7.49e-05	-4.49e-04	3.00e-04	.765	7.19e-06	2.68e-03
Human_Motor_Thalamus_L_Hbl.nii.gz	2.08	1.11e-03	6.32e-05	2.16e-03	.052	2.02e-04	1.42e-02
Human_Motor_Thalamus_L_Hypothalamus.nii.gz	0.74	1.71e-04	-2.80e-04	6.22e-04	.721	2.58e-05	5.07e-03
Human_Motor_Thalamus_L_ic.nii.gz	1.35	2.03e-04	-9.24e-05	4.99e-04	.245	8.51e-05	9.22e-03
<b>Human_Motor_Thalamus_L_LD.nii.gz</b>	<b>2.54</b>	<b>1.29e-03</b>	<b>2.96e-04</b>	<b>2.29e-03</b>	<b>.017</b>	<b>3.02e-04</b>	<b>1.74e-02</b>
Human_Motor_Thalamus_L_LG.nii.gz	0.63	1.25e-04	-2.63e-04	5.13e-04	.605	1.86e-05	4.31e-03
Human_Motor_Thalamus_L_Li.nii.gz	1.22	2.15e-04	-1.30e-04	5.60e-04	.244	7.00e-05	8.36e-03
Human_Motor_Thalamus_L_M.nii.gz	0.11	2.66e-05	-4.57e-04	5.11e-04	1.00	5.44e-07	7.37e-04
Human_Motor_Thalamus_L_MB.nii.gz	0.83	3.71e-04	-5.03e-04	1.24e-03	.558	3.24e-05	5.69e-03
Human_Motor_Thalamus_L_MD.nii.gz	2.12	4.36e-04	3.21e-05	8.40e-04	.054	2.10e-04	1.45e-02
Human_Motor_Thalamus_L_MDCL.nii.gz	2.04	3.08e-04	1.22e-05	6.04e-04	.057	1.95e-04	1.40e-02
Human_Motor_Thalamus_L_MG.nii.gz	-0.13	-3.39e-05	-5.47e-04	4.79e-04	1.00	7.86e-07	8.87e-04
Human_Motor_Thalamus_L_MI.nii.gz	-0.33	-1.27e-04	-8.90e-04	6.36e-04	.819	4.99e-06	2.23e-03
Human_Motor_Thalamus_L_Midbrain.nii.gz	0.61	8.67e-05	-1.90e-04	3.64e-04	.593	1.77e-05	4.20e-03
Human_Motor_Thalamus_L_ot.nii.gz	-0.14	-2.77e-05	-4.29e-04	3.73e-04	.982	8.57e-07	9.26e-04
Human_Motor_Thalamus_L_Po.nii.gz	0.01	1.85e-06	-3.47e-04	3.51e-04	1.00	5.04e-09	7.10e-05
Human_Motor_Thalamus_L_PPN.nii.gz	-0.18	-4.30e-05	-5.23e-04	4.37e-04	.946	1.45e-06	1.20e-03
Human_Motor_Thalamus_L_Pul.nii.gz	1.11	1.81e-04	-1.39e-04	5.00e-04	.294	5.76e-05	7.59e-03

Table S16

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)*

Tract	$t$	$\beta$	CI_low	CI_up	$p$	Eta2	Cohens_f
Human_Motor_Thalamus_L_R.nii.gz	-1.83	-3.78e-04	-7.84e-04	2.78e-05	.124	1.56e-04	1.25e-02
Human_Motor_Thalamus_L_Rt.nii.gz	-0.26	-3.41e-05	-2.90e-04	2.22e-04	.874	3.19e-06	1.79e-03
Human_Motor_Thalamus_L_SN.nii.gz	-0.64	-1.36e-04	-5.53e-04	2.82e-04	.641	1.90e-05	4.36e-03
Human_Motor_Thalamus_L_STN.nii.gz	-1.26	-3.33e-04	-8.51e-04	1.84e-04	.380	7.46e-05	8.64e-03
Human_Motor_Thalamus_L_VAn.nii.gz	-0.42	-8.52e-05	-4.81e-04	3.11e-04	.741	8.33e-06	2.89e-03
Human_Motor_Thalamus_L_VAp.nii.gz	0.29	4.36e-05	-2.51e-04	3.38e-04	.930	3.94e-06	1.99e-03
Human_Motor_Thalamus_L_VLdVLv.nii.gz	1.23	1.54e-04	-9.13e-05	3.99e-04	.344	7.09e-05	8.42e-03
Human_Motor_Thalamus_L_VPi.nii.gz	-0.74	-1.35e-04	-4.92e-04	2.22e-04	.561	2.57e-05	5.07e-03
Human_Motor_Thalamus_L_VPIVPm.nii.gz	1.07	1.50e-04	-1.24e-04	4.23e-04	.390	5.40e-05	7.35e-03
Human_Motor_Thalamus_R_A.nii.gz	1.32	4.88e-04	-2.39e-04	1.22e-03	.207	8.12e-05	9.01e-03
Human_Motor_Thalamus_R_acbcbsc.nii.gz	-1.02	-1.73e-04	-5.05e-04	1.58e-04	.420	4.92e-05	7.02e-03
Human_Motor_Thalamus_R_alfrfxmtpc.nii.gz	1.31	4.08e-04	-2.02e-04	1.02e-03	.209	8.05e-05	8.97e-03
Human_Motor_Thalamus_R_BasalForebrain.nii.gz	0.10	2.13e-05	-3.77e-04	4.20e-04	1.00	5.15e-07	7.18e-04
Human_Motor_Thalamus_R_CdPutVSt.nii.gz	1.01	1.70e-04	-1.60e-04	5.00e-04	.345	4.77e-05	6.90e-03
Human_Motor_Thalamus_R_CMPf.nii.gz	1.16	1.78e-04	-1.22e-04	4.77e-04	.336	6.35e-05	7.97e-03
Human_Motor_Thalamus_R_Connectivetissue.nii.gz	1.12	4.49e-04	-3.36e-04	1.23e-03	.361	5.89e-05	7.67e-03
Human_Motor_Thalamus_R_eml.nii.gz	-0.40	-1.04e-04	-6.11e-04	4.04e-04	.758	7.51e-06	2.74e-03
Human_Motor_Thalamus_R_GPl.nii.gz	0.22	3.77e-05	-2.99e-04	3.74e-04	.909	2.26e-06	1.50e-03
Human_Motor_Thalamus_R_GPm.nii.gz	-0.22	-4.23e-05	-4.25e-04	3.41e-04	.912	2.19e-06	1.48e-03
Human_Motor_Thalamus_R_Hbl.nii.gz	1.53	7.67e-04	-2.13e-04	1.75e-03	.153	1.10e-04	1.05e-02
Human_Motor_Thalamus_R_Hypothalamus.nii.gz	0.24	5.51e-05	-4.00e-04	5.10e-04	.993	2.64e-06	1.63e-03
Human_Motor_Thalamus_R_ic.nii.gz	1.29	1.97e-04	-1.03e-04	4.96e-04	.271	7.79e-05	8.83e-03
<b>Human_Motor_Thalamus_R_LD.nii.gz</b>	<b>2.46</b>	<b>1.26e-03</b>	<b>2.54e-04</b>	<b>2.26e-03</b>	<b>.019</b>	<b>2.83e-04</b>	<b>1.68e-02</b>

Table S16

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)*

Tract	$t$	$\beta$	CI_low	CI_up	$p$	Eta2	Cohens_f
Human_Motor_Thalamus_R_LG.nii.gz	1.54	3.19e-04	-8.60e-05	7.24e-04	.193	1.12e-04	1.06e-02
Human_Motor_Thalamus_R_Li.nii.gz	1.33	2.20e-04	-1.04e-04	5.45e-04	.223	8.32e-05	9.12e-03
Human_Motor_Thalamus_R_M.nii.gz	-0.71	-1.56e-04	-5.88e-04	2.75e-04	.524	2.37e-05	4.87e-03
Human_Motor_Thalamus_R_MB.nii.gz	1.06	4.60e-04	-3.93e-04	1.31e-03	.457	5.23e-05	7.23e-03
Human_Motor_Thalamus_R_MD.nii.gz	1.32	2.84e-04	-1.36e-04	7.04e-04	.204	8.21e-05	9.06e-03
Human_Motor_Thalamus_R_MDCL.nii.gz	1.96	3.00e-04	-8.39e-08	6.01e-04	.055	1.80e-04	1.34e-02
Human_Motor_Thalamus_R_MG.nii.gz	-0.05	-1.37e-05	-5.26e-04	4.98e-04	1.00	1.29e-07	3.60e-04
Human_Motor_Thalamus_R_MGC.nii.gz	0.86	1.66e-04	-2.10e-04	5.42e-04	.533	3.50e-05	5.91e-03
Human_Motor_Thalamus_R_MI.nii.gz	-0.84	-4.03e-04	-1.34e-03	5.39e-04	.442	3.30e-05	5.74e-03
Human_Motor_Thalamus_R_Midbrain.nii.gz	0.31	4.39e-05	-2.32e-04	3.20e-04	.831	4.56e-06	2.13e-03
Human_Motor_Thalamus_R_ot.nii.gz	1.25	3.50e-04	-1.99e-04	8.98e-04	.291	7.31e-05	8.55e-03
Human_Motor_Thalamus_R_PC.nii.gz	1.39	3.43e-04	-1.39e-04	8.25e-04	.179	9.12e-05	9.55e-03
Human_Motor_Thalamus_R_Po.nii.gz	1.01	1.70e-04	-1.60e-04	5.00e-04	.344	4.77e-05	6.91e-03
Human_Motor_Thalamus_R_PPN.nii.gz	-1.18	-2.25e-04	-5.97e-04	1.47e-04	.344	6.57e-05	8.10e-03
Human_Motor_Thalamus_R_Pul.nii.gz	1.10	1.82e-04	-1.43e-04	5.07e-04	.374	5.66e-05	7.53e-03
Human_Motor_Thalamus_R_R.nii.gz	-1.11	-2.40e-04	-6.65e-04	1.85e-04	.422	5.74e-05	7.58e-03
Human_Motor_Thalamus_R_Rt.nii.gz	-0.07	-8.48e-06	-2.49e-04	2.32e-04	1.00	2.24e-07	4.73e-04
Human_Motor_Thalamus_R_SN.nii.gz	-1.30	-2.60e-04	-6.53e-04	1.33e-04	.279	7.89e-05	8.88e-03
Human_Motor_Thalamus_R_STN.nii.gz	-0.92	-2.50e-04	-7.81e-04	2.80e-04	.434	4.01e-05	6.33e-03
Human_Motor_Thalamus_R_VAn.nii.gz	-0.31	-6.03e-05	-4.47e-04	3.26e-04	.836	4.38e-06	2.09e-03
Human_Motor_Thalamus_R_VAp.nii.gz	0.25	3.82e-05	-2.66e-04	3.43e-04	.886	2.83e-06	1.68e-03
Human_Motor_Thalamus_R_VLdVLv.nii.gz	1.05	1.36e-04	-1.18e-04	3.91e-04	.360	5.16e-05	7.18e-03
Human_Motor_Thalamus_R_VPi.nii.gz	-1.28	-2.30e-04	-5.82e-04	1.22e-04	.368	7.68e-05	8.76e-03

**Table S16**

***ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Human_Motor_Thalamus_R_VPIVPm.nii.gz	0.06	8.20e-06	-2.57e-04	2.73e-04	1.00	1.72e-07	4.15e-04
HybraPD_Atlas_L_Ca.nii.gz	0.77	1.82e-04	-2.79e-04	6.43e-04	.483	2.81e-05	5.30e-03
HybraPD_Atlas_L_DN.nii.gz	-0.54	-9.05e-05	-4.19e-04	2.38e-04	.649	1.36e-05	3.69e-03
HybraPD_Atlas_L_GPe.nii.gz	0.24	5.18e-05	-3.63e-04	4.67e-04	.976	2.81e-06	1.68e-03
HybraPD_Atlas_L_GPi.nii.gz	-0.50	-1.06e-04	-5.20e-04	3.07e-04	.676	1.19e-05	3.45e-03
HybraPD_Atlas_L_NAC.nii.gz	-0.96	-2.16e-04	-6.55e-04	2.23e-04	.461	4.35e-05	6.60e-03
HybraPD_Atlas_L_Pu.nii.gz	0.82	1.16e-04	-1.63e-04	3.94e-04	.497	3.11e-05	5.58e-03
HybraPD_Atlas_L_RN.nii.gz	-1.78	-3.92e-04	-8.23e-04	4.03e-05	.138	1.48e-04	1.22e-02
HybraPD_Atlas_L_TH.MN.nii.gz	1.53	2.32e-04	-6.60e-05	5.31e-04	.175	1.09e-04	1.04e-02
HybraPD_Atlas_L_TH.P.nii.gz	-0.37	-6.27e-05	-3.98e-04	2.73e-04	.873	6.29e-06	2.51e-03
HybraPD_Atlas_L_TH.VN.nii.gz	1.27	1.48e-04	-7.96e-05	3.76e-04	.247	7.62e-05	8.73e-03
HybraPD_Atlas_R_Ca.nii.gz	0.34	9.40e-05	-4.48e-04	6.36e-04	.807	5.42e-06	2.33e-03
HybraPD_Atlas_R_DN.nii.gz	-0.26	-4.35e-05	-3.76e-04	2.89e-04	.877	3.09e-06	1.76e-03
HybraPD_Atlas_R_GPe.nii.gz	0.75	1.50e-04	-2.43e-04	5.43e-04	.695	2.63e-05	5.13e-03
HybraPD_Atlas_R_GPi.nii.gz	-0.13	-2.66e-05	-4.32e-04	3.78e-04	.987	7.79e-07	8.83e-04
HybraPD_Atlas_R_NAC.nii.gz	-0.71	-1.57e-04	-5.87e-04	2.74e-04	.581	2.38e-05	4.88e-03
HybraPD_Atlas_R_Pu.nii.gz	0.42	5.96e-05	-2.17e-04	3.36e-04	.740	8.37e-06	2.89e-03
HybraPD_Atlas_R_RN.nii.gz	-0.93	-2.16e-04	-6.72e-04	2.40e-04	.554	4.05e-05	6.36e-03
HybraPD_Atlas_R_TH.MN.nii.gz	1.22	1.97e-04	-1.20e-04	5.15e-04	.307	6.96e-05	8.34e-03
HybraPD_Atlas_R_TH.P.nii.gz	-0.20	-3.76e-05	-4.09e-04	3.33e-04	.927	1.85e-06	1.36e-03
HybraPD_Atlas_R_TH.VN.nii.gz	0.68	8.27e-05	-1.56e-04	3.21e-04	.546	2.16e-05	4.65e-03
Melbourne_Subcortex_Atlas_LH_aCAU.nii.gz	1.33	4.03e-04	-1.93e-04	9.98e-04	.226	8.24e-05	9.08e-03
Melbourne_Subcortex_Atlas_LH_aGP.nii.gz	-0.37	-7.83e-05	-4.96e-04	3.40e-04	.785	6.32e-06	2.51e-03

**Table S16**

***ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Melbourne_Subcortex_Atlas_LH_aHIP.nii.gz	-0.03	-4.97e-06	-3.45e-04	3.35e-04	1.00	3.85e-08	1.96e-04
Melbourne_Subcortex_Atlas_LH_AMY.nii.gz	-0.44	-7.11e-05	-3.85e-04	2.42e-04	.722	9.26e-06	3.04e-03
Melbourne_Subcortex_Atlas_LH_aPUT.nii.gz	0.46	6.37e-05	-2.10e-04	3.38e-04	.792	9.76e-06	3.12e-03
Melbourne_Subcortex_Atlas_LH_aTHA.nii.gz	2.08	4.37e-04	2.56e-05	8.48e-04	.051	2.03e-04	1.43e-02
Melbourne_Subcortex_Atlas_LH_CAU-body.nii.gz	1.57	5.06e-04	-1.28e-04	1.14e-03	.144	1.15e-04	1.07e-02
Melbourne_Subcortex_Atlas_LH_CAU-DA.nii.gz	1.44	5.02e-04	-1.84e-04	1.19e-03	.166	9.66e-05	9.83e-03
Melbourne_Subcortex_Atlas_LH_CAU-tail.nii.gz	1.92	6.32e-04	-1.20e-05	1.28e-03	.060	1.73e-04	1.32e-02
Melbourne_Subcortex_Atlas_LH_CAU-VA.nii.gz	1.02	2.94e-04	-2.68e-04	8.57e-04	.336	4.92e-05	7.02e-03
Melbourne_Subcortex_Atlas_LH_CAU.nii.gz	1.49	4.52e-04	-1.42e-04	1.05e-03	.166	1.04e-04	1.02e-02
Melbourne_Subcortex_Atlas_LH_GP.nii.gz	-0.31	-5.37e-05	-3.90e-04	2.82e-04	.830	4.59e-06	2.14e-03
Melbourne_Subcortex_Atlas_LH_HIP-body.nii.gz	1.38	2.80e-04	-1.17e-04	6.77e-04	.230	8.94e-05	9.46e-03
Melbourne_Subcortex_Atlas_LH_HIP-head-1.nii.gz	0.18	3.21e-05	-3.12e-04	3.76e-04	.940	1.57e-06	1.25e-03
Melbourne_Subcortex_Atlas_LH_HIP-head-m.nii.gz	-0.33	-7.11e-05	-4.94e-04	3.51e-04	.816	5.10e-06	2.26e-03
Melbourne_Subcortex_Atlas_LH_HIP-head- m1.nii.gz	-0.34	-6.79e-05	-4.58e-04	3.22e-04	.896	5.45e-06	2.34e-03
Melbourne_Subcortex_Atlas_LH_HIP-head- m2.nii.gz	-0.28	-7.32e-05	-5.82e-04	4.36e-04	.856	3.72e-06	1.93e-03
<b>Melbourne_Subcortex_Atlas_LH_HIP-tail.nii.gz</b>	<b>2.61</b>	<b>6.12e-04</b>	<b>1.53e-04</b>	<b>1.07e-03</b>	<b>.012</b>	<b>3.20e-04</b>	<b>1.79e-02</b>
Melbourne_Subcortex_Atlas_LH_HIP.nii.gz	0.99	1.70e-04	-1.68e-04	5.07e-04	.397	4.55e-05	6.74e-03
Melbourne_Subcortex_Atlas_LH_lAMY.nii.gz	-0.90	-1.23e-04	-3.88e-04	1.43e-04	.402	3.83e-05	6.19e-03
Melbourne_Subcortex_Atlas_LH_mAMY.nii.gz	-0.04	-7.52e-06	-4.07e-04	3.92e-04	1.00	6.38e-08	2.53e-04
Melbourne_Subcortex_Atlas_LH_NAc-core.nii.gz	0.79	1.94e-04	-2.85e-04	6.73e-04	.469	2.96e-05	5.44e-03
Melbourne_Subcortex_Atlas_LH_NAc-shell.nii.gz	-0.26	-4.80e-05	-4.06e-04	3.10e-04	.872	3.24e-06	1.80e-03

**Table S16**

***ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Melbourne_Subcortex_Atlas_LH_NAc.nii.gz	0.32	6.00e-05	-3.08e-04	4.28e-04	.824	4.80e-06	2.19e-03
Melbourne_Subcortex_Atlas_LH_pCAU.nii.gz	1.69	5.43e-04	-8.82e-05	1.17e-03	.112	1.33e-04	1.15e-02
Melbourne_Subcortex_Atlas_LH_pGP.nii.gz	-0.18	-2.56e-05	-3.05e-04	2.53e-04	1.00	1.51e-06	1.23e-03
Melbourne_Subcortex_Atlas_LH_pHIP.nii.gz	1.91	3.91e-04	-9.27e-06	7.90e-04	.068	1.72e-04	1.31e-02
Melbourne_Subcortex_Atlas_LH_pPUT.nii.gz	0.14	1.77e-05	-2.38e-04	2.74e-04	.981	8.60e-07	9.27e-04
Melbourne_Subcortex_Atlas_LH_pTHA.nii.gz	1.38	2.17e-04	-9.02e-05	5.24e-04	.203	8.98e-05	9.48e-03
Melbourne_Subcortex_Atlas_LH_PUT-DA.nii.gz	0.45	6.40e-05	-2.15e-04	3.43e-04	.718	9.49e-06	3.08e-03
Melbourne_Subcortex_Atlas_LH_PUT-DP.nii.gz	0.73	9.83e-05	-1.66e-04	3.63e-04	.570	2.49e-05	4.99e-03
Melbourne_Subcortex_Atlas_LH_PUT-VA.nii.gz	0.43	6.30e-05	-2.24e-04	3.50e-04	.818	8.69e-06	2.95e-03
Melbourne_Subcortex_Atlas_LH_PUT-VP.nii.gz	-0.46	-6.32e-05	-3.31e-04	2.04e-04	.708	1.01e-05	3.17e-03
Melbourne_Subcortex_Atlas_LH_PUT.nii.gz	0.31	3.94e-05	-2.13e-04	2.92e-04	.836	4.38e-06	2.09e-03
<b>Melbourne_Subcortex_Atlas_LH_THA-DA.nii.gz</b>	<b>2.83</b>	<b>6.81e-04</b>	<b>2.09e-04</b>	<b>1.15e-03</b>	<b>.006</b>	<b>3.75e-04</b>	<b>1.94e-02</b>
<b>Melbourne_Subcortex_Atlas_LH_THA-DAI.nii.gz</b>	<b>2.34</b>	<b>3.38e-04</b>	<b>5.48e-05</b>	<b>6.21e-04</b>	<b>.024</b>	<b>2.57e-04</b>	<b>1.60e-02</b>
<b>Melbourne_Subcortex_Atlas_LH_THA-DAm.nii.gz</b>	<b>2.77</b>	<b>9.63e-04</b>	<b>2.82e-04</b>	<b>1.64e-03</b>	<b>.008</b>	<b>3.60e-04</b>	<b>1.90e-02</b>
Melbourne_Subcortex_Atlas_LH_THA-DP.nii.gz	0.88	1.73e-04	-2.14e-04	5.59e-04	.419	3.60e-05	6.00e-03
Melbourne_Subcortex_Atlas_LH_THA-VA.nii.gz	1.37	2.99e-04	-1.30e-04	7.27e-04	.236	8.76e-05	9.36e-03
Melbourne_Subcortex_Atlas_LH_THA-VAi.nii.gz	0.71	1.66e-04	-2.93e-04	6.25e-04	.527	2.35e-05	4.84e-03
Melbourne_Subcortex_Atlas_LH_THA-VAia.nii.gz	0.12	3.40e-05	-5.18e-04	5.86e-04	.994	6.84e-07	8.27e-04
Melbourne_Subcortex_Atlas_LH_THA-VAip.nii.gz	1.20	2.48e-04	-1.58e-04	6.54e-04	.282	6.74e-05	8.21e-03
<b>Melbourne_Subcortex_Atlas_LH_THA-VAs.nii.gz</b>	<b>2.25</b>	<b>5.07e-04</b>	<b>6.55e-05</b>	<b>9.48e-04</b>	<b>.034</b>	<b>2.38e-04</b>	<b>1.54e-02</b>
Melbourne_Subcortex_Atlas_LH_THA-VP.nii.gz	1.95	2.66e-04	-7.76e-07	5.33e-04	.080	1.79e-04	1.34e-02
Melbourne_Subcortex_Atlas_LH_THA-VPl.nii.gz	1.56	2.01e-04	-5.10e-05	4.53e-04	.185	1.15e-04	1.07e-02

**Table S16**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Melbourne_Subcortex_Atlas_LH_THA-VPm.nii.gz	1.97	3.19e-04	2.00e-06	6.35e-04	.076	1.82e-04	1.35e-02
Melbourne_Subcortex_Atlas_RH_aCAU.nii.gz	0.44	1.03e-04	-3.55e-04	5.61e-04	.727	9.04e-06	3.01e-03
Melbourne_Subcortex_Atlas_RH_aGP.nii.gz	-0.03	-5.28e-06	-4.11e-04	4.01e-04	1.00	3.04e-08	1.74e-04
Melbourne_Subcortex_Atlas_RH_aHIP.nii.gz	-0.01	-1.75e-06	-3.30e-04	3.27e-04	1.00	5.09e-09	7.13e-05
Melbourne_Subcortex_Atlas_RH_AMY.nii.gz	-0.43	-6.42e-05	-3.55e-04	2.27e-04	.813	8.76e-06	2.96e-03
Melbourne_Subcortex_Atlas_RH_aPUT.nii.gz	0.17	2.31e-05	-2.46e-04	2.92e-04	.953	1.33e-06	1.15e-03
Melbourne_Subcortex_Atlas_RH_aTHA.nii.gz	1.72	3.13e-04	-4.43e-05	6.69e-04	.095	1.38e-04	1.18e-02
Melbourne_Subcortex_Atlas_RH_CAU-body.nii.gz	0.81	1.83e-04	-2.60e-04	6.25e-04	.460	3.07e-05	5.54e-03
Melbourne_Subcortex_Atlas_RH_CAU-DA.nii.gz	0.41	1.17e-04	-4.37e-04	6.72e-04	.746	8.07e-06	2.84e-03
Melbourne_Subcortex_Atlas_RH_CAU-tail.nii.gz	0.97	1.93e-04	-1.97e-04	5.83e-04	.365	4.41e-05	6.64e-03
Melbourne_Subcortex_Atlas_RH_CAU-VA.nii.gz	0.41	8.05e-05	-3.01e-04	4.62e-04	.747	8.01e-06	2.83e-03
Melbourne_Subcortex_Atlas_RH_CAU.nii.gz	0.59	1.31e-04	-3.03e-04	5.64e-04	.610	1.63e-05	4.04e-03
Melbourne_Subcortex_Atlas_RH_GP.nii.gz	0.10	1.58e-05	-3.09e-04	3.40e-04	1.00	4.26e-07	6.53e-04
Melbourne_Subcortex_Atlas_RH_HIP-body.nii.gz	1.17	2.41e-04	-1.63e-04	6.45e-04	.297	6.40e-05	8.00e-03
Melbourne_Subcortex_Atlas_RH_HIP-head-l.nii.gz	-0.09	-1.62e-05	-3.63e-04	3.31e-04	1.00	3.94e-07	6.28e-04
Melbourne_Subcortex_Atlas_RH_HIP-head-m.nii.gz	-0.09	-1.71e-05	-4.04e-04	3.69e-04	1.00	3.52e-07	5.94e-04
Melbourne_Subcortex_Atlas_RH_HIP-head- m1.nii.gz	-0.81	-1.49e-04	-5.09e-04	2.10e-04	.458	3.10e-05	5.57e-03
Melbourne_Subcortex_Atlas_RH_HIP-head- m2.nii.gz	0.82	2.12e-04	-2.94e-04	7.18e-04	.453	3.16e-05	5.62e-03
Melbourne_Subcortex_Atlas_RH_HIP-tail.nii.gz	1.40	3.17e-04	-1.26e-04	7.60e-04	.178	9.19e-05	9.59e-03
Melbourne_Subcortex_Atlas_RH_HIP.nii.gz	0.72	1.20e-04	-2.06e-04	4.46e-04	.573	2.46e-05	4.96e-03
Melbourne_Subcortex_Atlas_RH_lAMY.nii.gz	-1.05	-1.40e-04	-4.00e-04	1.21e-04	.404	5.17e-05	7.19e-03

**Table S16**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Melbourne_Subcortex_Atlas_RH_mAMY.nii.gz	0.12	2.15e-05	-3.29e-04	3.72e-04	.995	6.74e-07	8.21e-04
Melbourne_Subcortex_Atlas_RH_NAc-core.nii.gz	-0.24	-4.57e-05	-4.24e-04	3.33e-04	.894	2.62e-06	1.62e-03
Melbourne_Subcortex_Atlas_RH_NAc-shell.nii.gz	-0.67	-1.19e-04	-4.67e-04	2.29e-04	.553	2.11e-05	4.59e-03
Melbourne_Subcortex_Atlas_RH_NAc.nii.gz	-0.52	-8.58e-05	-4.10e-04	2.38e-04	.664	1.26e-05	3.55e-03
Melbourne_Subcortex_Atlas_RH_pCAU.nii.gz	0.86	1.85e-04	-2.37e-04	6.06e-04	.429	3.46e-05	5.88e-03
Melbourne_Subcortex_Atlas_RH_pGP.nii.gz	0.27	3.74e-05	-2.30e-04	3.05e-04	.863	3.51e-06	1.87e-03
Melbourne_Subcortex_Atlas_RH_pHIP.nii.gz	1.32	2.65e-04	-1.27e-04	6.58e-04	.204	8.22e-05	9.07e-03
Melbourne_Subcortex_Atlas_RH_pPUT.nii.gz	0.69	8.92e-05	-1.63e-04	3.41e-04	.606	2.26e-05	4.75e-03
Melbourne_Subcortex_Atlas_RH_pTHA.nii.gz	1.52	2.47e-04	-7.11e-05	5.65e-04	.157	1.09e-04	1.04e-02
Melbourne_Subcortex_Atlas_RH_PUT-DA.nii.gz	0.60	8.24e-05	-1.87e-04	3.51e-04	.603	1.69e-05	4.11e-03
Melbourne_Subcortex_Atlas_RH_PUT-DP.nii.gz	1.04	1.39e-04	-1.23e-04	4.02e-04	.329	5.06e-05	7.11e-03
Melbourne_Subcortex_Atlas_RH_PUT-VA.nii.gz	-0.25	-3.71e-05	-3.25e-04	2.50e-04	.880	3.00e-06	1.73e-03
Melbourne_Subcortex_Atlas_RH_PUT-VP.nii.gz	0.29	3.73e-05	-2.17e-04	2.92e-04	.908	3.86e-06	1.96e-03
Melbourne_Subcortex_Atlas_RH_PUT.nii.gz	0.45	5.71e-05	-1.92e-04	3.06e-04	.718	9.49e-06	3.08e-03
<b>Melbourne_Subcortex_Atlas_RH_THA-DA.nii.gz</b>	<b>2.67</b>	<b>6.00e-04</b>	<b>1.59e-04</b>	<b>1.04e-03</b>	<b>.011</b>	<b>3.33e-04</b>	<b>1.83e-02</b>
Melbourne_Subcortex_Atlas_RH_THA-DAL.nii.gz	1.99	2.79e-04	4.15e-06	5.54e-04	.065	1.86e-04	1.36e-02
<b>Melbourne_Subcortex_Atlas_RH_THA-DAm.nii.gz</b>	<b>2.67</b>	<b>8.27e-04</b>	<b>2.19e-04</b>	<b>1.44e-03</b>	<b>.011</b>	<b>3.33e-04</b>	<b>1.83e-02</b>
Melbourne_Subcortex_Atlas_RH_THA-DP.nii.gz	1.71	3.59e-04	-5.35e-05	7.71e-04	.138	1.36e-04	1.17e-02
Melbourne_Subcortex_Atlas_RH_THA-VA.nii.gz	0.82	1.49e-04	-2.05e-04	5.02e-04	.452	3.17e-05	5.63e-03
Melbourne_Subcortex_Atlas_RH_THA-VAi.nii.gz	0.24	4.57e-05	-3.32e-04	4.23e-04	.894	2.64e-06	1.62e-03
Melbourne_Subcortex_Atlas_RH_THA-VAia.nii.gz	-0.64	-1.44e-04	-5.86e-04	2.99e-04	.577	1.90e-05	4.36e-03
Melbourne_Subcortex_Atlas_RH_THA-VAip.nii.gz	0.97	1.77e-04	-1.82e-04	5.36e-04	.367	4.38e-05	6.62e-03



**Table S16**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Melbourne_Subcortex_Atlas_RH_THA-VAs.nii.gz	1.64	3.16e-04	-6.10e-05	6.93e-04	.110	1.27e-04	1.12e-02
Melbourne_Subcortex_Atlas_RH_THA-VP.nii.gz	1.04	1.40e-04	-1.23e-04	4.04e-04	.327	5.09e-05	7.13e-03
Melbourne_Subcortex_Atlas_RH_THA-VPl.nii.gz	0.19	2.46e-05	-2.34e-04	2.83e-04	.999	1.63e-06	1.28e-03
Melbourne_Subcortex_Atlas_RH_THA-VPm.nii.gz	1.64	2.55e-04	-5.03e-05	5.61e-04	.112	1.26e-04	1.12e-02
MNI_PD25_subcortical_LH_amygdala.nii.gz	-1.17	-1.56e-04	-4.18e-04	1.06e-04	.267	6.41e-05	8.00e-03
MNI_PD25_subcortical_LH_caudate.nii.gz	1.26	3.03e-04	-1.68e-04	7.74e-04	.228	7.44e-05	8.63e-03
MNI_PD25_subcortical_LH_globus_pallidus_extern us.nii.gz	-0.15	-2.36e-05	-3.33e-04	2.86e-04	.970	1.04e-06	1.02e-03
MNI_PD25_subcortical_LH_globus_pallidus_intern us.nii.gz	-0.39	-7.25e-05	-4.33e-04	2.88e-04	.762	7.30e-06	2.70e-03
MNI_PD25_subcortical_LH_hippocampus.nii.gz	1.32	2.23e-04	-1.08e-04	5.53e-04	.228	8.18e-05	9.04e-03
MNI_PD25_subcortical_LH_nucleus_accumbens.nii. gz	-0.56	-1.11e-04	-5.00e-04	2.77e-04	.632	1.48e-05	3.84e-03
MNI_PD25_subcortical_LH_putamen.nii.gz	0.40	5.16e-05	-2.00e-04	3.03e-04	.757	7.57e-06	2.75e-03
MNI_PD25_subcortical_LH_red_nucleus.nii.gz	-1.74	-3.53e-04	-7.50e-04	4.43e-05	.128	1.42e-04	1.19e-02
MNI_PD25_subcortical_LH_substantia_nigra.nii.gz	-0.25	-5.76e-05	-5.11e-04	3.96e-04	1.00	2.91e-06	1.71e-03
MNI_PD25_subcortical_LH_subthalamic_nucleus.ni i.gz	-1.21	-3.02e-04	-7.91e-04	1.88e-04	.357	6.83e-05	8.26e-03
MNI_PD25_subcortical_LH_thalamus.nii.gz	1.80	2.61e-04	-2.39e-05	5.45e-04	.100	1.51e-04	1.23e-02
MNI_PD25_subcortical_RH_amygdala.nii.gz	-1.00	-1.37e-04	-4.03e-04	1.30e-04	.347	4.73e-05	6.88e-03
MNI_PD25_subcortical_RH_caudate.nii.gz	0.77	2.18e-04	-3.38e-04	7.74e-04	.486	2.77e-05	5.26e-03
MNI_PD25_subcortical_RH_globus_pallidus_extern us.nii.gz	0.33	5.26e-05	-2.59e-04	3.64e-04	.974	5.12e-06	2.26e-03

Table S16

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
MNI_PD25_subcortical_RH_globus_pallidus_Internus.nii.gz	-0.21	-3.70e-05	-3.91e-04	3.16e-04	.921	1.98e-06	1.41e-03
MNI_PD25_subcortical_RH_hippocampus.nii.gz	0.83	1.36e-04	-1.84e-04	4.55e-04	.481	3.26e-05	5.71e-03
MNI_PD25_subcortical_RH_nucleus_accumbens.nii.gz	-0.92	-1.79e-04	-5.63e-04	2.04e-04	.495	3.93e-05	6.27e-03
MNI_PD25_subcortical_RH_putamen.nii.gz	0.43	5.46e-05	-1.95e-04	3.04e-04	.736	8.58e-06	2.93e-03
MNI_PD25_subcortical_RH_red_nucleus.nii.gz	-1.12	-2.34e-04	-6.44e-04	1.75e-04	.360	5.90e-05	7.68e-03
MNI_PD25_subcortical_RH_substantia_nigra.nii.gz	-1.01	-2.19e-04	-6.43e-04	2.05e-04	.427	4.82e-05	6.94e-03
MNI_PD25_subcortical_RH_subthalamic_nucleus.nii.gz	-0.97	-2.52e-04	-7.62e-04	2.58e-04	.407	4.40e-05	6.63e-03
MNI_PD25_subcortical_RH_thalamus.nii.gz	1.29	1.91e-04	-9.84e-05	4.81e-04	.215	7.86e-05	8.86e-03
Thalamic_DBS_Connectivity_atlas_LH_Dentate.nii.gz	0.68	8.85e-05	-1.67e-04	3.44e-04	.684	2.16e-05	4.65e-03
Thalamic_DBS_Connectivity_atlas_RH_Dentate.nii.gz	0.34	4.30e-05	-2.04e-04	2.90e-04	.806	5.45e-06	2.33e-03
Thomas_Atlas_LH_AV.nii.gz	1.71	5.70e-04	-8.24e-05	1.22e-03	.096	1.37e-04	1.17e-02
Thomas_Atlas_LH_CM.nii.gz	1.51	2.12e-04	-6.37e-05	4.89e-04	.181	1.07e-04	1.03e-02
<b>Thomas_Atlas_LH_Hb.nii.gz</b>	<b>2.39</b>	<b>8.79e-04</b>	<b>1.59e-04</b>	<b>1.60e-03</b>	<b>.026</b>	<b>2.68e-04</b>	<b>1.64e-02</b>
Thomas_Atlas_LH_LGN.nii.gz	0.58	9.08e-05	-2.16e-04	3.98e-04	.687	1.57e-05	3.97e-03
<b>Thomas_Atlas_LH_MD-Pf.nii.gz</b>	<b>2.36</b>	<b>4.40e-04</b>	<b>7.40e-05</b>	<b>8.05e-04</b>	<b>.029</b>	<b>2.60e-04</b>	<b>1.61e-02</b>
Thomas_Atlas_LH_MGN.nii.gz	-0.04	-8.93e-06	-4.21e-04	4.03e-04	1.00	8.47e-08	2.91e-04
Thomas_Atlas_LH_MTT.nii.gz	-0.48	-1.05e-04	-5.35e-04	3.26e-04	.698	1.06e-05	3.26e-03
Thomas_Atlas_LH_Pul.nii.gz	1.24	2.01e-04	-1.17e-04	5.18e-04	.237	7.19e-05	8.48e-03

**Table S16**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Radial Diffusivity (RD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Thomas_Atlas_LH_THALAMUS.nii.gz	1.65	2.33e-04	-4.35e-05	5.10e-04	.125	1.28e-04	1.13e-02
Thomas_Atlas_LH_VA.nii.gz	0.06	1.10e-05	-3.21e-04	3.43e-04	1.00	1.97e-07	4.44e-04
Thomas_Atlas_LH_VLa.nii.gz	0.16	2.58e-05	-2.95e-04	3.47e-04	1.00	1.16e-06	1.08e-03
Thomas_Atlas_LH_VLP.nii.gz	1.19	1.47e-04	-9.51e-05	3.89e-04	.368	6.64e-05	8.15e-03
Thomas_Atlas_LH_VLPd.nii.gz	1.07	1.38e-04	-1.15e-04	3.92e-04	.391	5.37e-05	7.33e-03
Thomas_Atlas_LH_VLPv.nii.gz	1.18	1.62e-04	-1.07e-04	4.32e-04	.435	6.54e-05	8.09e-03
Thomas_Atlas_LH_VPL.nii.gz	1.51	1.89e-04	-5.64e-05	4.34e-04	.241	1.07e-04	1.03e-02
Thomas_Atlas_RH_AV.nii.gz	1.06	3.49e-04	-2.98e-04	9.96e-04	.320	5.23e-05	7.23e-03
Thomas_Atlas_RH_CM.nii.gz	1.39	2.05e-04	-8.46e-05	4.95e-04	.293	9.03e-05	9.50e-03
<b>Thomas_Atlas_RH_Hb.nii.gz</b>	<b>2.12</b>	<b>7.30e-04</b>	<b>5.50e-05</b>	<b>1.41e-03</b>	<b>.047</b>	<b>2.11e-04</b>	<b>1.45e-02</b>
Thomas_Atlas_RH_LGN.nii.gz	0.96	1.56e-04	-1.62e-04	4.74e-04	.463	4.33e-05	6.58e-03
Thomas_Atlas_RH_MD-Pf.nii.gz	1.69	3.28e-04	-5.16e-05	7.07e-04	.099	1.34e-04	1.16e-02
Thomas_Atlas_RH_MGN.nii.gz	0.82	1.64e-04	-2.30e-04	5.59e-04	.506	3.12e-05	5.59e-03
Thomas_Atlas_RH_MTT.nii.gz	-0.45	-1.02e-04	-5.46e-04	3.43e-04	.800	9.39e-06	3.06e-03
Thomas_Atlas_RH_Pul.nii.gz	1.29	2.12e-04	-1.10e-04	5.34e-04	.270	7.83e-05	8.85e-03
Thomas_Atlas_RH_THALAMUS.nii.gz	1.34	1.94e-04	-9.01e-05	4.77e-04	.199	8.38e-05	9.16e-03
Thomas_Atlas_RH_VA.nii.gz	-0.15	-2.65e-05	-3.62e-04	3.09e-04	.965	1.12e-06	1.06e-03
Thomas_Atlas_RH_VLa.nii.gz	0.25	4.43e-05	-3.06e-04	3.94e-04	.983	2.88e-06	1.70e-03
Thomas_Atlas_RH_VLP.nii.gz	0.88	1.13e-04	-1.39e-04	3.64e-04	.466	3.60e-05	6.00e-03
Thomas_Atlas_RH_VLPd.nii.gz	1.01	1.35e-04	-1.28e-04	3.98e-04	.384	4.75e-05	6.89e-03
Thomas_Atlas_RH_VLPv.nii.gz	0.55	7.94e-05	-2.02e-04	3.61e-04	.709	1.43e-05	3.78e-03
Thomas_Atlas_RH_VPL.nii.gz	0.65	8.33e-05	-1.67e-04	3.33e-04	.627	2.00e-05	4.48e-03

*Note*

\* *p* < .05, \*\* *p* < .01, \*\*\* *p* < .001, 95% CI(B)

Table S17

*ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial Diffusivity (AD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
AHEAD_Atlas_GPe_L.nii.gz	0.30	1.85e-05	-1.02e-04	1.39e-04	.964	4.25e-06	2.06e-03
AHEAD_Atlas_GPe_R_mask.nii.gz	-0.15	-9.47e-06	-1.31e-04	1.12e-04	.967	1.09e-06	1.04e-03
AHEAD_Atlas_GPi_L_mask.nii.gz	-0.22	-1.51e-05	-1.50e-04	1.20e-04	.909	2.26e-06	1.50e-03
AHEAD_Atlas_GPi_R_mask.nii.gz	-0.33	-2.27e-05	-1.59e-04	1.14e-04	.818	5.00e-06	2.24e-03
AHEAD_Atlas_RN_L_mask.nii.gz	-0.98	-7.88e-05	-2.37e-04	7.95e-05	.453	4.47e-05	6.68e-03
AHEAD_Atlas_RN_R_mask.nii.gz	-0.58	-4.80e-05	-2.10e-04	1.14e-04	.687	1.58e-05	3.97e-03
AHEAD_Atlas_SN_L_mask.nii.gz	-0.82	-7.00e-05	-2.38e-04	9.80e-05	.506	3.13e-05	5.59e-03
AHEAD_Atlas_SN_R_mask.nii.gz	-1.37	-1.14e-04	-2.77e-04	4.93e-05	.314	8.78e-05	9.37e-03
AHEAD_Atlas_STN_L_mask.nii.gz	-1.03	-9.68e-05	-2.82e-04	8.82e-05	.480	4.93e-05	7.02e-03
AHEAD_Atlas_STN_R_mask.nii.gz	-1.19	-1.17e-04	-3.10e-04	7.63e-05	.406	6.60e-05	8.13e-03
Atlas_Basal_Ganglia_and_Thalamus_all_histo_labels.nii.gz	0.87	5.39e-05	-6.78e-05	1.76e-04	.440	3.53e-05	5.94e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Acc.nii.gz	-0.17	-1.25e-05	-1.57e-04	1.32e-04	.952	1.35e-06	1.16e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Cauda.nii.gz	0.44	3.35e-05	-1.16e-04	1.83e-04	.728	8.99e-06	3.00e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Cauda.nii.gz	0.82	7.94e-05	-1.10e-04	2.69e-04	.453	3.17e-05	5.63e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Cauda.nii.gz	1.32	1.72e-04	-8.29e-05	4.28e-04	.204	8.22e-05	9.07e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Cauda.nii.gz	1.39	1.61e-04	-6.62e-05	3.88e-04	.202	9.04e-05	9.51e-03
Atlas_Basal_Ganglia_and_Thalamus_L_GPe.nii.gz	-0.33	-2.20e-05	-1.52e-04	1.08e-04	.906	5.11e-06	2.26e-03
Atlas_Basal_Ganglia_and_Thalamus_L_GPi.nii.gz	-0.86	-5.69e-05	-1.87e-04	7.28e-05	.612	3.47e-05	5.89e-03

Table S17

*ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial Diffusivity (AD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Atlas_Basal_Ganglia_and_Thalamus_L_Put- ia.nii.gz	0.13	7.88e-06	-1.12e-04	1.28e-04	.988	7.75e-07	8.80e-04
Atlas_Basal_Ganglia_and_Thalamus_L_Put- im.nii.gz	0.05	2.86e-06	-1.09e-04	1.15e-04	1.00	1.18e-07	3.43e-04
Atlas_Basal_Ganglia_and_Thalamus_L_Put- sa.nii.gz	0.83	4.70e-05	-6.40e-05	1.58e-04	.447	3.24e-05	5.69e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Put- sm.nii.gz	1.14	6.34e-05	-4.53e-05	1.72e-04	.309	6.13e-05	7.83e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Put- sp.nii.gz	-0.11	-6.53e-06	-1.25e-04	1.12e-04	1.00	5.44e-07	7.38e-04
Atlas_Basal_Ganglia_and_Thalamus_L_SN.nii.gz	-0.83	-7.32e-05	-2.46e-04	9.98e-05	.653	3.23e-05	5.68e-03
Atlas_Basal_Ganglia_and_Thalamus_L_STN.nii.gz	-0.66	-6.07e-05	-2.42e-04	1.20e-04	.703	2.03e-05	4.50e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Tha- a.nii.gz	0.83	6.35e-05	-8.73e-05	2.14e-04	.450	3.20e-05	5.65e-03
Atlas_Basal_Ganglia_and_Thalamus_L_Tha- ld.nii.gz	1.94	1.26e-04	-1.56e-06	2.54e-04	.073	1.76e-04	1.33e-02
Atlas_Basal_Ganglia_and_Thalamus_L_Tha- lp.nii.gz	1.71	1.09e-04	-1.59e-05	2.34e-04	.120	1.37e-04	1.17e-02
Atlas_Basal_Ganglia_and_Thalamus_L_Tha- lpu.nii.gz	-0.01	-4.50e-07	-1.32e-04	1.31e-04	1.00	2.11e-09	4.59e-05
<b>Atlas_Basal_Ganglia_and_Thalamus_L_Tha- md.nii.gz</b>	<b>2.21</b>	<b>2.25e-04</b>	<b>2.57e-05</b>	<b>4.24e-04</b>	<b>.042</b>	<b>2.30e-04</b>	<b>1.52e-02</b>

**Table S17**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial Diffusivity (AD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Atlas_Basal_Ganglia_and_Thalamus_L_Tha-mpu.nii.gz	1.54	1.27e-04	-3.44e-05	2.89e-04	.150	1.12e-04	1.06e-02
Atlas_Basal_Ganglia_and_Thalamus_L_Tha-mp.nii.gz	0.47	2.82e-05	-8.94e-05	1.46e-04	.702	1.04e-05	3.22e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Acc.nii.gz	-0.58	-4.36e-05	-1.90e-04	1.03e-04	.617	1.59e-05	3.99e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Cau-ia.nii.gz	-0.25	-2.16e-05	-1.90e-04	1.47e-04	.881	2.97e-06	1.72e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Cau-im.nii.gz	0.42	3.95e-05	-1.46e-04	2.25e-04	.744	8.19e-06	2.86e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Cau-sa.nii.gz	0.53	6.43e-05	-1.74e-04	3.03e-04	.657	1.31e-05	3.62e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Cau-sp.nii.gz	1.13	1.25e-04	-9.18e-05	3.41e-04	.285	5.97e-05	7.73e-03
Atlas_Basal_Ganglia_and_Thalamus_R_GPe.nii.gz	0.29	1.94e-05	-1.11e-04	1.50e-04	.847	4.00e-06	2.00e-03
Atlas_Basal_Ganglia_and_Thalamus_R_GPii.nii.gz	-0.76	-5.11e-05	-1.83e-04	8.12e-05	.549	2.69e-05	5.19e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Put-ia.nii.gz	-0.48	-3.02e-05	-1.53e-04	9.28e-05	.693	1.09e-05	3.30e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Put-im.nii.gz	0.17	9.31e-06	-9.97e-05	1.18e-04	.954	1.32e-06	1.15e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Put-sa.nii.gz	0.91	5.09e-05	-5.83e-05	1.60e-04	.404	3.91e-05	6.26e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Put-sm.nii.gz	1.23	6.69e-05	-3.94e-05	1.73e-04	.239	7.14e-05	8.45e-03

Table S17

*ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial Diffusivity (AD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Atlas_Basal_Ganglia_and_Thalamus_R_Put-sp.nii.gz	0.64	3.69e-05	-7.59e-05	1.50e-04	.574	1.93e-05	4.39e-03
Atlas_Basal_Ganglia_and_Thalamus_R_SN.nii.gz	-1.84	-1.67e-04	-3.44e-04	1.07e-05	.120	1.59e-04	1.26e-02
Atlas_Basal_Ganglia_and_Thalamus_R_STN.nii.gz	-0.85	-8.25e-05	-2.73e-04	1.08e-04	.489	3.36e-05	5.80e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha-a.nii.gz	0.32	2.18e-05	-1.13e-04	1.56e-04	.826	4.73e-06	2.18e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha-ld.nii.gz	1.44	9.32e-05	-3.39e-05	2.20e-04	.166	9.69e-05	9.85e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha-lp.nii.gz	1.22	6.65e-05	-4.07e-05	1.74e-04	.274	6.93e-05	8.32e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha-lpu.nii.gz	1.18	8.37e-05	-5.54e-05	2.23e-04	.291	6.52e-05	8.08e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha-md.nii.gz	0.86	6.03e-05	-7.72e-05	1.98e-04	.477	3.46e-05	5.89e-03
Atlas_Basal_Ganglia_and_Thalamus_R_Tha-mpu.nii.gz	1.60	1.46e-04	-3.28e-05	3.25e-04	.120	1.20e-04	1.10e-02
Atlas_Basal_Ganglia_and_Thalamus_R_Tha-vp.nii.gz	-0.09	-5.81e-06	-1.27e-04	1.15e-04	1.00	4.16e-07	6.45e-04
DISTAL_L_1.nii.gz	0.89	5.49e-05	-6.56e-05	1.75e-04	.409	3.74e-05	6.11e-03
DISTAL_L_100.nii.gz	1.73	1.38e-04	-1.84e-05	2.95e-04	.092	1.40e-04	1.18e-02
<b>DISTAL_L_101.nii.gz</b>	<b>2.44</b>	<b>1.91e-04</b>	<b>3.75e-05</b>	<b>3.44e-04</b>	<b>.023</b>	<b>2.79e-04</b>	<b>1.67e-02</b>
DISTAL_L_105.nii.gz	1.27	1.18e-04	-6.47e-05	3.01e-04	.261	7.53e-05	8.68e-03
DISTAL_L_106.nii.gz	0.98	8.13e-05	-8.12e-05	2.44e-04	.400	4.51e-05	6.71e-03

Table S17

*ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial Diffusivity (AD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
DISTAL_L_107.nii.gz	0.26	1.72e-05	-1.15e-04	1.49e-04	.877	3.08e-06	1.76e-03
DISTAL_L_108.nii.gz	0.54	5.32e-05	-1.40e-04	2.46e-04	.811	1.37e-05	3.69e-03
DISTAL_L_109.nii.gz	1.54	1.97e-04	-5.36e-05	4.48e-04	.271	1.11e-04	1.06e-02
DISTAL_L_110.nii.gz	0.08	4.11e-06	-1.02e-04	1.10e-04	1.00	2.73e-07	5.22e-04
DISTAL_L_111.nii.gz	1.31	9.26e-05	-4.62e-05	2.31e-04	.263	8.02e-05	8.96e-03
DISTAL_L_112.nii.gz	0.87	5.02e-05	-6.31e-05	1.64e-04	.470	3.54e-05	5.95e-03
DISTAL_L_118.nii.gz	0.40	2.70e-05	-1.06e-04	1.60e-04	.843	7.46e-06	2.73e-03
DISTAL_L_14.nii.gz	-0.68	-4.27e-05	-1.66e-04	8.03e-05	.682	2.17e-05	4.66e-03
DISTAL_L_16.nii.gz	1.21	2.20e-04	-1.37e-04	5.76e-04	.267	6.83e-05	8.27e-03
DISTAL_L_2.nii.gz	0.50	2.71e-05	-7.97e-05	1.34e-04	.681	1.16e-05	3.40e-03
DISTAL_L_24.nii.gz	-0.66	-5.29e-05	-2.11e-04	1.05e-04	.626	2.01e-05	4.49e-03
DISTAL_L_26.nii.gz	-0.11	-7.02e-06	-1.37e-04	1.23e-04	1.00	5.25e-07	7.24e-04
DISTAL_L_28.nii.gz	1.29	1.88e-04	-9.73e-05	4.73e-04	.241	7.82e-05	8.84e-03
DISTAL_L_29.nii.gz	0.69	1.00e-04	-1.82e-04	3.83e-04	.670	2.26e-05	4.76e-03
<b>DISTAL_L_35.nii.gz</b>	<b>2.33</b>	<b>3.64e-04</b>	<b>5.83e-05</b>	<b>6.69e-04</b>	<b>.027</b>	<b>2.56e-04</b>	<b>1.60e-02</b>
DISTAL_L_36.nii.gz	0.17	9.27e-06	-9.82e-05	1.17e-04	1.00	1.34e-06	1.16e-03
<b>DISTAL_L_37.nii.gz</b>	<b>2.65</b>	<b>2.59e-04</b>	<b>6.74e-05</b>	<b>4.51e-04</b>	<b>.013</b>	<b>3.29e-04</b>	<b>1.81e-02</b>
DISTAL_L_4.nii.gz	0.77	4.59e-05	-7.03e-05	1.62e-04	.508	2.82e-05	5.31e-03
DISTAL_L_40.nii.gz	-0.05	-4.25e-06	-1.79e-04	1.71e-04	1.00	1.06e-07	3.26e-04
DISTAL_L_47.nii.gz	-0.89	-7.85e-05	-2.52e-04	9.47e-05	.588	3.70e-05	6.08e-03
DISTAL_L_49.nii.gz	0.62	3.82e-05	-8.25e-05	1.59e-04	.654	1.80e-05	4.25e-03
DISTAL_L_6.nii.gz	-0.83	-4.79e-05	-1.62e-04	6.57e-05	.450	3.20e-05	5.66e-03
DISTAL_L_60.nii.gz	0.55	3.58e-05	-9.16e-05	1.63e-04	.914	1.42e-05	3.77e-03



Table S17

*ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial**Diffusivity (AD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
DISTAL_L_63.nii.gz	-0.20	-2.28e-05	-2.46e-04	2.01e-04	.925	1.88e-06	1.37e-03
DISTAL_L_68.nii.gz	-0.14	-1.31e-05	-1.95e-04	1.69e-04	.977	9.30e-07	9.64e-04
DISTAL_L_7.nii.gz	1.09	1.11e-04	-8.82e-05	3.10e-04	.504	5.59e-05	7.48e-03
DISTAL_L_70.nii.gz	-0.10	-8.72e-06	-1.78e-04	1.61e-04	1.00	4.76e-07	6.90e-04
DISTAL_L_76.nii.gz	0.67	4.98e-05	-9.57e-05	1.95e-04	.690	2.11e-05	4.60e-03
DISTAL_L_8.nii.gz	-0.79	-4.79e-05	-1.66e-04	7.02e-05	.470	2.96e-05	5.44e-03
DISTAL_L_86.nii.gz	0.59	4.18e-05	-9.67e-05	1.80e-04	.693	1.64e-05	4.06e-03
DISTAL_L_87.nii.gz	0.61	4.25e-05	-9.37e-05	1.79e-04	.753	1.75e-05	4.19e-03
DISTAL_L_89.nii.gz	-0.34	-2.46e-05	-1.69e-04	1.19e-04	.901	5.28e-06	2.30e-03
DISTAL_L_91.nii.gz	1.09	7.05e-05	-5.65e-05	1.97e-04	.338	5.56e-05	7.45e-03
DISTAL_L_92.nii.gz	1.04	5.75e-05	-5.07e-05	1.66e-04	.328	5.08e-05	7.13e-03
DISTAL_L_93.nii.gz	1.31	7.91e-05	-3.89e-05	1.97e-04	.260	8.10e-05	9.00e-03
DISTAL_L_94.nii.gz	0.39	2.38e-05	-9.55e-05	1.43e-04	.842	7.19e-06	2.68e-03
DISTAL_L_97.nii.gz	0.43	2.58e-05	-9.20e-05	1.44e-04	.918	8.64e-06	2.94e-03
<b>DISTAL_L_98.nii.gz</b>	<b>2.23</b>	<b>1.31e-04</b>	<b>1.58e-05</b>	<b>2.46e-04</b>	<b>.041</b>	<b>2.33e-04</b>	<b>1.53e-02</b>
DISTAL_L_GPe.nii.gz	-0.12	-8.63e-06	-1.53e-04	1.36e-04	1.00	6.41e-07	8.01e-04
DISTAL_L_GPi_sensorimotor.nii.gz	-0.40	-2.37e-05	-1.39e-04	9.20e-05	.946	7.56e-06	2.75e-03
DISTAL_L_GPi.nii.gz	-0.39	-3.14e-05	-1.89e-04	1.26e-04	.773	7.16e-06	2.68e-03
DISTAL_L_RN.nii.gz	-0.82	-6.75e-05	-2.28e-04	9.33e-05	.645	3.18e-05	5.64e-03
DISTAL_L_STN_associative.nii.gz	-1.01	-1.09e-04	-3.21e-04	1.02e-04	.428	4.81e-05	6.94e-03
DISTAL_L_STN_limbic.nii.gz	-0.71	-8.39e-05	-3.14e-04	1.47e-04	.654	2.39e-05	4.89e-03
DISTAL_L_STN_motor.nii.gz	-1.05	-9.51e-05	-2.73e-04	8.31e-05	.447	5.13e-05	7.16e-03
DISTAL_L_STN.nii.gz	-1.13	-1.17e-04	-3.19e-04	8.52e-05	.461	6.03e-05	7.77e-03

Table S17

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial Diffusivity (AD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
DISTAL_R_1.nii.gz	0.68	4.49e-05	-8.47e-05	1.75e-04	.547	2.17e-05	4.65e-03
DISTAL_R_100.nii.gz	1.67	1.24e-04	-2.16e-05	2.70e-04	.116	1.31e-04	1.14e-02
DISTAL_R_101.nii.gz	1.85	1.35e-04	-7.72e-06	2.78e-04	.088	1.61e-04	1.27e-02
DISTAL_R_105.nii.gz	0.71	7.23e-05	-1.28e-04	2.73e-04	.527	2.35e-05	4.85e-03
DISTAL_R_106.nii.gz	0.80	6.69e-05	-9.66e-05	2.30e-04	.581	3.02e-05	5.49e-03
DISTAL_R_107.nii.gz	0.37	2.62e-05	-1.13e-04	1.65e-04	.871	6.37e-06	2.52e-03
DISTAL_R_108.nii.gz	0.35	3.46e-05	-1.62e-04	2.31e-04	1.00	5.60e-06	2.37e-03
DISTAL_R_109.nii.gz	1.59	2.04e-04	-4.75e-05	4.55e-04	.246	1.19e-04	1.09e-02
DISTAL_R_110.nii.gz	0.16	8.81e-06	-9.59e-05	1.13e-04	.956	1.28e-06	1.13e-03
DISTAL_R_111.nii.gz	1.71	1.41e-04	-2.02e-05	3.02e-04	.106	1.38e-04	1.17e-02
DISTAL_R_112.nii.gz	0.80	4.64e-05	-6.80e-05	1.61e-04	.577	2.97e-05	5.45e-03
DISTAL_R_118.nii.gz	-0.29	-2.03e-05	-1.58e-04	1.17e-04	.850	3.91e-06	1.98e-03
DISTAL_R_13.nii.gz	-1.02	-1.20e-04	-3.51e-04	1.11e-04	.485	4.87e-05	6.98e-03
DISTAL_R_14.nii.gz	-1.12	-6.97e-05	-1.91e-04	5.18e-05	.319	5.93e-05	7.70e-03
DISTAL_R_16.nii.gz	1.67	2.86e-04	-5.01e-05	6.22e-04	.150	1.30e-04	1.14e-02
DISTAL_R_2.nii.gz	0.10	5.07e-06	-9.73e-05	1.07e-04	1.00	4.42e-07	6.65e-04
DISTAL_R_24.nii.gz	-0.36	-2.69e-05	-1.74e-04	1.21e-04	.920	5.98e-06	2.45e-03
DISTAL_R_26.nii.gz	0.30	2.03e-05	-1.11e-04	1.52e-04	.839	4.28e-06	2.07e-03
DISTAL_R_28.nii.gz	1.04	1.50e-04	-1.34e-04	4.34e-04	.330	5.03e-05	7.10e-03
DISTAL_R_29.nii.gz	0.43	6.11e-05	-2.18e-04	3.40e-04	.735	8.63e-06	2.94e-03
DISTAL_R_35.nii.gz	1.38	2.10e-04	-8.76e-05	5.08e-04	.203	8.98e-05	9.48e-03
DISTAL_R_36.nii.gz	0.87	4.96e-05	-6.18e-05	1.61e-04	.421	3.57e-05	5.98e-03
DISTAL_R_37.nii.gz	1.61	1.59e-04	-3.45e-05	3.53e-04	.131	1.22e-04	1.10e-02

Table S17

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial Diffusivity (AD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
DISTAL_R_4.nii.gz	0.86	5.14e-05	-6.57e-05	1.68e-04	.429	3.47e-05	5.89e-03
DISTAL_R_40.nii.gz	-1.11	-1.02e-04	-2.82e-04	7.85e-05	.369	5.75e-05	7.59e-03
DISTAL_R_47.nii.gz	-1.51	-1.28e-04	-2.95e-04	3.85e-05	.207	1.07e-04	1.03e-02
DISTAL_R_49.nii.gz	0.79	4.91e-05	-7.30e-05	1.71e-04	.526	2.92e-05	5.40e-03
DISTAL_R_6.nii.gz	-0.55	-3.16e-05	-1.43e-04	8.02e-05	.638	1.44e-05	3.79e-03
DISTAL_R_60.nii.gz	0.78	5.29e-05	-8.05e-05	1.86e-04	.534	2.84e-05	5.33e-03
DISTAL_R_63.nii.gz	-0.11	-1.21e-05	-2.20e-04	1.96e-04	1.00	6.12e-07	7.83e-04
DISTAL_R_68.nii.gz	-0.32	-3.09e-05	-2.18e-04	1.56e-04	.821	4.90e-06	2.21e-03
DISTAL_R_7.nii.gz	0.60	6.24e-05	-1.41e-04	2.66e-04	.753	1.70e-05	4.12e-03
DISTAL_R_70.nii.gz	0.40	3.11e-05	-1.21e-04	1.83e-04	.757	7.57e-06	2.75e-03
DISTAL_R_76.nii.gz	1.63	1.11e-04	-2.22e-05	2.43e-04	.161	1.25e-04	1.12e-02
DISTAL_R_8.nii.gz	-0.83	-4.80e-05	-1.62e-04	6.57e-05	.499	3.21e-05	5.66e-03
DISTAL_R_86.nii.gz	0.60	4.54e-05	-1.03e-04	1.94e-04	.670	1.69e-05	4.11e-03
DISTAL_R_87.nii.gz	0.51	3.74e-05	-1.06e-04	1.81e-04	.744	1.23e-05	3.51e-03
DISTAL_R_89.nii.gz	0.26	1.97e-05	-1.26e-04	1.66e-04	.871	3.28e-06	1.81e-03
DISTAL_R_91.nii.gz	0.42	2.77e-05	-1.03e-04	1.58e-04	.827	8.15e-06	2.85e-03
DISTAL_R_92.nii.gz	0.50	2.86e-05	-8.29e-05	1.40e-04	.676	1.19e-05	3.45e-03
DISTAL_R_93.nii.gz	1.19	7.41e-05	-4.82e-05	1.96e-04	.259	6.61e-05	8.13e-03
DISTAL_R_94.nii.gz	-0.24	-1.46e-05	-1.35e-04	1.06e-04	.993	2.63e-06	1.62e-03
DISTAL_R_97.nii.gz	0.50	3.01e-05	-8.71e-05	1.47e-04	.676	1.19e-05	3.45e-03
DISTAL_R_GPe.nii.gz	0.31	2.23e-05	-1.21e-04	1.66e-04	.836	4.37e-06	2.09e-03
DISTAL_R_GPi_sensorimotor.nii.gz	-1.02	-6.13e-05	-1.80e-04	5.70e-05	.392	4.84e-05	6.96e-03
DISTAL_R_GPi.nii.gz	-0.59	-4.80e-05	-2.07e-04	1.11e-04	.608	1.65e-05	4.07e-03

Table S17

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial Diffusivity (AD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
DISTAL_R_RN.nii.gz	-0.15	-1.29e-05	-1.81e-04	1.55e-04	.968	1.07e-06	1.04e-03
DISTAL_R_STN_associative.nii.gz	-0.95	-1.06e-04	-3.24e-04	1.12e-04	.537	4.24e-05	6.51e-03
<b>DISTAL_R_STN_limbic.nii.gz</b>	<b>-2.40</b>	<b>-2.80e-04</b>	<b>-5.09e-04</b>	<b>-5.13e-05</b>	<b>.045</b>	<b>2.70e-04</b>	<b>1.64e-02</b>
DISTAL_R_STN_motor.nii.gz	-1.07	-1.05e-04	-2.99e-04	8.82e-05	.450	5.33e-05	7.30e-03
DISTAL_R_STN.nii.gz	-1.14	-1.22e-04	-3.32e-04	8.72e-05	.347	6.15e-05	7.84e-03
Human_Motor_Thalamus_L_A.nii.gz	1.42	1.93e-04	-7.43e-05	4.60e-04	.192	9.40e-05	9.70e-03
Human_Motor_Thalamus_L_acbcbssc.nii.gz	-0.25	-1.66e-05	-1.49e-04	1.16e-04	1.00	2.83e-06	1.68e-03
Human_Motor_Thalamus_L_alfrfxmtpc.nii.gz	1.72	1.75e-04	-2.47e-05	3.74e-04	.095	1.38e-04	1.18e-02
Human_Motor_Thalamus_L_BasalForebrain.nii.gz	0.29	2.22e-05	-1.28e-04	1.72e-04	.849	3.94e-06	1.99e-03
Human_Motor_Thalamus_L_CdPutVSt.nii.gz	0.82	5.13e-05	-7.10e-05	1.74e-04	.452	3.17e-05	5.63e-03
Human_Motor_Thalamus_L_CMPf.nii.gz	0.75	4.61e-05	-7.47e-05	1.67e-04	.555	2.63e-05	5.12e-03
Human_Motor_Thalamus_L_eml.nii.gz	0.10	9.15e-06	-1.62e-04	1.80e-04	1.00	5.17e-07	7.19e-04
Human_Motor_Thalamus_L_GPl.nii.gz	-0.22	-1.46e-05	-1.47e-04	1.18e-04	.912	2.18e-06	1.48e-03
Human_Motor_Thalamus_L_GPm.nii.gz	-0.36	-2.54e-05	-1.64e-04	1.13e-04	.791	6.05e-06	2.46e-03
<b>Human_Motor_Thalamus_L_Hbl.nii.gz</b>	<b>2.27</b>	<b>4.33e-04</b>	<b>5.88e-05</b>	<b>8.07e-04</b>	<b>.037</b>	<b>2.41e-04</b>	<b>1.55e-02</b>
Human_Motor_Thalamus_L_Hypothalamus.nii.gz	0.88	7.79e-05	-9.49e-05	2.51e-04	.519	3.66e-05	6.05e-03
Human_Motor_Thalamus_L_ic.nii.gz	1.19	8.81e-05	-5.73e-05	2.34e-04	.418	6.62e-05	8.13e-03
<b>Human_Motor_Thalamus_L_LD.nii.gz</b>	<b>2.66</b>	<b>4.50e-04</b>	<b>1.19e-04</b>	<b>7.82e-04</b>	<b>.012</b>	<b>3.32e-04</b>	<b>1.82e-02</b>
Human_Motor_Thalamus_L_LG.nii.gz	0.57	4.41e-05	-1.09e-04	1.97e-04	.699	1.50e-05	3.87e-03
Human_Motor_Thalamus_L_Li.nii.gz	0.83	5.78e-05	-7.94e-05	1.95e-04	.450	3.20e-05	5.65e-03
Human_Motor_Thalamus_L_M.nii.gz	0.20	1.89e-05	-1.65e-04	2.02e-04	.927	1.90e-06	1.38e-03
Human_Motor_Thalamus_L_MB.nii.gz	0.91	1.46e-04	-1.69e-04	4.61e-04	.500	3.87e-05	6.22e-03
Human_Motor_Thalamus_L_MD.nii.gz	2.10	1.64e-04	1.08e-05	3.17e-04	.056	2.07e-04	1.44e-02

Table S17

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial Diffusivity (AD)*

Tract	$t$	$\beta$	CI_low	CI_up	$p$	Eta2	Cohens_f
Human_Motor_Thalamus_L_MDCL.nii.gz	2.02	1.22e-04	3.80e-06	2.40e-04	.059	1.92e-04	1.39e-02
Human_Motor_Thalamus_L_MG.nii.gz	0.14	1.32e-05	-1.77e-04	2.03e-04	1.00	8.63e-07	9.29e-04
Human_Motor_Thalamus_L_MI.nii.gz	-0.40	-5.59e-05	-3.30e-04	2.18e-04	.758	7.52e-06	2.74e-03
Human_Motor_Thalamus_L_Midbrain.nii.gz	0.66	4.01e-05	-7.86e-05	1.59e-04	.590	2.06e-05	4.54e-03
Human_Motor_Thalamus_L_ot.nii.gz	-0.13	-1.05e-05	-1.65e-04	1.44e-04	1.00	8.30e-07	9.11e-04
Human_Motor_Thalamus_L_Po.nii.gz	0.35	2.85e-05	-1.29e-04	1.86e-04	.935	5.91e-06	2.43e-03
Human_Motor_Thalamus_L_PPN.nii.gz	0.66	6.64e-05	-1.30e-04	2.63e-04	.559	2.06e-05	4.53e-03
Human_Motor_Thalamus_L_Pul.nii.gz	1.00	6.52e-05	-6.33e-05	1.94e-04	.352	4.65e-05	6.82e-03
Human_Motor_Thalamus_L_R.nii.gz	-0.91	-7.31e-05	-2.30e-04	8.40e-05	.569	3.90e-05	6.24e-03
Human_Motor_Thalamus_L_Rt.nii.gz	-0.47	-2.74e-05	-1.42e-04	8.73e-05	.704	1.03e-05	3.21e-03
Human_Motor_Thalamus_L_SN.nii.gz	-0.80	-6.81e-05	-2.35e-04	9.87e-05	.553	3.00e-05	5.48e-03
Human_Motor_Thalamus_L_STN.nii.gz	-1.13	-1.10e-04	-3.03e-04	8.19e-05	.409	5.94e-05	7.71e-03
Human_Motor_Thalamus_L_VAn.nii.gz	-0.83	-6.39e-05	-2.16e-04	8.78e-05	.500	3.20e-05	5.66e-03
Human_Motor_Thalamus_L_VAp.nii.gz	-0.09	-5.32e-06	-1.27e-04	1.17e-04	1.00	3.44e-07	5.86e-04
Human_Motor_Thalamus_L_VLdVLv.nii.gz	0.78	4.17e-05	-6.27e-05	1.46e-04	.477	2.88e-05	5.36e-03
Human_Motor_Thalamus_L_VPi.nii.gz	-0.19	-1.40e-05	-1.60e-04	1.32e-04	.936	1.66e-06	1.29e-03
Human_Motor_Thalamus_L_VPIVpm.nii.gz	0.40	2.46e-05	-9.59e-05	1.45e-04	.758	7.52e-06	2.74e-03
Human_Motor_Thalamus_R_A.nii.gz	1.11	1.47e-04	-1.12e-04	4.07e-04	.293	5.79e-05	7.61e-03
Human_Motor_Thalamus_R_acbcbasc.nii.gz	-0.49	-3.29e-05	-1.64e-04	9.80e-05	.761	1.14e-05	3.37e-03
Human_Motor_Thalamus_R_alfrfxmtpc.nii.gz	1.34	1.50e-04	-6.94e-05	3.69e-04	.199	8.42e-05	9.17e-03
Human_Motor_Thalamus_R_BasalForebrain.nii.gz	0.20	1.59e-05	-1.37e-04	1.68e-04	.922	1.95e-06	1.40e-03
Human_Motor_Thalamus_R_CdPutVSt.nii.gz	0.81	5.35e-05	-7.57e-05	1.83e-04	.459	3.09e-05	5.56e-03
Human_Motor_Thalamus_R_CMPf.nii.gz	0.68	4.30e-05	-8.08e-05	1.67e-04	.606	2.18e-05	4.66e-03

Table S17

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial Diffusivity (AD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Human_Motor_Thalamus_R_Connectivetissue.nii.g	0.87	1.34e-04	-1.69e-04	4.37e-04	.530	3.53e-05	5.94e-03
z							
Human_Motor_Thalamus_R_eml.nii.gz	-0.20	-1.91e-05	-2.10e-04	1.72e-04	.929	1.80e-06	1.34e-03
Human_Motor_Thalamus_R_GPI.nii.gz	0.23	1.49e-05	-1.14e-04	1.43e-04	.902	2.42e-06	1.56e-03
Human_Motor_Thalamus_R_GPm.nii.gz	-0.69	-5.00e-05	-1.92e-04	9.17e-05	.538	2.24e-05	4.74e-03
Human_Motor_Thalamus_R_Hbl.nii.gz	1.70	3.05e-04	-4.74e-05	6.57e-04	.124	1.35e-04	1.16e-02
Human_Motor_Thalamus_R_Hypothalamus.nii.gz	0.43	3.74e-05	-1.34e-04	2.09e-04	.737	8.53e-06	2.92e-03
Human_Motor_Thalamus_R_ic.nii.gz	1.29	9.60e-05	-4.95e-05	2.41e-04	.284	7.85e-05	8.86e-03
<b>Human_Motor_Thalamus_R_LD.nii.gz</b>	<b>2.57</b>	<b>4.41e-04</b>	<b>1.05e-04</b>	<b>7.78e-04</b>	<b>.016</b>	<b>3.10e-04</b>	<b>1.76e-02</b>
Human_Motor_Thalamus_R_LG.nii.gz	1.48	1.22e-04	-3.89e-05	2.82e-04	.207	1.03e-04	1.02e-02
Human_Motor_Thalamus_R_Li.nii.gz	0.86	5.67e-05	-7.26e-05	1.86e-04	.429	3.47e-05	5.89e-03
Human_Motor_Thalamus_R_M.nii.gz	-0.77	-6.53e-05	-2.32e-04	1.02e-04	.538	2.76e-05	5.25e-03
Human_Motor_Thalamus_R_MB.nii.gz	1.22	1.93e-04	-1.16e-04	5.01e-04	.339	7.03e-05	8.38e-03
Human_Motor_Thalamus_R_MD.nii.gz	1.17	9.52e-05	-6.49e-05	2.55e-04	.268	6.37e-05	7.98e-03
<b>Human_Motor_Thalamus_R_MDCL.nii.gz</b>	<b>2.11</b>	<b>1.29e-04</b>	<b>8.97e-06</b>	<b>2.49e-04</b>	<b>.048</b>	<b>2.08e-04</b>	<b>1.44e-02</b>
Human_Motor_Thalamus_R_MG.nii.gz	-0.06	-6.13e-06	-1.95e-04	1.83e-04	1.00	1.90e-07	4.35e-04
Human_Motor_Thalamus_R_MGC.nii.gz	0.11	8.74e-06	-1.45e-04	1.63e-04	1.00	5.80e-07	7.62e-04
Human_Motor_Thalamus_R_MI.nii.gz	-0.81	-1.37e-04	-4.69e-04	1.96e-04	.462	3.05e-05	5.52e-03
Human_Motor_Thalamus_R_Midbrain.nii.gz	0.44	2.65e-05	-9.27e-05	1.46e-04	.729	8.90e-06	2.98e-03
Human_Motor_Thalamus_R_ot.nii.gz	1.11	1.32e-04	-1.01e-04	3.65e-04	.492	5.75e-05	7.58e-03
Human_Motor_Thalamus_R_PC.nii.gz	1.43	1.27e-04	-4.74e-05	3.02e-04	.188	9.56e-05	9.78e-03
Human_Motor_Thalamus_R_Po.nii.gz	1.17	9.23e-05	-6.16e-05	2.46e-04	.443	6.48e-05	8.05e-03
Human_Motor_Thalamus_R_PPN.nii.gz	-0.35	-2.77e-05	-1.85e-04	1.30e-04	.899	5.59e-06	2.36e-03

Table S17

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial**Diffusivity (AD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Human_Motor_Thalamus_R_Pul.nii.gz	0.87	5.83e-05	-7.23e-05	1.89e-04	.467	3.59e-05	5.99e-03
Human_Motor_Thalamus_R_R.nii.gz	-0.20	-1.67e-05	-1.79e-04	1.46e-04	.924	1.92e-06	1.38e-03
Human_Motor_Thalamus_R_Rt.nii.gz	-0.02	-8.63e-07	-1.09e-04	1.07e-04	1.00	1.15e-08	1.07e-04
Human_Motor_Thalamus_R_SN.nii.gz	-1.52	-1.24e-04	-2.84e-04	3.58e-05	.201	1.09e-04	1.04e-02
Human_Motor_Thalamus_R_STN.nii.gz	-1.26	-1.25e-04	-3.20e-04	6.99e-05	.327	7.43e-05	8.62e-03
Human_Motor_Thalamus_R_VAn.nii.gz	-0.27	-2.06e-05	-1.69e-04	1.28e-04	.864	3.49e-06	1.87e-03
Human_Motor_Thalamus_R_VAp.nii.gz	0.19	1.23e-05	-1.12e-04	1.37e-04	.931	1.77e-06	1.33e-03
Human_Motor_Thalamus_R_VLdVLv.nii.gz	0.89	4.87e-05	-5.85e-05	1.56e-04	.411	3.72e-05	6.10e-03
Human_Motor_Thalamus_R_VPi.nii.gz	-0.43	-3.17e-05	-1.77e-04	1.13e-04	.816	8.64e-06	2.94e-03
Human_Motor_Thalamus_R_VPIVPm.nii.gz	-0.16	-9.60e-06	-1.30e-04	1.11e-04	.963	1.15e-06	1.07e-03
HybraPD_Atlas_L_Ca.nii.gz	0.57	4.97e-05	-1.20e-04	2.19e-04	.622	1.55e-05	3.94e-03
HybraPD_Atlas_L_DN.nii.gz	-0.24	-1.71e-05	-1.56e-04	1.21e-04	.889	2.75e-06	1.66e-03
HybraPD_Atlas_L_GPe.nii.gz	0.11	8.54e-06	-1.46e-04	1.63e-04	1.00	5.53e-07	7.43e-04
HybraPD_Atlas_L_GPi.nii.gz	-0.32	-2.51e-05	-1.79e-04	1.29e-04	.916	4.79e-06	2.19e-03
HybraPD_Atlas_L_NAC.nii.gz	-0.85	-7.20e-05	-2.39e-04	9.47e-05	.546	3.36e-05	5.80e-03
HybraPD_Atlas_L_Pu.nii.gz	0.65	3.60e-05	-7.29e-05	1.45e-04	.711	1.97e-05	4.43e-03
HybraPD_Atlas_L_RN.nii.gz	-0.68	-5.84e-05	-2.26e-04	1.09e-04	.623	2.20e-05	4.69e-03
HybraPD_Atlas_L_TH.MN.nii.gz	1.34	8.12e-05	-3.78e-05	2.00e-04	.249	8.39e-05	9.16e-03
HybraPD_Atlas_L_TH.P.nii.gz	-0.26	-1.77e-05	-1.52e-04	1.17e-04	.876	3.13e-06	1.77e-03
HybraPD_Atlas_L_TH.VN.nii.gz	0.62	3.24e-05	-7.02e-05	1.35e-04	.590	1.79e-05	4.24e-03
HybraPD_Atlas_R_Ca.nii.gz	0.32	3.20e-05	-1.66e-04	2.30e-04	.826	4.72e-06	2.17e-03
HybraPD_Atlas_R_DN.nii.gz	0.01	7.94e-07	-1.44e-04	1.45e-04	1.00	5.46e-09	7.39e-05
HybraPD_Atlas_R_GPe.nii.gz	0.82	6.20e-05	-8.52e-05	2.09e-04	.500	3.19e-05	5.65e-03

Table S17

*ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial Diffusivity (AD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
HybraPD_Atlas_R_GPi.nii.gz	-0.56	-4.29e-05	-1.93e-04	1.08e-04	.634	1.46e-05	3.83e-03
HybraPD_Atlas_R_NAC.nii.gz	-0.53	-4.46e-05	-2.08e-04	1.19e-04	.932	1.34e-05	3.66e-03
HybraPD_Atlas_R_Pu.nii.gz	0.34	1.89e-05	-8.99e-05	1.28e-04	.807	5.44e-06	2.33e-03
HybraPD_Atlas_R_RN.nii.gz	0.22	1.96e-05	-1.56e-04	1.95e-04	.909	2.25e-06	1.50e-03
HybraPD_Atlas_R_TH.MN.nii.gz	0.84	5.38e-05	-7.16e-05	1.79e-04	.489	3.32e-05	5.76e-03
HybraPD_Atlas_R_TH.P.nii.gz	-0.41	-3.03e-05	-1.76e-04	1.16e-04	.836	7.78e-06	2.79e-03
HybraPD_Atlas_R_TH.VN.nii.gz	0.42	2.29e-05	-8.32e-05	1.29e-04	.740	8.39e-06	2.90e-03
Melbourne_Subcortex_Atlas_LH_aCAU.nii.gz	1.21	1.29e-04	-7.93e-05	3.37e-04	.275	6.91e-05	8.31e-03
Melbourne_Subcortex_Atlas_LH_aGP.nii.gz	-0.48	-3.78e-05	-1.91e-04	1.15e-04	.692	1.10e-05	3.31e-03
Melbourne_Subcortex_Atlas_LH_aHIP.nii.gz	0.01	7.71e-07	-1.26e-04	1.28e-04	1.00	6.64e-09	8.15e-05
Melbourne_Subcortex_Atlas_LH_AMY.nii.gz	-0.25	-1.54e-05	-1.36e-04	1.05e-04	.883	2.92e-06	1.71e-03
Melbourne_Subcortex_Atlas_LH_aPUT.nii.gz	0.40	2.18e-05	-8.56e-05	1.29e-04	.760	7.43e-06	2.73e-03
Melbourne_Subcortex_Atlas_LH_aTHA.nii.gz	1.95	1.54e-04	-1.16e-06	3.08e-04	.071	1.77e-04	1.33e-02
Melbourne_Subcortex_Atlas_LH_CAU-body.nii.gz	1.30	1.49e-04	-7.61e-05	3.74e-04	.238	7.89e-05	8.88e-03
Melbourne_Subcortex_Atlas_LH_CAU-DA.nii.gz	1.34	1.63e-04	-7.63e-05	4.02e-04	.200	8.37e-05	9.15e-03
Melbourne_Subcortex_Atlas_LH_CAU-tail.nii.gz	1.55	1.80e-04	-4.79e-05	4.09e-04	.134	1.12e-04	1.06e-02
Melbourne_Subcortex_Atlas_LH_CAU-VA.nii.gz	0.94	9.59e-05	-1.03e-04	2.95e-04	.379	4.19e-05	6.47e-03
Melbourne_Subcortex_Atlas_LH_CAU.nii.gz	1.31	1.39e-04	-6.94e-05	3.48e-04	.233	8.03e-05	8.96e-03
Melbourne_Subcortex_Atlas_LH_GP.nii.gz	-0.40	-2.62e-05	-1.54e-04	1.01e-04	.765	7.61e-06	2.76e-03
Melbourne_Subcortex_Atlas_LH_HIP-body.nii.gz	1.32	1.04e-04	-5.00e-05	2.58e-04	.227	8.22e-05	9.07e-03
Melbourne_Subcortex_Atlas_LH_HIP-head-l.nii.gz	0.31	2.00e-05	-1.08e-04	1.48e-04	.836	4.37e-06	2.09e-03
Melbourne_Subcortex_Atlas_LH_HIP-head- m.nii.gz	-0.41	-3.35e-05	-1.92e-04	1.25e-04	.748	8.00e-06	2.83e-03



Table S17

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial**Diffusivity (AD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Melbourne_Subcortex_Atlas_LH_HIP-head-m1.nii.gz	-0.40	-3.03e-05	-1.78e-04	1.17e-04	.756	7.62e-06	2.76e-03
Melbourne_Subcortex_Atlas_LH_HIP-head-m2.nii.gz	-0.27	-2.66e-05	-2.20e-04	1.67e-04	.867	3.39e-06	1.84e-03
<b>Melbourne_Subcortex_Atlas_LH_HIP-tail.nii.gz</b>	<b>2.38</b>	<b>2.14e-04</b>	<b>3.77e-05</b>	<b>3.90e-04</b>	<b>.024</b>	<b>2.66e-04</b>	<b>1.63e-02</b>
Melbourne_Subcortex_Atlas_LH_HIP.nii.gz	0.93	6.10e-05	-6.70e-05	1.89e-04	.428	4.10e-05	6.40e-03
Melbourne_Subcortex_Atlas_LH_IAMY.nii.gz	-0.66	-3.55e-05	-1.41e-04	6.95e-05	.621	2.06e-05	4.54e-03
Melbourne_Subcortex_Atlas_LH_mAMY.nii.gz	0.12	9.20e-06	-1.41e-04	1.59e-04	.995	6.76e-07	8.22e-04
Melbourne_Subcortex_Atlas_LH_NAc-core.nii.gz	0.64	5.73e-05	-1.18e-04	2.33e-04	.575	1.92e-05	4.38e-03
Melbourne_Subcortex_Atlas_LH_NAc-shell.nii.gz	-0.16	-1.11e-05	-1.48e-04	1.26e-04	.961	1.19e-06	1.09e-03
Melbourne_Subcortex_Atlas_LH_NAc.nii.gz	0.27	1.88e-05	-1.20e-04	1.58e-04	.870	3.31e-06	1.82e-03
Melbourne_Subcortex_Atlas_LH_pCAU.nii.gz	1.39	1.58e-04	-6.55e-05	3.82e-04	.203	9.01e-05	9.49e-03
Melbourne_Subcortex_Atlas_LH_pGP.nii.gz	-0.21	-1.21e-05	-1.26e-04	1.01e-04	.956	2.05e-06	1.43e-03
Melbourne_Subcortex_Atlas_LH_pHIP.nii.gz	1.79	1.41e-04	-1.36e-05	2.95e-04	.090	1.50e-04	1.22e-02
Melbourne_Subcortex_Atlas_LH_pPUT.nii.gz	0.17	8.81e-06	-9.49e-05	1.13e-04	.955	1.30e-06	1.14e-03
Melbourne_Subcortex_Atlas_LH_pTHA.nii.gz	1.03	6.60e-05	-5.95e-05	1.91e-04	.416	4.99e-05	7.06e-03
Melbourne_Subcortex_Atlas_LH_PUT-DA.nii.gz	0.46	2.59e-05	-8.34e-05	1.35e-04	.785	1.01e-05	3.18e-03
Melbourne_Subcortex_Atlas_LH_PUT-DP.nii.gz	0.76	4.10e-05	-6.46e-05	1.47e-04	.491	2.72e-05	5.21e-03
Melbourne_Subcortex_Atlas_LH_PUT-VA.nii.gz	0.28	1.60e-05	-9.55e-05	1.27e-04	.857	3.69e-06	1.92e-03
Melbourne_Subcortex_Atlas_LH_PUT-VP.nii.gz	-0.43	-2.37e-05	-1.33e-04	8.53e-05	.819	8.54e-06	2.92e-03
Melbourne_Subcortex_Atlas_LH_PUT.nii.gz	0.29	1.48e-05	-8.61e-05	1.16e-04	.852	3.86e-06	1.97e-03
<b>Melbourne_Subcortex_Atlas_LH_THA-DA.nii.gz</b>	<b>2.80</b>	<b>2.47e-04</b>	<b>7.44e-05</b>	<b>4.20e-04</b>	<b>.007</b>	<b>3.68e-04</b>	<b>1.92e-02</b>
Melbourne_Subcortex_Atlas_LH_THA-DAL.nii.gz	2.03	1.18e-04	4.20e-06	2.33e-04	.052	1.94e-04	1.39e-02

Table S17

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial Diffusivity (AD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
<b>Melbourne_Subcortex_Atlas_LH_THA-DAm.nii.gz</b>	<b>2.85</b>	<b>3.53e-04</b>	<b>1.10e-04</b>	<b>5.96e-04</b>	<b>.006</b>	<b>3.80e-04</b>	<b>1.95e-02</b>
Melbourne_Subcortex_Atlas_LH_THA-DP.nii.gz	0.75	5.73e-05	-9.18e-05	2.06e-04	.496	2.67e-05	5.16e-03
Melbourne_Subcortex_Atlas_LH_THA-VA.nii.gz	1.22	1.00e-04	-6.09e-05	2.61e-04	.272	6.98e-05	8.35e-03
Melbourne_Subcortex_Atlas_LH_THA-VAi.nii.gz	0.65	5.75e-05	-1.15e-04	2.30e-04	.627	2.01e-05	4.48e-03
Melbourne_Subcortex_Atlas_LH_THA-VAia.nii.gz	0.07	6.84e-06	-1.96e-04	2.10e-04	1.00	2.05e-07	4.53e-04
Melbourne_Subcortex_Atlas_LH_THA-VAip.nii.gz	1.14	9.00e-05	-6.48e-05	2.45e-04	.311	6.09e-05	7.80e-03
Melbourne_Subcortex_Atlas_LH_THA-VAs.nii.gz	2.01	1.69e-04	3.84e-06	3.33e-04	.055	1.89e-04	1.37e-02
Melbourne_Subcortex_Atlas_LH_THA-VP.nii.gz	1.33	7.69e-05	-3.61e-05	1.90e-04	.251	8.34e-05	9.13e-03
Melbourne_Subcortex_Atlas_LH_THA-VPl.nii.gz	0.76	4.40e-05	-6.93e-05	1.57e-04	.614	2.72e-05	5.21e-03
Melbourne_Subcortex_Atlas_LH_THA-VPm.nii.gz	1.64	1.05e-04	-2.05e-05	2.30e-04	.139	1.26e-04	1.12e-02
Melbourne_Subcortex_Atlas_RH_aCAU.nii.gz	0.34	2.84e-05	-1.36e-04	1.93e-04	.809	5.36e-06	2.32e-03
Melbourne_Subcortex_Atlas_RH_aGP.nii.gz	-0.18	-1.35e-05	-1.63e-04	1.36e-04	.969	1.45e-06	1.21e-03
Melbourne_Subcortex_Atlas_RH_aHIP.nii.gz	0.05	3.12e-06	-1.20e-04	1.26e-04	1.00	1.16e-07	3.41e-04
Melbourne_Subcortex_Atlas_RH_AMY.nii.gz	-0.20	-1.15e-05	-1.26e-04	1.03e-04	.929	1.80e-06	1.34e-03
Melbourne_Subcortex_Atlas_RH_aPUT.nii.gz	0.32	1.72e-05	-8.91e-05	1.23e-04	.826	4.72e-06	2.17e-03
Melbourne_Subcortex_Atlas_RH_aTHA.nii.gz	1.58	1.11e-04	-2.71e-05	2.50e-04	.127	1.16e-04	1.08e-02
Melbourne_Subcortex_Atlas_RH_CAU-body.nii.gz	0.54	4.43e-05	-1.18e-04	2.06e-04	.651	1.35e-05	3.67e-03
Melbourne_Subcortex_Atlas_RH_CAU-DA.nii.gz	0.28	2.83e-05	-1.71e-04	2.27e-04	.859	3.64e-06	1.91e-03
Melbourne_Subcortex_Atlas_RH_CAU-tail.nii.gz	0.39	2.96e-05	-1.19e-04	1.78e-04	.766	7.13e-06	2.67e-03
Melbourne_Subcortex_Atlas_RH_CAU-VA.nii.gz	0.40	2.90e-05	-1.12e-04	1.70e-04	.756	7.58e-06	2.75e-03
Melbourne_Subcortex_Atlas_RH_CAU.nii.gz	0.40	3.25e-05	-1.25e-04	1.90e-04	.754	7.68e-06	2.77e-03
Melbourne_Subcortex_Atlas_RH_GP.nii.gz	-0.11	-7.27e-06	-1.31e-04	1.17e-04	1.00	6.19e-07	7.87e-04

**Table S17**

***ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial Diffusivity (AD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Melbourne_Subcortex_Atlas_RH_HIP-body.nii.gz	1.28	1.00e-04	-5.31e-05	2.53e-04	.245	7.68e-05	8.76e-03
Melbourne_Subcortex_Atlas_RH_HIP-head-l.nii.gz	0.01	9.05e-07	-1.28e-04	1.30e-04	1.00	8.84e-09	9.40e-05
Melbourne_Subcortex_Atlas_RH_HIP-head-m.nii.gz	-0.11	-8.26e-06	-1.53e-04	1.36e-04	1.00	5.87e-07	7.66e-04
Melbourne_Subcortex_Atlas_RH_HIP-head-m1.nii.gz	-0.74	-5.15e-05	-1.88e-04	8.45e-05	.504	2.59e-05	5.09e-03
Melbourne_Subcortex_Atlas_RH_HIP-head-m2.nii.gz	0.73	6.97e-05	-1.16e-04	2.56e-04	.509	2.53e-05	5.03e-03
Melbourne_Subcortex_Atlas_RH_HIP-tail.nii.gz	1.29	1.11e-04	-5.76e-05	2.80e-04	.240	7.82e-05	8.85e-03
Melbourne_Subcortex_Atlas_RH_HIP.nii.gz	0.77	4.83e-05	-7.50e-05	1.72e-04	.541	2.77e-05	5.26e-03
Melbourne_Subcortex_Atlas_RH_IAMY.nii.gz	-0.84	-4.56e-05	-1.53e-04	6.13e-05	.493	3.28e-05	5.73e-03
Melbourne_Subcortex_Atlas_RH_mAMY.nii.gz	0.36	2.45e-05	-1.09e-04	1.58e-04	.791	6.06e-06	2.46e-03
Melbourne_Subcortex_Atlas_RH_NAc-core.nii.gz	-0.35	-2.49e-05	-1.66e-04	1.16e-04	.803	5.60e-06	2.37e-03
Melbourne_Subcortex_Atlas_RH_NAc-shell.nii.gz	-0.52	-3.55e-05	-1.69e-04	9.81e-05	.663	1.27e-05	3.57e-03
Melbourne_Subcortex_Atlas_RH_NAc.nii.gz	-0.48	-3.07e-05	-1.55e-04	9.36e-05	.691	1.10e-05	3.32e-03
Melbourne_Subcortex_Atlas_RH_pCAU.nii.gz	0.51	4.02e-05	-1.16e-04	1.96e-04	.674	1.20e-05	3.46e-03
Melbourne_Subcortex_Atlas_RH_pGP.nii.gz	-0.02	-8.48e-07	-1.10e-04	1.09e-04	1.00	1.08e-08	1.04e-04
Melbourne_Subcortex_Atlas_RH_pHIP.nii.gz	1.35	1.03e-04	-4.64e-05	2.52e-04	.211	8.55e-05	9.25e-03
Melbourne_Subcortex_Atlas_RH_pPUT.nii.gz	0.82	4.29e-05	-5.96e-05	1.45e-04	.453	3.15e-05	5.62e-03
Melbourne_Subcortex_Atlas_RH_pTHA.nii.gz	1.23	8.11e-05	-4.86e-05	2.11e-04	.269	7.05e-05	8.39e-03
Melbourne_Subcortex_Atlas_RH_PUT-DA.nii.gz	0.67	3.65e-05	-6.99e-05	1.43e-04	.551	2.12e-05	4.61e-03
Melbourne_Subcortex_Atlas_RH_PUT-DP.nii.gz	1.17	6.25e-05	-4.25e-05	1.68e-04	.268	6.39e-05	7.99e-03
Melbourne_Subcortex_Atlas_RH_PUT-VA.nii.gz	-0.03	-1.76e-06	-1.14e-04	1.11e-04	1.00	4.41e-08	2.10e-04

Table S17

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial Diffusivity (AD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Melbourne_Subcortex_Atlas_RH_PUT-VP.nii.gz	0.42	2.25e-05	-8.37e-05	1.29e-04	.829	8.09e-06	2.84e-03
Melbourne_Subcortex_Atlas_RH_PUT.nii.gz	0.61	3.10e-05	-6.92e-05	1.31e-04	.598	1.73e-05	4.16e-03
<b>Melbourne_Subcortex_Atlas_RH_THA- DA.nii.gz</b>	<b>2.56</b>	<b>2.15e-04</b>	<b>5.06e-05</b>	<b>3.79e-04</b>	<b>.014</b>	<b>3.08e-04</b>	<b>1.76e-02</b>
Melbourne_Subcortex_Atlas_RH_THA-DAL.nii.gz	1.70	9.89e-05	-1.48e-05	2.13e-04	.121	1.36e-04	1.17e-02
<b>Melbourne_Subcortex_Atlas_RH_THA- DAm.nii.gz</b>	<b>2.65</b>	<b>2.98e-04</b>	<b>7.79e-05</b>	<b>5.17e-04</b>	<b>.011</b>	<b>3.31e-04</b>	<b>1.82e-02</b>
Melbourne_Subcortex_Atlas_RH_THA-DP.nii.gz	1.62	1.31e-04	-2.72e-05	2.88e-04	.165	1.23e-04	1.11e-02
Melbourne_Subcortex_Atlas_RH_THA-VA.nii.gz	0.75	5.29e-05	-8.49e-05	1.91e-04	.497	2.66e-05	5.15e-03
Melbourne_Subcortex_Atlas_RH_THA-VAi.nii.gz	0.26	1.92e-05	-1.27e-04	1.65e-04	.877	3.09e-06	1.76e-03
Melbourne_Subcortex_Atlas_RH_THA-VAia.nii.gz	-0.47	-3.99e-05	-2.05e-04	1.25e-04	.699	1.05e-05	3.24e-03
Melbourne_Subcortex_Atlas_RH_THA-VAip.nii.gz	0.82	5.88e-05	-8.24e-05	2.00e-04	.456	3.13e-05	5.59e-03
Melbourne_Subcortex_Atlas_RH_THA-VAs.nii.gz	1.47	1.08e-04	-3.64e-05	2.52e-04	.157	1.01e-04	1.00e-02
Melbourne_Subcortex_Atlas_RH_THA-VP.nii.gz	0.62	3.57e-05	-7.80e-05	1.49e-04	.658	1.78e-05	4.21e-03
Melbourne_Subcortex_Atlas_RH_THA-VPI.nii.gz	0.04	2.17e-06	-1.14e-04	1.19e-04	1.00	6.25e-08	2.50e-04
Melbourne_Subcortex_Atlas_RH_THA-VPm.nii.gz	1.10	6.92e-05	-5.38e-05	1.92e-04	.330	5.70e-05	7.55e-03
MNI_PD25_subcortical_LH_amygdala.nii.gz	-0.92	-4.89e-05	-1.53e-04	5.53e-05	.437	3.97e-05	6.30e-03
MNI_PD25_subcortical_LH_caudate.nii.gz	1.03	9.03e-05	-8.20e-05	2.63e-04	.335	4.95e-05	7.03e-03
MNI_PD25_subcortical_LH_globus_pallidus_exter nus.nii.gz	-0.22	-1.38e-05	-1.34e-04	1.07e-04	.905	2.36e-06	1.54e-03
MNI_PD25_subcortical_LH_globus_pallidus_intern us.nii.gz	-0.43	-2.97e-05	-1.64e-04	1.05e-04	.732	8.77e-06	2.96e-03
MNI_PD25_subcortical_LH_hippocampus.nii.gz	1.20	7.63e-05	-4.82e-05	2.01e-04	.281	6.77e-05	8.23e-03

**Table S17**

***ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial Diffusivity (AD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
MNI_PD25_subcortical_LH_nucleus_accumbens.nii.gz	-0.44	-3.36e-05	-1.83e-04	1.16e-04	.726	9.06e-06	3.01e-03
MNI_PD25_subcortical_LH_putamen.nii.gz	0.49	2.48e-05	-7.54e-05	1.25e-04	.690	1.10e-05	3.32e-03
MNI_PD25_subcortical_LH_red_nucleus.nii.gz	-1.01	-7.89e-05	-2.32e-04	7.45e-05	.431	4.77e-05	6.90e-03
MNI_PD25_subcortical_LH_substantia_nigra.nii.gz	-0.62	-5.56e-05	-2.32e-04	1.21e-04	.658	1.78e-05	4.22e-03
MNI_PD25_subcortical_LH_subthalamic_nucleus.nii.gz	-1.05	-9.67e-05	-2.78e-04	8.44e-05	.541	5.14e-05	7.17e-03
MNI_PD25_subcortical_LH_thalamus.nii.gz	1.46	8.71e-05	-2.95e-05	2.04e-04	.197	1.01e-04	1.00e-02
MNI_PD25_subcortical_RH_amygdala.nii.gz	-0.72	-3.91e-05	-1.46e-04	6.73e-05	.576	2.44e-05	4.94e-03
MNI_PD25_subcortical_RH_caudate.nii.gz	0.65	6.69e-05	-1.34e-04	2.68e-04	.566	1.99e-05	4.46e-03
MNI_PD25_subcortical_RH_globus_pallidus_exterus.nii.gz	0.29	1.78e-05	-1.03e-04	1.38e-04	.850	3.90e-06	1.98e-03
MNI_PD25_subcortical_RH_globus_pallidus_Internus.nii.gz	-0.71	-4.79e-05	-1.81e-04	8.50e-05	.528	2.34e-05	4.84e-03
MNI_PD25_subcortical_RH_hippocampus.nii.gz	0.79	4.87e-05	-7.20e-05	1.69e-04	.524	2.94e-05	5.42e-03
MNI_PD25_subcortical_RH_nucleus_accumbens.nii.gz	-0.77	-5.74e-05	-2.04e-04	8.96e-05	.539	2.75e-05	5.24e-03
MNI_PD25_subcortical_RH_putamen.nii.gz	0.62	3.19e-05	-6.83e-05	1.32e-04	.585	1.83e-05	4.28e-03
MNI_PD25_subcortical_RH_red_nucleus.nii.gz	-0.29	-2.29e-05	-1.80e-04	1.34e-04	.853	3.83e-06	1.96e-03
MNI_PD25_subcortical_RH_substantia_nigra.nii.gz	-1.31	-1.14e-04	-2.83e-04	5.59e-05	.320	8.10e-05	9.00e-03
MNI_PD25_subcortical_RH_subthalamic_nucleus.nii.gz	-1.24	-1.19e-04	-3.06e-04	6.84e-05	.369	7.26e-05	8.52e-03
MNI_PD25_subcortical_RH_thalamus.nii.gz	1.04	6.30e-05	-5.63e-05	1.82e-04	.330	5.03e-05	7.09e-03

Table S17

*ET\_PRS Lead\_DBS Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial**Diffusivity (AD)*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Thalamic_DBS_Connectivity_atlas_LH_Dentate.nii.gz	0.27	1.60e-05	-9.88e-05	1.31e-04	.926	3.50e-06	1.87e-03
Thalamic_DBS_Connectivity_atlas_RH_Dentate.nii.gz	0.37	2.14e-05	-9.18e-05	1.35e-04	.978	6.43e-06	2.54e-03
Thomas_Atlas_LH_AV.nii.gz	1.43	1.70e-04	-6.30e-05	4.02e-04	.187	9.59e-05	9.79e-03
Thomas_Atlas_LH_CM.nii.gz	0.84	5.01e-05	-6.61e-05	1.66e-04	.438	3.35e-05	5.78e-03
<b>Thomas_Atlas_LH_Hb.nii.gz</b>	<b>2.52</b>	<b>3.35e-04</b>	<b>7.43e-05</b>	<b>5.96e-04</b>	<b>.016</b>	<b>2.97e-04</b>	<b>1.72e-02</b>
Thomas_Atlas_LH_LGN.nii.gz	0.61	3.89e-05	-8.52e-05	1.63e-04	.775	1.77e-05	4.21e-03
<b>Thomas_Atlas_LH_MD-Pf.nii.gz</b>	<b>2.31</b>	<b>1.65e-04</b>	<b>2.50e-05</b>	<b>3.06e-04</b>	<b>.033</b>	<b>2.50e-04</b>	<b>1.58e-02</b>
Thomas_Atlas_LH_MGN.nii.gz	-0.10	-8.12e-06	-1.72e-04	1.55e-04	1.00	4.44e-07	6.66e-04
Thomas_Atlas_LH_MTT.nii.gz	-0.36	-3.03e-05	-1.94e-04	1.33e-04	.788	6.19e-06	2.49e-03
Thomas_Atlas_LH_Pul.nii.gz	1.16	7.57e-05	-5.23e-05	2.04e-04	.271	6.30e-05	7.94e-03
Thomas_Atlas_LH_THALAMUS.nii.gz	1.35	7.88e-05	-3.55e-05	1.93e-04	.243	8.57e-05	9.26e-03
Thomas_Atlas_LH_VA.nii.gz	-0.14	-9.40e-06	-1.41e-04	1.22e-04	.977	9.21e-07	9.60e-04
Thomas_Atlas_LH_VLa.nii.gz	<0.01	2.69e-07	-1.33e-04	1.33e-04	1.00	7.38e-10	2.72e-05
Thomas_Atlas_LH_VLP.nii.gz	0.71	3.75e-05	-6.66e-05	1.42e-04	.528	2.34e-05	4.84e-03
Thomas_Atlas_LH_VLPd.nii.gz	0.76	4.08e-05	-6.50e-05	1.47e-04	.550	2.68e-05	5.17e-03
Thomas_Atlas_LH_VLPv.nii.gz	0.53	3.11e-05	-8.50e-05	1.47e-04	.733	1.29e-05	3.60e-03
Thomas_Atlas_LH_VPL.nii.gz	0.79	4.43e-05	-6.51e-05	1.54e-04	.522	2.96e-05	5.44e-03
Thomas_Atlas_RH_AV.nii.gz	0.80	9.54e-05	-1.37e-04	3.28e-04	.463	3.04e-05	5.51e-03
Thomas_Atlas_RH_CM.nii.gz	0.79	4.81e-05	-7.16e-05	1.68e-04	.527	2.91e-05	5.39e-03
<b>Thomas_Atlas_RH_Hb.nii.gz</b>	<b>2.14</b>	<b>2.73e-04</b>	<b>2.33e-05</b>	<b>5.23e-04</b>	<b>.039</b>	<b>2.15e-04</b>	<b>1.47e-02</b>
Thomas_Atlas_RH_LGN.nii.gz	1.14	7.40e-05	-5.37e-05	2.02e-04	.313	6.05e-05	7.78e-03

**Table S17*****ET\_PRS Lead\_DBs Extended Associations with grey matter diffusion magnetic resonance imaging (dMRI) – Axial Diffusivity (AD)***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Thomas_Atlas_RH_MD-Pf.nii.gz	1.47	1.10e-04	-3.67e-05	2.57e-04	.173	1.01e-04	1.01e-02
Thomas_Atlas_RH_MGN.nii.gz	0.26	2.08e-05	-1.36e-04	1.78e-04	.875	3.16e-06	1.78e-03
Thomas_Atlas_RH_MTT.nii.gz	-0.14	-1.23e-05	-1.80e-04	1.55e-04	.974	9.70e-07	9.85e-04
Thomas_Atlas_RH_Pul.nii.gz	1.01	6.68e-05	-6.30e-05	1.97e-04	.383	4.77e-05	6.91e-03
Thomas_Atlas_RH_THALAMUS.nii.gz	1.08	6.46e-05	-5.27e-05	1.82e-04	.342	5.47e-05	7.40e-03
Thomas_Atlas_RH_VA.nii.gz	-0.03	-1.96e-06	-1.34e-04	1.30e-04	1.00	3.96e-08	1.99e-04
Thomas_Atlas_RH_VLa.nii.gz	0.42	3.01e-05	-1.12e-04	1.72e-04	.829	8.09e-06	2.84e-03
Thomas_Atlas_RH_VLP.nii.gz	0.71	3.85e-05	-6.83e-05	1.45e-04	.528	2.34e-05	4.84e-03
Thomas_Atlas_RH_VLPd.nii.gz	0.92	5.06e-05	-5.77e-05	1.59e-04	.396	3.93e-05	6.27e-03
Thomas_Atlas_RH_VLPv.nii.gz	0.33	1.99e-05	-9.96e-05	1.39e-04	.910	4.98e-06	2.23e-03
Thomas_Atlas_RH_VPL.nii.gz	0.32	1.86e-05	-9.36e-05	1.31e-04	.912	4.93e-06	2.22e-03

*Note*\* *p* < .05, \*\* *p* < .01, \*\*\* *p* < .001, 95% CI(B)**Table S18*****ET PRS Associations with Cortical SURFACE AREA***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Area_bankssts_L	1.32	7.37e-03	-3.60e-03	1.83e-02	.230	6.00e-05	7.74e-03
Area_bankssts_R	1.69	9.48e-03	-1.51e-03	2.05e-02	.125	9.89e-05	9.94e-03
Area_caudalanteriorcingulate_L	0.97	5.57e-03	-5.68e-03	1.68e-02	.405	3.26e-05	5.71e-03
Area_caudalanteriorcingulate_R	-0.62	-3.53e-03	-1.47e-02	7.66e-03	.655	1.32e-05	3.64e-03
Area_caudalmiddlefrontal_L	-0.44	-2.42e-03	-1.33e-02	8.45e-03	.810	6.57e-06	2.56e-03
Area_caudalmiddlefrontal_R	-0.16	-8.93e-04	-1.19e-02	1.01e-02	1.00	8.78e-07	9.37e-04
Area_cuneus_L	-0.46	-2.56e-03	-1.34e-02	8.25e-03	.707	7.45e-06	2.73e-03

Table S18

*ET PRS Associations with Cortical SURFACE AREA*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Area_cuneus_R	-0.24	-1.30e-03	-1.19e-02	9.34e-03	.892	1.98e-06	1.41e-03
Area_entorhinal_L	0.91	5.16e-03	-5.96e-03	1.63e-02	.499	2.86e-05	5.35e-03
Area_entorhinal_R	0.68	3.82e-03	-7.17e-03	1.48e-02	.779	1.60e-05	4.00e-03
Area_frontalpole_L	0.50	2.77e-03	-7.99e-03	1.35e-02	.750	8.82e-06	2.97e-03
Area_frontalpole_R	-0.43	-2.32e-03	-1.30e-02	8.35e-03	.737	6.30e-06	2.51e-03
Area_fusiform_L	1.22	6.33e-03	-3.80e-03	1.65e-02	.304	5.18e-05	7.20e-03
Area_fusiform_R	0.93	4.70e-03	-5.21e-03	1.46e-02	.485	2.99e-05	5.47e-03
<b>Area_inferiorparietal_L</b>	<b>2.22</b>	<b>1.22e-02</b>	<b>1.41e-03</b>	<b>2.30e-02</b>	<b>.039</b>	<b>1.70e-04</b>	<b>1.30e-02</b>
Area_inferiorparietal_R	1.79	9.47e-03	-9.20e-04	1.99e-02	.102	1.10e-04	1.05e-02
Area_inferiortemporal_L	1.70	8.90e-03	-1.39e-03	1.92e-02	.099	9.94e-05	9.97e-03
Area_inferiortemporal_R	1.89	9.77e-03	-3.35e-04	1.99e-02	.080	1.24e-04	1.11e-02
Area_insula_L	0.46	2.43e-03	-7.87e-03	1.27e-02	.769	7.39e-06	2.72e-03
Area_insula_R	-0.77	-3.99e-03	-1.41e-02	6.14e-03	.692	2.06e-05	4.54e-03
Area_isthmuscingulate_L	1.21	6.35e-03	-3.93e-03	1.66e-02	.356	5.06e-05	7.11e-03
Area_isthmuscingulate_R	1.97	1.05e-02	3.66e-05	2.09e-02	.068	1.34e-04	1.16e-02
<b>Area_lateraloccipital_L</b>	<b>2.35</b>	<b>1.24e-02</b>	<b>2.06e-03</b>	<b>2.27e-02</b>	<b>.026</b>	<b>1.91e-04</b>	<b>1.38e-02</b>
<b>Area_lateraloccipital_R</b>	<b>2.21</b>	<b>1.15e-02</b>	<b>1.30e-03</b>	<b>2.16e-02</b>	<b>.037</b>	<b>1.69e-04</b>	<b>1.30e-02</b>
Area_lateralorbitofrontal_L	0.79	4.12e-03	-6.05e-03	1.43e-02	.587	2.18e-05	4.67e-03
Area_lateralorbitofrontal_R	0.58	3.02e-03	-7.27e-03	1.33e-02	.690	1.15e-05	3.38e-03
Area_lingual_L	1.49	8.29e-03	-2.58e-03	1.92e-02	.158	7.73e-05	8.79e-03
Area_lingual_R	1.60	8.89e-03	-2.03e-03	1.98e-02	.135	8.80e-05	9.38e-03
Area_medialorbitofrontal_L	0.90	4.72e-03	-5.53e-03	1.50e-02	.448	2.82e-05	5.31e-03
Area_medialorbitofrontal_R	1.54	7.91e-03	-2.17e-03	1.80e-02	.175	8.19e-05	9.05e-03
Area_middletemporal_L	1.93	1.00e-02	-1.80e-04	2.02e-02	.060	1.28e-04	1.13e-02



**Table S18*****ET PRS Associations with Cortical SURFACE AREA***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Area_middletemporal_R	1.50	7.78e-03	-2.40e-03	1.80e-02	.164	7.75e-05	8.81e-03
Area_paracentral_L	0.39	2.19e-03	-8.69e-03	1.31e-02	.848	5.37e-06	2.32e-03
Area_paracentral_R	-0.10	-5.28e-04	-1.13e-02	1.02e-02	1.00	3.20e-07	5.66e-04
Area parahippocampal_L	1.81	1.00e-02	-8.18e-04	2.09e-02	.096	1.14e-04	1.07e-02
Area parahippocampal_R	1.63	8.90e-03	-1.83e-03	1.96e-02	.143	9.14e-05	9.56e-03
Area_parsopercularis_L	-0.14	-7.95e-04	-1.18e-02	1.02e-02	1.00	6.91e-07	8.31e-04
Area_parsopercularis_R	0.75	4.19e-03	-6.80e-03	1.52e-02	.625	1.93e-05	4.40e-03
Area_parsorbitalis_L	-0.03	-1.39e-04	-1.04e-02	1.02e-02	1.00	2.42e-08	1.56e-04
Area_parsorbitalis_R	0.38	2.00e-03	-8.21e-03	1.22e-02	.771	5.11e-06	2.26e-03
Area_parstriangularis_L	-0.53	-2.93e-03	-1.37e-02	7.84e-03	.654	9.80e-06	3.13e-03
Area_parstriangularis_R	-0.14	-7.72e-04	-1.15e-02	9.94e-03	.996	6.90e-07	8.31e-04
Area_pericalcarine_L	-0.11	-6.01e-04	-1.18e-02	1.06e-02	1.00	3.82e-07	6.18e-04
Area_pericalcarine_R	0.20	1.14e-03	-1.00e-02	1.23e-02	.926	1.38e-06	1.17e-03
Area_postcentral_L	0.06	3.25e-04	-9.96e-03	1.06e-02	1.00	1.33e-07	3.64e-04
Area_postcentral_R	-0.43	-2.31e-03	-1.27e-02	8.11e-03	.731	6.52e-06	2.55e-03
Area_posteriorcingulate_L	-0.77	-4.22e-03	-1.50e-02	6.53e-03	.532	2.05e-05	4.52e-03
Area_posteriorcingulate_R	0.82	4.50e-03	-6.28e-03	1.53e-02	.568	2.31e-05	4.81e-03
Area_precentral_L	1.75	9.10e-03	-1.09e-03	1.93e-02	.098	1.06e-04	1.03e-02
<b>Area_precentral_R</b>	<b>2.11</b>	<b>1.10e-02</b>	<b>7.88e-04</b>	<b>2.12e-02</b>	<b>.048</b>	<b>1.54e-04</b>	<b>1.24e-02</b>
Area_precuneus_L	-0.24	-1.27e-03	-1.17e-02	9.13e-03	.955	1.97e-06	1.41e-03
Area_precuneus_R	-0.51	-2.69e-03	-1.30e-02	7.58e-03	.743	9.12e-06	3.02e-03
Area_rostralanteriorcingulate_L	0.63	3.43e-03	-7.16e-03	1.40e-02	.723	1.39e-05	3.73e-03
Area_rostralanteriorcingulate_R	0.45	2.52e-03	-8.35e-03	1.34e-02	.745	7.15e-06	2.67e-03
Area_rostralmiddlefrontal_L	0.50	2.60e-03	-7.54e-03	1.27e-02	.677	8.73e-06	2.96e-03

**Table S18*****ET PRS Associations with Cortical SURFACE AREA***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Area_rostralmiddlefrontal_R	-0.56	-2.89e-03	-1.31e-02	7.27e-03	.705	1.08e-05	3.28e-03
Area_superiorfrontal_L	1.75	9.05e-03	-1.06e-03	1.92e-02	.125	1.06e-04	1.03e-02
Area_superiorfrontal_R	1.36	7.04e-03	-3.11e-03	1.72e-02	.273	6.39e-05	8.00e-03
Area_superiorparietal_L	-1.43	-7.87e-03	-1.87e-02	2.92e-03	.210	7.07e-05	8.41e-03
Area_superiorparietal_R	-0.68	-3.70e-03	-1.44e-02	6.96e-03	.546	1.60e-05	4.00e-03
Area_superiortemporal_L	0.23	1.21e-03	-8.87e-03	1.13e-02	.896	1.90e-06	1.38e-03
Area_superiortemporal_R	-0.21	-1.13e-03	-1.15e-02	9.25e-03	.990	1.56e-06	1.25e-03
Area_supramarginal_L	0.24	1.26e-03	-9.04e-03	1.16e-02	.892	1.98e-06	1.41e-03
Area_supramarginal_R	0.30	1.59e-03	-8.97e-03	1.22e-02	.938	3.02e-06	1.74e-03
Area_transversetemporal_L	1.16	6.53e-03	-4.50e-03	1.76e-02	.371	4.66e-05	6.82e-03
Area_transversetemporal_R	-0.11	-6.25e-04	-1.16e-02	1.04e-02	1.00	4.29e-07	6.55e-04

*Note*\*  $p < .05$ , \*\*  $p < .01$ , \*\*\*  $p < .001$ , 95% CI(B)**Table S19*****ET PRS Associations with CORTICAL VOLUME***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Volume_bankssts_L	0.29	1.68e-03	-9.71e-03	1.31e-02	.850	2.87e-06	1.70e-03
Volume_bankssts_R	1.00	5.79e-03	-5.51e-03	1.71e-02	.434	3.48e-05	5.90e-03
Volume_caudalanteriorcingulate_L	1.33	7.72e-03	-3.70e-03	1.91e-02	.291	6.07e-05	7.79e-03
Volume_caudalanteriorcingulate_R	-1.44	-8.39e-03	-1.98e-02	3.02e-03	.217	7.18e-05	8.47e-03
<b>Volume_caudalmiddlefrontal_L</b>	<b>-2.75</b>	<b>-1.59e-02</b>	<b>-2.71e-02</b>	<b>-4.56e-03</b>	<b>.011</b>	<b>2.62e-04</b>	<b>1.62e-02</b>
<b>Volume_caudalmiddlefrontal_R</b>	<b>-2.42</b>	<b>-1.40e-02</b>	<b>-2.53e-02</b>	<b>-2.65e-03</b>	<b>.021</b>	<b>2.02e-04</b>	<b>1.42e-02</b>
<b>Volume_cuneus_L</b>	<b>-2.55</b>	<b>-1.49e-02</b>	<b>-2.64e-02</b>	<b>-3.46e-03</b>	<b>.017</b>	<b>2.25e-04</b>	<b>1.50e-02</b>
Volume_cuneus_R	-1.72	-1.01e-02	-2.16e-02	1.43e-03	.118	1.02e-04	1.01e-02

**Table S19*****ET PRS Associations with CORTICAL VOLUME***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Volume_entorhinal_L	0.67	3.90e-03	-7.58e-03	1.54e-02	.556	1.54e-05	3.92e-03
Volume_entorhinal_R	0.82	4.78e-03	-6.69e-03	1.62e-02	.513	2.31e-05	4.80e-03
Volume_frontalpole_L	0.03	1.57e-04	-1.11e-02	1.14e-02	1.00	2.59e-08	1.61e-04
Volume_frontalpole_R	-0.63	-3.60e-03	-1.49e-02	7.69e-03	.585	1.35e-05	3.68e-03
Volume_fusiform_L	-0.53	-3.07e-03	-1.43e-02	8.19e-03	.652	9.88e-06	3.14e-03
Volume_fusiform_R	-1.63	-9.37e-03	-2.06e-02	1.89e-03	.162	9.20e-05	9.59e-03
Volume_inferiorparietal_L	0.71	4.05e-03	-7.20e-03	1.53e-02	.587	1.72e-05	4.15e-03
Volume_inferiorparietal_R	0.74	4.24e-03	-7.01e-03	1.55e-02	.562	1.89e-05	4.34e-03
Volume_inferiortemporal_L	0.26	1.48e-03	-9.88e-03	1.28e-02	.879	2.25e-06	1.50e-03
Volume_inferiortemporal_R	0.41	2.36e-03	-8.98e-03	1.37e-02	.752	5.75e-06	2.40e-03
Volume_insula_L	-1.26	-7.39e-03	-1.89e-02	4.08e-03	.568	5.52e-05	7.43e-03
Volume_insula_R	-1.92	-1.13e-02	-2.28e-02	2.26e-04	.086	1.28e-04	1.13e-02
Volume_isthmuscingulate_L	-0.86	-5.05e-03	-1.65e-02	6.39e-03	.473	2.59e-05	5.09e-03
Volume_isthmuscingulate_R	0.20	1.20e-03	-1.03e-02	1.27e-02	.922	1.44e-06	1.20e-03
Volume_lateraloccipital_L	0.32	1.87e-03	-9.46e-03	1.32e-02	.912	3.62e-06	1.90e-03
Volume_lateraloccipital_R	0.69	4.00e-03	-7.33e-03	1.53e-02	.597	1.66e-05	4.07e-03
Volume_lateralorbitofrontal_L	-0.50	-2.87e-03	-1.40e-02	8.31e-03	.687	8.74e-06	2.96e-03
Volume_lateralorbitofrontal_R	-1.04	-5.95e-03	-1.72e-02	5.25e-03	.378	3.75e-05	6.13e-03
Volume_lingual_L	-0.29	-1.67e-03	-1.31e-02	9.73e-03	.851	2.86e-06	1.69e-03
Volume_lingual_R	0.56	3.26e-03	-8.17e-03	1.47e-02	.634	1.08e-05	3.29e-03
Volume_medialorbitofrontal_L	-0.66	-3.81e-03	-1.51e-02	7.52e-03	.561	1.50e-05	3.87e-03
Volume_medialorbitofrontal_R	-0.71	-4.09e-03	-1.54e-02	7.19e-03	.583	1.75e-05	4.18e-03
Volume_middletemporal_L	0.37	2.11e-03	-9.07e-03	1.33e-02	.870	4.72e-06	2.17e-03
Volume_middletemporal_R	0.10	5.44e-04	-1.06e-02	1.17e-02	1.00	3.14e-07	5.61e-04

Table S19

*ET PRS Associations with CORTICAL VOLUME*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Volume_paracentral_L	-1.37	-7.72e-03	-1.88e-02	3.35e-03	.236	6.46e-05	8.04e-03
Volume_paracentral_R	-2.07	-1.19e-02	-2.31e-02	-6.18e-04	.053	1.48e-04	1.22e-02
Volume parahippocampal_L	-0.20	-1.11e-03	-1.21e-02	9.84e-03	.927	1.36e-06	1.17e-03
Volume parahippocampal_R	0.51	2.85e-03	-8.11e-03	1.38e-02	.671	9.00e-06	3.00e-03
Volume_parsopercularis_L	-1.77	-1.01e-02	-2.13e-02	1.08e-03	.140	1.08e-04	1.04e-02
Volume_parsopercularis_R	-0.75	-4.32e-03	-1.56e-02	6.93e-03	.497	1.96e-05	4.43e-03
Volume_parsorbitalis_L	-1.70	-9.76e-03	-2.10e-02	1.49e-03	.163	1.00e-04	1.00e-02
Volume_parsorbitalis_R	-0.66	-3.80e-03	-1.50e-02	7.41e-03	.696	1.53e-05	3.91e-03
Volume_parstriangularis_L	-2.20	-1.27e-02	-2.39e-02	-1.39e-03	.051	1.68e-04	1.29e-02
Volume_parstriangularis_R	-1.56	-8.96e-03	-2.03e-02	2.33e-03	.188	8.37e-05	9.15e-03
Volume_pericalcarine_L	-1.32	-7.76e-03	-1.93e-02	3.75e-03	.228	6.04e-05	7.77e-03
Volume_pericalcarine_R	-1.29	-7.59e-03	-1.91e-02	3.92e-03	.270	5.78e-05	7.60e-03
Volume_postcentral_L	-0.55	-3.18e-03	-1.45e-02	8.10e-03	.639	1.05e-05	3.25e-03
Volume_postcentral_R	-1.88	-1.08e-02	-2.21e-02	4.45e-04	.073	1.23e-04	1.11e-02
<b>Volume_posteriorcingulate_L</b>	<b>-2.61</b>	<b>-1.52e-02</b>	<b>-2.67e-02</b>	<b>-3.80e-03</b>	<b>.017</b>	<b>2.36e-04</b>	<b>1.54e-02</b>
Volume_posteriorcingulate_R	-0.59	-3.42e-03	-1.48e-02	7.93e-03	.679	1.20e-05	3.47e-03
Volume_precentral_L	-0.96	-5.46e-03	-1.66e-02	5.65e-03	.410	3.20e-05	5.66e-03
Volume_precentral_R	-0.90	-5.10e-03	-1.62e-02	6.05e-03	.509	2.78e-05	5.27e-03
<b>Volume_precuneus_L</b>	<b>-2.41</b>	<b>-1.36e-02</b>	<b>-2.47e-02</b>	<b>-2.53e-03</b>	<b>.022</b>	<b>2.00e-04</b>	<b>1.42e-02</b>
<b>Volume_precuneus_R</b>	<b>-2.67</b>	<b>-1.52e-02</b>	<b>-2.64e-02</b>	<b>-4.05e-03</b>	<b>.014</b>	<b>2.46e-04</b>	<b>1.57e-02</b>
Volume_rostralanteriorcingulate_L	-0.32	-1.88e-03	-1.33e-02	9.57e-03	1.00	3.58e-06	1.89e-03
Volume_rostralanteriorcingulate_R	0.45	2.62e-03	-8.86e-03	1.41e-02	.720	6.93e-06	2.63e-03
Volume_rostralmiddlefrontal_L	-1.26	-7.16e-03	-1.83e-02	3.94e-03	.284	5.52e-05	7.43e-03
<b>Volume_rostralmiddlefrontal_R</b>	<b>-2.29</b>	<b>-1.31e-02</b>	<b>-2.42e-02</b>	<b>-1.89e-03</b>	<b>.034</b>	<b>1.82e-04</b>	<b>1.35e-02</b>

**Table S19*****ET PRS Associations with CORTICAL VOLUME***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Volume_superiorfrontal_L	-1.28	-7.20e-03	-1.82e-02	3.84e-03	.277	5.65e-05	7.52e-03
Volume_superiorfrontal_R	-1.70	-9.63e-03	-2.07e-02	1.46e-03	.139	1.00e-04	1.00e-02
<b>Volume_superiorparietal_L</b>	<b>-3.90</b>	<b>-2.21e-02</b>	<b>-3.32e-02</b>	<b>-1.10e-02</b>	<b>&lt; .001</b>	<b>5.25e-04</b>	<b>2.29e-02</b>
<b>Volume_superiorparietal_R</b>	<b>-3.36</b>	<b>-1.90e-02</b>	<b>-3.01e-02</b>	<b>-7.93e-03</b>	<b>.001</b>	<b>3.91e-04</b>	<b>1.98e-02</b>
Volume_superiortemporal_L	-1.01	-5.76e-03	-1.70e-02	5.47e-03	.433	3.50e-05	5.91e-03
Volume_superiortemporal_R	-1.43	-8.13e-03	-1.92e-02	2.98e-03	.185	7.12e-05	8.44e-03
Volume_supramarginal_L	-0.91	-5.30e-03	-1.66e-02	6.05e-03	.495	2.89e-05	5.38e-03
Volume_supramarginal_R	-1.04	-5.99e-03	-1.73e-02	5.36e-03	.413	3.70e-05	6.09e-03
Volume_transversetemporal_L	0.07	3.99e-04	-1.11e-02	1.19e-02	1.00	1.61e-07	4.02e-04
Volume_transversetemporal_R	-1.00	-5.85e-03	-1.73e-02	5.59e-03	.435	3.47e-05	5.89e-03

*Note*\*  $p < .05$ , \*\*  $p < .01$ , \*\*\*  $p < .001$ , 95% CI(B)**Table S20*****ET PRS Associations with CORTICAL THICKNESS***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Mean_thickness_bankssts_L	0.77	4.45e-03	-6.88e-03	1.58e-02	.540	2.05e-05	4.53e-03
Mean_thickness_bankssts_R	1.22	7.02e-03	-4.26e-03	1.83e-02	.272	5.15e-05	7.17e-03
Mean_thickness_caudalanteriorcingulate_L	0.99	5.81e-03	-5.64e-03	1.73e-02	.503	3.42e-05	5.84e-03
Mean_thickness_caudalanteriorcingulate_R	-0.47	-2.73e-03	-1.42e-02	8.71e-03	.704	7.58e-06	2.75e-03
Mean_thickness_caudalmiddlefrontal_L	-1.29	-7.14e-03	-1.80e-02	3.75e-03	.219	5.71e-05	7.56e-03
Mean_thickness_caudalmiddlefrontal_R	-1.61	-9.01e-03	-1.99e-02	1.93e-03	.130	9.01e-05	9.49e-03
Mean_thickness_cuneus_L	-1.33	-7.75e-03	-1.91e-02	3.65e-03	.223	6.14e-05	7.84e-03
Mean_thickness_cuneus_R	0.03	1.89e-04	-1.12e-02	1.16e-02	1.00	3.64e-08	1.91e-04
Mean_thickness_entorhinal_L	0.93	5.34e-03	-5.89e-03	1.66e-02	.430	3.00e-05	5.48e-03

**Table S20*****ET PRS Associations with CORTICAL THICKNESS***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Mean_thickness_entorhinal_R	0.68	3.90e-03	-7.38e-03	1.52e-02	.548	1.59e-05	3.98e-03
Mean_thickness_frontalpole_L	0.62	3.56e-03	-7.77e-03	1.49e-02	.592	1.31e-05	3.62e-03
Mean_thickness_frontalpole_R	1.61	9.30e-03	-2.03e-03	2.06e-02	.148	8.94e-05	9.46e-03
Mean_thickness_fusiform_L	0.08	4.62e-04	-1.07e-02	1.16e-02	1.00	2.28e-07	4.78e-04
Mean_thickness_fusiform_R	-0.48	-2.73e-03	-1.38e-02	8.36e-03	.692	8.06e-06	2.84e-03
Mean_thickness_inferiorparietal_L	-0.08	-4.20e-04	-1.13e-02	1.04e-02	1.00	1.98e-07	4.45e-04
Mean_thickness_inferiorparietal_R	0.68	3.72e-03	-7.04e-03	1.45e-02	.609	1.58e-05	3.98e-03
Mean_thickness_inferiortemporal_L	0.48	2.79e-03	-8.54e-03	1.41e-02	.770	8.04e-06	2.84e-03
Mean_thickness_inferiortemporal_R	-0.02	-1.09e-04	-1.14e-02	1.12e-02	1.00	1.23e-08	1.11e-04
Mean_thickness_insula_L	-0.37	-2.15e-03	-1.35e-02	9.20e-03	.782	4.75e-06	2.18e-03
Mean_thickness_insula_R	0.64	3.70e-03	-7.66e-03	1.51e-02	.576	1.41e-05	3.75e-03
Mean_thickness_isthmuscingulate_L	-0.51	-2.95e-03	-1.42e-02	8.35e-03	.744	9.04e-06	3.01e-03
Mean_thickness_isthmuscingulate_R	-1.59	-9.13e-03	-2.04e-02	2.15e-03	.177	8.70e-05	9.33e-03
Mean_thickness_lateraloccipital_L	-0.38	-2.17e-03	-1.35e-02	9.14e-03	.777	4.90e-06	2.21e-03
Mean_thickness_lateraloccipital_R	0.52	2.97e-03	-8.33e-03	1.43e-02	.667	9.19e-06	3.03e-03
Mean_thickness_lateralorbitofrontal_L	1.60	9.27e-03	-2.07e-03	2.06e-02	.120	8.88e-05	9.42e-03
Mean_thickness_lateralorbitofrontal_R	0.23	1.31e-03	-1.01e-02	1.27e-02	.903	1.77e-06	1.33e-03
Mean_thickness_lingual_L	-0.23	-1.31e-03	-1.26e-02	1.00e-02	.903	1.76e-06	1.33e-03
Mean_thickness_lingual_R	1.19	6.96e-03	-4.46e-03	1.84e-02	.319	4.93e-05	7.02e-03
Mean_thickness_medialorbitofrontal_L	1.46	8.48e-03	-2.88e-03	1.98e-02	.158	7.39e-05	8.60e-03
Mean_thickness_medialorbitofrontal_R	-0.23	-1.31e-03	-1.27e-02	1.01e-02	.904	1.76e-06	1.33e-03
Mean_thickness_middletemporal_L	-0.30	-1.68e-03	-1.29e-02	9.51e-03	.845	3.01e-06	1.74e-03
Mean_thickness_middletemporal_R	0.76	4.35e-03	-6.82e-03	1.55e-02	.544	2.02e-05	4.49e-03
Mean_thickness_paracentral_L	-0.50	-2.82e-03	-1.38e-02	8.20e-03	.677	8.70e-06	2.95e-03

**Table S20*****ET PRS Associations with CORTICAL THICKNESS***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Mean_thickness_paracentral_R	-0.55	-3.08e-03	-1.41e-02	7.97e-03	.715	1.03e-05	3.21e-03
Mean_thickness parahippocampal_L	-0.30	-1.72e-03	-1.30e-02	9.59e-03	.842	3.07e-06	1.75e-03
Mean_thickness parahippocampal_R	0.87	4.99e-03	-6.27e-03	1.63e-02	.471	2.61e-05	5.11e-03
Mean_thickness_parsopercularis_L	-0.05	-3.04e-04	-1.13e-02	1.07e-02	1.00	1.02e-07	3.19e-04
Mean_thickness_parsopercularis_R	0.04	2.02e-04	-1.08e-02	1.12e-02	1.00	4.45e-08	2.11e-04
Mean_thickness_parsorbitalis_L	-0.13	-7.23e-04	-1.19e-02	1.05e-02	.989	5.53e-07	7.44e-04
Mean_thickness_parsorbitalis_R	0.08	4.46e-04	-1.07e-02	1.16e-02	1.00	2.13e-07	4.61e-04
Mean_thickness_parstriangularis_L	-0.05	-3.01e-04	-1.13e-02	1.07e-02	1.00	9.97e-08	3.16e-04
Mean_thickness_parstriangularis_R	0.02	1.18e-04	-1.08e-02	1.11e-02	1.00	1.54e-08	1.24e-04
Mean_thickness_pericalcarine_L	-0.40	-2.33e-03	-1.37e-02	9.07e-03	.758	5.54e-06	2.35e-03
Mean_thickness_pericalcarine_R	-0.64	-3.71e-03	-1.51e-02	7.70e-03	.683	1.40e-05	3.74e-03
Mean_thickness_postcentral_L	1.68	9.48e-03	-1.59e-03	2.06e-02	.103	9.73e-05	9.87e-03
Mean_thickness_postcentral_R	0.57	3.21e-03	-7.88e-03	1.43e-02	.628	1.11e-05	3.33e-03
Mean_thickness_posteriorcingulate_L	0.11	6.48e-04	-1.07e-02	1.20e-02	1.00	4.32e-07	6.57e-04
Mean_thickness_posteriorcingulate_R	-0.59	-3.43e-03	-1.47e-02	7.88e-03	.608	1.22e-05	3.49e-03
Mean_thickness_precentral_L	-0.56	-3.09e-03	-1.39e-02	7.76e-03	.634	1.08e-05	3.28e-03
Mean_thickness_precentral_R	-1.06	-5.87e-03	-1.67e-02	4.98e-03	.318	3.89e-05	6.24e-03
Mean_thickness_precuneus_L	-0.36	-1.99e-03	-1.29e-02	8.89e-03	.792	4.44e-06	2.11e-03
Mean_thickness_precuneus_R	0.02	8.65e-05	-1.08e-02	1.10e-02	1.00	8.35e-09	9.14e-05
Mean_thickness_rostralanteriorcingulate_L	-0.51	-2.93e-03	-1.42e-02	8.39e-03	.748	8.88e-06	2.98e-03
Mean_thickness_rostralanteriorcingulate_R	2.00	1.18e-02	2.50e-04	2.33e-02	.124	1.39e-04	1.18e-02
Mean_thickness_rostralmiddlefrontal_L	-0.26	-1.42e-03	-1.22e-02	9.33e-03	.875	2.32e-06	1.52e-03
Mean_thickness_rostralmiddlefrontal_R	-0.24	-1.31e-03	-1.22e-02	9.59e-03	.895	1.92e-06	1.39e-03
Mean_thickness_superiorfrontal_L	-1.64	-8.82e-03	-1.93e-02	1.69e-03	.110	9.35e-05	9.67e-03

**Table S20*****ET PRS Associations with CORTICAL THICKNESS***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
<b>Mean_thickness_superiorfrontal_R</b>	<b>-2.04</b>	<b>-1.10e-02</b>	<b>-2.16e-02</b>	<b>-4.55e-04</b>	<b>.045</b>	<b>1.44e-04</b>	<b>1.20e-02</b>
Mean_thickness_superiorparietal_L	-0.94	-5.30e-03	-1.63e-02	5.70e-03	.422	3.08e-05	5.55e-03
Mean_thickness_superiorparietal_R	-1.26	-7.05e-03	-1.80e-02	3.91e-03	.254	5.49e-05	7.41e-03
Mean_thickness_superiortemporal_L	0.28	1.55e-03	-9.33e-03	1.24e-02	.954	2.69e-06	1.64e-03
Mean_thickness_superiortemporal_R	1.01	5.53e-03	-5.22e-03	1.63e-02	.365	3.51e-05	5.93e-03
Mean_thickness_supramarginal_L	0.01	7.78e-05	-1.07e-02	1.09e-02	1.00	6.90e-09	8.31e-05
Mean_thickness_supramarginal_R	0.48	2.68e-03	-8.17e-03	1.35e-02	.768	8.08e-06	2.84e-03
Mean_thickness_transversetemporal_L	0.20	1.20e-03	-1.03e-02	1.27e-02	.922	1.45e-06	1.20e-03
Mean_thickness_transversetemporal_R	0.58	3.42e-03	-8.07e-03	1.49e-02	.649	1.17e-05	3.43e-03

*Note*\*  $p < .05$ , \*\*  $p < .01$ , \*\*\*  $p < .001$ , 95% CI(B)**Table S21*****ET PRS Associations with SUBCORTICAL VOLUME***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Vol_Amyg_Accessory_Basal_nucleus_L	-1.92	-1.05e-02	-2.11e-02	2.30e-04	.083	1.11e-04	1.13e-02
Vol_Amyg_Accessory_Basal_nucleus_R	-0.28	-1.56e-03	-1.23e-02	9.22e-03	.958	2.46e-06	1.67e-03
Vol_Amyg_Anterior_amygdaloid_area_Left	-1.08	-6.12e-03	-1.73e-02	5.02e-03	.317	3.77e-05	6.33e-03
Vol_Amyg_Anterior_amygdaloid_area_R	0.21	1.18e-03	-9.89e-03	1.23e-02	.939	1.41e-06	1.23e-03
Vol_Amyg_Basal_nucleus_L	-1.04	-5.89e-03	-1.70e-02	5.21e-03	.379	3.48e-05	6.12e-03
Vol_Amyg_Basal_nucleus_R	0.57	3.23e-03	-7.84e-03	1.43e-02	.729	1.05e-05	3.36e-03
Vol_Amyg_Central_nucleus_L	-0.62	-3.62e-03	-1.50e-02	7.77e-03	.800	1.31e-05	3.66e-03
Vol_Amyg_Central_nucleus_R	0.02	1.11e-04	-1.12e-02	1.14e-02	1.00	1.24e-08	1.13e-04
Vol_Amyg_Cortical_nucleus_L	-2.00	-1.12e-02	-2.21e-02	-2.33e-04	.082	1.26e-04	1.18e-02
Vol_Amyg_Cortical_nucleus_R	-1.68	-9.39e-03	-2.03e-02	1.55e-03	.139	8.93e-05	9.89e-03



**Table S21**

***ET PRS Associations with SUBCORTICAL VOLUME***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Vol_Amyg_Lateral_Nucleus_L	1.01	5.71e-03	-5.41e-03	1.68e-02	.404	3.28e-05	5.92e-03
Vol_Amyg_Lateral_Nucleus_R	1.91	1.08e-02	-2.73e-04	2.18e-02	.084	1.17e-04	1.12e-02
Vol_Amyg_Medial_nucleus_L	-0.78	-4.47e-03	-1.57e-02	6.75e-03	.559	2.01e-05	4.59e-03
Vol_Amyg_Medial_nucleus_R	-0.62	-3.55e-03	-1.48e-02	7.73e-03	.690	1.27e-05	3.63e-03
Vol_Amyg_Paralaminar_nucleus_L	0.01	3.91e-05	-1.13e-02	1.14e-02	1.00	1.53e-09	3.97e-05
Vol_Amyg_Paralaminar_nucleus_R	1.10	6.39e-03	-4.97e-03	1.78e-02	.405	4.10e-05	6.49e-03
Vol_Corticoamygdaloid_transitio_L	-0.93	-5.12e-03	-1.59e-02	5.67e-03	.529	2.65e-05	5.47e-03
Vol_Corticoamygdaloid_transitio_R	-0.08	-4.26e-04	-1.13e-02	1.04e-02	1.00	1.84e-07	4.53e-04
Vol_Whole_amygdala_R	0.80	4.44e-03	-6.42e-03	1.53e-02	.544	2.00e-05	4.71e-03
Volume_AV_L	-0.73	-4.21e-03	-1.56e-02	7.14e-03	.600	1.78e-05	4.28e-03
Volume_AV_R	1.12	6.49e-03	-4.90e-03	1.79e-02	.340	4.23e-05	6.56e-03
Volume_CA1_Body_L	-0.22	-1.24e-03	-1.21e-02	9.64e-03	.926	1.55e-06	1.31e-03
Volume_CA1_Body_R	0.02	1.03e-04	-1.08e-02	1.10e-02	1.00	1.07e-08	1.08e-04
Volume_CA1_head_L	-2.02	-1.11e-02	-2.19e-02	-3.45e-04	.055	1.25e-04	1.19e-02
Volume_CA1_head_R	-0.96	-5.31e-03	-1.61e-02	5.51e-03	.378	2.86e-05	5.66e-03
Volume_CA3_Body_L	-0.15	-8.62e-04	-1.21e-02	1.04e-02	.991	7.47e-07	8.84e-04
Volume_CA3_Body_R	-0.11	-6.09e-04	-1.18e-02	1.06e-02	1.00	3.73e-07	6.28e-04
Volume_CA3_head_L	-0.71	-3.99e-03	-1.50e-02	6.96e-03	.534	1.62e-05	4.20e-03
Volume_CA3_head_R	-1.05	-5.88e-03	-1.69e-02	5.10e-03	.331	3.50e-05	6.17e-03
Volume_CA4_Body_L	-0.68	-3.83e-03	-1.48e-02	7.15e-03	.556	1.48e-05	4.02e-03
Volume_CA4_Body_R	0.38	2.12e-03	-8.91e-03	1.31e-02	1.00	4.52e-06	2.22e-03
Volume_CA4_head_L	-1.05	-5.94e-03	-1.70e-02	5.12e-03	.376	3.55e-05	6.19e-03
Volume_CA4_head_R	-1.32	-7.51e-03	-1.87e-02	3.67e-03	.311	5.67e-05	7.74e-03
Volume_CeM_L	-0.55	-3.05e-03	-1.40e-02	7.86e-03	.657	9.36e-06	3.22e-03

**Table S21*****ET PRS Associations with SUBCORTICAL VOLUME***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Volume_CeM_R	0.80	4.44e-03	-6.43e-03	1.53e-02	.477	1.99e-05	4.70e-03
Volume_CL_L	-0.31	-1.84e-03	-1.33e-02	9.64e-03	.848	3.38e-06	1.84e-03
Volume_CL_R	0.98	5.71e-03	-5.75e-03	1.72e-02	.370	3.27e-05	5.74e-03
Volume_CM_L	-0.05	-3.11e-04	-1.18e-02	1.11e-02	1.00	9.66e-08	3.13e-04
Volume_CM_R	-0.16	-9.66e-04	-1.25e-02	1.05e-02	1.00	9.33e-07	9.70e-04
Volume_fimbria_L	-1.11	-6.12e-03	-1.69e-02	4.67e-03	.299	3.80e-05	6.54e-03
Volume_fimbria_R	-0.80	-4.40e-03	-1.51e-02	6.34e-03	.503	1.97e-05	4.72e-03
Volume_GC_ML_DG_Body_L	-0.53	-2.84e-03	-1.34e-02	7.71e-03	.768	8.19e-06	3.10e-03
Volume_GC_ML_DG_Body_R	-0.07	-3.76e-04	-1.11e-02	1.03e-02	1.00	1.43e-07	4.05e-04
Volume_GC_ML_DG_head_L	-0.71	-3.94e-03	-1.48e-02	6.91e-03	.536	1.57e-05	4.18e-03
Volume_GC_ML_DG_head_R	-1.06	-5.98e-03	-1.70e-02	5.02e-03	.369	3.61e-05	6.26e-03
Volume_HATA_L	-1.37	-7.55e-03	-1.84e-02	3.26e-03	.220	5.81e-05	8.05e-03
Volume_HATA_R	-0.26	-1.48e-03	-1.25e-02	9.51e-03	.891	2.22e-06	1.55e-03
Volume_hippocampal_fissure_L	0.27	1.53e-03	-9.63e-03	1.27e-02	.887	2.36e-06	1.58e-03
Volume_hippocampal_fissure_R	0.07	3.79e-04	-1.06e-02	1.14e-02	1.00	1.45e-07	3.98e-04
Volume_Hippocampal_tail_L	-1.12	-6.29e-03	-1.73e-02	4.71e-03	.337	3.98e-05	6.59e-03
Volume_Hippocampal_tail_R	-0.40	-2.25e-03	-1.34e-02	8.86e-03	.777	5.10e-06	2.34e-03
Volume_L_Sg_L	-0.85	-4.83e-03	-1.59e-02	6.29e-03	.507	2.35e-05	5.01e-03
Volume_L_Sg_R	-1.29	-7.17e-03	-1.80e-02	3.69e-03	.220	5.22e-05	7.61e-03
Volume_LD_L	-0.39	-2.24e-03	-1.36e-02	9.15e-03	.862	5.05e-06	2.27e-03
Volume_LD_R	0.62	3.60e-03	-7.77e-03	1.50e-02	.802	1.30e-05	3.65e-03
Volume_LGN_L	-1.64	-8.98e-03	-1.97e-02	1.77e-03	.152	8.25e-05	9.63e-03
Volume_LGN_R	-0.73	-3.90e-03	-1.44e-02	6.62e-03	.601	1.56e-05	4.27e-03
Volume_LP_L	0.72	4.19e-03	-7.21e-03	1.56e-02	.530	1.76e-05	4.24e-03

Table S21

*ET PRS Associations with SUBCORTICAL VOLUME*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Volume_LP_R	0.78	4.53e-03	-6.85e-03	1.59e-02	.490	2.06e-05	4.59e-03
Volume_MDI_L	-1.07	-6.03e-03	-1.70e-02	5.00e-03	.365	3.66e-05	6.30e-03
Volume_MDI_R	-1.39	-7.96e-03	-1.92e-02	3.30e-03	.187	6.36e-05	8.15e-03
Volume_MDm_L	-0.10	-5.21e-04	-1.08e-02	9.79e-03	1.00	2.82e-07	5.82e-04
Volume_MDm_R	-0.33	-1.77e-03	-1.21e-02	8.60e-03	.831	3.22e-06	1.96e-03
<b>Volume_Medulla_whole_brain</b>	<b>-5.13</b>	<b>-2.98e-02</b>	<b>-4.13e-02</b>	<b>-1.84e-02</b>	<b>&lt;.001</b>	<b>8.90e-04</b>	<b>3.02e-02</b>
Volume_MGN_L	-0.81	-4.58e-03	-1.57e-02	6.55e-03	.539	2.12e-05	4.75e-03
Volume_MGN_R	-0.88	-5.00e-03	-1.61e-02	6.13e-03	.426	2.52e-05	5.17e-03
<b>Volume_Midbrain_whole_brain</b>	<b>-3.67</b>	<b>-2.15e-02</b>	<b>-3.30e-02</b>	<b>-1.00e-02</b>	<b>&lt;.001</b>	<b>4.62e-04</b>	<b>2.16e-02</b>
Volume_molecular_Layer_HP_body_L	-1.35	-7.48e-03	-1.84e-02	3.41e-03	.229	5.66e-05	7.92e-03
Volume_molecular_Layer_hP_Body_R	-0.68	-3.78e-03	-1.47e-02	7.16e-03	.641	1.44e-05	3.98e-03
<b>Volume_molecular_Layer_HP_head_L</b>	<b>-2.55</b>	<b>-1.40e-02</b>	<b>-2.48e-02</b>	<b>-3.25e-03</b>	<b>.014</b>	<b>1.98e-04</b>	<b>1.50e-02</b>
Volume_molecular_Layer_hP_head_R	-1.08	-5.88e-03	-1.65e-02	4.76e-03	.358	3.50e-05	6.37e-03
Volume_MVRe_L	-0.56	-3.10e-03	-1.39e-02	7.72e-03	.646	9.73e-06	3.30e-03
Volume_MVRe_R	-0.26	-1.42e-03	-1.21e-02	9.28e-03	.895	2.04e-06	1.53e-03
Volume_parasubiculum_L	-1.62	-9.51e-03	-2.10e-02	1.97e-03	.188	9.04e-05	9.55e-03
Volume_parasubiculum_R	0.56	3.28e-03	-8.15e-03	1.47e-02	.860	1.08e-05	3.31e-03
Volume_Pc_L	0.97	5.37e-03	-5.44e-03	1.62e-02	.557	2.94e-05	5.73e-03
Volume_Pc_R	0.95	5.25e-03	-5.58e-03	1.61e-02	.513	2.80e-05	5.59e-03
Volume_Pf_L	0.08	4.98e-04	-1.10e-02	1.20e-02	1.00	2.48e-07	4.99e-04
Volume_Pf_R	0.07	4.37e-04	-1.11e-02	1.19e-02	1.00	1.91e-07	4.38e-04
<b>Volume_Pons_whole_brain</b>	<b>-3.01</b>	<b>-1.76e-02</b>	<b>-2.92e-02</b>	<b>-6.14e-03</b>	<b>.008</b>	<b>3.11e-04</b>	<b>1.77e-02</b>
Volume_presubiculum_Body_L	-1.37	-7.51e-03	-1.83e-02	3.25e-03	.257	5.72e-05	8.04e-03
Volume_presubiculum_Body_R	-1.52	-8.33e-03	-1.90e-02	2.38e-03	.229	7.01e-05	8.96e-03

**Table S21*****ET PRS Associations with SUBCORTICAL VOLUME***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Volume_presubiculum_head_L	-1.27	-7.06e-03	-1.80e-02	3.85e-03	.307	5.02e-05	7.46e-03
Volume_presubiculum_head_R	-0.21	-1.18e-03	-1.20e-02	9.67e-03	.997	1.40e-06	1.25e-03
Volume_Pt_L	-1.24	-7.16e-03	-1.85e-02	4.17e-03	.323	5.14e-05	7.28e-03
Volume_Pt_R	-1.70	-9.91e-03	-2.13e-02	1.51e-03	.115	9.88e-05	1.00e-02
Volume_PuA_L	1.65	9.55e-03	-1.79e-03	2.09e-02	.116	9.16e-05	9.71e-03
Volume_PuA_R	0.35	2.03e-03	-9.37e-03	1.34e-02	.818	4.12e-06	2.05e-03
Volume_PuI_L	0.20	1.14e-03	-1.02e-02	1.25e-02	.950	1.30e-06	1.16e-03
Volume_PuI_R	-0.61	-3.58e-03	-1.50e-02	7.84e-03	.606	1.29e-05	3.61e-03
Volume_PuL_L	0.39	2.30e-03	-9.14e-03	1.37e-02	.780	5.30e-06	2.32e-03
Volume_PuL_R	-0.75	-4.30e-03	-1.56e-02	6.96e-03	.511	1.89e-05	4.40e-03
Volume_PuM_L	0.85	4.89e-03	-6.42e-03	1.62e-02	.595	2.40e-05	4.98e-03
Volume_PuM_R	0.10	5.96e-04	-1.07e-02	1.18e-02	1.00	3.56e-07	6.10e-04
Volume_SCP_whole_brain	-0.53	-3.11e-03	-1.46e-02	8.36e-03	.814	9.66e-06	3.12e-03
Volume_subiculum_Body_L	0.69	3.79e-03	-7.05e-03	1.46e-02	.555	1.45e-05	4.03e-03
Volume_subiculum_Body_R	0.82	4.57e-03	-6.34e-03	1.55e-02	.463	2.10e-05	4.83e-03
Volume_subiculum_head_L	-1.78	-9.86e-03	-2.07e-02	9.70e-04	.112	9.83e-05	1.05e-02
Volume_subiculum_head_R	-0.16	-8.71e-04	-1.17e-02	9.95e-03	.984	7.68e-07	9.28e-04
Volume_VA_L	-0.02	-1.44e-04	-1.16e-02	1.13e-02	1.00	2.09e-08	1.45e-04
Volume_VA_R	-0.31	-1.81e-03	-1.33e-02	9.67e-03	.852	3.29e-06	1.82e-03
Volume_VAmc_L	0.67	3.83e-03	-7.44e-03	1.51e-02	.569	1.47e-05	3.91e-03
Volume_VAmc_R	0.62	3.51e-03	-7.66e-03	1.47e-02	.606	1.24e-05	3.62e-03
Volume_VLa_L	1.28	7.48e-03	-3.96e-03	1.89e-02	.300	5.61e-05	7.54e-03
Volume_VLa_R	0.83	4.83e-03	-6.61e-03	1.63e-02	.459	2.34e-05	4.86e-03
Volume_VLp_L	1.44	8.38e-03	-3.00e-03	1.98e-02	.191	7.05e-05	8.49e-03

**Table S21*****ET PRS Associations with SUBCORTICAL VOLUME***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Volume_VLp_R	1.12	6.51e-03	-4.85e-03	1.79e-02	.336	4.26e-05	6.60e-03
Volume_VM_L	-0.07	-4.21e-04	-1.19e-02	1.11e-02	1.00	1.77e-07	4.23e-04
Volume_VM_R	-0.24	-1.43e-03	-1.29e-02	1.00e-02	.954	2.05e-06	1.44e-03
Volume_VPL_L	-0.48	-2.83e-03	-1.43e-02	8.65e-03	.708	7.98e-06	2.84e-03
Volume_VPL_R	-0.67	-3.92e-03	-1.54e-02	7.55e-03	.566	1.54e-05	3.94e-03
Volume_Whole_amygdala_L	-0.52	-2.90e-03	-1.38e-02	7.98e-03	.676	8.50e-06	3.07e-03
<b>Volume_Whole_Brainstem_whole_brain</b>	<b>-3.75</b>	<b>-2.20e-02</b>	<b>-3.35e-02</b>	<b>-1.05e-02</b>	<b>.001</b>	<b>4.83e-04</b>	<b>2.20e-02</b>
Volume_Whole_hippocampal_Body_L	-0.81	-4.27e-03	-1.45e-02	6.02e-03	.535	1.85e-05	4.78e-03
Volume_Whole_hippocampal_Body_R	-0.32	-1.71e-03	-1.21e-02	8.70e-03	.841	2.97e-06	1.89e-03
<b>Volume_Whole_hippocampal_head_L</b>	<b>-2.14</b>	<b>-1.15e-02</b>	<b>-2.21e-02</b>	<b>-9.79e-04</b>	<b>.044</b>	<b>1.35e-04</b>	<b>1.26e-02</b>
Volume_Whole_hippocampal_head_R	-0.98	-5.30e-03	-1.59e-02	5.26e-03	.488	2.85e-05	5.79e-03
Volume_Whole_hippocampus_L	-1.68	-8.89e-03	-1.92e-02	1.45e-03	.138	8.04e-05	9.91e-03
Volume_Whole_hippocampus_R	-0.73	-3.88e-03	-1.43e-02	6.54e-03	.658	1.53e-05	4.29e-03
Volume_Whole_thalamus_L	0.35	2.00e-03	-9.15e-03	1.31e-02	.816	4.03e-06	2.07e-03
Volume_Whole_thalamus_R	-0.04	-2.50e-04	-1.14e-02	1.09e-02	1.00	6.28e-08	2.58e-04

*Note*\* *p* < .05, \*\* *p* < .01, \*\*\* *p* < .001, 95% CI(B)**Table S22*****ET PRS Associations with SUBCORTICAL VOLUME \_ EXTENDED SEGMENTATION 1***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
<b>VGM_Amygdala__left</b>	<b>-2.34</b>	<b>-1.36e-02</b>	<b>-2.50e-02</b>	<b>-2.22e-03</b>	<b>.025</b>	<b>1.93e-04</b>	<b>1.48e-02</b>
VGM_Amygdala__right	-1.72	-9.86e-03	-2.11e-02	1.38e-03	.096	1.02e-04	1.09e-02
VGM_Angular_Gyrus__left	1.21	7.58e-03	-4.67e-03	1.98e-02	.338	5.77e-05	7.68e-03
VGM_Angular_Gyrus__right	0.90	5.58e-03	-6.62e-03	1.78e-02	.793	3.13e-05	5.68e-03

Table S22

*ET PRS Associations with SUBCORTICAL VOLUME \_ EXTENDED SEGMENTATION 1*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
<b>VGM_BrainStem</b>	<b>-2.75</b>	<b>-1.62e-02</b>	<b>-2.77e-02</b>	<b>-4.65e-03</b>	<b>.008</b>	<b>2.64e-04</b>	<b>1.74e-02</b>
VGM_Caudate__left	0.33	2.05e-03	-1.00e-02	1.41e-02	.831	4.21e-06	2.11e-03
VGM_Caudate__right	0.96	5.88e-03	-6.11e-03	1.79e-02	.409	3.48e-05	6.09e-03
VGM_CentralOpercular_Cortex__left	-1.16	-6.81e-03	-1.84e-02	4.74e-03	.279	4.77e-05	7.32e-03
VGM_CentralOpercular_Cortex__right	-1.16	-6.88e-03	-1.85e-02	4.70e-03	.275	4.89e-05	7.37e-03
VGM_Cingulate_Gyrus__anterior_division__left	0.91	5.77e-03	-6.61e-03	1.82e-02	.406	3.33e-05	5.79e-03
VGM_Cingulate_Gyrus__anterior_division__right	0.84	5.28e-03	-7.10e-03	1.77e-02	.518	2.79e-05	5.29e-03
VGM_Cingulate_Gyrus__posterior_division__left	-0.02	-1.33e-04	-1.24e-02	1.21e-02	1.00	1.77e-08	1.34e-04
VGM_Cingulate_Gyrus__posterior_division__right	1.07	6.76e-03	-5.59e-03	1.91e-02	.364	4.57e-05	6.79e-03
<b>VGM_CrusI_Cerebellum__left</b>	<b>-2.39</b>	<b>-1.40e-02</b>	<b>-2.55e-02</b>	<b>-2.49e-03</b>	<b>.022</b>	<b>2.01e-04</b>	<b>1.51e-02</b>
VGM_CrusI_Cerebellum__right	-1.74	-1.03e-02	-2.18e-02	1.28e-03	.105	1.08e-04	1.10e-02
VGM_CrusI_Cerebellum__vermis	-0.87	-5.50e-03	-1.78e-02	6.83e-03	.459	3.02e-05	5.53e-03
<b>VGM_CrusII_Cerebellum__left</b>	<b>-3.47</b>	<b>-2.07e-02</b>	<b>-3.25e-02</b>	<b>-9.02e-03</b>	<b>.001</b>	<b>4.42e-04</b>	<b>2.20e-02</b>
<b>VGM_CrusII_Cerebellum__right</b>	<b>-2.89</b>	<b>-1.73e-02</b>	<b>-2.90e-02</b>	<b>-5.56e-03</b>	<b>.005</b>	<b>3.07e-04</b>	<b>1.83e-02</b>
VGM_CrusII_Cerebellum__vermis	-1.44	-8.78e-03	-2.07e-02	3.16e-03	.224	7.78e-05	9.12e-03
VGM_Cuneal_Cortex__left	-1.13	-6.94e-03	-1.90e-02	5.09e-03	.337	4.89e-05	7.16e-03
VGM_Cuneal_Cortex__right	-0.71	-4.39e-03	-1.64e-02	7.66e-03	.535	1.95e-05	4.52e-03
VGM_Frontal_Pole__left	-0.13	-7.75e-04	-1.22e-02	1.06e-02	1.00	6.20e-07	8.43e-04
VGM_Frontal_Pole__right	-0.63	-3.71e-03	-1.52e-02	7.81e-03	.594	1.41e-05	4.00e-03
VGM_FrontalMedial_Cortex__left	0.10	6.35e-04	-1.13e-02	1.26e-02	1.00	4.12e-07	6.58e-04
VGM_FrontalMedial_Cortex__right	0.72	4.44e-03	-7.57e-03	1.64e-02	.597	2.00e-05	4.59e-03
VGM_FrontalOperculum_Cortex__left	-1.22	-7.35e-03	-1.91e-02	4.43e-03	.398	5.52e-05	7.75e-03
VGM_FrontalOperculum_Cortex__right	-1.28	-7.79e-03	-1.97e-02	4.13e-03	.300	6.16e-05	8.11e-03
VGM_FrontalOrbital_Cortex__left	-0.80	-4.71e-03	-1.63e-02	6.90e-03	.480	2.28e-05	5.04e-03

**Table S22**

***ET PRS Associations with SUBCORTICAL VOLUME \_ EXTENDED SEGMENTATION 1***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
VGM_FrontalOrbital_Cortex__right	0.09	5.53e-04	-1.12e-02	1.23e-02	1.00	3.13e-07	5.86e-04
VGM_Heschls_Gyrus__left	0.03	2.01e-04	-1.14e-02	1.18e-02	1.00	4.12e-08	2.14e-04
VGM_Heschls_Gyrus__right	-1.45	-8.51e-03	-2.00e-02	2.96e-03	.188	7.49e-05	9.21e-03
<b>VGM_Hippocampus__left</b>	<b>-2.26</b>	<b>-1.35e-02</b>	<b>-2.52e-02</b>	<b>-1.79e-03</b>	<b>.031</b>	<b>1.85e-04</b>	<b>1.43e-02</b>
VGM_Hippocampus__right	-0.18	-1.10e-03	-1.28e-02	1.06e-02	.961	1.22e-06	1.16e-03
VGM_I2IV_Cerebellum__left	-0.66	-4.07e-03	-1.61e-02	7.94e-03	.652	1.66e-05	4.20e-03
VGM_I2IV_Cerebellum__right	-0.61	-3.71e-03	-1.56e-02	8.21e-03	.696	1.39e-05	3.87e-03
VGM_Inferior_Frontal_Gyrus__pars_opercularis__ left	-0.15	-9.07e-04	-1.29e-02	1.10e-02	1.00	8.35e-07	9.42e-04
VGM_Inferior_Frontal_Gyrus__pars_opercularis__ right	-0.29	-1.75e-03	-1.38e-02	1.03e-02	.943	3.11e-06	1.81e-03
VGM_Inferior_Frontal_Gyrus__pars_triangularis__ left	1.30	8.04e-03	-4.05e-03	2.01e-02	.247	6.52e-05	8.26e-03
VGM_Inferior_Frontal_Gyrus__pars_triangularis__ right	-0.27	-1.69e-03	-1.38e-02	1.04e-02	1.00	2.88e-06	1.73e-03
VGM_Inferior_Temporal_Gyrus__anterior_divisio n__left	-1.04	-6.51e-03	-1.88e-02	5.74e-03	.383	4.26e-05	6.59e-03
VGM_Inferior_Temporal_Gyrus__anterior_divisio n__right	0.35	2.22e-03	-1.01e-02	1.45e-02	1.00	4.98e-06	2.24e-03
VGM_Inferior_Temporal_Gyrus__posterior_divisio n__left	0.28	1.77e-03	-1.05e-02	1.41e-02	.875	3.13e-06	1.78e-03
VGM_Inferior_Temporal_Gyrus__posterior_divisio n__right	-0.02	-1.38e-04	-1.24e-02	1.21e-02	1.00	1.91e-08	1.39e-04

Table S22

*ET PRS Associations with SUBCORTICAL VOLUME \_ EXTENDED SEGMENTATION 1*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
<b>VGM_Inferior_Temporal_Gyrus__temporoocci pital__left</b>	<b>3.04</b>	<b>1.92e-02</b>	<b>6.85e-03</b>	<b>3.16e-02</b>	<b>.003</b>	<b>3.69e-04</b>	<b>1.93e-02</b>
<b>VGM_Inferior_Temporal_Gyrus__temporoocci pital__right</b>	<b>2.57</b>	<b>1.61e-02</b>	<b>3.82e-03</b>	<b>2.85e-02</b>	<b>.018</b>	<b>2.61e-04</b>	<b>1.63e-02</b>
<b>VGM_Insular_Cortex__left</b>	<b>-2.16</b>	<b>-1.31e-02</b>	<b>-2.50e-02</b>	<b>-1.23e-03</b>	<b>.041</b>	<b>1.76e-04</b>	<b>1.37e-02</b>
VGM_Insular_Cortex__right	-1.84	-1.13e-02	-2.33e-02	7.29e-04	.074	1.30e-04	1.17e-02
VGM_Intracalcarine_Cortex__left	-2.04	-1.27e-02	-2.50e-02	-4.75e-04	.094	1.63e-04	1.29e-02
VGM_Intracalcarine_Cortex__right	-1.88	-1.17e-02	-2.39e-02	5.20e-04	.091	1.38e-04	1.19e-02
<b>VGM_IX_Cerebellum__left</b>	<b>-3.67</b>	<b>-2.16e-02</b>	<b>-3.32e-02</b>	<b>-1.01e-02</b>	<b>&lt; .001</b>	<b>4.81e-04</b>	<b>2.32e-02</b>
<b>VGM_IX_Cerebellum__right</b>	<b>-3.95</b>	<b>-2.31e-02</b>	<b>-3.46e-02</b>	<b>-1.17e-02</b>	<b>&lt; .001</b>	<b>5.54e-04</b>	<b>2.50e-02</b>
<b>VGM_IX_Cerebellum__vermis</b>	<b>-3.13</b>	<b>-1.89e-02</b>	<b>-3.08e-02</b>	<b>-7.06e-03</b>	<b>.003</b>	<b>3.64e-04</b>	<b>1.98e-02</b>
VGM_LateralOccipital_Cortex__inferiordivision__ left	1.51	9.39e-03	-2.77e-03	2.16e-02	.195	8.89e-05	9.59e-03
VGM_LateralOccipital_Cortex__inferiordivision__ right	1.68	1.04e-02	-1.75e-03	2.26e-02	.168	1.10e-04	1.06e-02
VGM_LateralOccipital_Cortex__superiordivision__ _left	0.02	1.02e-04	-1.14e-02	1.16e-02	1.00	1.06e-08	1.10e-04
VGM_LateralOccipital_Cortex__superiordivision__ _right	0.11	6.66e-04	-1.10e-02	1.24e-02	1.00	4.51e-07	7.06e-04
VGM_Lingual_Gyrus__left	-0.25	-1.54e-03	-1.37e-02	1.06e-02	.904	2.38e-06	1.57e-03
VGM_Lingual_Gyrus__right	-1.71	-1.06e-02	-2.27e-02	1.58e-03	.132	1.12e-04	1.08e-02
VGM_Middle_Frontal_Gyrus__left	-1.41	-8.76e-03	-2.09e-02	3.38e-03	.274	7.72e-05	8.96e-03
VGM_Middle_Frontal_Gyrus__right	-0.55	-3.39e-03	-1.56e-02	8.78e-03	.752	1.16e-05	3.46e-03



**Table S22**

***ET PRS Associations with SUBCORTICAL VOLUME \_ EXTENDED SEGMENTATION 1***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
VGM_Middle_Temporal_Gyrus__anterior_division__left	-0.19	-1.21e-03	-1.34e-02	1.10e-02	.951	1.47e-06	1.23e-03
VGM_Middle_Temporal_Gyrus__anterior_division__right	1.72	1.07e-02	-1.52e-03	2.30e-02	.111	1.16e-04	1.09e-02
VGM_Middle_Temporal_Gyrus__posterior_division__left	-0.81	-4.92e-03	-1.69e-02	7.05e-03	.541	2.47e-05	5.10e-03
VGM_Middle_Temporal_Gyrus__posterior_division__right	1.45	8.71e-03	-3.07e-03	2.05e-02	.205	7.74e-05	9.18e-03
VGM_Middle_Temporal_Gyrus__temporooccipital__left	2.17	1.36e-02	1.29e-03	2.59e-02	.055	1.85e-04	1.37e-02
VGM_Middle_Temporal_Gyrus__temporooccipital__right	0.76	4.77e-03	-7.55e-03	1.71e-02	.776	2.28e-05	4.81e-03
VGM_OccipitalFusiform_Gyrus__left	-0.51	-3.10e-03	-1.50e-02	8.82e-03	.686	9.77e-06	3.23e-03
VGM_OccipitalFusiform_Gyrus__right	-1.00	-6.07e-03	-1.79e-02	5.78e-03	.354	3.75e-05	6.36e-03
VGM_OccipitalPole__left	-0.02	-9.82e-05	-1.20e-02	1.18e-02	1.00	9.71e-09	1.03e-04
VGM_OccipitalPole__right	-0.79	-4.84e-03	-1.69e-02	7.22e-03	.555	2.33e-05	4.98e-03
VGM_Pallidum__left	-1.21	-7.53e-03	-1.97e-02	4.63e-03	.289	5.69e-05	7.68e-03
VGM_Pallidum__right	-0.75	-4.57e-03	-1.66e-02	7.46e-03	.587	2.10e-05	4.72e-03
VGM_Paracingulate_Gyrus__left	0.45	2.68e-03	-8.91e-03	1.43e-02	.872	7.37e-06	2.87e-03
VGM_Paracingulate_Gyrus__right	-0.65	-3.77e-03	-1.52e-02	7.63e-03	.665	1.46e-05	4.10e-03
VGM_Parahippocampal_Gyrus__anterior_division__left	-0.51	-3.18e-03	-1.53e-02	8.94e-03	.683	1.02e-05	3.26e-03
VGM_Parahippocampal_Gyrus__anterior_division__right	0.25	1.58e-03	-1.06e-02	1.37e-02	.899	2.50e-06	1.61e-03

**Table S22**

***ET PRS Associations with SUBCORTICAL VOLUME \_ EXTENDED SEGMENTATION 1***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
VGM_Parahippocampal_Gyrus__posterior_divisio n_left	-1.33	-8.15e-03	-2.01e-02	3.82e-03	.273	6.71e-05	8.45e-03
VGM_Parahippocampal_Gyrus__posterior_divisio n_right	0.92	5.59e-03	-6.36e-03	1.75e-02	.462	3.15e-05	5.81e-03
VGM_ParietalOperculum_Cortex__left	0.20	1.26e-03	-1.09e-02	1.34e-02	1.00	1.59e-06	1.28e-03
VGM_ParietalOperculum_Cortex__right	-0.98	-6.10e-03	-1.82e-02	6.05e-03	.418	3.74e-05	6.23e-03
VGM_Planum_Temporale__left	0.16	9.90e-04	-1.10e-02	1.30e-02	1.00	9.82e-07	1.02e-03
VGM_Planum_Temporale__right	-0.92	-5.60e-03	-1.76e-02	6.38e-03	.462	3.16e-05	5.80e-03
VGM_PlanumPolare__left	-0.93	-5.36e-03	-1.67e-02	5.96e-03	.398	2.99e-05	5.88e-03
VGM_PlanumPolare__right	-1.39	-7.94e-03	-1.91e-02	3.25e-03	.185	6.60e-05	8.81e-03
VGM_Postcentral_Gyrus__left	-1.02	-5.82e-03	-1.70e-02	5.34e-03	.345	3.55e-05	6.47e-03
VGM_Postcentral_Gyrus__right	-1.19	-6.73e-03	-1.78e-02	4.39e-03	.265	4.74e-05	7.52e-03
VGM_Precentral_Gyrus__left	0.02	1.03e-04	-1.12e-02	1.14e-02	1.00	1.12e-08	1.12e-04
VGM_Precentral_Gyrus__right	-0.85	-4.98e-03	-1.64e-02	6.45e-03	.505	2.60e-05	5.41e-03
VGM_Precuneous_Cortex__left	-1.55	-9.38e-03	-2.12e-02	2.45e-03	.180	8.96e-05	9.84e-03
VGM_Precuneous_Cortex__right	-1.41	-8.43e-03	-2.01e-02	3.26e-03	.203	7.27e-05	8.95e-03
<b>VGM_Putamen__left</b>	<b>-2.68</b>	<b>-1.69e-02</b>	<b>-2.92e-02</b>	<b>-4.53e-03</b>	<b>.011</b>	<b>2.85e-04</b>	<b>1.70e-02</b>
VGM_Putamen__right	-1.74	-1.09e-02	-2.31e-02	1.35e-03	.105	1.20e-04	1.10e-02
VGM_Subcallosal_Cortex__left	-2.00	-1.24e-02	-2.45e-02	-2.38e-04	.069	1.54e-04	1.27e-02
VGM_Subcallosal_Cortex__right	-2.32	-1.46e-02	-2.70e-02	-2.25e-03	.062	2.14e-04	1.47e-02
VGM_Superior_Frontal_Gyrus__left	0.56	3.42e-03	-8.61e-03	1.55e-02	.649	1.19e-05	3.53e-03
VGM_Superior_Frontal_Gyrus__right	0.55	3.40e-03	-8.75e-03	1.55e-02	.686	1.16e-05	3.47e-03
VGM_Superior_ParietalLobule__left	-0.90	-5.53e-03	-1.75e-02	6.46e-03	.521	3.10e-05	5.72e-03
VGM_Superior_ParietalLobule__right	-1.82	-1.12e-02	-2.33e-02	8.55e-04	.154	1.28e-04	1.15e-02

**Table S22*****ET PRS Associations with SUBCORTICAL VOLUME \_ EXTENDED SEGMENTATION 1***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
VGM_Superior_Temporal_Gyrus__anterior_division__left	0.62	3.86e-03	-8.29e-03	1.60e-02	.600	1.50e-05	3.95e-03
VGM_Superior_Temporal_Gyrus__anterior_division__right	0.41	2.53e-03	-9.59e-03	1.46e-02	.768	6.46e-06	2.59e-03
VGM_Superior_Temporal_Gyrus__posterior_division__left	-1.90	-1.16e-02	-2.37e-02	3.97e-04	.067	1.37e-04	1.20e-02
VGM_Superior_Temporal_Gyrus__posterior_division__right	-0.88	-5.31e-03	-1.72e-02	6.56e-03	.440	2.86e-05	5.55e-03
VGM_SupplementaryMotor_Cortex__left	-0.78	-4.86e-03	-1.70e-02	7.28e-03	.649	2.39e-05	4.97e-03
VGM_SupplementaryMotor_Cortex__right	-1.20	-7.42e-03	-1.95e-02	4.67e-03	.344	5.56e-05	7.62e-03

*Note*\*  $p < .05$ , \*\*  $p < .01$ , \*\*\*  $p < .001$ , 95% CI(B)**Table S23*****ET PRS Associations with SUBCORTICAL VOLUME \_ EXTENDED SEGMENTATION 2***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
VGM_Supracalcarine_Cortex__left	-0.89	-5.59e-03	-1.79e-02	6.75e-03	.421	3.13e-05	5.62e-03
VGM_Supracalcarine_Cortex__right	-1.01	-6.33e-03	-1.86e-02	5.92e-03	.560	4.04e-05	6.41e-03
VGM_Supramarginal_Gyrus__anterior_division__left	0.45	2.80e-03	-9.46e-03	1.51e-02	.736	7.89e-06	2.83e-03
VGM_Supramarginal_Gyrus__anterior_division__right	-1.05	-6.52e-03	-1.86e-02	5.60e-03	.375	4.29e-05	6.68e-03
VGM_Supramarginal_Gyrus__posterior_division__left	-0.26	-1.64e-03	-1.39e-02	1.06e-02	.893	2.70e-06	1.66e-03

Table S23

*ET PRS Associations with SUBCORTICAL VOLUME \_ EXTENDED SEGMENTATION 2*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
<b>VGM_Supramarginal_Gyrus__posterior_divisio n_right</b>	<b>-3.17</b>	<b>-1.95e-02</b>	<b>-3.16e-02</b>	<b>-7.42e-03</b>	<b>.005</b>	<b>3.84e-04</b>	<b>2.00e-02</b>
VGM_Temporal_Pole__left	0.72	4.39e-03	-7.60e-03	1.64e-02	.540	1.96e-05	4.55e-03
VGM_Temporal_Pole__right	1.33	8.11e-03	-3.87e-03	2.01e-02	.238	6.71e-05	8.40e-03
VGM_TemporalFusiform_Cortex__anterior_divisio n_left	-1.36	-8.34e-03	-2.03e-02	3.64e-03	.222	7.10e-05	8.64e-03
VGM_TemporalFusiform_Cortex__anterior_divisio n_right	0.07	4.18e-04	-1.17e-02	1.25e-02	1.00	1.78e-07	4.28e-04
VGM_TemporalFusiform_Cortex__posterior_divisi on_left	-1.11	-6.74e-03	-1.87e-02	5.19e-03	.345	4.61e-05	7.01e-03
VGM_TemporalFusiform_Cortex__posterior_divisi on_right	-0.98	-6.00e-03	-1.80e-02	6.01e-03	.369	3.65e-05	6.20e-03
VGM_TemporalOccipitalFusiform_Cortex__left	-0.68	-4.22e-03	-1.65e-02	8.02e-03	.562	1.79e-05	4.28e-03
VGM_TemporalOccipitalFusiform_Cortex__right	-0.85	-5.25e-03	-1.74e-02	6.93e-03	.512	2.77e-05	5.35e-03
VGM_Thalamus__left	-0.14	-8.38e-04	-1.28e-02	1.11e-02	1.00	7.05e-07	8.68e-04
VGM_Thalamus__right	-0.62	-3.80e-03	-1.59e-02	8.28e-03	.605	1.45e-05	3.90e-03
VGM_V_Cerebellum__left	-1.93	-1.18e-02	-2.37e-02	1.66e-04	.080	1.40e-04	1.22e-02
VGM_V_Cerebellum__right	-1.85	-1.13e-02	-2.32e-02	6.61e-04	.082	1.28e-04	1.17e-02
VGM_VentralStriatum__left	-0.34	-1.96e-03	-1.33e-02	9.32e-03	.825	4.00e-06	2.16e-03
VGM_VentralStriatum__right	-1.38	-8.13e-03	-1.96e-02	3.39e-03	.188	6.81e-05	8.75e-03
<b>VGM_VI_Cerebellum__left</b>	<b>-4.59</b>	<b>-2.66e-02</b>	<b>-3.80e-02</b>	<b>-1.52e-02</b>	<b>&lt; .001</b>	<b>7.28e-04</b>	<b>2.91e-02</b>
<b>VGM_VI_Cerebellum__right</b>	<b>-3.37</b>	<b>-1.97e-02</b>	<b>-3.12e-02</b>	<b>-8.24e-03</b>	<b>.001</b>	<b>3.98e-04</b>	<b>2.13e-02</b>
<b>VGM_VI_Cerebellum__vermis</b>	<b>-2.93</b>	<b>-1.75e-02</b>	<b>-2.91e-02</b>	<b>-5.80e-03</b>	<b>.005</b>	<b>3.10e-04</b>	<b>1.86e-02</b>
<b>VGM_VIIb_Cerebellum__left</b>	<b>-2.70</b>	<b>-1.60e-02</b>	<b>-2.77e-02</b>	<b>-4.40e-03</b>	<b>.008</b>	<b>2.66e-04</b>	<b>1.71e-02</b>

Table S23

*ET PRS Associations with SUBCORTICAL VOLUME \_ EXTENDED SEGMENTATION 2*

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
VGM_VIIb_Cerebellum__right	<b>-2.71</b>	<b>-1.62e-02</b>	-2.80e-02	-4.51e-03	.007	2.73e-04	1.72e-02
VGM_VIIb_Cerebellum__vermis	<b>-2.43</b>	<b>-1.45e-02</b>	-2.61e-02	-2.82e-03	.022	2.13e-04	1.54e-02
VGM_VIIIa_Cerebellum__left	<b>-2.60</b>	<b>-1.50e-02</b>	-2.62e-02	-3.68e-03	.011	2.35e-04	1.65e-02
VGM_VIIIa_Cerebellum__right	<b>-2.23</b>	<b>-1.27e-02</b>	-2.39e-02	-1.53e-03	.029	1.71e-04	1.41e-02
VGM_VIIIa_Cerebellum__vermis	-2.04	-1.20e-02	-2.34e-02	-4.75e-04	.053	1.47e-04	1.29e-02
VGM_VIIIb_Cerebellum__left	<b>-3.30</b>	<b>-1.96e-02</b>	-3.12e-02	-7.93e-03	.001	3.95e-04	2.09e-02
VGM_VIIIb_Cerebellum__right	<b>-3.24</b>	<b>-1.88e-02</b>	-3.02e-02	-7.41e-03	.001	3.70e-04	2.05e-02
VGM_VIIIb_Cerebellum__vermis	<b>-2.62</b>	<b>-1.58e-02</b>	-2.75e-02	-3.97e-03	.013	2.53e-04	1.66e-02
VGM_X_Cerebellum__left	-0.38	-2.32e-03	-1.43e-02	9.62e-03	.791	5.44e-06	2.41e-03
VGM_X_Cerebellum__right	-0.68	-4.08e-03	-1.59e-02	7.72e-03	.640	1.69e-05	4.29e-03
VGM_X_Cerebellum__vermis	<b>-4.34</b>	<b>-2.52e-02</b>	<b>-3.66e-02</b>	<b>-1.38e-02</b>	<b>&lt; .001</b>	<b>6.46e-04</b>	<b>2.75e-02</b>
Vol_3rdVentricle__whole_brain	-0.31	-1.66e-03	-1.20e-02	8.73e-03	.849	2.92e-06	1.98e-03
Vol_4thVentricle__whole_brain	-0.20	-1.25e-03	-1.34e-02	1.09e-02	1.00	1.58e-06	1.28e-03
Vol_5thVentricle__whole_brain	-0.07	-4.19e-04	-1.28e-02	1.20e-02	1.00	1.76e-07	4.19e-04
Vol_accumbens__left	-1.05	-6.12e-03	-1.75e-02	5.30e-03	.375	3.88e-05	6.66e-03
Vol_accumbens__right	0.47	2.68e-03	-8.52e-03	1.39e-02	.719	7.45e-06	2.97e-03
Vol_Accumbens_area__left_hemisphere	0.46	2.59e-03	-8.41e-03	1.36e-02	.726	6.97e-06	2.92e-03
Vol_Accumbens_area__right_hemisphere	-0.14	-8.27e-04	-1.23e-02	1.07e-02	.999	7.05e-07	8.94e-04
Vol_amygdala__left	-1.21	-7.66e-03	-2.00e-02	4.72e-03	.405	5.88e-05	7.68e-03
Vol_Amygdala__left_hemisphere	-0.89	-5.26e-03	-1.68e-02	6.27e-03	.477	2.81e-05	5.66e-03
Vol_amygdala__right	-0.19	-1.17e-03	-1.36e-02	1.12e-02	.990	1.37e-06	1.17e-03
Vol_Amygdala__right_hemisphere	-1.00	-6.10e-03	-1.80e-02	5.84e-03	.570	3.74e-05	6.34e-03
Vol_BrainSeg__whole_brain	-1.84	-1.09e-02	-2.26e-02	7.38e-04	.085	1.21e-04	1.16e-02
Vol_BrainSegNotVent__whole_brain	-1.93	-1.10e-02	-2.22e-02	1.69e-04	.069	1.24e-04	1.22e-02

**Table S23**

***ET PRS Associations with SUBCORTICAL VOLUME \_ EXTENDED SEGMENTATION 2***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Vol_BrainSegNotVentSurf__whole_brain	-1.94	-1.10e-02	-2.22e-02	1.18e-04	.067	1.25e-04	1.23e-02
<b>Vol_BrainStem__whole_brain</b>	<b>-2.73</b>	<b>-1.73e-02</b>	<b>-2.96e-02</b>	<b>-4.89e-03</b>	<b>.011</b>	<b>2.98e-04</b>	<b>1.73e-02</b>
Vol_caudate__left	0.82	5.09e-03	-7.10e-03	1.73e-02	.531	2.61e-05	5.18e-03
Vol_Caudate__left_hemisphere	1.20	7.47e-03	-4.76e-03	1.97e-02	.297	5.58e-05	7.58e-03
Vol_caudate__right	1.49	9.33e-03	-2.91e-03	2.16e-02	.174	8.73e-05	9.46e-03
Vol_Caudate__right_hemisphere	1.58	9.88e-03	-2.37e-03	2.21e-02	.171	9.77e-05	1.00e-02
Vol_CCAnterior__whole_brain	1.44	8.83e-03	-3.19e-03	2.09e-02	.193	7.89e-05	9.12e-03
Vol_CCCentral__whole_brain	-0.48	-2.86e-03	-1.45e-02	8.74e-03	.776	8.35e-06	3.06e-03
Vol_CCMidAnterior__whole_brain	0.26	1.52e-03	-1.01e-02	1.31e-02	1.00	2.37e-06	1.63e-03
Vol_CCMidPosterior__whole_brain	-1.15	-6.87e-03	-1.86e-02	4.89e-03	.378	4.82e-05	7.25e-03
Vol_CCPosterior__whole_brain	1.15	7.00e-03	-4.96e-03	1.90e-02	.323	4.92e-05	7.27e-03
<b>Vol_Cerebellum_Cortex__left_hemisphere</b>	<b>-3.11</b>	<b>-1.95e-02</b>	<b>-3.18e-02</b>	<b>-7.19e-03</b>	<b>.003</b>	<b>3.80e-04</b>	<b>1.97e-02</b>
<b>Vol_Cerebellum_Cortex__right_hemisphere</b>	<b>-2.53</b>	<b>-1.59e-02</b>	<b>-2.82e-02</b>	<b>-3.61e-03</b>	<b>.020</b>	<b>2.53e-04</b>	<b>1.61e-02</b>
<b>Vol_Cerebellum_WhiteMatter__right_hemispher e</b>	<b>-3.66</b>	<b>-2.20e-02</b>	<b>-3.38e-02</b>	<b>-1.03e-02</b>	<b>.001</b>	<b>4.94e-04</b>	<b>2.32e-02</b>
<b>Vol_CerebellumWM__left_hemisphere</b>	<b>-3.17</b>	<b>-1.88e-02</b>	<b>-3.04e-02</b>	<b>-7.17e-03</b>	<b>.002</b>	<b>3.62e-04</b>	<b>2.01e-02</b>
Vol_CerebralWhiteMatter__left_hemisphere	-0.29	-1.73e-03	-1.34e-02	9.96e-03	.868	3.03e-06	1.84e-03
Vol_CerebralWhiteMatter__right_hemisphere	-0.31	-1.85e-03	-1.36e-02	9.87e-03	.852	3.45e-06	1.96e-03
Vol_choroid_plexus__left_hemisphere	-0.30	-1.62e-03	-1.23e-02	9.02e-03	1.00	2.80e-06	1.89e-03
Vol_choroid_plexus__right_hemisphere	0.12	6.56e-04	-9.80e-03	1.11e-02	1.00	4.58e-07	7.79e-04
Vol_Cortex__left_hemisphere	-1.26	-7.42e-03	-1.90e-02	4.14e-03	.247	5.63e-05	7.97e-03
Vol_Cortex__right_hemisphere	-1.63	-9.62e-03	-2.12e-02	1.98e-03	.211	9.43e-05	1.03e-02
Vol_CSF__whole_brain	1.47	8.83e-03	-2.92e-03	2.06e-02	.211	8.04e-05	9.32e-03
Vol_hippocampus__left	0.05	3.18e-04	-1.14e-02	1.20e-02	1.00	1.03e-07	3.38e-04

**Table S23*****ET PRS Associations with SUBCORTICAL VOLUME \_ EXTENDED SEGMENTATION 2***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
Vol_Hippocampus__left_hemisphere	-1.40	-8.14e-03	-1.95e-02	3.24e-03	.242	6.77e-05	8.88e-03
Vol_hippocampus__right	0.64	3.82e-03	-7.92e-03	1.56e-02	.674	1.48e-05	4.04e-03
Vol_Hippocampus__right_hemisphere	0.06	3.26e-04	-1.10e-02	1.17e-02	1.00	1.09e-07	3.57e-04
Vol_Inf_Lat_Vent__right_hemisphere	-1.10	-6.22e-03	-1.73e-02	4.90e-03	.351	4.00e-05	6.95e-03
Vol_InfLatVent__left_hemisphere	-0.25	-1.36e-03	-1.21e-02	9.42e-03	.906	1.93e-06	1.56e-03
Vol_Lateral_Ventricle__right_hemisphere	0.46	2.54e-03	-8.34e-03	1.34e-02	.729	6.72e-06	2.89e-03
Vol_LateralVentricle__left_hemisphere	1.22	6.83e-03	-4.13e-03	1.78e-02	.285	4.87e-05	7.74e-03
Vol_nonWMhypointensities__whole_brain	0.23	1.47e-03	-1.09e-02	1.39e-02	.919	2.16e-06	1.47e-03
Vol_OpticChiasm__whole_brain	-0.64	-3.81e-03	-1.55e-02	7.91e-03	.590	1.49e-05	4.03e-03
Vol_pallidum__left	0.16	9.91e-04	-1.13e-02	1.32e-02	.983	9.84e-07	1.00e-03
Vol_Pallidum__left_hemisphere	-0.52	-3.26e-03	-1.55e-02	8.97e-03	.677	1.06e-05	3.31e-03
Vol_pallidum__right	-0.29	-1.82e-03	-1.39e-02	1.03e-02	.865	3.32e-06	1.86e-03
Vol_Pallidum__right_hemisphere	-0.21	-1.32e-03	-1.36e-02	1.09e-02	.938	1.73e-06	1.33e-03
Vol_putamen__left	-0.41	-2.46e-03	-1.42e-02	9.28e-03	.767	6.15e-06	2.60e-03
Vol_Putamen__left_hemisphere	-0.59	-3.63e-03	-1.57e-02	8.45e-03	.626	1.33e-05	3.73e-03
Vol_putamen__right	0.29	1.76e-03	-1.01e-02	1.36e-02	.868	3.13e-06	1.84e-03
Vol_Putamen__right_hemisphere	-0.45	-2.81e-03	-1.49e-02	9.30e-03	.730	7.94e-06	2.88e-03
Vol_SubCortGray__whole_brain	-0.53	-3.12e-03	-1.47e-02	8.44e-03	.767	9.92e-06	3.35e-03
Vol_SupraTentorial__whole_brain	-1.00	-5.96e-03	-1.76e-02	5.71e-03	.407	3.59e-05	6.34e-03
Vol_SupraTentorialNotVent__whole_brain	-1.17	-6.64e-03	-1.78e-02	4.53e-03	.313	4.53e-05	7.38e-03
Vol_thalamus__left	-1.45	-8.35e-03	-1.97e-02	2.97e-03	.191	7.19e-05	9.15e-03
Vol_thalamus__right	-1.42	-8.20e-03	-1.95e-02	3.13e-03	.201	6.92e-05	8.98e-03
Vol_Thalamus_Proper__left_hemisphere	0.33	1.91e-03	-9.50e-03	1.33e-02	.955	3.75e-06	2.08e-03
Vol_Thalamus_Proper__right_hemisphere	0.94	5.59e-03	-6.07e-03	1.72e-02	.521	3.17e-05	5.95e-03

**Table S23**

***ET PRS Associations with SUBCORTICAL VOLUME \_ EXTENDED SEGMENTATION 2***

Tract	<i>t</i>	$\beta$	CI_low	CI_up	<i>p</i>	Eta2	Cohens_f
<b>Vol_TotalGray__whole_brain</b>	<b>-2.21</b>	<b>-1.29e-02</b>	-2.44e-02	-1.46e-03	.046	1.71e-04	1.40e-02
<b>Vol_VentralDC__left_hemisphere</b>	<b>-3.57</b>	<b>-2.18e-02</b>	-3.34e-02	-9.86e-03	< .001	5.28e-04	2.29e-02
<b>Vol_VentralDC__right_hemisphere</b>	<b>-3.38</b>	<b>-2.07e-02</b>	-3.26e-02	-8.70e-03	.001	4.75e-04	2.18e-02
Vol_VentricleChoroid__whole_brain	0.83	4.56e-03	-6.18e-03	1.53e-02	.456	2.18e-05	5.27e-03
Vol_vessel__left_hemisphere	-0.13	-8.50e-04	-1.32e-02	1.15e-02	1.00	7.23e-07	8.53e-04
Vol_vessel__right_hemisphere	0.41	2.56e-03	-9.80e-03	1.49e-02	.880	6.55e-06	2.57e-03
Vol_Wmhypointensities__whole_brain	0.92	5.38e-03	-6.03e-03	1.68e-02	.457	2.97e-05	5.85e-03
Volume_ratio_of_BrainSegVol2eTIV__whole_brain	-1.69	-9.24e-03	-2.00e-02	1.49e-03	.103	8.61e-05	1.07e-02
Volume_ratio_of_MaskVol2eTIV__whole_brain	-0.81	-4.45e-03	-1.52e-02	6.30e-03	.626	1.99e-05	5.14e-03

*Note*

\*  $p < .05$ , \*\*  $p < .01$ , \*\*\*  $p < .001$ , 95% CI(B)



**Table S24**

*Summary of ET patient samples, high genetic risk, and low genetic risk matched healthy control samples*

<b>Cohort</b>	<b>Sample Size (N)</b>	<b>N Females (%)</b>	<b>N Males (%)</b>	<b>Stats.</b>	<b>Sex</b>	<b>Age</b>	<b>Center</b>	<b>Adjusted PRS</b>
Essential Tremor Patients	49	22 (44.9%)	27 (55.1%)	<i>Min.</i>	0	49	11025	N/A
				<i>1<sup>st</sup> Q.</i>	0	64	11025	N/A
				<i>Median</i>	1	70	11025	N/A
				<i>Mean</i>	0.551	67.67	11026	N/A
				<i>3<sup>rd</sup> Q.</i>	1	73	11027	N/A
				<i>Max.</i>	1	81	11027	N/A
Matched High Risk Healthy Controls	49	22 (44.9%)	27 (55.1%)	<i>Min.</i>	0	49	11025	8.91E-08
				<i>1<sup>st</sup> Q.</i>	0	64	11025	9.25E-08
				<i>Median</i>	1	70	11026	9.85E-08
				<i>Mean</i>	0.551	67.59	11026	1.04E-07
				<i>3<sup>rd</sup> Q.</i>	1	73	11027	1.09E-07
				<i>Max.</i>	1	80	11027	1.63E-07
Matched Low Risk Healthy Controls	49	22 (44.9%)	27 (55.1%)	<i>Min.</i>	0	50	11025	-1.86E-07
				<i>1<sup>st</sup> Q.</i>	0	64	11025	-1.19E-07
				<i>Median</i>	1	70	11025	-1.07E-07
				<i>Mean</i>	0.551	67.69	11026	-1.10E-07
				<i>3<sup>rd</sup> Q.</i>	1	73	11027	-9.73E-08
				<i>Max.</i>	1	79	11027	-9.03E-08

*\*No PRS for ET patients*

*\*\* Q. Quartiles*

NB. After exclusion criteria, the number of participants with MRI we have is 63 subjects (self\_report: 53 + ICD10: 10 = 63 subjects)

Out of these we have 49 subjects with complete subcortical volume segmentation (1 additional subject that did not have complete cerebellar subcortical volume was removed)

Table S25

*Cortical and subcortical volume associations in matched ET vs healthy control groups of low (LR PRS) and high (HR PRS) genetic risk*

ET vs LR PRS			ET vs HR PRS		
ROI	pFDR	tWelch	ROI	pFDR	tWelch
Brainstem	0.0058	-2.8196	Pallidum_R	0.0403	-2.0788
Pallidum_L	0.0150	-2.4780	Putamen_L	0.0032	-3.0264
Thalamus_R	0.0326	-2.1680	Putamen_R	0.0495	-1.9897
Posterior_cingulate_L	0.0467	-2.0169	Hippocampus_L	0.0053	-2.8568
Posterior_cingulate_R	0.0270	-2.2492	Hippocampus_R	0.0073	-2.7454
Inferior_temporal_R	0.0350	-2.1394	Middle_temporal_L	0.0245	-2.2851
Medial_orbitofrontal_L	0.0186	2.3946	Superior_parietal_L	0.0281	-2.2308
Medial_orbitofrontal_R	0.0102	2.6191	Parahippocampal_L	0.0236	-2.2999
Pars_orbitalis_R	0.0131	2.5305	Parahippocampal_R	0.0365	-2.1222
Lateral_occipital_L	0.0234	2.3030	Medial_orbitofrontal_L	0.0094	2.6513
Fusiform_L	0.0340	-2.1542	Medial_orbitofrontal_R	0.0108	2.6013
Fusiform_R	0.0446	2.0353	Fusiform_R	0.0292	-2.2163
V_Cerebellum_L	0.0261	-2.2594	VIIIa_Cerebellum_R	0.0357	-2.1314
VI_Cerebellum_L	0.0491	-1.9938	I2IV_Cerebellum_L	0.0114	-2.5794
VI_Cerebellum_R	0.0455	-2.0270	CrusI_Cerebellum_vermis	0.0393	-2.0927
VI_Cerebellum_vermis	0.0079	-2.7169			
VIIIa_Cerebellum_L	0.0068	-2.7660			
VIIIa_Cerebellum_R	0.0203	-2.3603			
VIIIb_Cerebellum_L	0.0415	-2.0668			
IX_Cerebellum_L	0.0316	-2.1814			
IX_Cerebellum_R	0.0392	-2.0911			
X_Cerebellum_vermis	0.0356	-2.1336			

**Table S26*****Significant transcriptomic associations from Transcriptomic Structural Equation Modeling (TSEM)***

Gene	Ensembl ID	Locus	Z_Estimate	Pval_Estimate
<i>FOXO3</i>	ENSG00000118689.14	6q21	-4.97065	6.67e-07
<i>SLC44A5</i>	ENSG00000137968.16	1p31.1	-4.94424	7.64e-07
<i>WASHC3</i>	ENSG00000120860.10	12q23.2	-4.89079	1.00e-06
<i>ARL17A</i>	ENSG00000185829.17	17q21.31	-4.80594	1.54e-06
<i>LRRC37A2</i>	ENSG00000238083.7	17q21.31	-4.77634	1.79e-06
<i>FAM215B</i>	ENSG00000232300.1	17q21.31	-4.76735	1.87e-06
<i>NA</i>	ENSG00000266918.1	17q21.31	-4.74021	2.13e-06
<i>MAPK8IP1P1</i>	ENSG00000262500.1	17q21.31	-4.73075	2.24e-06
<i>SPPL2C</i>	ENSG00000185294.6	17q21.31	-4.70466	2.54e-06
<i>NA</i>	ENSG00000280022.1	17q21.32	4.702957	2.56e-06
<i>NA</i>	ENSG00000261575.2	17q21.33	-4.70187	2.58e-06
<i>NA</i>	ENSG00000262539.1	17q21.34	-4.70112	2.59e-06
<i>KANSLI-ASI</i>	ENSG00000214401.4	17q21.31	-4.70098	2.59e-06
<i>DND1P1</i>	ENSG00000264070.1	17q21.31	-4.7009	2.59e-06
<i>NA</i>	ENSG00000236234.1	17q21.32	4.700666	2.59e-06
<i>MAPK8IP1P2</i>	ENSG00000263503.1	17q21.31	-4.69126	2.72e-06
<i>MAPT-ITI</i>	ENSG00000279685.2	17q21.31	-4.68541	2.79e-06
<i>PLEKHM1</i>	ENSG00000225190.10	17q21.31	4.658154	3.19e-06
<i>LRRC37A4P</i>	ENSG00000214425.7	17q21.31	4.654885	3.24e-06
<i>MAPT-ASI</i>	ENSG00000264589.2	17q21.31	4.485421	7.28e-06

**Table S26.** All significant genes from transcriptome-wide structural equation modeling after Bonferroni correction (p-value: 8.23e-6). Associations between gene expression in the cerebellum and the common factor built from IDPs corresponding to identified ROIs associated to ET PRS are shown.