

Integration of MRI radiomics and germline genetics to predict the IDH mutation status of gliomas

Taishi Nakase¹, Stephen S. Francis^{2,3,4}, Geno Guerra², Qingyu Zhao⁵, Linda Kachuri^{1,6}

Affiliations:

1. Department of Epidemiology and Population Health, Stanford University School of Medicine, Stanford, CA
2. Department of Neurological Surgery, University of California San Francisco, San Francisco, CA
3. Department of Epidemiology and Biostatistics, University of California San Francisco, San Francisco, CA
4. Weill Institute for Neurosciences, University of California San Francisco, San Francisco, CA
5. Department of Radiology, Weill Cornell Medicine, New York, NY
6. Stanford Cancer Institute, Stanford University School of Medicine, Stanford, CA

Corresponding author:

Linda Kachuri, PhD

Department of Epidemiology and Population Health


Stanford University School of Medicine

300 Pasteur Drive, Alway Building, Room 105A, Stanford, CA 94305

Email: lkachuri@stanford.edu

Telephone: (650) 723-9384

Supplementary Figure 1: Distribution of AUC for classification of IDH mutation status from repeated 5-fold cross-validation using radiomics features unadjusted for potential confounding factors. AUC estimates from 500 random iterations of 5-fold cross validation were obtained from IDH classification models using different combinations of features.



Supplementary Table 1: Classification performance for IDH mutation status using radiomics features unadjusted for potential confounding factors. Performance metrics are based on classification models for *IDH* mutation status in glioma cases. Models with radiomic features were trained with an elastic net; otherwise, models were trained with logistic regression. Two-sided p-values ($P_{\Delta AUC}$) testing the differences in AUC between the radiomics-based model and other models are based on DeLong's test.

Model features	Accuracy	Precision	Recall	F1-score	AUC (95% CI)	$P_{\Delta AUC}$
Radiomics	0.830	0.868	0.766	0.814	0.887 (0.833, 0.942)	-
Demographics	0.711	0.844	0.494	0.623	0.751 (0.673, 0.829)	0.0034
Genetics	0.623	0.631	0.532	0.577	0.702 (0.622, 0.782)	5.1×10^{-4}
Genetics + Demographics	0.711	0.804	0.532	0.641	0.775 (0.701, 0.849)	0.019
Radiomics + Demographics	0.836	0.840	0.818	0.829	0.892 (0.839, 0.946)	0.78
Radiomics + Genetics	0.843	0.861	0.805	0.832	0.920 (0.878, 0.962)	0.018
Radiomics + Genetics + Demographics	0.868	0.868	0.857	0.863	0.920 (0.878, 0.963)	0.060

Supplementary Table 2: Feature association with overall survival. Features used for IDH status classification are examined for association with overall survival using univariate Cox proportional hazards regression.

Feature	Feature category	HR (95% CI)	P value
Age at Diagnosis	Demographic	2.62 (1.94-3.53)	3.40E-10
Germline Genetics	Genetic	0.84 (0.66-1.07)	0.15
NET T1Gd Bin 10	Radiomic - Histogram	1.34 (1.12-1.60)	0.0014
NET FLAIR Bin 4	Radiomic - Histogram	1.06 (0.85-1.33)	0.6
NET T1Gd Bin 1	Radiomic - Histogram	1.02 (0.81-1.28)	0.85
NET T1 Bin 1	Radiomic - Histogram	1.00 (0.76-1.30)	0.98
NET T1 Bin 7	Radiomic - Histogram	0.96 (0.77-1.20)	0.72
NET T1Gd Bin 6	Radiomic - Histogram	0.94 (0.74-1.21)	0.65
NET T1Gd Bin 3	Radiomic - Histogram	0.91 (0.72-1.16)	0.45
NET T1Gd Bin 5	Radiomic - Histogram	0.75 (0.57-0.99)	0.043
Mean NET T1Gd	Radiomic - Intensity	1.42 (1.12-1.80)	0.004
Mean NET T1	Radiomic - Intensity	1.33 (1.05-1.68)	0.019
STD NET T1Gd	Radiomic - Intensity	0.96 (0.75-1.23)	0.77
Parietal	Radiomic - Spatial	1.12 (0.91-1.37)	0.29
Frontal	Radiomic - Spatial	0.73 (0.57-0.94)	0.016
GLOBAL NET FLAIR Kurtosis	Radiomic - Texture	1.32 (1.09-1.60)	0.0039
GLCM NET T1 Correlation	Radiomic - Texture	1.28 (0.92-1.78)	0.15
GLSZM NET FLAIR SZLGE	Radiomic - Texture	1.27 (1.03-1.56)	0.028
GLRLM NET T2 SRE	Radiomic - Texture	1.20 (0.95-1.51)	0.13
GLOBAL NET T2 Kurtosis	Radiomic - Texture	1.11 (0.89-1.38)	0.37
GLOBAL NET FLAIR Skewness	Radiomic - Texture	1.00 (0.76-1.30)	0.98
GLCM NET T2 Homogeneity	Radiomic - Texture	0.94 (0.75-1.16)	0.55
GLOBAL NET FLAIR Variance	Radiomic - Texture	0.77 (0.63-0.93)	0.0059
NGTDM NET T1Gd Busyness	Radiomic - Texture	0.75 (0.55-1.02)	0.069
GLCM NET T1Gd AutoCorrelation	Radiomic - Texture	0.74 (0.59-0.94)	0.013
GLCM NET T1Gd SumAverage	Radiomic - Texture	0.74 (0.59-0.92)	0.0081
NGTDM NET FLAIR Busyness	Radiomic - Texture	0.73 (0.56-0.97)	0.028
GLCM NET FLAIR Variance	Radiomic - Texture	0.73 (0.58-0.91)	0.0052
GLCM NET T1 Contrast	Radiomic - Texture	0.71 (0.52-0.95)	0.021
NGTDM NET T1 Contrast	Radiomic - Texture	0.70 (0.52-0.93)	0.013
NGTDM NET T1 Busyness	Radiomic - Texture	0.56 (0.40-0.80)	0.0015
GLSZM NET T1 LZLGE	Radiomic - Texture	0.44 (0.27-0.72)	0.0011
ET/TC	Radiomic - Volumetric	1.51 (1.22-1.86)	1.20E-04
ET/WT	Radiomic - Volumetric	1.28 (1.07-1.54)	0.0068
NET/BRAIN	Radiomic - Volumetric	0.70 (0.52-0.93)	0.016
NET/TC	Radiomic - Volumetric	0.66 (0.54-0.82)	1.20E-04
NET/WT	Radiomic - Volumetric	0.64 (0.49-0.83)	7.80E-04
SOLIDITY NET	Radiomic - Volumetric	0.61 (0.49-0.77)	3.10E-05
Center of gravity (y-axis)	Radiomic - Tumor Growth Model	1.31 (1.03-1.65)	0.027
Diffusion coefficient	Radiomic - Tumor Growth Model	0.99 (0.76-1.28)	0.92

Abbreviations

- NET Non-enhancing tumor
- WT Whole tumor
- TC Tumor core
- ET Enhancing tumor
- GLCM Grey-level co-occurrence matrix
- GLSZM Gray-level size zone matrix
- GLRLM Gray-level run-length matrix
- SZLGE Small zone low gray-level emphasis
- SRE Short run emphasis
- NGTDM Neighborhood grey-tone difference matrix