

Supplementary File S1.

Social isolation in mid-life: associations with psychological distress, life satisfaction and self-rated health in two successive British birth cohorts

Rosie Mansfield ^{a*} Marcus Richards ^b, George B. Ploubidis ^a, Morag Henderson ^{a+}, Praveetha Patalay ^{a, b+}

^aCentre for Longitudinal Studies, University College London

^bMRC Unit for Lifelong Health and Ageing, University College London

*Corresponding author: Dr Rosie Mansfield, r.mansfield@ucl.ac.uk

+Shared senior authors

Table of Contents

Table S1. <i>Descriptive statistics for demographic, socioeconomic and health covariates, social isolation indicators and health outcomes using complete case data</i>	4
Table S2. <i>Descriptive statistics for demographic, socioeconomic and health covariates using multiply imputed data m=50 (1970 BCS N = 16,585 and 1958 NCDS = 15,806)</i>	6
Table S3. <i>Harmonisation of demographic, socioeconomic and health covariates, social isolation indicators and health outcomes</i>	7
Table S4. <i>N(%) of missing cases for covariates, social isolation indicators and health outcomes (Full sample N = 32,391, 1970 BCS N = 16,585, 1958 NCDS N = 15,806)</i>	17
Table S5. <i>Linear multivariable regression models for each separate social isolation indicator to identify (1) independent effects of each social isolation indicator and (2) cohort effects in these independent effects on psychological distress, life satisfaction and self-rated general health using multiply imputed data m=50 (Full sample N = 32,391, Males N = 15,810, Females N = 15,221)</i>	19
Table S6. <i>Linear multivariable regression models for each separate social isolation indicator to identify (1) independent effects of each social isolation indicator and (2) cohort effects in these independent effects on psychological distress, life satisfaction and self-rated general health – complete case</i>	21
Table S7. <i>Linear multivariable regression models for each separate social isolation indicator to identify (1) independent effects of each social isolation indicator and (2) cohort effects in these independent effects on psychological distress, life satisfaction and self-rated general health using impute and delete data</i>	23
Figure S1 (a, b, c and d). <i>Model predicted marginal mean plots for significant ($p < .10$) social isolation by cohort interactions on health outcomes</i>	25
Figure S2. <i>Model predicted marginal mean plot for cumulative social isolation score by cohort interaction on self-rated general health</i>	26
Table S8. <i>Linear multivariable regression models for the cumulative social isolation score to identify 1) ‘dose response’ effects using the cumulative social isolation score, and 2) cohort effects in any ‘dose-response’ associations on psychological distress, life satisfaction and self-rated general health – complete case and impute and delete models</i>	27
Table S9. <i>Linear multivariable regression models for the interaction between multiple social isolation indicators to identify 1) the additive and multiplicative interaction effects, and 2) cohort effects in any interaction associations on psychological distress, life satisfaction and self-rated general health using multiply imputed data m=50 (Full sample N = 32,391, Males N = 15,810, Females N = 15,221)</i>	29
Table S10. <i>Linear multivariable regression models for the interaction between multiple social isolation indicators to identify 1) the additive and multiplicative interaction effects, and 2) cohort effects in any interaction associations on psychological distress, life satisfaction and self-rated general health using complete case data</i>	31
Table S11. <i>Linear multivariable regression models for the interaction between multiple social isolation indicators to identify 1) the additive and multiplicative interaction effects,</i>	

and 2) cohort effects in any interaction associations on psychological distress, life satisfaction and self-rated general health using impute and delete data34

Table S13. Class membership (N(%)) for full sample and by sex and cohort.....36

Table S1. *Descriptive statistics for demographic, socioeconomic and health covariates, social isolation indicators and health outcomes using complete case data*

Variable	1970 BCS			1958 NCDS		
	N	Age(year)	%	N	Age(year)	%
<i>Demographic, Socioeconomic and Health Covariates</i>						
Sex (if female)	15,226	Birth	7,457(48.98)	15,805	Birth	7,764(49.12)
Self-reported sex (if female)	8,804	38 (2008)	4,638(52.68)	11,213	42 (1999)	5,712(50.94)
Education – highest qualification - educated to degree level (if no degree)	8,764	38 (2008)	8,418(96.05)	15,805	42 (1999)	15,325(96.96)
Socioeconomic status – self-reported financial difficulties (if yes)	8,773	38 (2008)	797(9.08)	11,174	42 (1999)	896(8.02)
Socioeconomic status – occupational social class	7,423	38 (2008)		9,487	42 (1999)	
Professional/Managerial-technical			3,739(50.37)			4,059(42.78)
Intermediate			2,771(37.33)			3,937(41.50)
Partly skilled/Unskilled			881(11.87)			1,471(15.51)
Others			32(0.43)			20(0.21)
Socioeconomic status – homeownership (if no)	8,757	38 (2008)	1,922(21.95)	11,131	42 (1999)	2,091(18.79)
Health – self-rated general health (Mean (SE))	8,770	38 (2008)	3.73(1.01)	11,171	42 (1999)	3.09(0.76)
Health – limiting long standing illness (if yes)	8,803	38 (2008)	1,394(15.84)	11,171	42 (1999)	3,234(28.95)
Health – psychological distress (Mean (SE))	9,445	34 (2004)	1.67(1.90)	11,076	42 (1999)	1.51(1.78)
Health – life satisfaction (Mean (SE))	9,441	34 (2004)	7.41(1.80)	11,069	42 (1999)	7.30(1.91)
<i>Social Isolation Indicators</i>						
Living alone (if yes)	9,802	42 (2012)	949(9.68)	9,432	46 (2004)	870(9.22)
Lack of regular contact with friends and relatives outside of the household (if yes)	9,749	42 (2012)	345(3.54)	8,482	44 (2002)	79(0.93)
Out of education and employment (if yes)	9,767	42 (2012)	1,400(14.33)	9,448	46 (2004)	1,164(12.32)
Lack of community engagement (if yes)	6,512	42 (2012) 46 (2016)	4,869(74.77)	9,441	46 (2004)	7,259(76.89)

Total social isolation score (0-3)*	6,497	42 (2012)		7,816	46 (2004)	
0			1,307(20.12)			1,546(19.78)
1			4,062(62.52)			5,078(64.97)
2			1,022(15.73)			1,088(13.92)
3			106(1.63)			104(1.33)
<i>Health Outcomes</i>						
Psychological distress (Mean(SD))	7,866	46 (2016)	1.77(2.13)	7,866	50 (2008)	1.77(2.13)
Subjective wellbeing - life satisfaction (Mean(SD))	8,487	46 (2016)	7.35(1.89)	9,631	50 (2008)	7.29(1.84)
Self-rated general health (Mean(SD))	8,576	46 (2016)	3.44(1.10)	9,733	50 (2008)	3.48(1.11)

Note: * Due to small counts for social isolation scores of 4, scores of 3 and 4 are combined.

Table S2. *Descriptive statistics for demographic, socioeconomic and health covariates using multiply imputed data m=50 (1970 BCS N = 16,585 and 1958 NCDS = 15,806)*

Variable	1970 BCS		1958 NCDS	
	Age (year)	%	Age (year)	%
Self-reported sex (if female)	38 (2008)	53.17	42 (1999)	50.64
Education – highest qualification - educated to degree level (if no degree)	38 (2008)	96.18	42 (1999)	96.96
Socioeconomic status – self-reported financial difficulties (if yes)	38 (2008)	10.13	42 (1999)	8.40
Socioeconomic status – occupational social class	38 (2008)		42 (1999)	
Professional/Managerial-technical		45.96		38.31
Intermediate		38.88		42.44
Partly skilled/Unskilled		14.51		18.92
Others		0.66		0.33
Socioeconomic status – homeownership (if no)	38 (2008)	24.65	42 (1999)	20.10
Health – self-rated general health (Mean(SE))	38 (2008)	3.67(.01)	42 (1999)	3.07(.01)
Health – limiting long standing illness (if yes)	38 (2008)	17.18	42 (1999)	29.81
Health – psychological distress (Mean(SE))	34 (2004)	1.75(.02)	42 (1999)	1.55(.02)
Health – life satisfaction (Mean(SE))	34 (2004)	7.33(.02)	42 (1999)	7.27(.02)

Table S3. *Harmonisation of demographic, socioeconomic and health covariates, social isolation indicators and health outcomes*

Measure	Cohort	Age (year)	Variable	Item/Questionnaire	Recode
<i>Demographic, Socioeconomic and Health Covariates</i>					
Sex	1970 BCS	38 (2008)	b8cmsex	Self-reported cohort member's sex	Males = 0 Females = 1 recode 1=0 2=1
	1958 NCDS	42 (1999)	n622_6	Self-reported cohort member's sex	Males = 0 Females = 1 recode 1=0 2=1
Education – highest qualification – educated to degree level	1970 BCS	38 (2008)	bd8achq1	Highest Academic Qualification CM obtained in 2008 survey -1 Level not calculable 0 No academic qualification 1 GCSE D-E 2 Other Scottish Quals 3 GCSE A-C, Scot Standards/Intermediate 1 4 Scot Intermediate 2 / AS Levels or 1 A Level 5 2+ A Levels, Scot Higher/6th 6 Diploma 7 Degree, PGCE, Other Degree qual 8 Higher Degree	Recode Degree, PGCE, Other Degree qual 8 Higher Degree = 0 anything else = 0 and no degree = 1
	1958 NCDS	42 (1999)	numdeg	No. of degrees CM has obtained?	Recode any degree = 0 no degree = 1

Socioeconomic status – self-reported financial difficulties	1970 BCS	38 (2008)	b8finnow	How well would you say you personally are managing financially these days. Would you say you are 1 ...living comfortably 2 doing all right 3 just about getting by 4 finding it quite difficult or 5 finding it very difficult?	Recode 1 living comfortably 2 doing all right and 3 just about getting by = 0 and 4 finding it quite difficult and 5 finding it very difficult = 1
	1958 NCDS	42 (1999)	finnow	How well would you say you personally are managing financially these days. Would you say you are 1 ...living comfortably 2 doing all right 3 just about getting by 4 finding it quite difficult or 5 finding it very difficult?	Recode 1 living comfortably 2 doing all right and 3 just about getting by = 0 and 4 finding it quite difficult and 5 finding it very difficult = 1
Socioeconomic status – occupational social class	1970 BCS	38 (2008)	b8sc	(Current Job) Social Class 1 I Professional 2 II Managerial-technical 3.1 3.2 4 IV Partly skilled 5 Unskilled 6 Others	Recode I Professional II Managerial-technical = 0 3.1/3.2 = 1 IV Partly skilled Unskilled = 2 Others = 3
	1958 NCDS	42 (1999)	sc	(Current Job) Social Class 1 I Professional 2 II Managerial-technical	Recode I Professional

				3.1 3.2 4 IV Partly skilled 5 Unskilled 6 Others	II Managerial-technical = 0 3.1/3.2 = 1 IV Partly skilled Unskilled = 2 Others = 3
Socioeconomic status – home ownership	1970 BCS	38 (2008)	b8ten2	Do you own or rent your home or have some other arrangement? 1 Own - outright 2 Own - buying with help of a mortgage 3 Pay part rent and part mortgage 4 Rent it 5 Live here rent-free 6 Squatting 7 Other	Recode 1 Own - outright 2 Own - buying with help of a mortgage 3 Pay part rent and part mortgage = 0 4 Rent it 5 Live here rent-free 6 Squatting 7 Other = 1
	1958 NCDS	42 (1999)	tenure2	Do you own or rent your home or have some other arrangement? 1 Own - outright 2 Own - buying with help of a mortgage 3 Pay part rent and part mortgage 4 Rent it 5 Live here rent-free 6 Squatting 7 Other	Recode 1 Own - outright 2 Own - buying with help of a mortgage 3 Pay part rent and part mortgage = 0 4 Rent it 5 Live here rent-free 6 Squatting 7 Other = 1

Health – self-rated general health	1970 BCS	38 (2008)	b8hlthgn	In general, would you say your health is... 1 Excellent 2 Very good 3 Good 4 Fair 5 Poor	Recode so that high scores = better health 5 = “Excellent”, 1 = “Poor”
	1958 NCDS	42 (1999)	hlthgen	How would you describe your health generally? Would you say it is ... 1 Excellent 2 Good 3 Fair 4 Poor	Recode so that high scores = better health 4 = “Excellent”, 1 = “Poor”
Health – limiting long standing illness	1970 BCS	38 (2008)	b8lsiotr b8khllt	Whether CM Has Any (Other) Long Standing Illness/ Disability Whether Health Limits Everyday Activities	Combine items to get complete picture – if limiting long standing illness = 1
	1958 NCDS	42 (1999)	lsiany2	Do you have any long-standing illness, disability or infirmity? By long-standing I mean anything that has troubled you over a period of time, or that is likely to affect you over a period of time? Yes/no	Recode yes = 1 no = 0
Health – psychological distress	1970 BCS	34 (2004)	b7mal02 b7mal03 b7mal05 b7mal09 b7mal12 b7mal14 b7mal16	Malaise 9-item Questionnaire	Total score

			b7mal20 b7mal21		
	1958 NCDS	42 (1999)	mal02 mal03 mal05 mal09 mal12 mal14 mal16 mal20 mal21	Malaise 24-item Questionnaire reduced down to match the 9-item Questionnaire	Total score
Health – life satisfaction	1970 BCS	34 (2004)	b7lifet1	Here is a scale from 0 to 10, where '0' means that you are completely dissatisfied and '10' means that you are completely satisfied. Please enter the number which corresponds with how satisfied or dissatisfied you are with the way life has turned out so far	0-10
	1958 NCDS	42 (1999)	lifesat1	Here is a scale from 0-10 where '0' means that you are completely dissatisfied and '10' means that you are completely satisfied. Please enter the number which corresponds with how satisfied or dissatisfied you are about the way your life has turned out so far	0-10
<i>Social Isolation Indicators</i>					
Living alone	1970 BCS	42 (2012)	BD9HSIZE B9GSLIVE B9GRTOK	Derived Household Size (bcs70_2012_derived.dta) HHgrid: whether person living with CM at interview (bcs70_2012_persongrid.dta) HHgrid: Person's relationship to CM (bcs70_2012_persongrid.dta)	Derived variable for living alone where living alone = 1 using household grid and household member's relationship to cohort member –

					cross-checked against the study derived variable for household size
	1958 NCDS	46 (2004)	nd7numhh n7rtok12- n7rtok20	(Derived) Total number of people in household Person's relationship to Cohort Member	Derived variable for living alone where living alone = 1 using household grid and household member's relationship to cohort member – cross-checked against the study derived variable for household size
Lack of regular contact with friends and relatives outside of the household	1970 BCS	42 (2012)	B9FREMT B9FAMMT	How often do you meet up with any of your friends? (bcs70_2012_flatfile.dta) How often do you meet up with any members of your family who you do not live with? (bcs70_2012_flatfile.dta)	Recode to combine frequency of contact with family and friends and to indicate social isolation i.e., less than monthly contact = 1
	1958 NCDS	44 (2002)	seerels visrels numpals	How often do you have regular contact with relatives outside your household?	Recode to combine frequency of

				How often do you visit or are you visited by relatives who live outside your household? How often do you have regular contact with friends or acquaintances outside your household?	contact with family and friends and to indicate social isolation i.e., less than monthly contact = 1
Out of education and employment	1970 BCS	42 (2012)	BD9EACT	(Derived) Current economic activity status	Recode so that being in neither education nor employment = 1
	1958 NCDS	46 (2004)	nd7eact	(Derived) Current economic activity status	Recode so that being in neither education nor employment = 1
Lack of community engagement	1970 BCS	42 (2012) 46 (2016)	B10Q26 B10Q27 B9SCQ23 B9SCQ1W B9SCQ1X	Whether CM is currently a member of any organisations, clubs or societies? How often CM participates in meetings/events/activities of any organisations? How often, if ever, do you attend any kind of religious service or meeting? How often have you done each of the following activities in the last 12 months? (voluntary organisation) (voluntary work)	Generate variables for membership to community group or organisation, volunteering and regular religious activity (i.e., at least monthly) then generate social isolation indicator for community context - isolated across 2/3 no group

					membership, no volunteering and no regular religious activity = 1
	1958 NCDS	46 (2004)	nd7hobby nd7othg n7rnoveq nd7youth nd7polit nd7eco nd7othv nd7local	I'd like you to think about any groups, clubs or organisations that you've been involved with since we last saw you in [^date of last interview] How often, if ever, do you attend any kind of religious service or meeting?	Generate variables for membership to community group or organisation, volunteering and regular religious activity (i.e., at least monthly) then generate social isolation indicator for community context - isolated across 2/3 no group membership, no volunteering and no regular religious activity = 1
Total social isolation score	1970 BCS	42 (2012)	Living alone	Sum of all social isolation indicators – capped at 3 i.e., those scoring 4 combined with those scoring 3 due to very low counts.	Sum of all social isolation indicators (0-3)
	1958 NCDS	46 (2004)	Lack of regular contact with		

			friends and relatives outside of the household Out of education and employment Lack of community engagement		
<i>Health Outcomes</i>					
Psychological distress	1970 BCS	46 (2016)	B10Q28A B10Q28B B10Q28C B10Q28D B10Q28E B10Q28F B10Q28G B10Q28H B10Q28I	Malaise 9-item Questionnaire	Total score
	1958 NCDS	50 (2008)	N8MAL02 N8MAL03 N8MAL05 N8MAL09 N8MAL12 N8MAL14 N8MAL16	Malaise 9-item Questionnaire	Total score

			N8MAL20 N8MAL21		
Subjective wellbeing - life satisfaction	1970 BCS	46 (2016)	B10LIFST1	Here is a scale from 0 to 10, where '0' means that you are completely dissatisfied and '10' means that you are completely satisfied. Please enter the number which corresponds with how satisfied or dissatisfied you are with the way life has turned out so far	0-10
	1958 NCDS	50 (2008)	N8LIFET1	Here is a scale from 0 to 10, where '0' means that you are completely dissatisfied and '10' means that you are completely satisfied. Please enter the number which corresponds with how satisfied or dissatisfied you are with the way life has turned out so far	0-10
Self-rated general health	1970 BCS	46 (2016)	B10HLTHGN	In general, would you say your health is 1. excellent 2. very good 3. good 4. fair 5. poor?	Reverse code so that excellent health = 5
	1958 NCDS	50 (2008)	N8HLTHGN	In general, would you say your health is 1. excellent 2. very good 3. good 4. fair 5. poor?	Reverse code so that excellent health = 5

Table S4. *N(%) of missing cases for covariates, social isolation indicators and health outcomes (Full sample N = 32,391, 1970 BCS N = 16,585, 1958 NCDS N = 15,806)*

Measure	Cohort	Age (year)	N(%) missing	Study outcome non-response
<i>Demographic, Socioeconomic and Health Covariates</i>				
Sex (at birth) Self-reported sex	1970 BCS	38 (2008)	1,359(8.19) 7,781(46.92)	-
	1958 NCDS	42 (1999)	1(0.01) 4,593(29.06)	-
Education – highest qualification - educated to degree level	1970 BCS	38 (2008)	7,821(47.16)	-
	1958 NCDS	42 (1999)	1(0.01)	-
Socioeconomic status – self-reported financial difficulties	1970 BCS	38 (2008)	7,812(47.10)	-
	1958 NCDS	42 (1999)	4,632(29.31)	-
Socioeconomic status – occupational social class	1970 BCS	38 (2008)	9,162(55.24)	-
	1958 NCDS	42 (1999)	6,319(39.98)	-
Socioeconomic status – home ownership	1970 BCS	38 (2008)	7,828(47.20)	-
	1958 NCDS	42 (1999)	4,675(29.58)	-
Health – self-rated general health	1970 BCS	38 (2008)	7,815(47.12)	-
	1958 NCDS	42 (1999)	4,635(29.32)	-
Health – limiting long standing illness	1970 BCS	38 (2008)	7,782(46.92)	-
	1958 NCDS	42 (1999)	4,635(29.32)	-
Health – psychological distress	1970 BCS	34 (2004)	7,140(43.05)	-
	1958 NCDS	42 (1999)	4,730(29.93)	-
Health – life satisfaction	1970 BCS	34 (2004)	7,144(43.08)	-
	1958 NCDS	42 (1999)	4,737(29.97)	-

<i>Social Isolation Indicators</i>				
Living alone	1970 BCS	42 (2012)	6,783(40.90)	-
	1958 NCDS	46 (2004)	6,374(40.33)	-
Lack of regular contact with friends and relatives outside of the household	1970 BCS	42 (2012)	6,836(41.22)	-
	1958 NCDS	44 (2002)	7,324(46.34)	-
Out of education and employment	1970 BCS	42 (2012)	6,818(41.11)	-
	1958 NCDS	46 (2004)	6,358(40.23)	-
Lack of community engagement	1970 BCS	42 (2012)	10,073(60.74)	-
	46 (2016)			
Total social isolation score (0-3)*	1958 NCDS	46 (2004)	6,365(40.27)	-
	1970 BCS	42 (2012)	10,088(60.83)	-
	1958 NCDS	46 (2004)	7,990(50.55)	-
<i>Health Outcomes</i>				
Psychological distress	1970 BCS	46 (2016)	8,719(52.57)	715(4.31%)
	1958 NCDS	50 (2008)	6,172(39.05)	156(0.99%)
Subjective wellbeing - life satisfaction	1970 BCS	46 (2016)	8,098(48.83)	94(0.57%)
	1958 NCDS	50 (2008)	6,175(39.07)	159(1.01%)
Self-rated general health	1970 BCS	46 (2016)	8,009(48.29)	5(0.03%)
	1958 NCDS	50 (2008)	6,073(38.42)	57(0.36%)

Note: 8,004(48.26%) of cases in 1970 BCS were unproductive in the most recent data collection sweep (age 46) i.e., they did not take part at all. Any missingness above and beyond 8,004 cases in the outcome is due to item non-response. 6,016(38.06%) unproductive cases in 1958 NCDS. * Due to small counts for social isolation scores of 4, scores of 3 and 4 are combined.

Table S5. Linear multivariable regression models for each separate social isolation indicator to identify (1) independent effects of each social isolation indicator and (2) cohort effects in these independent effects on psychological distress, life satisfaction and self-rated general health using multiply imputed data $m=50$ (Full sample $N = 32,391$, Males $N = 15,810$, Females $N = 15,221$)

All coefficients presented are for each independent social isolation indicator only (exposure)	Psychological distress coef [95% CI]		Life satisfaction coef [95% CI]		Self-rated general health coef [95% CI]	
	(1)Independent	(2)*Cohort	(1)Independent	(2)*Cohort	(1)Independent	(2)*Cohort
<i>Living alone</i>						
<i>Full sample model</i>	.029 [-.019 - .076]	.008 [-.081 - .097]	-.205*** [-.254 - -.155]	.069 [-.026 - .164]	-.040 [-.090 - .009]	-.139*** [-.231 - -.047]
<i>Males only</i>	.026 [-.031 - .083]	-.016 [-.124 - .091]	-.203*** [-.262 - -.144]	.082 [-.033 - .197]	-.053* [-.114 - .008]	-.133** [-.248 - -.018]
<i>Females only</i>	.020 [-.044 - .085]	.048 [-.078 - .174]	-.223*** [-.291 - -.155]	.052 [-.092 - .196]	-.038 [-.104 - .029]	-.137** [-.262 - -.012]
<i>Lack of regular contact with friends and relatives outside of the household</i>						
<i>Full sample model</i>	.066 [-.027 - .159]	-.190* [-.406 - .027]	-.206*** [-.306 - -.106]	.078 [-.145 - .301]	-.094** [-.182 - -.006]	-.062 [-.284 - .160]
<i>Males only</i>	.042 [-.074 - .158]	-.191 [-.449 - .068]	-.198*** [-.314 - -.083]	.051 [-.209 - .310]	-.091* [-.199 - .018]	-.058 [-.336 - .220]
<i>Females only</i>	.081 [-.043 - .205]	-.204 [-.523 - .116]	-.232*** [-.375 - -.088]	.098 [-.257 - .453]	-.095 [-.222 - .033]	-.081 [-.385 - .223]
<i>Out of education and employment</i>						
<i>Full sample model</i>	.198*** [.149 - .248]	-.027 [-.117 - .062]	-.131*** [-.176 - -.086]	-.080** [-.149 - -.010]	-.260*** [-.298 - -.222]	-.186*** [-.266 - -.106]
<i>Males only</i>	.252*** [.181 - .323]	-.029 [-.149 - .090]	-.147*** [-.215 - -.078]	-.093* [-.200 - .014]	-.305*** [-.366 - -.245]	-.238*** [-.357 - -.118]
<i>Females only</i>	.183*** [.128 - .238]	-.046 [-.150 - .058]	-.096*** [-.149 - -.043]	-.071 [-.160 - .019]	-.222*** [-.267 - -.177]	-.157*** [-.248 - -.066]
<i>Lack of community engagement</i>						

<i>Full sample model</i>	.014 [-.019 - .048]	.021 [-.041 - .083]	-.062*** [-.096 - -.028]	-.007 [-.072 - .057]	-.049*** [-.079 - -.019]	-.002 [-.066 - .062]
<i>Males only</i>	-.002 [-.047 - .042]	.028 [-.054 - .111]	-.074*** [-.117 - -.030]	-.032 [-.119 - .055]	-.051** [-.093 - .010]	-.010 [-.097 - .077]
<i>Females only</i>	.024 [-.018 - .065]	.017 [-.068 - .102]	-.055** [-.100 - -.009]	.013 [-.069 - .095]	-.049** [-.087 - -.010]	.011 [-.069 - .092]

Note: All models use multiply imputed data, adjusted for the full covariate set and are run once with a cohort dummy variable and again to include a cohort interaction term (*cohort). Health outcomes are standardised, and continuous covariates centred. Coefficients are reported for independent and cohort interaction effects. Male and female samples do not = total sample due to some missing data on the sex at birth variable. Additional models were run for each social isolation indicator controlling for all other indicators to assess the independent associations net of the other social isolation domains – results were consistent with the above models.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$

Table S6. Linear multivariable regression models for each separate social isolation indicator to identify (1) independent effects of each social isolation indicator and (2) cohort effects in these independent effects on psychological distress, life satisfaction and self-rated general health – complete case

All coefficients presented are for each independent social isolation indicator only (exposure)	Psychological distress		Life satisfaction		Self-rated general health	
	coef [95% CI] N		coef [95% CI] N		coef [95% CI] N	
	(1)Independent	(2)*Cohort	(1)Independent	(2)*Cohort	(1)Independent	(2)*Cohort
<i>Living alone</i>						
<i>Full sample model</i>	.011 [-.040 - .062] 11,806	.041 [-.060 - .142] 11,806	-.177*** [-.231 - -.124] 12,114	.035 [-.071 - .142] 12,114	-.066** [-.118 - -.014] 12,160	-.138*** [-.242 - -.035] 12,160
<i>Males only</i>	-.002 [-.063 - .059] 5,822	-.017 [-.140 - .106] 5,822	-.175*** [-.243 - -.106] 5,972	.055 [-.082 - .192] 5,972	-.080** [-.148 - -.012] 6,000	-.129* [-.265 - .007] 6,000
<i>Females only</i>	.051 [-.037 - .139] 5,663	.143 [-.033 - .320] 5,663	-.188*** [-.277 - -.099] 5,794	.000 [-.177 - .177] 5,794	-.061 [-.145 - .023] 5,811	-.116 [-.284 - .052] 5,811
<i>Lack of regular contact with friends and relatives outside of the household</i>						
<i>Full sample model</i>	.029 [-.079 - .137] 11,256	-.226* [-.467 - .015] 11,256	-.211*** [-.323 - -.099] 11,562	-.024 [-.279 - .230] 11,562	-.031 [-.140 - .078] 11,604	-.182 [-.430 - .066] 11,604
<i>Males only</i>	.075 [-.055 - .205] 5,531	-.331** [-.609 - -.054] 5,531	-.226*** [-.367 - -.085] 5,681	-.062 [-.369 - .245] 5,681	-.085 [-.226 - .055] 5,710	-.094 [-.401 - .212] 5,710
<i>Females only</i>	-.025 [-.211 - .160] 5,404	-.089 [-.532 - .353] 5,404	-.152 [-.338 - .035] 5,533	-.014 [-.463 - .435] 5,533	.065 [-.113 - .243] 5,545	-.335 [-.763 - .094] 5,545

<i>Out of education and employment</i>						
<i>Full sample model</i>	.238*** [.170 - .305] 11,807	.090 [-.048 - .227] 11,807	-.198*** [-.269 - -.127] 12,114	-.154** [-.297 - -.010] 12,114	-.302*** [-.371 - -.234] 12,160	-.147** [-.286 - -.009] 12,160
<i>Males only</i>	.290*** [.178 - .402] 5,824	.111 [-.127 - .348] 5,824	-.245*** [-.370 - -.120] 5,974	-.412*** [-.676 - -.148] 5,974	-.442*** [-.565 - -.320] 6,002	-.454*** [-.713 - -.195] 6,002
<i>Females only</i>	.228*** [.139 - .317] 5,662	.034 [-.147 - .216] 5,662	-.159*** [-.249 - -.070] 5,792	-.066 [-.247 - .115] 5,792	-.236*** [-.320 - -.151] 5,809	-.010 [-.181 - .161] 5,809
<i>Lack of community engagement</i>						
<i>Full sample model</i>	.021 [-.011 - .054] 11,288	-.023 [-.089 - .043] 11,288	-.065*** [-.100 - -.030] 11,364	-.009 [-.080 - .062] 11,364	-.032* [-.066 - .002] 11,403	.001 [-.067 - .069] 11,403
<i>Males only</i>	-.001 [-.044 - .042] 5,565	-.001 [-.090 - .087] 5,565	-.087*** [-.137 - -.038] 5,597	-.033 [-.133 - .067] 5,597	-.062** [-.110 - -.013] 5,622	-.002 [-.101 - .097] 5,622
<i>Females only</i>	.044* [-.006 - .094] 5,440	-.033 [-.135 - .068] 5,440	-.040 [-.091 - .011] 5,481	-.001 [-.104 - .102] 5,481	-.012 [-.060 - .037] 5,495	.031 [-.067 - .129] 5,495

Note: All models use complete case data, adjusted for the full covariate set and are run once with a cohort dummy variable and again to include a cohort interaction term (*cohort). Coefficients are reported for independent and cohort interaction effects.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$

Table S7. Linear multivariable regression models for each separate social isolation indicator to identify (1) independent effects of each social isolation indicator and (2) cohort effects in these independent effects on psychological distress, life satisfaction and self-rated general health using impute and delete data

All coefficients presented are for each independent social isolation indicator only (exposure)	Psychological distress Total sample N = 17,500 Males N = 8,185 Females N = 8,746 coef [95% CI]		Life satisfaction Total sample N = 18,118 Males N = 8,486 Females N = 9,008 coef [95% CI]		Self-rated general health Total sample N = 18,309 Males N = 8,600 Females N = 9,079 coef [95% CI]	
	(1)Independent	(2)*Cohort	(1)Independent	(2)*Cohort	(1)Independent	(2)*Cohort
<i>Living alone</i>						
<i>Full sample model</i>	.031 [-.017 - .079]	.023 [-.068 - .115]	-.207*** [-.257 - -.157]	.063 [-.034 - .161]	-.052** [-.099 - -.005]	-.139*** [-.230 - -.048]
<i>Males only</i>	.033 [-.024 - .091]	-.030 [-.142 - .081]	-.190*** [-.255 - -.126]	.088 [-.035 - .210]	-.066** [-.127 - -.006]	-.138** [-.257 - -.020]
<i>Females only</i>	.046 [-.033 - .124]	.091 [-.067 - .248]	-.240*** [-.325 - -.156]	.026 [-.140 - .191]	-.044 [-.120 - .031]	-.123* [-.268 - .022]
<i>Lack of regular contact with friends and relatives outside of the household</i>						
<i>Full sample model</i>	.047 [-.050 - .145]	-.190* [-.416 - .035]	-.205*** [-.302 - -.108]	.052 [-.195 - .298]	-.088* [-.181 - .006]	-.070 [-.293 - .153]
<i>Males only</i>	.035 [-.089 - .158]	-.207 [-.468 - .053]	-.185*** [-.315 - -.054]	.004 [-.292 - .301]	-.086 [-.211 - .038]	-.061 [-.332 - .211]
<i>Females only</i>	.071 [-.080 - .222]	-.175 [-.574 - .225]	-.234*** [-.391 - -.077]	.096 [-.324 - .515]	-.073 [-.223 - .077]	-.100 [-.476 - .277]
<i>Out of education and employment</i>						
<i>Full sample model</i>	.198*** [.154 - .243]	-.002 [-.083 - .079]	-.131*** [-.176 - -.086]	-.089** [-.173 - -.005]	-.265*** [-.306 - -.224]	-.192*** [-.269 - -.114]
<i>Males only</i>	.307*** [.229 - .386]	.003 [-.142 - .148]	-.215*** [-.299 - -.131]	-.088 [-.239 - .064]	-.412*** [-.486 - -.337]	-.283*** [-.422 - -.144]
<i>Females only</i>	.158***	-.037	-.087***	-.065	-.202***	-.139***


	[.103 - .214]	[-.140 - .066]	[-.142 - -.032]	[-.171 - .040]	[-.253 - -.152]	[-.238 - -.041]
<i>Lack of community engagement</i>						
<i>Full sample model</i>	.012 [-.019 - .043]	.014 [-.047 - .076]	-.061*** [-.093 - -.029]	-.005 [-.072 - .062]	-.046*** [-.077 - -.015]	.004 [-.059 - .066]
<i>Males only</i>	-.015 [-.057 - .028]	.037 [-.050 - .124]	-.079*** [-.125 - -.032]	-.050 [-.145 - .045]	-.049** [-.093 - -.004]	-.013 [-.103 - .078]
<i>Females only</i>	.038 [-.008 - .083]	-.005 [-.092 - .082]	-.045* [-.091 - .001]	.026 [-.068 - .120]	-.044** [-.087 - -.002]	.026 [-.057 - .110]

Note: All models use multiply imputed data but with cohort members deleted who had missing data on outcomes, adjusted for the full covariate set and are run once with a cohort dummy variable and again to include a cohort interaction term (*cohort). Coefficients are reported for independent and cohort interaction effects. Male and female samples do not = total sample due to missing data on the sex at birth variable.


*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$

Figure S1 (a, b, c and d). Model predicted marginal mean plots for significant ($p < .10$) social isolation by cohort interactions on health outcomes


a



b



c



d




Figure S2. Model predicted marginal mean plot for cumulative social isolation score by cohort interaction on self-rated general health




Table S8. Linear multivariable regression models for the cumulative social isolation score to identify 1) 'dose response' effects using the cumulative social isolation score, and 2) cohort effects in any 'dose-response' associations on psychological distress, life satisfaction and self-rated general health – complete case and impute and delete models

All coefficients presented are for the cumulative social isolation score only (exposure)	Psychological distress coef [95% CI] N		Life satisfaction coef [95% CI] N		Self-rated general health coef [95% CI] N	
	(1)'Dose response'	(2)*Cohort	(1)'Dose response'	(2)*Cohort	(1)'Dose response'	(2)*Cohort
<i>Complete case</i>						
<i>Full sample model</i>	.038*** [.012 - .064] 10,411	-.008 [-.059 - .043] 10,411	-.107*** [-.135 - -.080] 10,487	-.002 [-.056 - .052] 10,487	-.069*** [-.096 - -.042] 10,520	-.052* [-.104 - .001] 10,520
<i>Males only</i>	.019 [-.015 - .052] 5,083	-.025 [-.092 - .042] 5,083	-.114*** [-.151 - -.076] 5,115	-.019 [-.094 - .056] 5,115	-.085*** [-.123 - -.048] 5,140	-.070* [-.144 - .004] 5,140
<i>Females only</i>	.066*** [.026 - .106] 5,045	.010 [-.069 - .089] 5,045	-.094*** [-.134 - -.053] 5,086	-.002 [-.082 - .079] 5,086	-.060*** [-.099 - -.021] 5,094	-.014 [-.091 - .063] 5,094
<i>Impute and delete</i>						
<i>Full sample model</i>	.065*** [.044 - .086] 17,500	.003 [-.037 - .044] 17,500	-.116*** [-.138 - -.093] 18,118	-.004 [-.048 - .039] 18,118	-.105*** [-.126 - -.084] 18,309	-.077*** [-.117 - -.037] 18,309
<i>Males only</i>	.054*** [.025 - .083] 8,185	.002 [-.053 - .058] 8,185	-.132*** [-.165 - -.100] 8,486	-.006 [-.068 - .056] 8,486	-.114*** [-.144 - -.084] 8,600	-.091*** [-.149 - -.033] 8,600
<i>Females only</i>	.082*** [.051 - .114] 8,746	-.007 [-.066 - .053] 8,746	-.100*** [-.133 - -.067] 9,008	.002 [-.061 - .066] 9,008	-.100*** [-.130 - -.071] 9,079	-.056** [-.112 - .000] 9,079

Note: All models are adjusted for the full covariate set and are run once with a cohort dummy variable and again to include a cohort interaction term (*cohort). Coefficients are reported for 'dose response' and cohort interaction effects.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$

Table S9. *Linear multivariable regression models for the interaction between multiple social isolation indicators to identify 1) the additive and multiplicative interaction effects, and 2) cohort effects in any interaction associations on psychological distress, life satisfaction and self-rated general health using multiply imputed data m=50 (Full sample N = 32,391, Males N = 15,810, Females N = 15,221)*

All coefficients presented are for interactions between multiple social isolation indicators (exposure)	Psychological distress coef [95% CI]		Life satisfaction coef [95% CI]		Self-rated general health coef [95% CI]	
	(1)Interaction	(2)*Cohort	(1)Interaction	(2)*Cohort	(1)Interaction	(2)*Cohort
<i>Living alone* Lack of regular contact with friends and relatives outside of the household</i>						
<i>Full sample model</i>	.114 [-.162 - .390]	-.212 [-.815 - .391]	-.038 [-.317 - .240]	-.099 [-.744 - .546]	.018 [-.236 - .273]	-.057 [-.673 - .559]
<i>Males only</i>	.098 [-.245 - .442]	-.164 [-.866 - .537]	.031 [-.313 - .375]	-.372 [-1.15 - .404]	-.054 [-.374 - .267]	-.123 [-.904 - .657]
<i>Females only</i>	.191 [-.328 - .709]	-.402 [-1.77 - .963]	-.172 [-.711 - .368]	.454 [-.874 - 1.78]	.115 [-.348 - .577]	.195 [-.938 - 1.33]
<i>Living alone* Out of education and employment</i>						
<i>Full sample model</i>	.077 [-.018 - .172]	-.111 [-.293 - .071]	-.097* [-.198 - .005]	.035 [-.160 - .231]	-.021 [-.114 - .070]	.052 [-.130 - .233]
<i>Males only</i>	.041 [-.089 - .171]	-.102 [-.352 - .148]	-.038 [-.175 - .099]	.033 [-.224 - .289]	.052 [-.074 - .178]	.079 [-.174 - .332]
<i>Females only</i>	.106 [-.058 - .270]	-.175 [-.472 - .123]	-.161* [-.337 - .015]	.052 [-.252 - .356]	-.078 [-.222 - .066]	.058 [-.228 - .345]
<i>Living alone* Lack of community engagement</i>						
<i>Full sample model</i>	-.010 [-.107 - .086]	-.003 [-.191 - .186]	.005 [-.103 - .113]	.001 [-.216 - .217]	.003 [-.099 - .104]	-.006 [-.192 - .180]
<i>Males only</i>	.029 [-.104 - .161]	.056 [-.199 - .311]	-.030 [-.179 - .118]	-.050 [-.341 - .240]	.004 [-.143 - .151]	-.079 [-.331 - .173]
<i>Females only</i>	-.053 [-.199 - .093]	-.084 [-.404 - .237]	.052 [-.109 - .213]	.051 [-.267 - .368]	.016 [-.137 - .170]	.078 [-.227 - .383]
<i>Lack of regular contact with friends and relatives outside of the household*Out of education and employment</i>						

<i>Full sample model</i>	.030 [-.149 - .209]	-.007 [-.455 - .441]	.020 [-.177 - .216]	.071 [-.410 - .551]	.052 [-.113 - .218]	.077 [-.370 - .524]
<i>Males only</i>	.014 [-.276 - .303]	.013 [-.539 - .566]	.049 [-.255 - .354]	.091 [-.612 - .794]	.110 [-.159 - .379]	.017 [-.572 - .606]
<i>Females only</i>	.055 [-.214 - .323]	-.092 [-.778 - .593]	-.002 [-.287 - .283]	.056 [-.731 - .844]	.037 [-.207 - .280]	.158 [-.543 - .858]
<i>Lack of regular contact with friends and relatives outside of the household* Lack of community engagement</i>						
<i>Full sample model</i>	.050 [-.191 - .29]	-.119 [-.771 - .534]	.086 [-.153 - .325]	-.215 [-.965 - .536]	-.045 [-.261 - .171]	.030 [-.656 - .717]
<i>Males only</i>	.098 [-.235 - .431]	-.116 [-.897 - .665]	.035 [-.324 - .395]	-.271 [-1.26 - .713]	-.046 [-.365 - .273]	.059 [-.802 - .919]
<i>Females only</i>	.016 [-.323 - .354]	-.240 [-1.39 - .909]	.130 [-.213 - .474]	-.057 [-1.26 - 1.15]	-.043 [-.362 - .275]	-.028 [-1.21 - 1.15]
<i>Out of education and employment* Lack of community engagement</i>						
<i>Full sample model</i>	.054 [-.024 - .132]	.056 [-.100 - .212]	-.035 [-.117 - .047]	.012 [-.154 - .179]	-.070* [-.151 - .011]	-.000 [-.149 - .149]
<i>Males only</i>	.036 [-.112 - .184]	.055 [-.233 - .344]	-.071 [-.221 - .079]	-.088 [-.393 - .216]	-.003 [-.141 - .136]	.114 [-.143 - .372]
<i>Females only</i>	.052 [-.055 - .159]	.056 [-.143 - .254]	-.012 [-.126 - .102]	.057 [-.157 - .272]	-.096** [-.192 - .000]	-.071 [-.268 - .126]

Note: All models use multiply imputed data, adjusted for the full covariate set and are run once with a cohort dummy variable and again to include a cohort interaction term (*cohort). Health outcomes are standardised, and continuous covariates centred. Coefficients are reported for social isolation indicator interactions and cohort interaction effects. Male and female samples do not = total sample due to some missing data on the sex at birth variable.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$

Table S10. Linear multivariable regression models for the interaction between multiple social isolation indicators to identify 1) the additive and multiplicative interaction effects, and 2) cohort effects in any interaction associations on psychological distress, life satisfaction and self-rated general health using complete case data

All coefficients presented are for interactions between multiple social isolation indicators (exposure)	Psychological distress coef [95% CI] p-value N		Life satisfaction coef [95% CI] p-value N		Self-rated general health coef [95% CI] p-value N	
	(1)Interaction	(2)*Cohort	(1)Interaction	(2)*Cohort	(1)Interaction	(2)*Cohort
	<i>Living alone* Lack of regular contact with friends and relatives outside of the household</i>					
<i>Full sample model</i>	.178 [-.289 - .644] 10,929	-.537 [-1.59 - .513] 10,929	-.030 [-.524 - .464] 11,236	-.593 [-1.71 - .520] 11,236	.291 [-.191 - .774] 11,276	-.447 [-1.53 - .640] 11,276
<i>Males only</i>	-.068 [-.698 - .562] 5,340	-.156 [-1.45 - 1.14] 5,340	-.175 [-.878 - .529] 5,490	-1.54** [-2.99 - -.097] 5,490	.094 [-.609 - .796] 5,518	-.895 [-2.34 - .549] 5,518
<i>Females only</i>	.524 [-.302 - 1.35] 5,268	-1.33 [-3.25 - .590] 5,268	.140 [-.699 - .978] 5,398	1.02 [-.923 - 2.97] 5,398	.825** [.022 - 1.63] 5,409	.080 [-1.78 - 1.94] 5,409
<i>Living alone* Out of education and employment</i>						
<i>Full sample model</i>	.046 [-.174 - .266] 11,802	-.206 [-.676 - .265] 11,802	-.128 [-.362 - .107] 12,109	.231 [-.270 - .731] 12,109	-.231*** [-.455 - -.007] 12,155	.319 [-.163 - .801] 12,155
<i>Males only</i>	.013 [-.274 - .300] 5,820	-.399 [-1.26 - .477] 5,820	-.099 [-.423 - .225] 5,970	1.43*** [.447 - 2.42] 5,970	-.097 [-.410 - .216] 5,998	-.057 [-1.04 - .920] 5,998
<i>Females only</i>	.041 [-.309 - .391] 5,661	-.145 [-.850 - .559] 5,661	-.143 [-.499 - .213] 5,791	-.264 [-.980 - .453] 5,791	-.279 [-.617 - .059] 5,808	.652* [-.028 - 1.33] 5,808
<i>Living alone* Lack of community engagement</i>						

<i>Full sample model</i>	-.082 [-.210 - .047] 11,283	.036 [-.225 - .298] 11,283	.036 [-.102 - .174] 11,359	-.009 [-.290 - .271] 11,359	.006 [-.127 - .139] 11,398	-.075 [-.346 - .196] 11,398
<i>Males only</i>	.018 [-.148 - .184] 5,561	.187 [-.150 - .523] 5,561	-.036 [-.226 - .153] 5,593	-.173 [-.557 - .211] 5,593	-.023 [-.210 - .165] 5,618	-.383** [-.763 - -.003] 5,618
<i>Females only</i>	-.154 [-.358 - .051] 5,439	-.129 [-.555 - .297] 5,439	.122 [-.087 - .330] 5,480	.109 [-.326 - .543] 5,480	.087 [-.111 - .285] 5,494	.192 [-.221 - .605] 5,494
<i>Lack of regular contact with friends and relatives outside of the household* Out of education and employment</i>						
<i>Full sample model</i>	-.271 [-.739 - .197] 10,931	.509 [-.694 - 1.71] 10,931	.138 [-.359 - .635] 11,238	.123 [-1.15 - 1.40] 11,238	.473* [-.011 - .956] 11,278	-.854 [-2.10 - .389] 11,278
<i>Males only</i>	.211 [-.496 - .917] 5,343	-.354 [-1.78 - 1.07] 5,343	.269 [-.523 - 1.06] 5,493	.180 [-1.41 - 1.77] 5,493	.410 [-.377 - 1.20] 5,521	-.915 [-2.50 - .669] 5,521
<i>Females only</i>	-.320 [-1.01 - .366] 5,267	-	.159 [-.539 - .857] 5,397	-	.547 [-.118 - 1.21] 5,408	-
<i>Lack of regular contact with friends and relatives outside of the household* Lack of community engagement</i>						
<i>Full sample model</i>	.197 [-.137 - .531] 10,419	-.627 [-1.76 - .505] 10,419	.312* [-.043 - .667] 10,495	.097 [-1.11 - 1.30] 10,495	-.214 [-.559 - .132] 10,528	.713 [-.461 - 1.89] 10,528
<i>Males only</i>	.319 [-.100 - .739] 5,088	-.446 [-1.90 - 1.00] 5,088	.310 [-.163 - .782] 5,120	.079 [-1.56 - 1.72] 5,120	-.130 [-.599 - .340] 5,145	.938 [-.690 - 2.57] 5,145
<i>Females only</i>	.078 [-.450 - .606] 5,048	-.846 [-2.59 - .901] 5,048	.355 [-.181 - .891] 5,089	-.026 [-1.80 - 1.75] 5,089	-.284 [-.797 - .230] 5,097	.420 [-1.28 - 2.12] 5,097

<i>Out of education and employment* Lack of community engagement</i>						
<i>Full sample model</i>	.197** [.042 - .353] 11,285	-.096 [-.417 - .225] 11,285	-.179** [-.346 - -.012] 11,361	.002 [-.342 - .345] 11,361	-.206** [-.368 - -.044] 11,400	-.209 [-.542 - .124] 11,400
<i>Males only</i>	.186 [-.104 - .475] 5,564	-.526* [-1.13 - .075] 5,564	-.381** [-.711 - -.051] 5,596	.139 [-.547 - .824] 5,596	-.129 [-.455 - .196] 5,621	.421 [-.256 - 1.10] 5,621
<i>Females only</i>	.199** [.000 - .398] 5,438	.003 [-.409 - .414] 5,438	-.127 [-.330 - .076] 5,479	-.023 [-.443 - .397] 5,479	-.218** [-.411 - -.025] 5,493	-.400** [-.799 - -.001] 5,493

Note: All models use complete case data, adjusted for the full covariate set and are run once with a cohort dummy variable and where significant, again to include a cohort interaction term (*cohort) and for males and females only. Health outcomes are standardised, and continuous covariates centred. Coefficients are reported for social isolation indicator interactions and cohort interaction effects. Male and female samples do not = total sample due to some missing data on the sex at birth variable. - = no observations in the sample.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$

Table S11. Linear multivariable regression models for the interaction between multiple social isolation indicators to identify 1) the additive and multiplicative interaction effects, and 2) cohort effects in any interaction associations on psychological distress, life satisfaction and self-rated general health using impute and delete data

All coefficients presented are for interactions between multiple social isolation indicators (exposure)	Psychological distress Total sample N = 17,500 Males N = 8,185 Females N = 8,746 coef [95% CI] p-value		Life satisfaction Total sample N = 18,118 Males N = 8,486 Females N = 9,008 coef [95% CI] p-value		Self-rated general health Total sample N = 18,309 Males N = 8,600 Females N = 9,079 coef [95% CI] p-value	
	(1)Interaction	(2)*Cohort	(1)Interaction	(2)*Cohort	(1)Interaction	(2)*Cohort
	<i>Living alone* Lack of regular contact with friends and relatives outside of the household</i>					
<i>Full sample model</i>	.238 [-.123 - .600]	-.490 [-1.33 - .351]	-.044 [-.409 - .320]	-.231 [-1.13 - .666]	.064 [-.269 - .397]	-.197 [-1.07 - .672]
<i>Males only</i>	.154 [-.320 - .628]	-.336 [-1.35 - .675]	.145 [-.351 - .642]	-.907 [-2.08 - .262]	-.050 [-.525 - .425]	-.371 [-1.44 - .693]
<i>Females only</i>	.357 [-.298 - 1.01]	-.848 [-2.62 - .923]	-.359 [-1.06 - .338]	.985 [-.930 - 2.90]	.211 [-.332 - .755]	.365 [-1.25 - 1.98]
<i>Living alone* Out of education and employment</i>						
<i>Full sample model</i>	.165** [.033 - .297]	-.288** [-.544 - -.032]	-.197*** [-.335 - -.058]	.131 [-.146 - .408]	-.049 [-.169 - .072]	.123 [-.114 - .359]
<i>Males only</i>	.082 [-.080 - .244]	-.311* [-.641 - .019]	-.024 [-.206 - .157]	.107 [-.272 - .486]	.137 [-.027 - .300]	.146 [-.178 - .471]
<i>Females only</i>	.223** [.009 - .437]	-.406* [-.826 - .014]	-.333*** [-.556 - -.111]	.137 [-.309 - .583]	-.137 [-.324 - .051]	.174 [-.196 - .544]
<i>Living alone* Lack of community engagement</i>						
<i>Full sample model</i>	-.022 [-.140 - .095]	.023 [-.218 - .264]	-.008 [-.130 - .113]	.016 [-.244 - .277]	.013 [-.105 - .130]	-.041 [-.275 - .194]
<i>Males only</i>	.058 [-.096 - .213]	.104 [-.223 - .431]	-.081 [-.251 - .089]	-.066 [-.421 - .288]	.004 [-.157 - .165]	-.174 [-.504 - .157]

<i>Females only</i>	-.084 [-.269 - .100]	-.088 [-.473 - .297]	.078 [-.115 - .271]	.070 [-.323 - .462]	.055 [-.127 - .238]	.104 [-.259 - .466]
<i>Lack of regular contact with friends and relatives outside of the household*Out of education and employment</i>						
<i>Full sample model</i>	.024 [-.251 - .299]	.047 [-.603 - .697]	.061 [-.221 - .343]	.114 [-.544 - .773]	.094 [-.146 - .333]	.055 [-.550 - .660]
<i>Males only</i>	-.007 [-.432 - .419]	.146 [-.716 - 1.01]	.163 [-.329 - .656]	.154 [-.841 - 1.15]	.300 [-.104 - .703]	-.102 [-.925 - .722]
<i>Females only</i>	.042 [-.358 - .442]	-.156 [-1.20 - .888]	-.017 [-.426 - .391]	.107 [-.938 - 1.15]	.015 [-.326 - .355]	.200 [-.763 - 1.16]
<i>Lack of regular contact with friends and relatives outside of the household* Lack of community engagement</i>						
<i>Full sample model</i>	.127 [-.158 - .413]	-.253 [-1.07 - .561]	.133 [-.174 - .440]	-.312 [-1.21 - .588]	-.056 [-.333 - .221]	.134 [-.708 - .977]
<i>Males only</i>	.232 [-.153 - .618]	-.308 [-1.28 - .666]	.048 [-.370 - .467]	-.413 [-1.53 - .708]	-.060 [-.449 - .328]	.186 [-.853 - 1.23]
<i>Females only</i>	.057 [-.358 - .473]	-.488 [-2.05 - 1.08]	.195 [-.250 - .641]	.075 [-1.55 - 1.70]	-.044 [-.472 - .385]	.038 [-1.51 - 1.59]
<i>Out of education and employment* Lack of community engagement</i>						
<i>Full sample model</i>	.109** [.010 - .208]	.060 [-.122 - .242]	-.037 [-.140 - .067]	.027 [-.166 - .221]	-.127*** [-.217 - -.036]	.042 [-.142 - .225]
<i>Males only</i>	.103 [-.087 - .294]	.101 [-.269 - .470]	-.140 [.358 - .078]	-.226 [-.639 - .187]	.013 [-.183 - .209]	.282 [-.103 - .666]
<i>Females only</i>	.079 [-.042 - .201]	.051 [-.182 - .284]	.005 [-.121 - .131]	.100 [-.144 - .344]	-.144*** [-.251 - -.036]	-.059 [-.286 - .168]

Note: All models use impute and delete data, adjusted for the full covariate set and are run once with a cohort dummy variable and where significant, again to include a cohort interaction term (*cohort) and for males and females only. Health outcomes are standardised, and continuous covariates centred. Coefficients are reported for social isolation indicator interactions and cohort interaction effects. Male and female samples do not = total sample due to some missing data on the sex at birth variable.

*** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$

Table S12. Results from the latent class analyses (1-5 classes) including goodness-of-fit statistics (full sample with 1970 BCS and 1958 cohorts combined N=19,902)

Class solution	BIC	ABIC	AIC	Entropy	Average latent posterior probabilities (>.90) yes/no	Vuong-Lo-Mendell-Rubin adjusted likelihood ratio test (p-value)	Any classes with less than 5% of the sample yes/no
1	48779.359	48766.647	48747.764	-	-	-	-
2	48719.095	48690.493	48648.008	.985	yes	.000	no
3	48732.183	48687.692	48621.603	.932	no	.000	yes
4	48776.514	48716.133	48626.441	.836	no	.108	yes
5	48823.570	48747.299	48634.004	.462	no	.732	yes

Note: BIC = Bayesian information criteria, ABIC = adjusted Bayesian information criteria, AIC = Akaike information criterion. Sample based on FIML approach in Mplus

Table S13. Class membership (N(%)) for full sample and by sex and cohort

Class	Full sample N=19,902	Males N= 8,371	Females N=9,083	1970 BCS N=9,802	1958 NCDS N=10,100
1 – living alone and lacking community engagement	393(1.97)	156(1.86)	111(1.22)	223(2.28)	170(1.68)
2 – lack of frequent contact with friends and relatives outside the household and lacking community engagement	392(1.97)	170(2.03)	124(1.37)	317(3.23)	75(0.74)
3 – low isolation except lack of community engagement	19,117(96.06)	8,045(96.11)	8,848(97.41)	9,262(94.49)	9,855(97.57)

Note: sample based on FIML approach in Mplus and complete case sex