

Example of predicted diseases

	Inputted symptoms
a	heart failure (right and/or left); BNP/NT-proBNP increase
b	CRP, positive; C-reactive protein, positive
c	ESR elevation; erythrocyte sedimentation rate elevation
d	pericardial fluid retention
e	lymphadenopathy/adenopathy (take no account of the property/location)
f	ANA (anti-nuclear antibody), positive (320 times or more)
g	thickening/swelling in any part of the body in image views
h	any abnormal changes/lesions in the chest radiograph
i	palpitation; fast heartbeat; abnormally strong heartbeat
j	confusion; lightheadedness; decreased alertness
k	shortness of breath; gasping; irregular respiration; exertional dyspnea
l	chest tightness in the chest; feel oppressed in the chest
m	hypertension; have a history of hypertension
n	ECG (electrocardiogram) abnormalities (take no account of any kinds)
o	tachycardia (almost 100 per minute or more)
p	increased CPK/CK or CK-MB (CK; creatin kinase); increased troponin T

Ranking	predicted diseases
1	<ul style="list-style-type: none"> ◎ myocarditis (note: all types such as viral/giant cell/eosinophil/lymphocytic/hypersensitivity) ▼ fulminant myocarditis ▼ myocardial pericarditis ▼ drug-induced myocarditis (side effects of salazopyrine, etc.)/drug-induced myocardial damage (e.g., adriamycin) ▼ cocaine myocarditis ▼ tick-borne illnesses
2	<ul style="list-style-type: none"> ◎ acute epicarditis ◎ acute pericarditis ◎ acute myocarditis ◎ acute myopericarditis (various causes/be careful about enterovirus, coxsackievirus, tuberculosis, malignant tumor, etc.) ◎ uremic epicarditis ▼ Dressler syndrome/post-cardiac injury/post-traumatic pericarditis ▼ intramyocardial abscess ▼ extrapericardial fat necrosis cardiac tamponade/cardiogenic shock (cardiac rupture, aortic injury, aortic dissection/thromboembolic type aortic dissection (either surgery or conservative therapy), (cancerous/tuberculous) pericarditis, consider causes
3	<ul style="list-style-type: none"> ◎ such as bleeding tendency, etc.) sepsis-induced cardiomyopathy or obstructive shock (caused by tension pneumothorax, (giant) esophageal hiatal hernia, severe pulmonary infarction, tension pneumo-mediastinum, etc.) ◎ isolated persistent left superior vena cava ▼ pericardial tumors

Ranking	predicted diseases
4	<ul style="list-style-type: none"> ◎ cardiac amyloidosis (the most often derived from amyloid light chain (AL) associated with blood disorders) ▼ wild type ATTR (transthyretin) amyloidosis (senile systemic amyloidosis)
5	<ul style="list-style-type: none"> ◎ right ventricular infarction (pure right ventricular infarction of the right ventricle is about 3.3% of myocardial infarction) ▼ right heart failure ▼ double outlet right ventricle ▼ corrected transposition of the great arteries ▼ and persistent truncus arteriosus ▼ complications of left ventricular assisted artificial heart (gastrointestinal hemorrhage, right heart failure, pump thrombosis, ejection system infection, etc.)
6	<ul style="list-style-type: none"> ◎ sarcoidosis (including Heerfordt's syndrome) ▼ ((multiple) reticulohistiocytosis, foreign body (beryllium, silica) granuloma, IgG4-related disease should be kept in mind)
7	<ul style="list-style-type: none"> ◎ Catecholamine-induced cardiomyopathy (also remind/consider catecholamine secreting glomus tumor, pheochromocytoma, etc.) ◎ sometimes stress cardiomyopathy/heart attack syndrome/takotsubo cardiomyopathy
8	<ul style="list-style-type: none"> ◎ pheochromocytoma/pheochromocytoma crisis ▼ (malignant, familial) paraganglioma (para-aortic (70%), Zuckerkandl body, cervical, mediastinum, bladder neck, etc.) ▼ hereditary pheochromocytoma/paraganglioma syndrome (HPPS) ▼ pheochromocytoma-related syndrome ▼ primary pigmented nodular adrenocortical disease (PPNAD) ▼ (benign, malignant) carotid body tumor
9	<ul style="list-style-type: none"> ◎ thyroid crisis

Ranking	predicted diseases	
10	☉	pulmonary arterial hypertension (familial/idiopathic)
	▼	pulmonary arterial hypertension associated with connective tissue diseases
	▼	pulmonary valve stenosis (regurgitation)
	▼	persistent pulmonary hypertension of the newborn (PPHN)
	▼	pregnancy-related (postpartum) pulmonary arterial hypertension

☉: Common diseases

▼: Rare diseases

Case citation:

Kratka A, Tedrow UB, Mitchell RN, Miller AL, Loscalzo J. A Stormy Heart. *New England Journal of Medicine*. 2024; 388(1).

Available from: <https://www.nejm.org/doi/full/10.1056/NEJMcps2116690>