

Appendix 1: Warning Signal for Potentially Growing Lineages of SARS-CoV-2 in Kenya

The GISAID database holds reported data on circulating variants of SARS-CoV-2 worldwide. This data can help track the spread and growth of potential variants of concern. We propose a mechanism to analyse the growth of variants in selected countries or regions and their potential to enter and grow in Kenya (Figure 1).




Figure 1. The process to estimate the growth of a variant in different countries or regions to produce a weekly warning signal.

First, a range of potential variants of concern is chosen for the analysis, based on emergent and newly identified sequences in Kenya. Data on reported sequences of the selected variants are extracted from GISAID and grouped by different countries, larger regions or continents. Then, the weekly growth rates of each variant and country are estimated using a Bayesian hierarchical model, which provides the posterior distribution of growth rates (Guzman-Rincon et al., 2023). A variant is labelled as “growing” if the probability of a positive growth rate is greater than 75%. Information on growing variants combined with their abundance in Kenya defines the strength of the alert, which can be labelled as “no evidence of growth”, “evidence of slow growth” and “evidence of growing” (Figure 2).

Samples in Kenya

		Samples in Kenya		
		No samples	Samples in the last week	Samples for two or more consecutive weeks
Evidence of growth* of samples in any other region	No evidence of growing*	No evidence of growth	No evidence of growth	Evidence of slow growth
	Growing* for 1 week	No evidence of growth	Evidence of slow growth	Evidence of growth
	Growing for 2 consecutive weeks or more*	Evidence of slow growth	Evidence of growth	Evidence of growth

* *growing* = growth rate > 0 with 75% probability

* *no evidence of growing* = not *growing* or no sequences of the variant in selected regions

Figure 2. Strength of the alert for a given variant, based on the abundance of the variant in Kenya and the estimated growth in the country or region.

If multiple countries or regions are analysed, the alert can be combined. For instance, if a variant is identified with the “evidence of growing” alert in at least one country, the combined alert can take the same value.

Supplementary Table 1: Frequency of Data Update in the Dashboard.

Tab	Section	Update Period	Comments
Home	Case Updates	Weekly	
	Testing Updates	UDA	
	Counties with Recent Updates	Weekly	
	Most Affected Counties	UDA	
	Trends in cases	Weekly	
	Trends in Fatalities	Weekly	
	Cases by age and gender	UDA	
	Fatalities by age and gender	UDA	
Counties	All the sections	UDA	
Vaccination	All the sections	Monthly	
Seroprevalence	All the sections	UDA	Depends on sero-study results
Variants	All the sections	Weekly	
ASS	All the sections	UDA	Depends on newly collected datasets
Phylogeny	All the sections	Monthly	

UDA – Upon Data Availability.