

Supplementary Table S5: Relative abundance of most detected mobile genetic elements

MGEs	Hospital effluent February	Hospital effluent April	STP influent February
<i>ISCR1</i>	0.0004981	0.0007864	0.0000293
<i>ISCR2</i>	0.0028998	0.0015079	0.0004916
<i>ISCR3</i>	0	0	0
<i>ISCR4</i>	0	0	0
<i>ISCR5</i>	0.0005498	0.0003501	0.0001527
<i>ISCR6</i>	0	0	0
<i>ISCR7</i>	0	0	0
<i>ISCR8</i>	0	0	0
<i>ISCR14</i>	0	0	0
<i>intI1</i>	0.0609183	0.0397664	0.0053216
<i>intI2</i>	0.0026767	0.0022447	0.0012776
<i>intI3</i>	0.0000519	0.0000783	0.0000847
<i>intI6</i>	0	0	0
<i>intI7</i>	0	0	0
<i>intI8</i>	0	0	0
<i>intI9</i>	0	0	0
<i>intI10</i>	0	0	0
other	0.1736948	0.1484144	0.0731509

Legend: STP (sewage treatment plant).

(MGEs) across samples.

STP influent April	STP treated effluent February	STP treated effluent April
0.0000750	0.0000281	0.0000714
0.0004902	0.0002956	0.0003580
0	0	0
0	0	0
0.0001033	0.0000763	0.0000867
0	0	0
0	0	0
0	0	0
0	0	0
0.0061597	0.0070679	0.0063007
0.0010418	0.0008162	0.0008017
0.0000526	0.0000934	0.0000563
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0.1019743	0.0650622	0.0871719
