


Coping with Conflict: Short-Term Anxiolytic Medication Use Amidst National Stress in Israel

Supplementary material

Figure S1. Forest Plot of HRs and 95% confidence intervals, secondary analyses.



SES - socioeconomic status.

Table S1. Cox regression analysis with adjusted Hazard Ratios (HRs) for first purchase of anxiolytic medications (primary analysis) between 2006-2024.

Variable	Category	HR	P-value	95% CI
Baseline	25-39	1.25	<0.001	1.22 - 1.29
	40-59	1.68	<0.001	1.63 - 1.72
	60+	2.02	<0.001	1.95 - 2.09
	21-24	Ref		
Biological sex	Female	1.32	<0.001	1.3 - 1.33
	Male	Ref		
District	North	1.04	<0.001	1.02 - 1.05
	South	0.89	<0.001	0.88 - 0.91
	Gaza envelope	0.80	<0.001	0.77 - 0.82
	Center	Ref		
SES	Low	0.96	<0.001	0.95 - 0.98
	Medium	Ref		
	High	1.02	0.004	1.01 - 1.03
Socio-religious sector	Ultra-Orthodox Jew	0.95	<0.001	0.93 - 0.97
	Arab	0.74	<0.001	0.72 - 0.76
	General Jewish	Ref		
Use of psychiatric drugs	Yes	3.29	<0.001	3.26 - 3.33
	No	Ref		
Armed conflict	Second Lebanon War	1.27	0.011	1.06 - 1.52
	Military operation	1.14	0.002	1.05 - 1.23
	October 7th	3.04	<0.001	2.80 - 3.30
Interaction with the Second Lebanon War	Biological sex	Female	1.15	0.14
		Male	Ref	
	District	North	1.39	0.003
		South	0.84	0.290
Socio-religious sector		Gaza envelope	0.75	0.400
		Center	Ref	
	Ultra-Orthodox Jew	0.92	0.634	0.55 - 1.18
	Arab	1.05	0.822	0.54 - 1.45
Interaction with Military operation	General Jewish	Ref		
	Biological sex	Female	1.26	<0.001
		Male	Ref	
	District	North	0.86	0.009
		South	1.18	0.007
		Gaza envelope	1.03	0.800
		Center	Ref	

	Socio-religious sector	Ultra-Orthodox Jew	0.83	0.023	0.71 - 0.98
		Arab	0.59	<0.001	0.45 - 0.79
		General Jewish	Ref		
Interaction with October 7th	Biological sex	Female	1.81	<0.001	1.67 - 1.97
		Male	Ref		
	District	North	1.05	0.326	0.95 - 1.17
		South	0.94	0.353	0.84 - 1.07
		Gaza envelope	1.10	0.376	0.89 - 1.36
		Center	Ref		
	Socio-religious sector	Ultra-Orthodox Jew	0.62	<0.001	0.52 - 0.72
		Arab	0.36	<0.001	0.27 - 0.47
		General Jewish	Ref		

HR – hazard ratio; CI – confidence interval; SES – socioeconomic status; yr – years.

Table S2. Cox regression analysis with adjusted Hazard Ratios (HRs) for first purchase of anxiolytic medications (primary analysis) between 2006-2024 – **stratified by age group.**

Variable	Category	Age 21 - 24	Age 25 - 39	Age 40 - 59	Age 60+
Biological sex	Female	1.36(1.33-1.4)	1.28(1.27-1.3)	1.39(1.37-1.42)	1.36(1.3-1.42)
	Male	Ref	Ref	Ref	Ref
District	North	1.13(1.09-1.17)	1.01(1-1.03)	1.02(1-1.05)	1.01(0.94-1.08)
	South	0.91(0.87-0.94)	0.89(0.87-0.91)	0.9(0.87-0.92)	0.86(0.77-0.97)
	Gaza envelope	0.71(0.66-0.77)	0.82(0.78-0.85)	0.81(0.76-0.86)	0.79(0.59-1.07)
	Center	Ref	Ref	Ref	Ref
SES	Low	0.99(0.95-1.03)	0.96(0.94-0.98)	0.95(0.92-0.98)	1.01(0.91-1.11)
	Medium	Ref	Ref	Ref	Ref
	High	1.09(1.06-1.13)	1.01(0.99-1.02)	1(0.98-1.02)	1.03(0.98-1.07)
Socio-religious sector	Ultra-Orthodox Jew	0.82(0.78-0.86)	0.92(0.9-0.95)	1.04(1-1.08)	1.02(0.92-1.13)
	Arab	0.61(0.57-0.66)	0.76(0.74-0.8)	0.76(0.72-0.8)	0.76(0.63-0.92)
	General Jewish	Ref	Ref	Ref	Ref
Use of psychiatric drugs	Yes	4.36(4.24-4.47)	3.52(3.48-3.57)	2.74(2.69-2.78)	2.32(2.22-2.42)
	No	Ref	Ref	Ref	Ref
Armed conflict	Second Lebanon War	1.03(0.75-1.42)	1.54(1.34-1.77)	1.4(1.13-1.74)	1.11(0.72-1.71)
	Military operation	1.32(1.19-1.47)	1.28(1.21-1.36)	1.27(1.18-1.37)	1.44(1.21-1.71)
	October 7th	3.32(2.99-3.68)	4.55(4.3-4.81)	3.91(3.64-4.2)	2.67(2.1-3.4)
	Relative National Stability	Ref	Ref	Ref	Ref

Table S3. Cox regression analysis with adjusted Hazard Ratios (HRs) for first purchase of anxiolytic medications (primary analysis) between 2006-2024, ages 21-24.

	Variable	Category	HR	P-value	95%CI
Baseline	Biological sex	Female	1.35	<0.001	1.32 - 1.39
		Male	Ref		
	District	North	1.13	<0.001	1.09 - 1.17
		South	0.90	<0.001	0.87 - 0.94
		Gaza envelope	0.71	<0.001	0.66 - 0.77
		Center	Ref		
	SES	Low	0.99	0.588	0.95 - 1.03
		Medium	Ref		
		High	1.09	<0.001	1.06 - 1.13
	Socio-religious sector	Ultra-Orthodox Jew	0.83	<0.001	0.78 - 0.87
		Arab	0.62	<0.001	0.58 - 0.67
Interaction with the Second Lebanon War	Use of psychiatric drugs	General Jewish	Ref		
		Yes	4.35	<0.001	4.24 - 4.47
		No	Ref		
	Armed conflict	Second Lebanon War	0.89	0.683	0.49 - 1.59
		Military operation	1.36	0.001	1.13 - 1.65
		October 7th	2.63	<0.001	2.17 - 3.21
	Biological sex	Female	1.03	0.918	0.55 - 1.95
		Male	Ref		
	District	North	1.54	0.247	0.74 - 3.21
		South	0.90	0.844	0.31 - 2.57
		Gaza envelope	0.00	0.942	0 - Inf
		Center	Ref		
Interaction with Military operation	Socio-religious sector	Ultra-Orthodox Jew	1.65	0.296	0.64 - 4.25
		Arab	1.77	0.361	0.52 - 6.06
		General Jewish	Ref		
	Biological sex	Female	1.06	0.588	0.86 - 1.32
		Male	Ref		
	District	North	0.78	0.118	0.58 - 1.06
		South	1.05	0.784	0.76 - 1.44
		Gaza envelope	0.87	0.672	0.46 - 1.65
		Center	Ref		
	Socio-religious sector	Ultra-Orthodox Jew	0.86	0.426	0.59 - 1.25
		Arab	0.68	0.218	0.37 - 1.26
		General Jewish	Ref		
Interaction with October 7th	Biological sex	Female	1.54	<0.001	1.24 - 1.9
		Male	Ref		

	North	1.02	0.869	0.79 - 1.33
District	South	1.18	0.272	0.88 - 1.58
	Gaza envelope	1.37	0.224	0.82 - 2.29
	Center	Ref		
Socio-religious sector	Ultra-Orthodox Jew	0.57	0.007	0.38 - 0.86
	Arab	0.32	0.003	0.15 - 0.68
	General Jewish	Ref		

Table S4. Cox regression analysis with adjusted Hazard Ratios (HRs) for first purchase of anxiolytic medications (primary analysis) between 2006-2024, ages 25-39.

	Variable	Category	HR	P-value	95%CI
Baseline	Biological sex	Female	1.27	<0.001	1.25 - 1.28
		Male	Ref		
	District	North	1.01	0.194	0.99 - 1.03
		South	0.89	<0.001	0.87 - 0.91
		Gaza envelope	0.82	<0.001	0.78 - 0.85
		Center	Ref		
	SES	Low	0.96	0.001	0.94 - 0.99
		Medium	Ref		
		High	1.01	0.53	0.99 - 1.02
	Socio-religious sector	Ultra-Orthodox Jew	0.93	<0.001	0.9 - 0.96
		Arab	0.78	<0.001	0.75 - 0.81
		General Jewish	Ref		
Interaction with the Second Lebanon War	Use of psychiatric drugs	Yes	3.53	<0.001	3.48 - 3.57
		No	Ref		
	Armed conflict	Second Lebanon War	1.3	0.017	1.05 - 1.62
		Military operation	1.15	0.008	1.04 - 1.28
		October 7th	3.22	<0.001	2.89 - 3.58
		Ref			
	Biological sex	Female	1.17	0.174	0.94 - 1.45
		Male	Ref		
	District	North	1.53	0.001	1.18 - 1.98
		South	0.85	0.402	0.59 - 1.24
		Gaza envelope	0.97	0.932	0.5 - 1.89
		Center	Ref		
Interaction with Military operation	Socio-religious sector	Ultra-Orthodox Jew	1.1	0.642	0.73 - 1.68
		Arab	0.83	0.533	0.46 - 1.5
		General Jewish	Ref		
	Biological sex	Female	1.26	<0.001	1.13 - 1.42
		Male	Ref		
	District	North	0.85	0.055	0.72 - 1
		South	1.15	0.092	0.98 - 1.36
		Gaza envelope	1.13	0.416	0.84 - 1.52
		Center	Ref		
	Socio-religious sector	Ultra-Orthodox Jew	0.77	0.024	0.61 - 0.97
		Arab	0.5	0.001	0.33 - 0.75
		General Jewish	Ref		

Interaction with October 7th	Biological sex	Female	1.87	<0.001	1.67 - 2.1
		Male	Ref		
District	North	1.12	0.134	0.97 - 1.29	
	South	0.86	0.091	0.72 - 1.03	
	Gaza envelope	1.02	0.905	0.76 - 1.36	
	Center	Ref			
Socio-religious sector	Ultra-Orthodox Jew	0.71	0.001	0.57 - 0.87	
	Arab	0.34	<0.001	0.24 - 0.5	
	General Jewish	Ref			

Table S5. Cox regression analysis with adjusted Hazard Ratios (HRs) for first purchase of anxiolytic medications (primary analysis) between 2006-2024, ages 40-59.

	Variable	Category	HR	P-value	95%CI
Baseline	Biological sex	Female	1.37	<0.001	1.35 - 1.4
		Male	Ref		
	District	North	1.03	0.042	1 - 1.05
		South	0.89	<0.001	0.87 - 0.92
		Gaza envelope	0.81	<0.001	0.77 - 0.86
		Center	Ref		
	SES	Low	0.95	0.001	0.92 - 0.98
		Medium	Ref		
		High	1	0.958	0.98 - 1.02
	Socio-religious sector	Ultra-Orthodox Jew	1.05	0.017	1.01 - 1.09
		Arab	0.77	<0.001	0.73 - 0.82
		General Jewish	Ref		
	Use of psychiatric drugs	Yes	2.74	<0.001	2.69 - 2.78
		No	Ref		
	Armed conflict	Second Lebanon War	1.36	0.104	0.94 - 1.96
		Military operation	1.06	0.447	0.92 - 1.21
		October 7th	2.74	<0.001	2.38 - 3.16
Interaction with the Second Lebanon War	Biological sex	Female	1.12	0.58	0.75 - 1.67
		Male	Ref		
	District	North	1.21	0.468	0.72 - 2.03
		South	0.86	0.745	0.35 - 2.12
		Gaza envelope	-	-	-
		Center	Ref		
	Socio-religious sector	Ultra-Orthodox Jew	0.3	0.042	0.1 - 0.96
		Arab	1.08	0.901	0.33 - 3.57
		General Jewish	Ref		
Interaction with Military operation	Biological sex	Female	1.33	<0.001	1.14 - 1.55
		Male	Ref		
	District	North	0.91	0.384	0.74 - 1.12
		South	1.32	0.013	1.06 - 1.63
		Gaza envelope	0.86	0.58	0.52 - 1.45
		Center	Ref		
	Socio-religious sector	Ultra-Orthodox Jew	0.78	0.116	0.57 - 1.06
		Arab	0.79	0.35	0.47 - 1.3
		General Jewish	Ref		
Interaction with October 7th	Biological sex	Female	1.83	<0.001	1.57 - 2.13
		Male	Ref		

District	North	0.95	0.592	0.79 - 1.14
	South	0.89	0.3	0.72 - 1.11
	Gaza envelope	1.06	0.774	0.72 - 1.56
	Center	Ref		
Socio-religious sector	Ultra-Orthodox Jew	0.54	0.001	0.39 - 0.77
	Arab	0.35	0.001	0.19 - 0.64
	General Jewish	Ref		

Table S6. Cox regression analysis with adjusted Hazard Ratios (HRs) for first purchase of anxiolytic medications (primary analysis) between 2006-2024, ages 60 or older.

	Variable	Category	HR	P-value	95%CI
Baseline	Biological sex	Female	1.34	<0.001	1.29 - 1.4
		Male	Ref		
	District	North	1.02	0.598	0.95 - 1.09
		South	0.85	0.01	0.76 - 0.96
		Gaza envelope	0.8	0.144	0.59 - 1.08
		Center	Ref		
	SES	Low	1.01	0.871	0.91 - 1.11
		Medium	Ref		
		High	1.03	0.226	0.98 - 1.07
	Socio-religious sector	Ultra-Orthodox Jew	1.02	0.68	0.92 - 1.13
		Arab	0.75	0.003	0.62 - 0.91
		General Jewish	Ref		
Interaction with the Second Lebanon War	Use of psychiatric drugs	Yes	2.32	<0.001	2.22 - 2.42
		No	Ref		
	Armed conflict	Second Lebanon War	0.88	0.739	0.41 - 1.87
		Military operation	1.06	0.733	0.76 - 1.48
		October 7th	1.64	0.044	1.01 - 2.66
	Biological sex	Female	1.37	0.446	0.61 - 3.11
		Male	Ref		
	District	North	0.33	0.231	0.06 - 2.01
		South	1.65	0.623	0.22 - 12.25
		Gaza envelope	-	-	-
		Center	Ref		
	Socio-religious sector	Ultra-Orthodox Jew	0.92	0.907	0.22 - 3.88
		Arab	16.34	0.002	2.68 - 99.56
		General Jewish	Ref		
Interaction with Military operation	Biological sex	Female	1.53	0.022	1.06 - 2.2
		Male	Ref		
	District	North	0.77	0.405	0.41 - 1.43
		South	1.14	0.77	0.47 - 2.82
		Gaza envelope	1.56	0.662	0.21 - 11.42
		Center	Ref		
	Socio-religious sector	Ultra-Orthodox Jew	1.45	0.136	0.89 - 2.36
		Arab	0	0.948	0 - Inf
		General Jewish	Ref		
	Biological sex	Female	2.05	0.006	1.23 - 3.42

Interaction with October 7th	District	Male	Ref		
		North	0.85	0.668	0.41 - 1.77
		South	1.76	0.19	0.76 - 4.08
		Gaza envelope	-	-	-
	Center	Ref			
		Ultra-Orthodox Jew	0.4	0.117	0.13 - 1.26
	Socio-religious sector	Arab	2.01	0.283	0.56 - 7.22
		General Jewish	Ref		

Table S7. Cox regression analysis with adjusted Hazard Ratios (HRs) for first purchase of anxiolytic medications (primary analysis) between 2006-2024 – **stratified by socio-religious sector.**

Variable	Category	General Jewish	Ultra-Orthodox Jewish	Arab
Age group, yr.	25-39	1.22(1.19-1.25)	1.51(1.38-1.65)	1.47(1.3-1.67)
	40-59	1.62(1.57-1.67)	2.28(2.06-2.51)	1.78(1.54-2.05)
	60+	1.94(1.87-2.01)	2.84(2.53-3.18)	1.94(1.56-2.4)
	21-24	Ref	Ref	Ref
Biological sex	Female	1.35(1.34-1.37)	1.22(1.17-1.26)	1.19(1.13-1.25)
	Male	Ref	Ref	Ref
District	North	1.01(0.99-1.02)	1.09(1.02-1.16)	1.41(1.33-1.5)
	South	0.79(0.77-0.82)	0.76(0.67-0.86)	2.02(0.65-6.29)
	Gaza envelope	0.86(0.85-0.88)	1.15(1.1-1.21)	0.84(0.73-0.97)
	Center	Ref	Ref	Ref
SES	Low	0.97(0.96-0.99)	1.01(0.97-1.05)	0.89(0.83-0.96)
	Medium	Ref	Ref	Ref
	High	1.01(1-1.02)	1.07(0.93-1.25)	1.27(1.11-1.46)
Use of psychiatric drugs	Yes	3.21(3.17-3.24)	3.96(3.82-4.1)	4.12(3.91-4.34)
	No	Ref	Ref	Ref
Armed conflict	Second Lebanon War	1.45(1.27-1.65)	1.19(0.77-1.83)	1.66(0.9-3.08)
	Military operation	1.31(1.24-1.39)	1.13(0.93-1.36)	0.72(0.52-0.98)
	October 7th	4.46(4.23-4.7)	2.89(2.39-3.49)	1.61(1.15-2.27)
Relative National Stability		Ref	Ref	Ref

Table S8. Cox regression analysis with adjusted Hazard Ratios (HRs) for first purchase of anxiolytic medications (primary analysis) between 2006-2024, general Jewish population.

Variable	Category	HR	P-value	95%CI
Baseline	25-39	1.22	<0.001	1.19 - 1.25
	40-59	1.62	<0.001	1.57 - 1.67
	60+	1.94	<0.001	1.87 - 2.01
	21-24	Ref		
Biological sex	Female	1.34	<0.001	1.32 - 1.35
	Male	Ref		
District	North	1.01	0.404	0.99 - 1.02
	South	0.86	<0.001	0.85 - 0.88
	Gaza envelope	0.79	<0.001	0.77 - 0.81
	Center	Ref		
SES	Low	0.97	0.006	0.96 - 0.99
	Medium	Ref		
	High	1.01	0.045	1 - 1.02
Use of psychiatric drugs	Yes	3.21	<0.001	3.18 - 3.24
	No	Ref		
Armed conflict	Second Lebanon War	1.29	0.008	1.07 - 1.57
	Military operation	1.13	0.004	1.04 - 1.23
	October 7th	2.98	<0.001	2.74 - 3.24
Interaction with the Second Lebanon War	Biological sex	Female	1.12	0.23
		Male	Ref	
	District	North	1.35	0.01
		South	0.88	0.444
Interaction with Military operation		Gaza envelope	0.79	0.493
		Center	Ref	
	Biological sex	Female	1.26	<0.001
		Male	Ref	
Interaction with October 7th	District	North	0.87	0.023
		South	1.18	0.012
		Gaza envelope	1.04	0.74
		Center	Ref	
Interaction with October 7th	Biological sex	Female	1.82	<0.001
		Male	Ref	
	District	North	1.08	0.168
		South	0.95	0.445
		Gaza envelope	1.12	0.287
		Center	Ref	

Table S9. Cox regression analysis with adjusted Hazard Ratios (HRs) for first purchase of anxiolytic medications (primary analysis) between 2006-2024, Ultra-Orthodox Jewish population.

Variable	Category	HR	P-value	95%CI	
Baseline	25-39	1.51	<0.001	1.38 - 1.65	
Age group, yr.	40-59	2.28	<0.001	2.07 - 2.51	
	60+	2.84	<0.001	2.53 - 3.18	
	21-24	Ref			
Biological sex	Female	1.2	<0.001	1.16 - 1.25	
	Male	Ref			
District	North	1.09	0.011	1.02 - 1.17	
	South	1.15	<0.001	1.1 - 1.21	
	Gaza envelope	0.77	<0.001	0.68 - 0.87	
	Center	Ref			
SES	Low	1.01	0.586	0.97 - 1.05	
	Medium	Ref			
	High	1.08	0.334	0.93 - 1.25	
Use of psychiatric drugs	Yes	3.96	<0.001	3.82 - 4.1	
	No	Ref			
Armed conflict	Second Lebanon War	1.08	0.807	0.57 - 2.04	
	Military operation	0.96	0.773	0.73 - 1.27	
	October 7th	2.06	<0.001	1.52 - 2.79	
Interaction with the Second Lebanon War	Biological sex	Female	1.25	0.534	0.62 - 2.49
		Male	Ref		
	District	North	1.39	0.545	0.48 - 3.98
		South	0.69	0.489	0.24 - 1.98
		Gaza envelope	0	0.956	0 - Inf
		Center	Ref		
Interaction with Military operation	Biological sex	Female	1.27	0.135	0.93 - 1.73
		Male	Ref		
	District	North	0.73	0.373	0.37 - 1.45
		South	1.3	0.171	0.89 - 1.89
		Gaza envelope	0.89	0.843	0.28 - 2.82
		Center	Ref		
Interaction with October 7th	Biological sex	Female	1.86	<0.001	1.33 - 2.6
		Male	Ref		
	District	North	0.97	0.910	0.52 - 1.8
		South	0.9	0.628	0.58 - 1.39
		Gaza envelope	0.64	0.528	0.16 - 2.59
		Center	Ref		

Table S10. Cox regression analysis with adjusted Hazard Ratios (HRs) for first purchase of anxiolytic medications (primary analysis) between 2006-2024, Arab population.

	Variable	Category	HR	P-value	95%CI
Baseline		25-39	1.47	<0.001	1.3 - 1.67
	Age group, yr.	40-59	1.78	<0.001	1.54 - 2.05
		60+	1.94	<0.001	1.56 - 2.4
		21-24	Ref		
	Biological sex	Female	1.19	<0.001	1.13 - 1.25
		Male	Ref		
	District	North	1.41	<0.001	1.33 - 1.5
		South	0.84	0.014	0.73 - 0.97
		Gaza envelope	-	-	-
		Center	Ref		
	SES	Low	0.89	0.001	0.83 - 0.96
		Medium	Ref		
		High	1.28	<0.001	1.11 - 1.46
	Use of psychiatric drugs	Yes	4.12	<0.001	3.91 - 4.34
		No	Ref		
	Armed conflict	Second Lebanon War	0.46	0.338	0.09 - 2.27
		Military operation	0.68	0.214	0.37 - 1.25
		October 7th	1.71	0.076	0.95 - 3.08
Interaction with the Second Lebanon War	Biological sex	Female	1.51	0.4	0.58 - 3.93
		Male	Ref		
	District	North	3.7	0.08	0.86 - 15.96
		South	0	0.976	0 - Inf
		Gaza envelope	-	-	-
		Center	Ref		
Interaction with Military operation	Biological sex	Female	1.31	0.361	0.74 - 2.32
		Male	Ref		
	District	North	0.84	0.566	0.47 - 1.51
		South	0.95	0.946	0.22 - 4.13
		Gaza envelope	0.995		
		Center	Ref		
Interaction with October 7th	Biological sex	Female	1.031	0.916	0.59 - 1.81
		Male	Ref		
	District	North	0.84	0.566	0.47 - 1.52
		South	1.98	0.275	0.58 - 6.8
		Gaza envelope	-	-	-
		Center	Ref		

Table S11. Cox regression analysis with adjusted Hazard Ratios (HRs) for renewed purchase of anxiolytic medications (secondary analysis) between 2006-2024.

	Variable	Category	HR	P-value	95%CI
Baseline		25-39	1.04	0.003	1.02 - 1.07
	Age group, yr.	40-59	1.18	<0.001	1.15 - 1.21
		60+	1.29	<0.001	1.25 - 1.33
		21-24	Ref		
	Biological sex	Female	1.20	<0.001	1.18 - 1.21
		Male	Ref		
	District	North	1.03	0.004	1.01 - 1.05
		South	0.92	<0.001	0.9 - 0.95
		Gaza envelope	0.85	<0.001	0.81 - 0.89
		Center	Ref		
	SES	Low	0.99	0.251	0.97 - 1.01
		Medium	Ref		
		High	1.04	<0.001	1.03 - 1.06
	Socio-religious sector	Ultra-Orthodox Jew	1.08	<0.001	1.05 - 1.11
		Arab	0.83	<0.001	0.79 - 0.86
		General Jewish	Ref		
	Use of psychiatric drugs	Yes	1.97	<0.001	1.94 - 2.00
		No	Ref		
	Armed conflict	Second Lebanon War	1.23	0.054	1.0 - 1.52
		Military operation	1.11	0.053	1.0 - 1.23
		October 7th	2.42	<0.001	2.16 - 2.73
Interaction with the Second Lebanon War	Biological sex	Female	1.21	0.100	0.97 - 1.51
		Male	Ref		
	District	North	1.28	0.079	0.97 - 1.69
		South	0.74	0.187	0.48 - 1.16
		Gaza envelope	0.73	0.483	0.3 - 1.77
		Center	Ref		
	Socio-religious sector	Ultra-Orthodox Jew	1.09	0.638	0.75 - 1.59
		Arab	0.64	0.257	0.30 - 1.38
		General Jewish	Ref		
Interaction with Military operation	Biological sex	Female	1.18	0.004	1.05 - 1.32
		Male	Ref		
	District	North	1.07	0.393	0.92 - 1.24
		South	1.17	0.082	0.98 - 1.39
		Gaza envelope	1.04	0.837	0.73 - 1.49
		Center	Ref		

		Ultra-Orthodox Jew	0.93	0.488	0.76 - 1.14
	Socio-religious sector	Arab	0.66	0.040	0.45 - 0.98
		General Jewish	Ref		
Interaction with October 7th	Biological sex	Female	1.89	<0.001	1.67 - 2.13
		Male	Ref		
	District	North	1.15	0.062	0.99 - 1.32
		South	1.06	0.483	0.9 - 1.26
		Gaza envelope	1.44	0.015	1.08 - 1.94
		Center	Ref		
		Ultra-Orthodox Jew	0.61	<0.001	0.48 - 0.77
	Socio-religious sector	Arab	0.34	<0.001	0.21 - 0.55
		General Jewish	Ref		

Table S12. Cox regression analysis with adjusted Hazard Ratios (HRs) for renewed purchases of anxiolytic medications (secondary analysis) between 2006-2024, ages 21-24.

	Variable	Category	HR	P-value	95%CI
Baseline	Biological sex	Female	1.22	<0.001	1.16 - 1.29
		Male	Ref		
	District	North	1.05	0.148	0.98 - 1.13
		South	1.01	0.772	0.93 - 1.1
		Gaza envelope	0.76	0.001	0.64 - 0.89
		Center	Ref		
	SES	Low	0.95	0.19	0.87 - 1.03
		Medium	Ref		
		High	1.05	0.143	0.99 - 1.11
	Socio-religious sector	Ultra-Orthodox Jew	0.98	0.712	0.89 - 1.08
		Arab	0.74	<0.001	0.63 - 0.86
Interaction with the Second Lebanon War	Use of psychiatric drugs	General Jewish	Ref		
		Yes	2.61	<0.001	2.43 - 2.8
		No	Ref		
	Armed conflict	Second Lebanon War	1.02	0.974	0.29 - 3.64
		Military operation	0.81	0.374	0.5 - 1.3
		October 7th	2.00	0.002	1.3 - 3.08
	Biological sex	Female	0.98	0.982	0.23 - 4.16
		Male	Ref		
	District	North	0.69	0.729	0.08 - 5.74
		South	0.88	0.908	0.11 - 7.37
		Gaza envelope	-	-	-
		Center	Ref		
Interaction with Military operation	Socio-religious sector	Ultra-Orthodox Jew	1.11	0.92	0.13 - 9.27
		Arab	-	-	-
		General Jewish	Ref		
	Biological sex	Female	1.41	0.199	0.84 - 2.37
		Male	Ref		
	District	North	0.96	0.913	0.49 - 1.9
		South	1.21	0.581	0.61 - 2.42
		Gaza envelope	-	-	-
		Center	Ref		
Interaction with October 7th	Socio-religious sector	Ultra-Orthodox Jew	1.15	0.723	0.54 - 2.42
		Arab	0.92	0.913	0.22 - 3.96
		General Jewish	Ref		
	Biological sex	Female	1.34	0.227	0.84 - 2.14
		Male	Ref		

District	North	1.01	0.969	0.56 - 1.81
	South	0.81	0.581	0.38 - 1.71
	Gaza envelope	2.39	0.097	0.85 - 6.7
	Center	Ref		
Socio-religious sector	Ultra-Orthodox Jew	0.62	0.3	0.25 - 1.54
	Arab	0.65	0.55	0.15 - 2.7
	General Jewish	Ref		

Table S13. Cox regression analysis with adjusted Hazard Ratios (HRs) for renewed purchases of anxiolytic medications (secondary analysis) between 2006-2024, ages 25-39.

	Variable	Category	HR	P-value	95%CI
Baseline	Biological sex	Female	1.13	<0.001	1.11 - 1.15
		Male	Ref		
	District	North	1.03	0.088	1 - 1.06
		South	0.91	<0.001	0.88 - 0.95
		Gaza envelope	0.86	<0.001	0.8 - 0.91
		Center	Ref		
	SES	Low	0.98	0.243	0.95 - 1.01
		Medium	Ref		
		High	1.06	<0.001	1.03 - 1.08
	Socio-religious sector	Ultra-Orthodox Jew	1.06	0.012	1.01 - 1.1
		Arab	0.88	<0.001	0.83 - 0.93
		General Jewish	Ref		
Use of psychiatric drugs	Yes	Yes	2.22	<0.001	2.16 - 2.27
		No	Ref		
	Armed conflict	Second Lebanon War	1.08	0.629	0.79 - 1.48
		Military operation	1.1	0.253	0.94 - 1.28
		October 7th	2.39	<0.001	2 - 2.87
	Interaction with the Second Lebanon War	Female	1.2	0.3	0.85 - 1.68
		Male	Ref		
	District	North	1.74	0.004	1.19 - 2.54
		South	0.59	0.134	0.3 - 1.17
		Gaza envelope	0.99	0.987	0.36 - 2.7
		Center	Ref		
Interaction with Military operation	Socio-religious sector	Ultra-Orthodox Jew	1.03	0.938	0.54 - 1.95
		Arab	0.69	0.42	0.28 - 1.71
		General Jewish	Ref		
	Biological sex	Female	1.2	0.047	1 - 1.43
		Male	Ref		
	District	North	0.98	0.85	0.77 - 1.24
		South	1.16	0.257	0.9 - 1.5
		Gaza envelope	0.85	0.548	0.5 - 1.45
		Center	Ref		
	Socio-religious sector	Ultra-Orthodox Jew	1.09	0.559	0.81 - 1.48
		Arab	0.66	0.147	0.37 - 1.16
		General Jewish	Ref		
	Biological sex	Female	2.1	<0.001	1.74 - 2.54

Interaction with October 7th	Male	Ref		
District	North	1.28	0.026	1.03 - 1.58
Socio-religious sector	Ultra-Orthodox Jew	0.71	0.049	0.5 – 1.0
Center	Ref			
Gaza envelope				0.8 - 2.02
Arab				0.15 - 0.61
General Jewish	Ref			

Table S14. Cox regression analysis with adjusted Hazard Ratios (HRs) for renewed purchases of anxiolytic medications (secondary analysis) between 2006-2024, ages 40-59.

	Variable	Category	HR	P-value	95%CI
Baseline	Biological sex	Female	1.3	<0.001	1.27 - 1.33
		Male	Ref		
	District	North	1.05	0.001	1.02 - 1.08
		South	0.92	<0.001	0.89 - 0.96
		Gaza envelope	0.86	<0.001	0.8 - 0.93
		Center	Ref		
	SES	Low	0.97	0.108	0.94 - 1.01
		Medium	Ref		
		High	1.05	<0.000	1.03 - 1.07
	Socio-religious sector	Ultra-Orthodox Jew	1.15	<0.001	1.1 - 1.21
		Arab	0.77	<0.001	0.72 - 0.83
Interaction with the Second Lebanon War	Use of psychiatric drugs	General Jewish	Ref		
		Yes	1.84	<0.001	1.8 - 1.88
		No	Ref		
	Armed conflict	Second Lebanon War	1.33	0.121	0.93 - 1.91
		Military operation	1.13	0.152	0.96 - 1.33
		October 7th	2.6	<0.001	2.18 - 3.1
	Biological sex	Female	1.18	0.406	0.8 - 1.72
		Male	Ref		
	District	North	0.81	0.456	0.46 - 1.42
		South	1.55	0.181	0.82 - 2.96
		Gaza envelope	0.88	0.900	0.12 - 6.31
		Center	Ref		
Interaction with Military operation	Socio-religious sector	Ultra-Orthodox Jew	1.21	0.48	0.71 - 2.07
		Arab	0.96	0.959	0.23 - 4.05
		General Jewish	Ref		
	Biological sex	Female	1.18	0.073	0.99 - 1.41
		Male	Ref		
	District	North	1.14	0.254	0.91 - 1.42
		South	1.13	0.393	0.86 - 1.49
		Gaza envelope	1.38	0.226	0.82 - 2.32
		Center	Ref		
	Socio-religious sector	Ultra-Orthodox Jew	0.84	0.314	0.59 - 1.19
		Arab	0.72	0.294	0.39 - 1.33
		General Jewish	Ref		
Interaction with October 7th	Biological sex	Female	1.91	<0.001	1.58 - 2.3
		Male	Ref		

	North	1.05	0.658	0.85 - 1.29
District	South	1.09	0.471	0.86 - 1.39
	Gaza envelope	1.4	0.114	0.92 - 2.12
	Center	Ref		
	Ultra-Orthodox Jew	0.5	0.001	0.33 - 0.75
Socio-religious sector	Arab	0.35	0.007	0.17 - 0.75
	General Jewish	Ref		

Table S15. Cox regression analysis with adjusted Hazard Ratios (HRs) for renewed purchases of anxiolytic medications (secondary analysis) between 2006-2024, ages 60 or older.

	Variable	Category	HR	P-value	95%CI
Baseline	Biological sex	Female	1.18	<0.001	1.14 - 1.23
		Male	Ref		
	District	North	0.97	0.388	0.92 - 1.04
		South	0.94	0.228	0.85 - 1.04
		Gaza envelope	0.75	0.035	0.57 - 0.98
		Center	Ref		
	SES	Low	0.99	0.902	0.91 - 1.09
		Medium	Ref		
		High	1.05	0.015	1.01 - 1.08
	Socio-religious sector	Ultra-Orthodox Jew	1.06	0.242	0.96 - 1.16
		Arab	0.92	0.32	0.77 - 1.09
Interaction with the Second Lebanon War	Use of psychiatric drugs	General Jewish	Ref		
		Yes	1.45	<0.001	1.39 - 1.52
		No	Ref		
	Armed conflict	Second Lebanon War	1.57	0.069	0.97 - 2.55
		Military operation	1.3	0.058	0.99 - 1.71
		October 7th	2.13	<0.001	1.38 - 3.27
	Biological sex	Female	1.07	0.805	0.64 - 1.8
		Male	Ref		
	District	North	1.82	0.078	0.94 - 3.56
		South	0.64	0.663	0.09 - 4.66
		Gaza envelope	-	-	-
		Center	Ref		
Interaction with Military operation	Socio-religious sector	Ultra-Orthodox Jew	0.9	0.841	0.33 - 2.48
		Arab	-	-	-
		General Jewish	Ref		
	Biological sex	Female	1.04	0.792	0.77 - 1.42
		Male	Ref		
	District	North	1.29	0.26	0.83 - 2.02
		South	1.63	0.157	0.83 - 3.21
		Gaza envelope	2.41	0.226	0.58 - 9.95
		Center	Ref		
	Socio-religious sector	Ultra-Orthodox Jew	0.69	0.241	0.38 - 1.28
		Arab	0.35	0.3	0.05 - 2.56
		General Jewish	Ref		
Interaction with October 7th	Biological sex	Female	1.42	0.144	0.89 - 2.27
		Male	Ref		

District	North	0.74	0.435	0.34 - 1.59
	South	1.07	0.891	0.39 - 2.94
	Gaza envelope	-	-	-
	Center	Ref		
	Ultra-Orthodox Jew	0.74	0.483	0.32 - 1.7
Socio-religious sector	Arab	-	-	-
	General Jewish	Ref		

Table S16. Exposure negative control analysis. Cox regression analysis with adjusted Hazard Ratios (HRs) for first purchases of anxiolytic medications during shifted dates of armed conflicts between 2006-2024.

Variable	Category	HR	P-value	95%CI	
Baseline	25-39	1.23	<0.001	1.2 - 1.26	
Age group, yr.	40-59	1.62	<0.001	1.58 - 1.67	
	60+	1.95	<0.001	1.89 - 2.02	
	21-24	Ref			
Biological sex	Female	1.33	<0.001	1.32 - 1.35	
	Male	Ref			
District	North	1.03	<0.001	1.02 - 1.05	
	South	0.89	<0.001	0.88 - 0.91	
	Gaza envelope	0.80	<0.001	0.78 - 0.83	
	Center	Ref			
SES	Low	0.96	<0.001	0.95 - 0.98	
	Medium	Ref			
	High	1.02	0.002	1.01 - 1.03	
Socio-religious sector	Ultra-Orthodox				
	Jew	0.94	<0.001	0.92 - 0.96	
	Arab	0.73	<0.001	0.7 - 0.75	
	General Jewish	Ref			
Use of psychiatric drugs	Yes	3.30	<0.001	3.26 - 3.33	
	No	Ref			
Negative Control	Yes	0.95	0.033	0.91 - 1	
	No	Ref			
Interaction with Negative Control	Biological sex	Female	0.99	0.579	0.94 - 1.04
		Male	Ref		
Exposure (NCE)	District	North	1.05	0.203	0.98 - 1.12
	South	1.00	0.967	0.92 - 1.09	
	Gaza envelope	0.87	0.092	0.74 - 1.02	
	Center	Ref			
Socio-religious sector	Ultra-Orthodox				
	Jew	0.99	0.896	0.91 - 1.09	
	Arab	1.04	0.539	0.91 - 1.19	
	General Jewish	Ref			

Table S17. Exposure negative control analysis. Cox regression analysis with adjusted Hazard Ratios (HRs) for renewed purchases of anxiolytic medications during shifted dates of armed conflicts between 2006-2024.

	Variable	Category	HR	P-value	95%CI
Baseline		25-39	1.04	0.003	1.01 - 1.07
	Age group, yr.	40-59	1.18	0.00	1.14 - 1.21
		60+	1.29	0.00	1.25 - 1.33
		21-24	Ref		
	Biological sex	Female	1.21	0.00	1.19 - 1.23
		Male	Ref		
	District	North	1.04	0.00	1.02 - 1.05
		South	0.93	0.00	0.9 - 0.95
		Gaza envelope	0.85	0.00	0.81 - 0.89
		Center	Ref		
	SES	Low	0.99	0.260	0.97 - 1.01
		Medium	Ref		
		High	1.04	0.00	1.03 - 1.06
	Socio-religious sector	Ultra-Orthodox			
		Jew	1.07	0.00	1.04 - 1.1
		Arab	0.82	0.00	0.78 - 0.85
		General Jewish	Ref		
	Use of psychiatric drugs	Yes	1.97	0.00	1.94 - 2
		No	Ref		
	Negative Control	Yes	0.98	0.406	0.92 - 1.04
		No	Ref		
Interaction with Negative Control Exposure (NCE)	Biological sex	Female	1.01	0.708	0.95 - 1.08
		Male	Ref		
	District	North	0.94	0.159	0.85 - 1.03
		South	1.03	0.666	0.92 - 1.14
		Gaza envelope	1.14	0.229	0.92 - 1.4
		Center	Ref		
	Socio-religious sector	Ultra-Orthodox			
		Jew	1.03	0.684	0.91 - 1.16
		Arab	0.92	0.460	0.75 - 1.14
		General Jewish	Ref		