

**Supplementary Table 1. Case-control Selection Criteria Based on ICD-10 Codes.**

<b>Group</b>	<b>Operation</b>	<b>Condition</b>	<b>ICD-10 Codes</b>	<b>ICD-9 Codes</b>
<b>Case</b>	Inclusion	Preeclampsia	O14	642.4, 642.5, 642.7
<b>Control</b>	Inclusion	Normal Pregnancy	Z34, Z35, Z36, Z37	V22
	Exclusion	Pre-eclampsia	O14	642.4, 642.5, 642.7
		Pre-existing hypertension complicating pregnancy	O10	642.0, 642.1, 642.2
		Pre-existing hypertension with pre-eclampsia	O11	642.7
		Gestational edema and proteinuria without hypertension	O12	646.1, 646.2
		Gestational hypertension without significant proteinuria	O13	642.3
		Eclampsia	O15	642.6
		Unspecified maternal hypertension	O16	642.3, 642.9
Note: The listed ICD code hierarchically includes all ICD codes starting with it (e.g. O14 includes O14.1, O14.12, O14.3, etc.).				

**Supplementary Table 2. ICD-10 Codes for Elixhauser Comorbidities.**

<b>Comorbidity</b>	<b>ICD-10 Codes</b>
<b>Congestive heart failure</b>	I09.9, I11.0, I13.0, I13.2, I25.5, I42.0, I42.5 - I42.9, I43.x, I50.x, P29.0
<b>Cardiac arrhythmias</b>	I44.1 - I44.3, I45.6, I45.9, I47.x - I49.x, R00.0, R00.1, R00.8, T82.1, Z45.0, Z95.0
<b>Valvular disease</b>	A52.0, I05.x - I08.x, I09.1, I09.8, I34.x - I39.x, Q23.0 - Q23.3, Z95.2 - Z95.4
<b>Pulmonary circulation disorders</b>	I26.x, I27.x, I28.0, I28.8, I28.9
<b>Peripheral vascular disorders</b>	I70.x, I71.x, I73.1, I73.8, I73.9, I77.1, I79.0, I79.2, K55.1, K55.8, K55.9, Z95.8, Z95.9
<b>Hypertension, uncomplicated</b>	I10.x
<b>Hypertension, complicated</b>	I11.x - I13.x, I15.x
<b>Paralysis</b>	G04.1, G11.4, G80.1, G80.2, G81.x, G82.x, G83.0 - G83.4, G83.9
<b>Other neurological disorders</b>	G10.x - G13.x, G20.x - G22.x, G25.4, G25.5, G31.2, G31.8, G31.9, G32.x, G35.x - G37.x, G40.x, G41.x, G93.1, G93.4, R47.0, R56.x
<b>Chronic pulmonary disease</b>	I27.8, I27.9, J40.x - J47.x, J60.x - J67.x, J68.4, J70.1, J70.3
<b>Diabetes, uncomplicated</b>	E10.0, E10.1, E10.9, E11.0, E11.1, E11.9, E12.0, E12.1, E12.9, E13.0, E13.1, E13.9, E14.0, E14.1, E14.9
<b>Diabetes, complicated</b>	E10.2 - E10.8, E11.2 - E11.8, E12.2 - E12.8, E13.2 - E13.8, E14.2 - E14.8
<b>Hypothyroidism</b>	E00.x - E03.x, E89.0
<b>Liver disease</b>	B18.x, I85.x, I86.4, I98.2, K70.x, K71.1, K71.3 - K71.5, K71.7, K72.x - K74.x, K76.0, K76.2 - K76.9, Z94.4
<b>Peptic ulcer disease, excluding bleeding</b>	K25.7, K25.9, K26.7, K26.9, K27.7, K27.9, K28.7, K28.9

<b>AIDS/HIV</b>	B20.x - B22.x, B24.x
<b>Lymphoma</b>	C81.x - C85.x, C88.x, C96.x, C90.0, C90.2
<b>Metastatic cancer</b>	C77.x - C80.x
<b>Solid tumor without metastasis</b>	C00.x - C26.x, C30.x - C34.x, C37.x - C41.x, C43.x, C45.x - C58.x, C60.x - C76.x, C97.x
<b>Rheumatoid arthritis/collagen vascular diseases</b>	L94.0, L94.1, L94.3, M05.x, M06.x, M08.x, M12.0, M12.3, M30.x, M31.0 - M31.3, M32.x - M35.x, M45.x, M46.1, M46.8, M46.9
<b>Coagulopathy</b>	D65 - D68.x, D69.1, D69.3 - D69.6
<b>Obesity</b>	E66.x
<b>Weight loss</b>	E40.x - E46.x, R63.4, R64
<b>Fluid and electrolyte disorders</b>	E22.2, E86.x, E87.x
<b>Blood loss anaemia</b>	D50.0
<b>Deficiency anemia</b>	D50.8, D50.9, D51.x - D53.x
<b>Alcohol abuse</b>	F10, E52, G62.1, I42.6, K29.2, K70.0, K70.3, K70.9, T51.x, Z50.2, Z71.4, Z72.1
<b>Drug abuse</b>	F11.x - F16.x, F18.x, F19.x, Z71.5, Z72.2
<b>Psychoses</b>	F20.x, F22.x - F25.x, F28.x, F29.x, F30.2, F31.2, F31.5
<b>Depression</b>	F20.4, F31.3 - F31.5, F32.x, F33.x, F34.1, F41.2, F43.2





RenalFailure	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE
RheumatoidArthritisCollagenVascular	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	FALSE
ValvularDisease	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	FALSE
WeightLoss	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE
SmokingStatusMapped	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE
AlcoholUseStatusMapped	TRUE	TRUE	TRUE	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE
IllegalDrugUserStatusMapped	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE
SexuallyActiveStatusMapped	TRUE	TRUE	TRUE	TRUE	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE
CigarettesYN	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE
CigarsYN	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE
IVDrugUserYN	FALSE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE	FALSE
African American	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE
Other Races	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE
Caucasian	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE

**Supplementary Table 4: Odds Ratio and p-values for identified complications after PE in 3 institutions**

Odds Ratio and p-values for identified complications after PE in 3 institutions						
	University of Michigan					
Complications	LogitCoef	CoefStd	P-value	Odds Ratio	CI(low)	CI(high)
Uncomplicated Hypertension	1.875	0.05	0.00E+00	6.522	5.918	7.188
Uncomplicated diabetes	0.593	0.13	4.83E-06	1.809	1.403	2.332
Complicated Diabetes	0.349	0.084	3.13E-05	1.418	1.203	1.671
Renal failure	0.586	0.138	2.12E-05	1.798	1.372	2.356
Obesity	0.341	0.047	2.81E-13	1.407	1.283	1.541
Hypothyroidism	-0.102	0.064	1.09E-01	0.903	0.797	1.023
	Cedar Sinai					
	LogitCoef	CoefStd	P-value	Odds Ratio	CI(low)	CI(high)
Uncomplicated Hypertension	1.754	0.044	0.00E+00	5.777	5.304	6.292
Uncomplicated diabetes	0.801	0.086	1.52E-20	2.228	1.882	2.638
Complicated Diabetes	0.844	0.111	2.29E-14	2.326	1.873	2.890
Renal failure	2.045	0.143	1.67E-46	7.727	5.841	10.223
Obesity	0.184	0.047	9.60E-05	1.203	1.096	1.319
Hypothyroidism	-0.477	0.069	5.30E-12	0.621	0.542	0.711
	UKBiobank					
	LogitCoef	CoefStd	P-value	Odds Ratio	CI(low)	CI(high)
Uncomplicated Hypertension	1.281	0.127	5.36E-24	3.601	2.809	4.617
Uncomplicated diabetes	1.121	0.215	1.74E-07	3.069	2.015	4.673
Complicated Diabetes	2.126	0.488	1.32E-05	8,381	3.22	21.812
Renal failure	1.54	0.321	1.67E-06	4.665	2.486	8,751
Obesity	0.809	0.176	4.09E-06	2.246	1.59	3.171

Hypothyroidism	0.273	0.227	2.30E-01	1.314	0.841	2.051
----------------	-------	-------	----------	-------	-------	-------

### Supplementary 5: Odds ratios and p-values of PE by severity

mild PE												
	University of Michigan						Cedar Sinai					
Complications	LogitCoef	CoefStd	P-value	Odds Ratio	CI Low	CI High	LogitCoef	CoefStd	P-value	Odds Ratio	CI Low	CI High
Uncomplicated Hypertension	1.59	0.067	5.52E-126	4.906	4.300	5.592	1.463	0.133	4.32E-28	4.319	3.328	5.605
Uncomplicated diabetes	0.341	0.106	1.28E-03	1.407	1.143	1.731	-1.140	0.522	2.88E-02	0.320	0.115	0.889
Complicated Diabetes	0.621	0.161	1.16E-04	1.861	1.357	2.551	-0.602	0.558	2.81E-01	0.547	0.183	1.635
Renal failure	0.352	0.199	7.68E-02	1.422	0.963	2.100	-16.3425	1243.567	0.989515	0.000	0.000	NA
Obesity	0.413	0.062	2.60E-11	1.511	1.338	1.707	0	0.15	9.98E-01	1	0.745	1.342
Hypothyroidism	-0.072	0.086	4.02E-01	0.931	0.786	1.101	-0.433	0.216	4.50E-02	0.648	0.425	0.990

severe PE												
	University of Michigan						Cedar Sinai					
Complications	LogitCoef	CoefStd	P-value	Odds Ratio	CI Low	CI High	LogitCoef	CoefStd	P-value	Odds Ratio	CI Low	CI High



Uncomplicated Hypertension	2.146	0.062	4.55E-260	8.552	7.572	9.655	1.574	0.068	1.69E-117	4.826	4.224	5.514
Uncomplicated diabetes	0.52	0.1	2.28E-07	1.682	1.383	2.046	0.838	0.129	7.57E-11	2.312	1.796	2.975
Complicated Diabetes	0.91	0.148	6.98E-10	2.484	1.859	3.320	0.244	0.193	2.07E-01	1.276	0.874	1.863
Renal failure	0.78	0.169	4.23E-06	2.18	1.566	3.038	1.077	0.282	1.33E-04	2.934	1.689	5.102
Obesity	0.263	0.064	4.16E-05	1.3	1.147	1.475	-0.062	0.079	4.32E-01	0.94	0.805	1.097
Hypothyroidism	-0.108	0.087	2.13E-01	0.898	0.757	1.065	-0.795	0.124	1.35E-10	0.452	0.354	0.576

**Supplementary Table 6: Race-specific Odds Ratio and p-values for identified complications after PE in UM and Cedar Sinai datasets**

	<b>Caucasian Patients</b>											
	University of Michigan						Cedar Sinai					
Complications	LogitCoef	CoefStd	P-value	Odds Ratio	CI(low)	CI(high)	LogitCoef	CoefStd	P-value	Odds Ratio	CI(low)	CI(high)
Uncomplicated Hypertension	1.896	0.06	7.50E-222	6.662	5.927	7.071	1.94	0.059	6.51E-238	6.962	6.203	7.814
Uncomplicated diabetes	0.368	0.104	4.35E-04	1.444	1.177	1.603	1.191	0.118	4.14E-24	3.292	2.614	4.145
Complicated Diabetes	0.745	0.165	6.48E-06	2.106	1.524	2.484	1.194	0.155	1.30E-14	3.299	2.435	4.470
Renal failure	0.351	0.172	4.17E-02	1.421	1.013	1.688	2.201	0.18	1.98E-34	9.036	6.351	12.856
Obesity	0.313	0.056	2.09E-08	1.367	1.226	1.446	0.37	0.06	6.36E-10	1.447	1.287	1.628

Hypothyroidism	-0.004	0.072	9.51E-01	0.996	0.865	1.07	-0.494	0.084	3.44E-09	0.61	0.518	0.719
----------------	--------	-------	----------	-------	-------	------	--------	-------	----------	------	-------	-------

<b>African American</b>												
	University of Michigan						Cedar Sinai					
Complications	LogitCoef	CoefStd	P-value	Odds Ratio	CI(low)	CI(high)	LogitCoef	CoefStd	P-value	Odds Ratio	CI(low)	CI(high)
Uncomplicated Hypertension	1.440	0.112	0.000	4.221	3.387	5.261	1.874	0.106	1.69E-70	6.516	5.298	8.014
Uncomplicated diabetes	0.270	0.176	0.126	1.310	0.927	1.851	0.936	0.196	1.85E-06	2.549	1.735	3.744
Complicated Diabetes	0.337	0.249	0.176	1.401	0.859	2.285	0.860	0.263	1.08E-03	2.364	1.411	3.960
Renal failure	1.065	0.331	0.001	2.900	1.517	5.545	2.187	0.324	1.40E-11	8.908	4.724	16.798
Obesity	0.119	0.105	0.258	1.126	0.917	1.384	0.129	0.157	4.09E-01	1.138	0.837	1.547
Hypothyroidism	-0.590	0.199	0.003	0.554	0.375	0.819	-0.691	0.219	1.61E-03	0.501	0.326	0.770