

Supplemental Table 1

Participant demographics for the hormone naive and exogenous hormone user samples

	Hormone Naive				Exogenous Hormone Users				
	Total	Censored	Dementia	p ^a	Total	Censored	Dementia	p ^b	p ^c
n	6,180	5,249	931		4,642	4,218	424		
Years Observed	13.7 (5.2)	15.1 (4.2)	6.1 (3.7)	<0.001	15.3 (3.7)	16.1 (2.8)	8.0 (3.6)	<0.001	<0.001
Birth Year									
Age	1933.4 (10.0)	1934.8 (9.8)	1925.9 (7.3)	<0.001	1938.9 (8.2)	1939.7 (7.9)	1930.8 (6.7)	<0.001	<0.001
Menopause	50.3 (4.1)	50.3 (4.1)	50.0 (4.6)	0.060	50.3 (4.3)	50.3 (4.2)	50.4 (4.9)	0.858	0.600
SALT Interview	66.0 (9.4)	64.7 (9.2)	73.1 (7.1)	<0.001	61.0 (7.5)	60.2 (7.2)	68.4 (6.5)	<0.001	<0.001
Event ^d	79.7 (7.7)	79.8 (8.0)	79.2 (5.3)	0.026	76.3 (6.8)	76.3 (7.0)	76.4 (4.8)	0.713	<0.001
Births				0.002				<0.001	<0.001
0	875 (14.2)	733 (14.0)	142 (15.3)		512 (11.0)	454 (10.8)	58 (13.7)		
1	1,052 (17.0)	861 (16.4)	191 (20.5)		694 (15.0)	631 (15.0)	63 (14.9)		
2	2,224 (36.0)	1,932 (36.8)	292 (31.4)		2,093 (45.1)	1,945 (46.1)	148 (34.9)		
3+	2,029 (32.8)	1,723 (32.8)	306 (32.9)		1,343 (28.9)	1,188 (28.2)	155 (36.6)		
Education				<0.001				<0.001	<0.001
Primary or less	2,957 (47.8)	2,386 (45.5)	571 (61.3)		1,376 (29.6)	1,180 (28.0)	196 (46.2)		
Secondary ^e	2,361 (38.2)	2,056 (39.2)	305 (32.8)		2,026 (43.6)	1,867 (44.3)	159 (37.5)		
Post-secondary	862 (13.9)	807 (15.4)	55 (5.9)		1,240 (26.7)	1,171 (27.8)	69 (16.3)		
Ever Smoker ^f	2,147 (34.7)	1,905 (36.3)	242 (26.0)	<0.001	1,948 (42.0)	1,813 (43.0)	135 (31.8)	<0.001	<0.001
<i>APOE ε4</i>	517 (28.2)	406 (25.7)	111 (44.0)	<0.001	490 (29.8)	433 (28.5)	57 (44.5)	<0.001	0.323
PMHT Use	0 (0.0)	0 (0.0)	0 (0.0)	NaN	4,642 (100.0)	4,218 (100.0)	424 (100.0)	NaN	<0.001
OC Use	0 (0.0)	0 (0.0)	0 (0.0)	NaN	605 (17.0)	582 (18.1)	23 (6.8)	<0.001	<0.001

^aCensored vs Dementia for the Hormone Naive sample; ^bCensored vs Dementia for the Exogenous Hormone Users sample; ^cHormone Naive vs Exogenous Hormone Users samples; ^dDementia or censoring; ^eIncludes some secondary education; ^fSelf-reported ever regularly smoking;

Note. OC: Oral contraceptive; PMHT: Post-menopausal hormone therapy; SALT: Screening Across the Lifespan Study.

Supplemental Table 2

Results of the cox.zph function for the primary analyses in the spontaneous and induced menopause samples using age as model time and delayed entry. The null hypothesis indicates no violation of the proportional hazards assumption.

	Spontaneous Menopause						Induced Menopause					
	Linear			Quadratic			Linear			Quadratic		
	χ^2	df	<i>p</i>	χ^2	df	<i>p</i>	χ^2	df	<i>p</i>	χ^2	df	<i>p</i>
	Unadjusted											
Menopause Age	0.568	1	.451	0.767	1	.381	1.599	1	.206	1.763	1	.184
Menopause Age ²				0.203	1	.652				1.773	1	.183
Global	0.568	1	.451	5.407	2	.067	1.599	1	.206	1.803	2	.406
	Adjusted											
Menopause Age	0.286	1	.593	0.406	1	.524	1.711	1	.191	1.860	1	.173
Menopause Age ²				0.066	1	.797				1.887	1	.170
Ever Smoker	8.517	1	.004	8.518	1	.004	0.097	1	.756	0.106	1	.745
Education	0.236	2	.889	0.305	2	.858	1.240	2	.538	1.299	2	.522
Births	0.855	3	.836	0.791	3	.852	1.717	3	.633	1.761	3	.624
Global	9.753	7	.203	14.025	8	.081	5.344	7	.618	5.780	8	.672

Note. *p* < .10; **p** < .05; *p* < .01

Supplemental Table 3

Results of the unadjusted and adjusted Cox proportional hazards model series applied to hormone naive and AOM < 61 subsamples with age as model time

		Hormone Naive		Spontaneous Menopause Age < 61		Induced Menopause Age < 61	
		Linear	Quadratic	Linear	Quadratic	Linear	Quadratic
N Events		931		1,273		67	
		Unadjusted					
Menopause Age	HR	0.994	0.904	0.988	0.924	0.960	1.058
	95% CI	0.977 : 1.011	0.824 : 0.983	0.973 : 1.002	0.849 : 0.999	0.924 : 0.996	0.903 : 1.213
Menopause Age ²	HR		1.003		1.002		0.997
	95% CI		1.000 : 1.005		1.000 : 1.004		0.991 : 1.002
		Adjusted					
Menopause Age	HR	0.998	0.900	0.991	0.918	0.955	1.057
	95% CI	0.981 : 1.015	0.820 : 0.979	0.977 : 1.006	0.842 : 0.995	0.915 : 0.995	0.891 : 1.224
Menopause Age ²	HR		1.003		1.002		0.997
	95% CI		1.001 : 1.005		1.000 : 1.004		0.991 : 1.002
Ever Smoker	HR	0.958	0.958	0.973	0.976	0.712	0.710
	95% CI	0.804 : 1.111	0.805 : 1.112	0.845 : 1.101	0.847 : 1.104	0.164 : 1.261	0.163 : 1.258
Education (L)	HR	0.571	0.567	0.586	0.584	0.968	1.037
	95% CI	0.370 : 0.772	0.365 : 0.768	0.440 : 0.731	0.438 : 0.729	0.355 : 1.582	0.423 : 1.651
Education (Q)	HR	0.823	0.820	0.884	0.882	0.758	0.793
	95% CI	0.672 : 0.973	0.669 : 0.971	0.769 : 0.999	0.767 : 0.997	0.278 : 1.237	0.315 : 1.271
Births (L)	HR	0.862	0.862	0.885	0.884	1.108	1.068
	95% CI	0.712 : 1.011	0.712 : 1.011	0.758 : 1.013	0.756 : 1.012	0.543 : 1.672	0.516 : 1.621
Births (Q)	HR	0.987	0.987	1.084	1.083	1.081	1.136
	95% CI	0.846 : 1.129	0.845 : 1.128	0.962 : 1.207	0.961 : 1.206	0.571 : 1.591	0.618 : 1.654
Births (C)	HR	1.141	1.137	1.136	1.135	0.857	0.833
	95% CI	1.005 : 1.277	1.001 : 1.273	1.019 : 1.254	1.017 : 1.253	0.373 : 1.340	0.347 : 1.319

Note. $p < .10$; $\mathbf{p} < .05$; $\mathbf{p} < .01$

The linear (L), quadratic (Q) and cubic (C) terms reflect the pattern of the relative change in hazard across the ordered categories but are not interpreted as typical hazard ratios.

Supplemental Table 4

Results of the cox.zph function for the primary analyses in the spontaneous and induced menopause samples using time-on-study as model time and delayed entry. The null hypothesis indicates no violation of the proportional hazards assumption.

	Spontaneous Menopause						Induced Menopause					
	Linear			Quadratic			Linear			Quadratic		
	χ^2	df	<i>p</i>	χ^2	df	<i>p</i>	χ^2	df	<i>p</i>	χ^2	df	<i>p</i>
	Unadjusted											
Menopause Age	1.093	1	.296	0.735	1	.391	0.000	1	.995	0.000	1	.994
Menopause Age ²				0.610	1	.435				0.105	1	.746
Interview Age	79.147	1	.000	81.431	1	.000	1.042	1	.307	1.043	1	.307
Global	79.230	2	.000	81.562	3	.000	1.042	2	.594	2.715	3	.438
	Adjusted											
Menopause Age	1.218	1	.270	0.811	1	.368	0.000	1	1.000	0.000	1	1.000
Menopause Age ²				0.678	1	.410				0.103	1	.749
Interview Age	81.856	1	.000	84.314	1	.000	0.864	1	.353	0.864	1	.353
Ever Smoker	5.760	1	.016	5.941	1	.015	2.666	1	.103	2.668	1	.102
Education	0.682	2	.711	0.754	2	.686	4.584	2	.101	4.580	2	.101
Births	7.737	3	.052	7.708	3	.052	8.289	3	.040	8.281	3	.041
Global	85.097	8	.000	87.376	9	.000	17.663	8	.024	18.146	9	.034

Note. *p* < .10; **p** < .05; **p** < .01

Supplemental Table 5

Results of the unadjusted and adjusted Cox proportional hazards model series applied to the spontaneous and induced menopause samples using time-on-study as model time

		Spontaneous Menopause		Induced Menopause	
		Linear	Quadratic	Linear	Quadratic
N Events		1,289		68	
Unadjusted					
Menopause Age	HR	1.001	0.898	0.967	0.972
	95% CI	0.986 : 1.016	0.830 : 0.967	0.927 : 1.007	0.808 : 1.135
Interview Age	HR	1.084	1.085	1.093	1.093
	95% CI	1.078 : 1.090	1.078 : 1.091	1.068 : 1.118	1.067 : 1.119
Menopause Age ²	HR		1.003		1.000
	95% CI		1.001 : 1.005		0.994 : 1.006
Adjusted					
Menopause Age	HR	1.003	0.893	0.960	0.968
	95% CI	0.988 : 1.017	0.824 : 0.963	0.918 : 1.003	0.783 : 1.152
Interview Age	HR	1.081	1.082	1.097	1.097
	95% CI	1.075 : 1.088	1.075 : 1.088	1.070 : 1.125	1.069 : 1.125
Menopause Age ²	HR		1.003		1.000
	95% CI		1.001 : 1.005		0.993 : 1.006
Ever Smoker	HR	1.095	1.102	0.711	0.710
	95% CI	0.968 : 1.223	0.974 : 1.229	0.162 : 1.260	0.161 : 1.260
Education (L)	HR	0.682	0.678	1.135	1.143
	95% CI	0.538 : 0.826	0.534 : 0.822	0.508 : 1.763	0.499 : 1.786
Education (Q)	HR	0.891	0.890	0.721	0.724
	95% CI	0.779 : 1.004	0.777 : 1.002	0.254 : 1.188	0.239 : 1.208
Births (L)	HR	0.987	0.987	1.092	1.090
	95% CI	0.860 : 1.115	0.859 : 1.114	0.544 : 1.640	0.543 : 1.638
Births (Q)	HR	1.028	1.029	0.991	0.995
	95% CI	0.906 : 1.150	0.907 : 1.151	0.494 : 1.489	0.473 : 1.517
Births (C)	HR	1.090	1.085	0.852	0.850
	95% CI	0.972 : 1.207	0.967 : 1.203	0.377 : 1.326	0.375 : 1.325

Note. $p < .10$; $p < .05$; $p < .01$

The linear (L), quadratic (Q) and cubic (C) terms reflect the pattern of the relative change in hazard across the ordered categories but are not interpreted as typical hazard ratios.

Supplemental Table 6

Participant demographics for the SALT Interview < 66 and SALT Interview > 65 complete cases samples

	Interview Age < 65				Interview Age ≥ 65				
	Total	Censored	Dementia	p ^a	Total	Censored	Dementia	p ^b	p ^c
n	5,833	5,619	214		4,340	3,265	1,075		
Years Observed	16.3 (2.2)	16.5 (1.9)	11.2 (2.8)	<0.001	11.9 (5.9)	13.8 (5.1)	5.8 (3.3)	<0.001	<0.001
Birth Year									
Age	1942.8 (4.2)	1942.9 (4.1)	1938.9 (2.9)	<0.001	1926.3 (6.3)	1926.7 (6.4)	1925.2 (5.9)	<0.001	<0.001
Menopause	50.7 (3.6)	50.7 (3.6)	51.1 (4.3)	0.157	50.2 (4.3)	50.2 (4.3)	50.2 (4.5)	0.752	<0.001
Interview	57.2 (3.4)	57.1 (3.4)	60.5 (2.7)	<0.001	72.8 (6.2)	72.4 (6.2)	73.9 (5.8)	<0.001	<0.001
Event ^d	73.6 (4.1)	73.6 (4.1)	71.7 (2.6)	<0.001	84.6 (6.3)	86.2 (5.9)	79.7 (4.7)	<0.001	<0.001
Births				0.076				0.637	<0.001
0	627 (10.7)	603 (10.7)	24 (11.2)		660 (15.2)	496 (15.2)	164 (15.3)		
1	844 (14.5)	809 (14.4)	35 (16.4)		780 (18.0)	574 (17.6)	206 (19.2)		
2	2,645 (45.3)	2,566 (45.7)	79 (36.9)		1,418 (32.7)	1,079 (33.0)	339 (31.5)		
3+	1,717 (29.4)	1,641 (29.2)	76 (35.5)		1,482 (34.1)	1,116 (34.2)	366 (34.0)		
Education				<0.001				<0.001	<0.001
Primary of less	1,644 (28.2)	1,552 (27.6)	92 (43.0)		2,415 (55.6)	1,771 (54.2)	644 (59.9)		
Secondary ^e	2,704 (46.4)	2,612 (46.5)	92 (43.0)		1,415 (32.6)	1,071 (32.8)	344 (32.0)		
Post-secondary	1,485 (25.5)	1,455 (25.9)	30 (14.0)		510 (11.8)	423 (13.0)	87 (8.1)		
Ever Smoker ^f	2,694 (46.2)	2,591 (46.1)	103 (48.1)	0.609	1,124 (25.9)	869 (26.6)	255 (23.7)	0.066	<0.001
APOE ε4	594 (30.2)	559 (29.3)	35 (58.3)	<0.001	354 (27.6)	230 (23.4)	124 (41.5)	<0.001	0.122
HRT Use	3,033 (52.0)	2,926 (52.1)	107 (50.0)	0.595	1,235 (28.5)	942 (28.9)	293 (27.3)	0.334	<0.001
OC Use	508 (9.9)	498 (10.1)	10 (5.2)	0.034	59 (1.5)	47 (1.6)	12 (1.2)	0.483	<0.001

^aCensored vs Dementia for the Interview Age < 65 sample; ^bCensored vs Dementia for the Interview Age ≥ 65 sample; ^cInterview Age < 65 vs Interview Age ≥ 65 samples; ^dDementia or censoring; ^eIncludes some secondary education; ^fSelf-reported ever regularly smoking;

Note. OC: Oral contraceptive; PMHT: Post-menopausal hormone therapy; SALT: Screening Across the Lifespan Study.

Supplemental Table 7

Results of the unadjusted and adjusted Cox proportional hazards model series applied to the the SALT Interview < 66 and SALT Interview > 65 complete cases samples using age as model time

		Interview Age < 66		Interview Age > 65	
		Linear	Quadratic	Linear	Quadratic
N Events		214		1,075	
Unadjusted					
Menopause Age	HR	0.989	0.799	1.000	<i>0.931</i>
	95% CI	0.948 : 1.030	0.642 : 0.955	0.985 : 1.016	<i>0.856 : 1.007</i>
Interview Age	HR	1.278	1.274		
	95% CI	1.232 : 1.324	1.228 : 1.320		
Menopause Age ²	HR		1.005		<i>1.002</i>
	95% CI		1.001 : 1.009		<i>1.000 : 1.004</i>
Adjusted					
Menopause Age	HR	0.997	0.808	1.002	0.925
	95% CI	0.956 : 1.039	0.650 : 0.967	0.987 : 1.018	0.848 : 1.002
Interview Age	HR	1.279	1.275		
	95% CI	1.232 : 1.326	1.228 : 1.322		
Menopause Age ²	HR		1.005		1.002
	95% CI		1.001 : 1.009		1.000 : 1.004
Ever Smoker	HR	1.415	1.421	0.968	0.969
	95% CI	1.143 : 1.687	1.149 : 1.693	0.819 : 1.116	0.820 : 1.117
Education (L)	HR	0.645	0.647	0.646	0.642
	95% CI	0.341 : 0.949	0.343 : 0.950	0.480 : 0.812	0.476 : 0.809
Education (Q)	HR	0.831	0.830	0.892	0.889
	95% CI	0.587 : 1.075	0.586 : 1.073	0.762 : 1.022	0.759 : 1.019
Births (L)	HR	0.934	0.936	0.897	0.897
	95% CI	0.603 : 1.264	0.603 : 1.269	0.759 : 1.036	0.759 : 1.036
Births (Q)	HR	1.079	1.061	1.040	1.041
	95% CI	0.770 : 1.388	0.750 : 1.373	0.906 : 1.173	0.908 : 1.175
Births (C)	HR	<i>1.325</i>	<i>1.335</i>	1.070	1.068
	95% CI	<i>1.026 : 1.624</i>	<i>1.037 : 1.634</i>	0.941 : 1.198	0.939 : 1.196

Note. $p < .10$; $p < .05$; $p < .01$

The linear (L), quadratic (Q) and cubic (C) terms reflect the pattern of the relative change in hazard across the ordered categories but are not interpreted as typical hazard ratios.