

SUPPLEMENTAL INFORMATION

Additional Information for Figure 1.

Variables and relationships modeled in this conceptual framework reflect the modeling approaches undertaken in the present analysis. AME= inferred Amerindigenous ancestry; BMI= body mass index; CVD=cardiovascular disease; PGS=polygenic score; T2D=type 2 diabetes.

Supplemental Table 1. Regression Coefficients comparing Models with and without AME Ancestry Proportion

Characteristic	Model 1 (without AME Ancestry)			Model 2 (with AME Ancestry)		
	Beta	95% CI	p-value	Beta	95% CI	p-value
PGS _{BMI}	2.47	1.59, 3.35	<0.001	2.46	1.59, 3.33	<0.001
PC1	-9.93	-31.8, 11.9	0.4	-231	-553, 90.5	0.2
PC2	14.5	-4.19, 33.3	0.13	82.2	-17.7, 182	0.11
PC3	-19.0	-39.2, 1.07	0.064	-21.9	-42.2, - 1.55	0.035
PC4	-2.20	-23.6, 19.2	0.8	-2.32	-23.7, 19.1	0.8
PC5	-13.8	-28.5, 0.937	0.066	-13.6	-28.3, 1.16	0.071
CENTER						
Bronx (reference)						
Chicago	0.254	-0.340, 0.848	0.4	0.276	-0.319, 0.872	0.4

Miami	0.180	-0.390, 0.750	0.5	0.206	-0.366, 0.778	0.5
San Diego	0.000	-0.720, 0.720	>0.9	0.035	-0.690, 0.760	>0.9
AGE	0.328	0.231, 0.424	<0.001	0.329	0.232, 0.425	<0.001
AGE squared	- 0.004	-0.005, -0.003	<0.001	- 0.004	-0.005, 0.003	<0.001
GENDER						
Female (reference)						
Male	-1.22	-1.63, 0.806	<0.001	-1.21	-1.62, 0.805	<0.001
Type 2 Diabetes History	1.92	1.45, 2.39	<0.001	1.92	1.45, 2.39	<0.001
Sleep Duration (h/day)	- 0.314	-0.445, -0.184	<0.001	- 0.315	-0.446, 0.185	<0.001
CIGARETTE USE						
Never (reference)						
Former	0.736	0.288, 1.18	0.001	0.734	0.287, 1.18	0.001
Current	- 0.876	-1.36, 0.393	<0.001	- 0.870	-1.35, 0.387	<0.001
Meets 2008 Physical Activity Guidelines	- 0.499	-0.852, -0.147	0.006	- 0.495	-0.848, 0.142	0.006
Prevalent CVD	1.32	0.504, 2.14	0.002	1.32	0.501, 2.14	0.002
Alcohol Use Level						
Non-drinker (reference)						

Former	-	-0.808,	0.026	-	-0.802,	-	0.028	
	0.430	-0.051		0.425	0.047			
Current	0.415	-0.360,	0.3	0.405	-0.369,	0.3		
		1.19			1.18			
Sweetened Beverage Consumption (svgs/day)	0.162	-0.077,	0.2	0.162	-0.077,	0.2		
		0.401			0.401			
Immigrant Generation (1st)	0.703	-1.77,	0.6	0.758	-1.70,	0.5		
		3.17			3.21			
Employment Status								
Retired and not currently working (reference)								
Not retired and not currently working	-	-1.42,	-	0.027	-	-1.42,	-	0.026
	0.752	0.085			0.755	0.089		
Employed <= 35h/wk	-1.27	-2.03,	-	0.001	-1.28	-2.03,	-	<0.001
		0.510				0.517		
Employed > 35h/wk	-1.26	-1.94,	-	<0.001	-1.27	-1.95,	-	<0.001
		0.588				0.595		
Education (Less than HS)	-	-0.564,	0.4		-	-0.554,	0.4	
	0.167	0.230			0.157	0.241		
Age at Immigration								
>= 21 years (reference)								
US Born	1.43	-1.12,	0.3	1.38	-1.15,	0.3		
		3.98				3.92		
0-5 years	2.42	1.30,	3.	<0.001	2.42	1.31,	<0.001	
		54				3.54		
6-12 years	1.34	0.483,	0.002	1.37	0.515,	0.002		
		2.19				2.22		

13-20 years	0.369	- 0.117, 0.854	0.14	0.368	-0.117, 0.853	0.14
Healthy Diet (Top 40th Percentile Diet Score)	- 0.639	-1.03, - 0.246	0.001	- 0.644	-1.04, - 0.250	0.001
Income	- 0.162	-0.561, 0.237	0.4	- 0.166	-0.565, 0.233	0.4
PGS _{BMI} * Healthy Diet	- 0.403	-0.732, -0.075	0.016	- 0.398	-0.725, - 0.070	0.017
PGS _{BMI} * Age at immigration (Reference = >=21 years)						
PGS _{BMI} * US Born	0.522	-0.120, 1.16	0.11	0.514	-0.126, 1.15	0.12
PGS _{BMI} * 0-5 years	0.906	0.114, 1.70	0.025	0.914	0.123,1. 70	0.023
PGS _{BMI} * 6-12 years	0.187	-0.731, 1.11	0.7	0.226	-0.678, 1.13	0.6
PGS _{BMI} * 13-20 years	- 0.167	-0.585, 0.252	0.4	- 0.162	-0.580, 0.256	0.4
AME ancestry	NA	NA	NA	9.22	-4.13, 22.6	0.2

Supplemental Table 2. Regression Coefficients for Models Stratified by AME Ancestry Quartiles

Characteristic	Quartile 1			Quartile 2			Quartile 3			Quartile 4		
	Beta	95% CI	p-value									
PGS _{BMI}	2.23	1.32, 3.14	<0.00 1	1.89	1.11, 2.67	<0.00 1	2.73	1.72, 3.74	<0.00 1	2.40	1.27, 3.52	<0.00 1
PC1	-92.6	-348, 162	0.5	-88.7	-226, 48.6	0.2	-34.8	-163, 93.0	0.6	-102	-193, 11.4	0.027
PC2	25.6	-48.4, 99.6	0.5	14.0	-44.9, 72.8	0.6	11.2	-67.1, 89.5	0.8	-75.3	-171, 20.6	0.12
PC3	20.0	-135, 175	0.8	-41.7	-118, 34.2	0.3	84.1	-12.9, 181	0.090	41.0	-67.2, 149	0.5
PC4	19.1	-122, 161	0.8	-19.7	-98.9, 59.5	0.6	-82.7	-166, 0.762	0.052	-34.6	-128, 58.4	0.5
PC5	118	-6.81, 242	0.064	-56.5	-139, 26.2	0.2	-48.7	-84.0, -13.4	0.007	-16.8	-37.1, 3.46	0.10
CENTER												
Bronx (reference)												
Chicago	1.54	- 0.519, 3.59	0.14	0.061	- 0.781, 0.904	0.9	0.318	-1.24, 1.88	0.7	0.178	- 0.487, 0.842	0.6
Miami	1.14	0.378, 1.90	0.003	-0.502	-1.45, 0.448	0.3	-0.587	-1.97, 0.793	0.4	-0.229	-1.16, 0.703	0.6
San Diego	-0.229	-2.23, 1.77	0.8	-0.262	-1.58, 1.06	0.7	0.771	- 0.802, 2.34	0.3	-0.377	-1.13, 0.372	0.3
AGE	0.396	0.270, 0.521	<0.00 1	0.311	0.168, 0.455	<0.00 1	0.215	0.085, 0.344	0.001	0.463	0.335, 0.592	<0.00 1
AGE squared	-0.004	- 0.006, -0.003	<0.00 1	-0.003	- 0.005, -0.002	<0.00 1	-0.003	- 0.004, -0.001	<0.00 1	-0.005	- 0.006, -0.003	<0.00 1

GENDER												
Female (reference)												
Male	-0.893	-1.45, -0.335	0.002	-1.45	-2.02, -0.870	<0.00 1	-1.60	-2.20, -1.00	<0.00 1	-0.98	-1.52, -0.439	<0.00 1
Type 2 Diabetes History	1.77	1.08, 2.47	<0.00 1	2.60	1.84, 3.36	<0.00 1	1.90	1.19, 2.61	<0.00 1	1.61	0.98, 2.25	<0.00 1
Sleep Duration (h/day)	-0.310	- 0.481, -0.139	<0.00 1	-0.416	- 0.596, -0.235	<0.00 1	-0.125	- 0.325, 0.076	0.2	-0.182	- 0.354, -0.009	0.039
CIGARETTE USE												
Never (reference)												
Former	0.001	- 0.664, 0.666	>0.9	0.907	0.213, 1.60	0.011	1.55	0.900, 2.20	<0.00 1	0.802	0.213, 1.39	0.008
Current	-1.83	-2.46, -1.19	<0.00 1	-0.932	-1.57, -0.296	0.004	-0.528	-1.22, 0.161	0.13	0.243	- 0.408, 0.894	0.5
Meets 2008 Physical Activity Guidelines	-1.13	-1.64, -0.625	<0.00 1	-0.602	-1.18, -0.025	0.041	-0.237	- 0.791, 0.318	0.4	-0.103	- 0.586, 0.381	0.7
Prevalent CVD	0.385	- 0.527, 1.30	0.4	1.64	0.669, 2.62	<0.00 1	2.57	1.40, 3.74	<0.00 1	1.10	0.097, 2.11	0.032
Alcohol Use Level												
Non-drinker (reference)												
Former	-0.328	- 0.845, 0.188	0.2	-0.486	-1.05, 0.077	0.091	-1.03	-1.56, -0.496	<0.00 1	0.047	- 0.411, 0.505	0.8
Current	1.00	- 0.061, 2.06	0.065	-0.464	-1.54, 0.609	0.4	0.927	- 0.126, 1.98	0.085	0.008	-1.03, 1.05	>0.9

Sweetened Beverage Consumption (svgs/day)	-0.431	-0.761, -0.102	0.010	0.172	-0.108, 0.452	0.2	0.489	0.201, 0.778	<0.00 1	0.120	-0.127, 0.366	0.3
Immigrant Generation (1st)	7.64	4.65, 10.6	<0.00 1	-0.331	-2.28, 1.62	0.7	0.105	-1.40, 1.61	0.9	-0.619	-3.99, 2.75	0.7
Employment Status												
Retired and not currently working (reference)												
Not retired and not currently working	-1.07	-2.02, -0.122	0.027	-0.587	-1.61, 0.436	0.3	-1.49	-2.88, -0.095	0.036	0.839	-0.528, 2.21	0.2
Employed <= 35h/wk	-1.32	-2.42, -0.221	0.019	-0.598	-1.77, 0.570	0.3	-2.24	-3.69, -0.794	0.002	-0.115	-1.52, 1.29	0.9
Employed > 35h/wk	-1.25	-2.25, -0.246	0.015	-1.13	-2.21, -0.057	0.039	-2.00	-3.41, -0.585	0.006	0.061	-1.33, 1.45	>0.9
Education (Less than HS)	0.104	-0.494, 0.702	0.7	0.668	0.045, 1.29	0.036	-0.303	-0.850, 0.244	0.3	-0.631	-1.10, -0.159	0.009
Age at Immigration												
>= 21 years (reference)	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF
US Born	-5.23	-8.25,- 2.20	<0.00 1	1.69	-0.323, 3.71	0.10	2.36	0.714, 4.00	0.005	3.57	0.089, 7.04	0.045
0-5 years	2.89	1.27,4 .51	<0.00 1	1.96	0.911, 3.01	<0.00 1	0.729	-0.459, 1.92	0.2	3.57	2.08,5 .07	<0.00 1
6-12 years	2.90	1.68,4 .12	<0.00 1	0.490	-0.717, 1.70	0.4	0.884	-0.374, 2.14	0.2	1.71	0.543, 2.87	0.004

13-20 years	0.137	- 0.673, 0.947	0.7	-0.334 - 1.22,0 .553	- 1.44, -0.171	0.5	0.052 - 0.631, 0.734	- 1.40 -0.840 1	0.9	1.53 - 0.631, 2.10	0.963, 1	<0.00
Healthy Diet (Top 40th Percentile Diet Score)	-0.137	- 0.671, 0.397	0.6	-0.807 - 1.44, -0.171	- 0.840 1	0.013	- 1.40 -0.840 1	- 1.96, -0.840 1	<0.00	-0.079 - 0.578, 0.421	-	0.8
Income	-0.057	- 0.608, 0.493	0.8	-0.309 - 0.930, 0.311	- 0.930, 0.311	0.3	0.103 - 0.438, 0.645	- 0.438, 0.645	0.7	-0.602 - -1.10, -0.101	-1.10, -0.101	0.019
PGS _{BMI} * Healthy Diet	-0.440	- 0.921, 0.042	0.074	-0.226 - 0.745, 0.294	- 0.745, 0.294	0.4	-0.367 - 0.891, 0.158	- 0.891, 0.158	0.2	-0.536 - -1.04, -0.030	-1.04, -0.030	0.038
PGS _{BMI} * Age at immigration (Reference = >=21 years)												
PGS _{BMI} * US Born	0.027	- 0.689, 0.743	>0.9	0.566 - 0.030, 1.16	- 0.030, 1.16	0.063	0.788 - 0.183, 1.29	- 0.183, 1.29	0.011	0.179 - 0.746, 1.10	-	0.7
PGS _{BMI} * 0-5 years	0.686	- 0.567, 1.94	0.3	1.48 - 2.35	0.606, - 1	<0.00	1.03 - 0.281, 2.34	- 0.281, 2.34	0.12	0.376 - 0.954, 1.71	-	0.6
PGS _{BMI} * 6-12 years	0.491	- 0.772, 1.75	0.4	0.725 - 0.510, 1.96	- 0.510, 1.96	0.3	0.460 - 0.759, 1.68	- 0.759, 1.68	0.5	-0.259 - 1.59,1 .08	-	0.7
PGS _{BMI} * 13-20 years	0.288	- 0.485, 1.06	0.5	0.142 - 0.653, 0.937	- 0.653, 0.937	0.7	0.153 - 0.550, 0.857	- 0.550, 0.857	0.7	-0.907 - -1.49,- 0.323	-1.49,- 0.323	0.002

Supplemental Tables 3.1 - 3.6. Regression Coefficients for Models Stratified by Ancestry Tertiles & Background Group

Tertiles with extremely low sample sizes for which regressions could not be run are not shown in the below tables.

3.1. Central American

Characteristic	Tertile 2			Tertile 3		
	Beta	95% CI	p-value	Beta	95% CI	p-value
PGS _{BMI}	1.19	-0.623, 3.00	0.2	2.70	1.03, 4.37	0.002
PC1	-198	-487, 91.2	0.2	78.9	-92.0, 250	0.4
PC2	48.7	-80.6, 178	0.5	166	19.6, 313	0.027
PC3	340	69.7, 610	0.014	-60.3	-318, 198	0.6
PC4	-288	-448, -129	<0.001	52.7	-160, 266	0.6
PC5	-63.4	-209, 81.8	0.4	-28.2	-135, 78.7	0.6
CENTER						
Bronx (reference)						
Chicago	-1.07	-3.55, 1.40	0.4	-0.040	-1.74, 1.66	>0.9
Miami	-2.29	-4.38, -0.205	0.032	0.908	-0.689, 2.50	0.3
San Diego	-2.87	-5.84, 0.095	0.059	-1.18	-3.49, 1.12	0.3
AGE	0.596	0.308, 0.885	<0.001	0.636	0.357, 0.915	<0.001
AGE squared	-0.006	-0.009, -0.003	<0.001	-0.007	-0.010, -0.004	<0.001
GENDER						
Female (reference)						
Male	-1.90	-3.19, -0.611	0.004	-1.03	-2.20, 0.134	0.083
Type 2 Diabetes History	2.38	0.849, 3.92	0.003	1.04	-0.439, 2.52	0.2
Sleep Duration (h/day)	-0.273	-0.685, 0.139	0.2	-0.331	-0.705, 0.043	0.084
CIGARETTE USE						
Never (reference)						
Former	1.45	0.081, 2.82	0.039	0.99	-0.340, 2.32	0.15
Current	-0.567	-2.22, 1.08	0.5	-0.535	-2.05, 0.98	0.5
Meets 2008 Physical Activity Guidelines	-0.662	-1.84, 0.511	0.3	0.483	-0.561, 1.53	0.4
Prevalent CVD	-0.371	-3.31, 2.56	0.8	1.14	-0.95, 3.23	0.3

Alcohol Use Level						
Non-drinker (reference)						
Former	-0.213	-1.40, 0.97	0.7	0.636	-0.383, 1.65	0.2
Current	-0.582	-2.89, 1.72	0.6	-1.56	-3.58, 0.471	0.13
Sweetened Beverage Consumption (svgs/day)	0.98	0.344, 1.62	0.003	-0.900	-1.49, 0.311	0.003
Immigrant Generation (1st)	0.200	-2.38, 2.79	0.9	-0.886	-3.92, 2.15	0.6
Employment Status						
Retired and not currently working (reference)						
Not retired and not currently working	0.007	-3.21, 3.23	>0.9	-2.57	-5.51, 0.365	0.087
Employed <= 35h/wk	0.155	-3.14, 3.45	>0.9	-3.93	-6.93, 0.941	0.010
Employed > 35h/wk	0.377	-2.95, 3.71	0.8	-3.86	-6.81, 0.906	0.011
Education (Less than HS)	-0.299	-1.45, 0.856	0.6	-1.01	-1.99, 0.023	0.046
Age at Immigration						
>= 21 years (reference)	REF	REF	REF	REF	REF	REF
US Born	N/A	N/A	N/A	N/A	N/A	N/A
0-5 years	0.890	-4.25, 6.03	0.7	6.15	1.37, 10.9	0.012
6-12 years	2.69	-0.495, 5.88	0.10	1.71	-0.884, 4.31	0.2
13-20 years	0.838	-0.702, 2.38	0.3	2.35	0.96, 3.73	<0.001
Healthy Diet (Top 40th Percentile Diet Score)	0.577	-0.557, 1.71	0.3	-0.182	-1.22, 0.859	0.7
Income	-0.592	-1.88, 0.695	0.4	-0.108	-1.30, 1.08	0.9
PGS _{BMI} * Healthy Diet	0.447	-0.656, 1.55	0.4	-1.03	-2.10, 0.038	0.059
PGS _{BMI} * Age at immigration (Reference = >=21 years)						
PGS _{BMI} * US Born	0.210	-1.80, 2.22	0.8	2.40	-0.497, 5.30	0.11
PGS _{BMI} * 0-5 years	-1.48	-4.93, 1.97	0.4	-3.57	-9.29, 2.14	0.2
PGS _{BMI} * 6-12 years	-0.557	- 4.55,3. 43	0.8	-0.408	- 2.95,2. 13	0.8
PGS _{BMI} * 13-20 years	1.53	- 0.303,3 .36	0.10	-0.713	- 2.06,0. 635	0.3

3.2. Cuban

Characteristic	Tertile 1			Tertile 2		
	Beta	95% CI	p-value	Beta	95% CI	p-value
PGS _{BMI}	2.06	1.24, 2. 89	<0.001	3.50	0.641, 6 .35	0.019
PC1	-120	-385, 145	0.4	-530	-1,494, 434	0.3
PC2	43.5	-27.9, 115	0.2	150	-164, 464	0.4
PC3	91.8	-127, 310	0.4	439	-116, 993	0.13
PC4	-51.8	-253, 150	0.6	-224	-691, 242	0.3
PC5	186	31.1, 340	0.019	73.0	-308, 454	0.7
CENTER						
Bronx (reference)						
Chicago	1.16	-2.09, 4.42	0.5	-5.07	-13.3, 3.15	0.2
Miami	1.28	-0.102, 2.67	0.070	-3.50	-16.9, 9.89	0.6
San Diego	0.166	-3.74, 4.07	>0.9	-0.327	-10.8, 10.2	>0.9
AGE	0.483	0.329, 0.637	<0.001	0.879	0.201, 1.56	0.013
AGE squared	-0.005	-0.007, -0.003	<0.001	-0.009	-0.016, -0.001	0.022
GENDER						
Female (reference)						
Male	-0.614	-1.29, 0.061	0.075	0.107	-2.85, 3.07	>0.9
Type 2 Diabetes History	2.08	1.25, 2.91	<0.001	1.26	-1.99, 4.52	0.4
Sleep Duration (h/day)	-0.234	-0.453, -0.015	0.037	0.016	-0.820, 0.852	>0.9
CIGARETTE USE						
Never (reference)						
Former	-0.554	-1.33, 0.222	0.2	1.21	-1.40, 3.82	0.4
Current	-2.27	-2.99, -1.55	<0.001	-0.884	-3.54, 1.77	0.5
Meets 2008 Physical Activity Guidelines	-1.33	-1.93, -0.723	<0.001	-0.636	-2.61, 1.34	0.5
Prevalent CVD	-0.031	-1.09, 1.03	>0.9	-1.58	-5.21, 2.05	0.4
Alcohol Use Level						
Non-drinker (reference)						
Former	-0.056	-0.675, 0.564	0.9	0.561	-1.92, 3.04	0.7

Current	1.60	0.344, 2.85	0.013	-3.97	-8.76, 0.822	0.11	
Sweetened Beverage Consumption (svgs/day)	-0.404	-0.808, 0.000	0.050	0.674	-0.651, 2.00	0.3	
Immigrant Generation (1st)	0.417	-6.39, 7.22	>0.9	-1.36	-19.8, 17.1	0.9	
Employment Status							
Retired and not currently working (reference)							
Not retired and not currently working	-0.788	-1.93, 0.350	0.2	-0.899	-6.15, 4.35	0.7	
Employed <= 35h/wk	-1.56	-2.91, - 0.204	0.024	-0.96	-7.09, 5.17	0.8	
Employed > 35h/wk	-1.13	-2.33, 0.069	0.065	-0.609	-6.47, 5.25	0.8	
Education (Less than HS)	0.534	-0.230, 1.30	0.2	-3.72	-6.58, - 0.853	0.013	
Age at Immigration							
>= 21 years (reference)	REF	REF	REF	REF	REF	REF	
US Born	2.67	- 4.22,9. 56	0.4	1.57	- 13.3.16 .4	0.8	
0-5 years	0.651	- 1.44,2. 74	0.5	N/A	N/A	N/A	
6-12 years	1.65	0.013,3 .29	0.048	2.83	- 18.1,23 .7	0.8	
13-20 years	-0.073	- 1.16,1. 02	0.9	1.33	- 3.74,6. 40	0.6	
Healthy Diet (Top 40th Percentile Diet Score)	0.268	-0.348, 0.884	0.4	1.58	- 0.478,3 .63	0.14	
Income	-0.097	-0.764, 0.570	0.8	-0.574	-2.89, 1.74	0.6	
PGS _{BMI} * Healthy Diet	-0.292	-0.834, 0.251	0.3	-2.32	-4.22, - 0.424	0.019	
PGS _{BMI} * Age at immigration (Reference = >=21 years)	REF	REF	REF	REF	REF	REF	
PGS _{BMI} * US Born	0.378	-0.564, 1.32	0.4	3.97	-0.721, 8.66	0.10	
PGS _{BMI} * 0-5 years	2.20	0.427, 3.98	0.015	N/A	N/A	N/A	
PGS _{BMI} * 6-12 years	-1.28	- 2.90,0. 336	0.12	6.16	- 13.5,25 .8	0.5	
PGS _{BMI} * 13-20 years	0.383	- 0.605,1 .37	0.4	2.70	- 3.46,8. 85	0.4	

3.3. Dominican

Characteristic	Beta	Tertile 1	
		95% CI	p-value
PGS _{BMI}	2.15	0.679,3 .63	0.004
PC1	865	269, 1,462	0.005
PC2	-390	-594, - 185	<0.001
PC3	11.9	-288, 312	>0.9
PC4	103	-148, 354	0.4
PC5	30.7	-150, 211	0.7
CENTER			
Bronx (reference)			
Chicago	-0.226	-4.26, 3.81	>0.9
Miami	3.03	1.15, 4.91	0.002
San Diego	-0.879	-5.14, 3.38	0.7
AGE	0.314	0.081, 0.547	0.008
AGE squared	-0.004	-0.007, -0.001	0.002
GENDER			
Female (reference)			
Male	-1.28	-2.22, - 0.343	0.008
Type 2 Diabetes History	1.77	0.566, 2.97	0.004
Sleep Duration (h/day)	-0.364	-0.620, -0.109	0.005
CIGARETTE USE			
Never (reference)			
Former	1.55	0.300, 2.81	0.015
Current	0.516	-0.905, 1.94	0.5
Meets 2008 Physical Activity Guidelines	-0.460	-1.30, 0.376	0.3
Prevalent CVD	2.97	1.26, 4.67	<0.001
Alcohol Use Level			
Non-drinker (reference)			
Former	-0.783	-1.61, 0.047	0.065
Current	-0.896	-2.74, 0.948	0.3

Sweetened Beverage Consumption (svgs/day)	-0.032	-0.626, 0.562	>0.9
Immigrant Generation (1st)	0.726	-13.9, 15.3	>0.9
Employment Status			
Retired and not currently working (reference)			
Not retired and not currently working	-2.45	-4.20, - 0.700	0.006
Employed <= 35h/wk	-2.14	-4.10, - 0.181	0.033
Employed > 35h/wk	-2.22	-4.01, - 0.433	0.015
Education (Less than HS)	-0.212	-1.08, 0.659	0.6
Age at Immigration			
>= 21 years (reference)			
US Born	0.789	- 13.9,15 .5	>0.9
0-5 years	2.18	- 0.302,4 .66	0.086
6-12 years	1.92	0.070,3 .77	0.042
13-20 years	-0.274	- 1.44,0. 897	0.6
Healthy Diet (Top 40th Percentile Diet Score)	-0.526	-1.53, 0.477	0.3
Income	0.249	-0.682, 1.18	0.6
PGS _{BMI} * Healthy Diet	-0.677	-1.75, 0.397	0.2
PGS _{BMI} * Age at immigration (Reference = >=21 years)			
PGS _{BMI} * US Born	0.274	- 1.56,2. 11	0.8
PGS _{BMI} * 0-5 years	-0.492	- 2.17,1. 18	0.6
PGS _{BMI} * 6-12 years	4.38	2.14,6. 62	<0.001
PGS _{BMI} * 13-20 years	-0.622	- 1.77,0. 530	0.3

3.4. Mexican

Characteristic	Beta	Tertile 2		Tertile 3		
		95% CI	p-value	Beta	95% CI	p-value
PGS _{BMI}	3.25	1.72, 4. 77	<0.001	1.21	0.190, 2. .22	0.020
PC1	118	-183, 420	0.4	-174	-314, - 33.8	0.015
PC2	-144	-338, 50.7	0.15	-27.5	-175, 120	0.7
PC3	304	85.6, 523	0.006	107	-28.1, 243	0.12
PC4	277	88.5, 466	0.004	-232	-358, - 105	<0.001
PC5	46.3	-80.8, 173	0.5	56.4	-23.0, 136	0.2
CENTER						
Bronx (reference)						
Chicago	4.76	-9.09, 18.6	0.5	-0.216	-1.04, 0.603	0.6
Miami	2.62	-11.5, 16.7	0.7	-2.66	-4.58, - 0.734	0.007
San Diego	4.96	-8.87, 18.8	0.5	-0.575	-1.45, 0.302	0.2
AGE	0.135	-0.037, 0.308	0.12	0.290	0.156, 0.423	<0.001
AGE squared	-0.002	-0.004, 0.000	0.087	-0.003	-0.005, -0.002	<0.001
GENDER						
Female (reference)						
Male	-1.68	-2.46, - 0.903	<0.001	-1.28	-1.86, - 0.706	<0.001
Type 2 Diabetes History	2.31	1.35, 3.26	<0.001	1.60	0.940, 2.26	<0.001
Sleep Duration (h/day)	-0.444	-0.724, -0.165	0.002	-0.030	-0.215, 0.155	0.8
CIGARETTE USE						
Never (reference)						
Former	1.65	0.838, 2.47	<0.001	0.837	0.194, 1.48	0.011
Current	-0.542	-1.45, 0.370	0.2	0.179	-0.483, 0.842	0.6
Meets 2008 Physical Activity Guidelines	0.042	-0.683, 0.767	>0.9	-0.144	-0.665, 0.378	0.6
Prevalent CVD	0.731	-0.654, 2.12	0.3	2.46	1.30, 3.62	<0.001
Alcohol Use Level						
Non-drinker (reference)						
Former	-1.34	-2.03, - 0.655	<0.001	-0.220	-0.716, 0.275	0.4
Current	0.447	-0.797, 1.69	0.5	0.876	-0.192, 1.94	0.11

Sweetened Beverage Consumption (svgs/day)	0.581	0.222, 0.939	0.002	0.192	-0.077, 0.460	0.2	
Immigrant Generation (1st)	-0.742	-2.22, 0.738	0.3	1.64	-0.95, 4.24	0.2	
Employment Status							
Retired and not currently working (reference)							
Not retired and not currently working	-2.18	-3.79, - 0.572	0.008	1.58	0.042, 3.12	0.044	
Employed <= 35h/wk	-2.34	-3.98, - 0.690	0.006	0.438	-1.14, 2.01	0.6	
Employed > 35h/wk	-2.17	-3.77, - 0.568	0.008	0.782	-0.782, 2.35	0.3	
Education (Less than HS)	0.259	-0.540, 1.06	0.5	-0.532	-1.03, - 0.034	0.036	
Age at Immigration							
>= 21 years (reference)							
US Born	2.75	1.10, 4.40	0.001	0.874	- 1.84,3. 59	0.5	
0-5 years	-1.02	-2.40, 0.359	0.15	3.74	2.39,5. 10	<0.001	
6-12 years	-0.265	- 1.91,1. 37	0.8	1.40	0.182,2 .61	0.024	
13-20 years	-1.09	-2.00,- 0.175	0.020	0.825	0.232,1 .42	0.006	
Healthy Diet (Top 40th Percentile Diet Score)	-1.17	-1.97, - 0.371	0.004	-0.364	-0.899, 0.171	0.2	
Income	-0.205	-0.887, 0.477	0.6	-0.382	-0.911, 0.146	0.2	
PGS _{BMI} * Healthy Diet	-1.18	-1.95, - 0.412	0.003	-0.053	-0.598, 0.492	0.8	
PGS _{BMI} * Age at immigration (Reference = >=21 years)							
PGS _{BMI} * US Born	1.33	0.590,2 .07	<0.001	-0.043	- 0.809,0 .723	>0.9	
PGS _{BMI} * 0-5 years	1.17	- 0.371,2 .70	0.14	0.752	- 0.451,1 .95	0.2	
PGS _{BMI} * 6-12 years	-0.207	- 1.73,1. 32	0.8	0.572	- 0.780,1 .93	0.4	
PGS _{BMI} * 13-20 years	0.333	- 0.623,1 .29	0.5	-0.545	- 1.16,0. 066	0.081	

3.5. Puerto Rican

Characteristic	Beta	Tertile 1		Tertile 2		
		95% CI	p-value	Beta	95% CI	p-value
PGS _{BMI}	0.683	-1.43, 2.79	0.5	2.15	0.473, 3.83	0.012
PC1	-58.7	-941, 824	0.9	-348	-965, 269	0.3
PC2	49.3	-220, 319	0.7	159	-31.2, 349	0.10
PC3	-89.4	-445, 266	0.6	143	-145, 431	0.3
PC4	39.0	-296, 374	0.8	340	84.5, 595	0.009
PC5	-75.5	-337, 186	0.6	-327	-519, -135	<0.001
CENTER						
Bronx (reference)						
Chicago	1.81	0.097, 3.52	0.039	-0.252	-1.42, 0.917	0.7
Miami	-0.504	-2.88, 1.87	0.7	-0.806	-2.88, 1.27	0.4
San Diego	-0.536	-3.35, 2.27	0.7	3.52	0.187, 6.85	0.039
AGE	0.785	0.486, 1.08	<0.001	0.084	-0.155, 0.323	0.5
AGE squared	-0.009	-0.012, -0.005	<0.001	-0.001	-0.004, 0.001	0.3
GENDER						
Female (reference)						
Male	-3.61	-4.82, -2.40	<0.001	-1.64	-2.67, -0.607	0.002
Type 2 Diabetes History	2.55	0.98, 4.12	0.002	2.90	1.73, 4.07	<0.001
Sleep Duration (h/day)	-0.584	-0.930, -0.238	0.001	-0.349	-0.650, -0.047	0.024
CIGARETTE USE						
Never (reference)						
Former	0.850	-0.733, 2.43	0.3	0.772	-0.516, 2.06	0.2
Current	-1.58	-2.95, -0.215	0.024	-1.25	-2.30, -0.197	0.020
Meets 2008 Physical Activity Guidelines	-0.002	-1.29, 1.29	>0.9	-0.842	-1.87, 0.186	0.11
Prevalent CVD	3.17	1.06, 5.29	0.003	1.71	0.132, 3.30	0.034
Alcohol Use Level						
Non-drinker (reference)						
Former	-0.338	-1.56, 0.884	0.6	-0.640	-1.65, 0.372	0.2

Current	-0.271	-3.42, 2.87	0.9	-0.462	-2.30, 1.38	0.6	
Sweetened Beverage Consumption (svgs/day)	0.345	-0.236, 0.926	0.2	0.228	-0.278, 0.735	0.4	
Immigrant Generation (1st)	1.72	-1.91, 5.35	0.4	2.09	-2.04, 6.23	0.3	
Employment Status							
Retired and not currently working (reference)							
Not retired and not currently working	-3.28	-5.30, - 1.26	0.002	0.222	-1.42, 1.86	0.8	
Employed <= 35h/wk	-1.65	-3.89, 0.580	0.15	0.198	-1.97, 2.37	0.9	
Employed > 35h/wk	-3.43	-5.62, - 1.24	0.002	-1.14	-2.99, 0.698	0.2	
Education (Less than HS)	-1.24	-2.60, 0.114	0.073	1.59	0.577, 2.59	0.002	
Age at Immigration							
>= 21 years (reference)							
US Born	-0.724	- 4.42,2. 97	0.7	-0.75	- 4.92,3. 42	0.7	
0-5 years	0.752	- 1.63,3. 13	0.5	3.49	1.86,5. 13	<0.001	
6-12 years	2.38	- 0.200,4 .96	0.071	0.442	- 1.53,2. 41	0.7	
13-20 years	-2.30	-4.31,- 0.302	0.025	0.621	- 0.857,2 .10	0.4	
Healthy Diet (Top 40th Percentile Diet Score)	-0.230	-1.81, 1.35	0.8	-1.39	-2.64, - 0.138	0.030	
Income	0.541	-0.940, 2.02	0.5	0.328	-0.812, 1.47	0.6	
PGS _{BMI} * Healthy Diet	0.285	-1.14, 1.71	0.7	-0.161	-1.28, 0.96	0.8	
PGS_{BMI} * Age at immigration (Reference = >=21 years)							
PGS _{BMI} * US Born	0.648	- 0.7,2.0 0	0.3	-0.264	- 1.37,0. 845	0.6	
PGS _{BMI} * 0-5 years	-0.067	- 2.03,1. 89	>0.9	1.09	- 0.336,2 .51	0.13	
PGS _{BMI} * 6-12 years	2.02	- 0.874,4 .92	0.2	-0.180	- 2.21,1. 85	0.9	
PGS _{BMI} * 13-20 years	0.878	- 1.29,3. 04	0.4	-0.502	- 1.84,0. 838	0.5	

3.6. South American

Characteristic	Tertile 2			Tertile 3		
	Beta	95% CI	p-value	Beta	95% CI	p-value
PGS _{BMI}	2.35	0.120, 0.57	0.040	0.848	-1.21, 2.90	0.4
PC1	43.3	-345, 432	0.8	-557	-905, -209	0.002
PC2	18.7	-123, 161	0.8	-274	-422, -126	<0.001
PC3	-22.4	-334, 289	0.9	37.0	-270, 344	0.8
PC4	-53.6	-251, 144	0.6	382	149, 614	0.001
PC5	-46.2	-126, 33.4	0.3	28.5	-27.5, 84.5	0.3
CENTER						
Bronx (reference)						
Chicago	1.14	-1.71, 3.98	0.4	0.067	-1.55, 1.69	>0.9
Miami	-0.021	-2.29, 2.25	>0.9	0.545	-1.02, 2.11	0.5
San Diego	-1.70	-5.30, 1.90	0.4	-0.039	-3.12, 3.04	>0.9
AGE	0.279	-0.147, 0.705	0.2	0.337	0.018, 0.656	0.040
AGE squared	-0.003	-0.007, 0.002	0.3	-0.003	-0.007, 0.000	0.054
GENDER						
Female (reference)						
Male	0.762	-0.798, 2.32	0.3	0.672	-0.688, 2.03	0.3
Type 2 Diabetes History	1.80	-0.215, 3.81	0.082	2.72	0.756, 4.68	0.007
Sleep Duration (h/day)	-0.341	-0.870, 0.188	0.2	-0.448	-0.835, -0.061	0.024
CIGARETTE USE						
Never (reference)						
Former	1.68	0.047, 3.31	0.045	0.667	-0.585, 1.92	0.3
Current	0.156	-1.80, 2.12	0.9	1.77	-0.230, 3.77	0.084
Meets 2008 Physical Activity Guidelines	-2.08	-3.61, 0.552	0.008	-0.568	-1.74, 0.604	0.3
Prevalent CVD	0.231	-2.52, 2.98	0.9	2.71	0.351, 5.07	0.025
Alcohol Use Level						
Non-drinker (reference)						
Former	0.176	-1.24, 1.59	0.8	0.195	-0.868, 1.26	0.7

Current	-1.25	-4.22, 1.72	0.4	-0.723	-7.19, 5.74	0.8	
Sweetened Beverage Consumption (svgs/day)	-0.068	-0.780, 0.645	0.9	-0.103	-0.701, 0.496	0.7	
Immigrant Generation (1st)	0.676	-1.98, 3.33	0.6	-1.30	-4.94, 2.34	0.5	
Employment Status							
Retired and not currently working (reference)							
Not retired and not currently working	0.087	-3.20, 3.37	>0.9	-0.146	-2.78, 2.48	>0.9	
Employed <= 35h/wk	-0.366	-3.81, 3.08	0.8	-0.211	-3.02, 2.60	0.9	
Employed > 35h/wk	-1.31	-4.66, 2.03	0.4	-0.353	-3.16, 2.45	0.8	
Education (Less than HS)	-0.482	-2.27, 1.31	0.6	0.155	-1.14, 1.45	0.8	
Age at Immigration							
>= 21 years (reference)							
US Born	N/A	N/A	N/A	N/A	N/A	N/A	
0-5 years	4.22	-13.7, 22.1	0.6	-8.80	-14.9, - 2.71	0.005	
6-12 years	0.795	-1.95, 3.54	0.6	3.24	-1.67, 8.16	0.2	
13-20 years	1.51	-1.31, 4.33	0.3	1.36	-0.211, 2.93	0.091	
Healthy Diet (Top 40th Percentile Diet Score)	-1.26	-2.62, 0.104	0.072	-0.127	-1.33, 1.08	0.8	
Income	-1.47	-2.80, - 0.148	0.031	-0.548	-1.72, 0.622	0.4	
PGS _{BMI} * Healthy Diet	-0.514	-1.87, 0.838	0.5	0.351	-0.849, 1.55	0.6	
PGS _{BMI} * Age at immigration (Reference = >=21 years)							
PGS _{BMI} * US Born	-1.34	- 3.75,1. .07	0.3	5.03	- 1.80,11 .9	0.2	
PGS _{BMI} * 0-5 years	3.39	- 16.3,23 .1	0.7	N/A	N/A	N/A	
PGS _{BMI} * 6-12 years	1.66	- 0.421,3 .74	0.12	0.507	- 8.21,9. 22	>0.9	
PGS _{BMI} * 13-20 years	-0.214	- 3.06,2. 63	0.9	-0.666	- 2.25,0. 914	0.4	

Supplemental Table 4. Complete Population Characteristics of the HCHS/SOL Analytic Subsample Overall (unweighted n=7,282) and Stratified by Background Group

Characteristic	Overall ¹	Central American	Cuban	Dominican	Mexican	Puerto Rican	South American	p-value
Total	7282	846	1331	659	2701	1211	534	--
Weighted	7075	602	1717	636	2560	1157	403	--
AGE (years)	43 (33, 54)	40 (32, 51)	48 (39, 59)	43 (33, 53)	40 (31, 51)	45 (34, 56)	44 (36, 53)	<0.001
STUDY CENTER								<0.001
Brooklyn	1,965 (28%)	81 (13%)	117 (6.8%)	594 (93%)	252 (9.8%)	825 (71%)	96 (24%)	
Chicago	1,033 (15%)	111 (19%)	21 (1.2%)	6 (0.9%)	613 (24%)	219 (19%)	63 (16%)	
Miami	2,287 (32%)	358 (59%)	1,567 (91%)	30 (4.7%)	43 (1.7%)	76 (6.6%)	214 (53%)	
San Diego	1,790 (25%)	52 (8.6%)	12 (0.7%)	6 (0.9%)	1,653 (65%)	38 (3.3%)	30 (7.4%)	
US_BORN	1,255 (18%)	36 (5.9%)	144 (8.4%)	48 (7.5%)	478 (19%)	514 (44%)	36 (9.0%)	<0.001
YEARS LIVED IN THE US	19 (8, 30)	14 (7, 22)	11 (4, 26)	17 (10, 25)	19 (10, 30)	37 (26, 47)	12 (8, 23)	<0.001
AGE AT MIGRATION								<0.001
Born in the US	1,255 (18%)	36 (5.9%)	144 (8.4%)	48 (7.5%)	478 (19%)	514 (44%)	36 (9.0%)	
0 - <6 yrs	337 (4.8%)	8 (1.3%)	35 (2.0%)	19 (3.0%)	114 (4.5%)	153 (13%)	8 (1.9%)	

6 - 12 yrs	326 (4.6%)	25 (4.1%)	67 (3.9%)	33 (5.1%)	111 (4.3%)	79 (6.8%)	12 (3.0%)	
13 - 20 yrs	1,173 (17%)	121 (20%)	141 (8.2%)	119 (19%)	582 (23%)	167 (14%)	42 (10%)	
>=21 yrs	3,985 (56%)	413 (69%)	1,330 (77%)	417 (66%)	1,275 (50%)	245 (21%)	306 (76%)	
IMMIGRANT GENERATION								<0.001
1st Generation	5,714 (81%)	567 (94%)	1,570 (91%)	587 (92%)	2,012 (79%)	612 (53%)	367 (91%)	
2nd Generation or beyond	1,361 (19%)	36 (5.9%)	147 (8.6%)	48 (7.6%)	548 (21%)	546 (47%)	36 (9.0%)	
SASH LANGUAGE SCORE	1.50 (1.00, 2.67)	1.33 (1.00, 2.00)	1.17 (1.00, 1.83)	1.50 (1.00, 2.17)	1.67 (1.00, 2.67)	3.17 (2.00, 4.00)	1.50 (1.17, 2.17)	<0.001
SASH SOCIAL SCORE	2.25 (1.75, 2.75)	2.00 (1.50, 2.50)	2.00 (1.50, 2.50)	2.25 (2.00, 2.75)	2.25 (1.75, 2.75)	2.50 (2.25, 3.00)	2.25 (1.75, 2.75)	<0.001
EDUCATION								<0.001
Less than HS	2,160 (31%)	227 (38%)	339 (20%)	230 (36%)	903 (35%)	390 (34%)	72 (18%)	
>= HS	4,916 (69%)	375 (62%)	1,379 (80%)	405 (64%)	1,657 (65%)	768 (66%)	332 (82%)	
Married, living with spouse	4,047 (57%)	361 (60%)	948 (55%)	290 (46%)	1,778 (69%)	437 (38%)	233 (58%)	<0.001
INCOME								<0.001
<\$30,000 USD	4,626 (65%)	454 (75%)	1,235 (72%)	462 (73%)	1,481 (58%)	739 (64%)	257 (64%)	

>= \$30,000 USD	2,450 (35%)	148 (25%)	483 (28%)	174 (27%)	1,079 (42%)	419 (36%)	147 (36%)	
EMPLOYMENT STATUS								<0.0 01
Retired and not currently working	649 (9.2%)	25 (4.1%)	202 (12%)	65 (10%)	122 (4.8%)	209 (18%)	27 (6.6%)	
Not retired and not currently working	2,581 (36%)	193 (32%)	735 (43%)	232 (37%)	883 (34%)	422 (36%)	116 (29%)	
Employed <= 35h/wk	1,190 (17%)	141 (23%)	194 (11%)	115 (18%)	501 (20%)	152 (13%)	86 (21%)	
Employed > 35h/wk	2,656 (38%)	244 (40%)	586 (34%)	224 (35%)	1,054 (41%)	374 (32%)	174 (43%)	
Ethnic Identity Summary Score								<0.0 01
1	36 (0.5%)	3 (0.5%)	6 (0.4%)	1 (0.2%)	15 (0.6%)	9 (0.8%)	2 (0.4%)	
1.5	34 (0.5%)	3 (0.5%)	10 (0.6%)	0 (0%)	14 (0.5%)	5 (0.4%)	2 (0.4%)	
2	252 (3.6%)	30 (4.9%)	38 (2.2%)	9 (1.4%)	100 (3.9%)	61 (5.2%)	15 (3.7%)	
2.5	834 (12%)	40 (6.7%)	110 (6.4%)	83 (13%)	361 (14%)	188 (16%)	51 (13%)	
3	3,313 (47%)	273 (45%)	856 (50%)	285 (45%)	1,181 (46%)	555 (48%)	162 (40%)	
3.5	1,034 (15%)	80 (13%)	218 (13%)	111 (17%)	409 (16%)	148 (13%)	67 (17%)	
4	1,573 (22%)	172 (29%)	478 (28%)	146 (23%)	479 (19%)	192 (17%)	106 (26%)	
CES-D 10 Item Summary Score	6.0 (3.0, 10.0)	5.0 (2.0, 9.0)	5.0 (2.0, 11.0)	6.0 (2.0, 11.0)	5.0 (3.0, 9.0)	7.0 (4.0, 11.0)	6.0 (2.0, 10.0)	<0.0 01

	Model 1 Unadjusted	Model 2 Adjusted for age	Model 3 Adjusted for age and sex	Model 4 Adjusted for age, sex, race/ethnicity, education, income, marital status, smoking, alcohol use, and physical activity	Model 5 Adjusted for age, sex, race/ethnicity, education, income, marital status, sweetened beverage consumption, fruit and vegetable intake, JAMA Healthy Diet Score, sleep duration, and physical activity	Model 6 Adjusted for age, sex, race/ethnicity, education, income, marital status, sweetened beverage consumption, fruit and vegetable intake, JAMA Healthy Diet Score, sleep duration, physical activity, and smoking	Model 7 Adjusted for age, sex, race/ethnicity, education, income, marital status, sweetened beverage consumption, fruit and vegetable intake, JAMA Healthy Diet Score, sleep duration, physical activity, smoking, and alcohol use	P < .05
Sweetened Beverage Consumption (Servings/day)	1.58 (0.97, 2.34)	1.73 (1.06, 2.61)	1.48 (0.95, 2.11)	1.31 (0.74, 1.85)	1.59 (0.97, 2.38)	1.77 (1.12, 2.66)	1.64 (1.02, 2.37)	<0.01
Meets 2008 Physical Activity Guidelines	4,703 (66%)	421 (70%)	970 (56%)	424 (67%)	1,807 (71%)	795 (69%)	287 (71%)	<0.01
JAMA Healthy Diet Score								<0.01
<=60th sex-specific percentile	3,683 (52%)	339 (56%)	998 (58%)	493 (78%)	733 (29%)	927 (80%)	193 (48%)	
>60th sex-specific percentile	3,393 (48%)	264 (44%)	719 (42%)	143 (22%)	1,827 (71%)	231 (20%)	210 (52%)	
Sleep Duration (h/day)	7.93 (7.00, 8.71)	7.79 (7.00, 8.57)	8.00 (7.21, 8.93)	7.86 (7.00, 8.93)	8.00 (7.29, 8.71)	7.64 (6.71, 8.79)	7.71 (6.79, 8.50)	<0.01
CIGARETTE USE								<0.01
Never	4,223 (60%)	390 (65%)	938 (55%)	501 (79%)	1,586 (62%)	570 (49%)	236 (59%)	
Former	1,365 (19%)	119 (20%)	342 (20%)	80 (13%)	524 (20%)	191 (17%)	109 (27%)	
Current	1,489 (21%)	93 (15%)	437 (25%)	55 (8.6%)	450 (18%)	396 (34%)	58 (14%)	
ALCOHOL USE LEVEL								0.004
Non-drinker	3,382 (48%)	336 (56%)	857 (50%)	290 (46%)	1,157 (45%)	567 (49%)	175 (43%)	

Low-risk drinker	3,252 (46%)	228 (38%)	745 (43%)	312 (49%)	1,222 (48%)	527 (46%)	218 (54%)	
At-risk drinker	442 (6.2%)	38 (6.3%)	115 (6.7%)	34 (5.4%)	181 (7.1%)	63 (5.5%)	10 (2.6%)	
Diabetes History	1,154 (16%)	87 (14%)	298 (17%)	96 (15%)	417 (16%)	216 (19%)	41 (10%)	0.025
Prevalent CVD	462 (6.5%)	37 (6.1%)	151 (8.8%)	40 (6.2%)	123 (4.8%)	92 (7.9%)	20 (4.8%)	0.055
BMI	28.9 (25.9, 32.7)	28.8 (26.2, 32.4)	29.0 (25.7, 32.6)	29.3 (26.0, 32.7)	28.7 (26.1, 32.3)	29.6 (26.1, 34.3)	27.9 (24.9, 30.8)	<0.001
Waist-to-Hip Ratio	0.93 (0.88, 0.97)	0.93 (0.88, 0.96)	0.92 (0.87, 0.97)	0.91 (0.85, 0.96)	0.94 (0.89, 0.97)	0.92 (0.87, 0.97)	0.91 (0.86, 0.96)	<0.001
Obesity	2,948 (42%)	238 (39%)	716 (42%)	268 (42%)	1,054 (41%)	550 (48%)	123 (31%)	0.002
BMI PRS	0.01 (-0.65, 0.67)	0.07 (-0.54, 0.67)	-0.14 (- 0.88,0.55)	0.09 (-0.55, 0.69)	0.07 (- 0.61, 0.72)	-0.03 (- 0.69, 0.64)	-0.02 (-0.64, 0.62)	<0.001

***¹Median (IQR);
ⁿ (%)***

Supplemental Table 5. Complete Amerindigenous Ancestry Univariate Associations with Environmental Variables

Overall (n=7075)				Central American (n=602)			Cuban American (n=1717)			Dominican (n=635)			Mexican (n=2560)			Puerto Rican (n=1157)			South American (n=403)		
Characteristic	Beta	95% CI	p-value																		
				Beta	95% CI	p-value	Beta	95% CI	p-value	Beta	95% CI	p-value	Beta	95% CI	p-value	Beta	95% CI	p-value	Beta	95% CI	p-value
AGE	-0.00	-0.004, -0.003	<0.00	-0.00	-0.002, 0.00	0.01	-0.00	-0.001, 0.00	<0.00	-0.00	0.000, 0.000	0.44	-0.00	-0.003, 0.000	<0.00	-0.00	0.000, 0.000	0.024	-0.00	-0.004, 0.000	0.038
STUDY CENTER																					
Brooklyn	0.30	0.286, 0.313	<0.00	0.09	-0.032, 0.050	0.07	0.01	-0.005, 0.005	0.15	-0.020	0.006, 0.006	0.29	-0.02	-0.238, -0.177	<0.00	0.007	0.007, 0.016	<0.00	0.091	0.035, 0.146	0.01
Chicago	0.30	0.286, 0.313	<0.00	0.09	-0.032, 0.050	0.07	0.01	-0.005, 0.033	0.15	-0.020	0.006, 0.006	0.29	-0.02	-0.238, -0.177	<0.00	0.007	0.007, 0.016	<0.00	0.091	0.035, 0.146	0.01
Miami	0.01	0.004, 0.030	0.09	-0.00	-0.098, -0.021	0.059	-0.00	-0.012, 0.000	0.68	-0.010	0.008, 0.008	0.84	-0.02	-0.399, -0.266	<0.00	-0.011	0.008, 0.008	0.73	-0.01	-0.186, -0.084	<0.00
San Diego	0.24	0.235, 0.262	<0.00	-0.00	-0.095, 0.014	0.041	0.02	0.003, 0.056	0.027	-0.025	0.040, 0.040	0.64	-0.02	-0.381, -0.321	<0.00	-0.008	0.022, 0.022	0.38	-0.02	-0.337, -0.139	<0.00
US BORN	-0.08	-0.099, -0.067	<0.00	-0.01	-0.156, -0.044	0.000	-0.00	-0.005, 0.015	0.30	-0.015	0.002, 0.002	0.13	-0.02	-0.111, -0.072	<0.00	-0.008	0.001, 0.001	0.024	-0.01	-0.257, -0.068	<0.00
Years Lived in the US	-0.00	-0.002, -0.002	<0.00	-0.01	-0.002, 0.000	0.009	-0.00	-0.001, 0.000	<0.00	0.000	0.000, 0.000	0.055	-0.00	-0.003, -0.002	<0.00	0.000	0.000, 0.000	0.27	-0.00	-0.004, 0.000	0.038

	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF
>=21 years																							
US BORN	- 0.07 9	-0.095, 0.07 9	<0.00 1	- 0.0	-0.154, 0.0 1	<0.00 1	- 0.0	-0.041, 0.0 1	- 0.00 1	- 0.005, 0.0 1	0.37	- 0.0	-0.015, 0.0 1	0.13	- 0.0	-0.114, 0.0 1	<0.00 1	- 0.0	-0.008, 0.0 1	0.26	- 0.1 53	-0.247, -0.060 01	0.01
0-5 years	- 0.08 2	-0.112, 0.052 1	<0.00 1	- 0.0	-0.109, 0.0 1	0.0 1	- 0.0	-0.102, 0.0 1	0.0 1	- 0.024, 0.0 1	0.51	- 0.0	-0.013, 0.0 1	0.70	- 0.0	-0.093, 0.0 1	0.006	0.0 1	-0.005, 0.0 1	0.64	- 0.1 67	-0.400, 0.066 1	0.16
6-12 years	- 0.05 2	-0.079, 0.025 1	<0.00 1	- 0.0	-0.084, 0.0 1	0.0 1	- 0.0	-0.051, 0.0 1	0.0 1	- 0.031, 0.0 1	0.017	- 0.0	-0.005, 0.0 1	0.39	- 0.0	-0.054, 0.0 1	0.24	0.0 1	-0.002, 0.0 1	0.13	- 0.0 65	-0.201, 0.071 5	0.35
13-20 years	0.05 9	0.043, 0.074 1	<0.00 1	0.0 21	- 0.008, 0.0 1	0.0 1	0.0 00	- 0.008, 0.0 1	0.0 1	- 0.010, 0.0 1	>0.99	- 0.0	-0.006, 0.0 1	0.68	0.0 0	-0.015, 0.0 1	0.81	0.0 0	-0.004, 0.0 1	0.48	0.1 10	0.044, 0.176 01	0.01
Immigrant Generation	- 0.07 5	-0.091, 0.060 1	<0.00 1	- 0.0	-0.156, 0.0 1	<0.00 1	- 0.0	-0.044, 0.0 1	- 0.00 1	- 0.005, 0.0 1	0.32	- 0.0	-0.016, 0.0 1	0.067	- 0.0	-0.115, 0.0 1	<0.00 1	- 0.0	-0.009, 0.0 1	0.018	- 0.1 62	-0.257, -0.068 01	<0.01
SASH LANG	- 0.03 3	-0.038, 0.027 1	<0.00 1	- 0.0	-0.028, 0.0 1	0.0 1	- 0.0	-0.000, 0.0 1	- 0.00 1	- 0.004, 0.0 1	0.30	- 0.0	-0.005, 0.0 1	0.047	- 0.0	-0.044, 0.0 1	<0.00 1	- 0.0	-0.002, 0.0 1	0.30	- 0.0 43	-0.070, -0.017 02	0.02
SASH SOC	- 0.03 5	-0.044, 0.025 1	<0.00 1	- 0.0	-0.022, 0.0 1	0.0 1	0.0 00	- 0.013, 0.0 1	- 0.00 1	- 0.005, 0.0 1	0.97	- 0.0	-0.005, 0.0 1	0.40	- 0.0	-0.040, 0.0 1	<0.00 1	- 0.0	-0.006, 0.0 1	0.27	- 0.0 07	-0.043, 0.029 1	0.71


EDUCATION	-0.078	-0.090, -0.066	<0. 00	-0.068, -0.026	< 0.	0.00	-0.006	0.97	-0.009, -0.002	0.003	-0.077, -0.051	<0.0 1	-0.008, 0.000	0.078	-0.206, -0.109	<0. 00	
Married, living with spouse	0.077	0.066, 0.088	<0. 00	0.07	-0.014, 0.028	0. 5	0.00	-0.004	0.80	0 -0.003, .004	0.86	0 0.000, .029	0.057	0 0.001, .009	0.018	0.0 -0.031, 11 0.052	0.62
INCOME	0.004	-0.008, 0.016	0.55	-0.041, 0.007	0. 17	0.00	-0.005	0.79	-0.005, 0.003	0.60	-0.074, -0.046	<0.0 1	0 -0.003, .006	0.49	-0.060, 0.029	0.50	
EMPLOYMENT STATUS																	
Retired and not currently working	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	
Not retired and not currently working	0.062	0.042, 0.082	<0. 00	-0.066, 0.031	0. 18	0.01	0.002	0.019	0 -0.002, .010	0.16	0 0.005, .062	0.020	0 -0.004, .006	0.65	0.0 0.081, 03 0.087	0.95	
Employed <= 35h/wk	0.133	0.110, 0.155	<0. 00	-0.050, 0.051	0. 90	0.01	-0.001	0.084	0 -0.001, .012	0.12	0 0.014, .075	0.004	-0.014, 0.001	0.11	0.0 0.085, 01 0.087	0.98	
Employed > 35h/wk	0.107	0.087, 0.126	<0. 00	-0.050, 0.046	0. 902	0.01	0.002	0.013	0 -0.001, .011	0.090	0 0.018, .074	0.002	0 -0.004, .007	0.55	0.0 0.063, 18 0.100	0.66	
Ethnic Identity Summary Score	0.005	-0.005, 0.015	0.35	0.00	-0.018, 0.018	0. 900	0.00	-0.003	0.50	0 -0.004, .003	0.89	0 0.006, .029	0.004	-0.004, 0.003	0.69	0.0 0.021, 14 0.049	0.42

CES-D 10	-0.004, 0.00	-0.002, 0.01	<0. 1	-0.003, 0.01	0. 01	0.000 0.00	0.72	0.000, 0.000	0.81	0 -0.002, 0.001	0.53	0 0.000, 0.000	0.53	0.0 -0.002, 0.02	-0.006, 0.006	0.2 7
Sweetened Beverage Consumption (Servings /day)	0.016, 0.022	0.011, 0.022	<0. 00	0.0 -0.010, 0.010	>0. 00	0.000 0.006	0.038	-0.003, 0.001	0.38	0 0.011, 0.024	<0.00	0 -0.001, 0.003	0.22	0.0 0.000, 0.040	0.0 52	
Meets 2008 Physical Activity Guideline s	0.037, 0.049	0.025, 0.049	<0. 00	0.0 -0.022, 0.022	>0. 00	0.005 0.005	0.96	-0.005, 0.002	0.44	0 -0.007, 0.022	0.29	-0.005, 0.003	0.64	0.0 -0.027, 0.061	0.4 5	
Top 40th Diet Score	0.135, 0.146	0.124, 0.146	<0. 00	-0.023, 0.018	0. 02	-0.007 0.003	0.36	0 -0.004, 0.004	0.89	-0.046, 0.014	<0.00	0 -0.004, 0.005	0.82	-0.058, 0.024	0.4 2	
SLPDUR	-0.001, 0.003	-0.005, 0.003	0.59	-0.019, -0.003	0. 00	-0.002 0.002	0.82	0 0.000, 0.002	0.16	-0.007, 0.004	0.53	0 -0.001, 0.001	0.85	-0.050, -0.019	<0. 00	1
CIGARETTE USE																
Never	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	REF	
Former	-0.025, 0.02	-0.039, -0.011	<0. 00	-0.073, -0.023	<0. 0.0	-0.011 0.00	0.15	-0.009, 0.001	0.13	-0.054, 0.021	<0.00	-0.006, 0.004	0.74	-0.104, -0.009	0.0 20	
Current	-0.090, 0.09	-0.104, -0.075	<0. 00	-0.052, 0.011	0. 20	-0.012 0.00	0.051	-0.008, 0.004	0.59	-0.067, 0.029	<0.00	-0.006, 0.003	0.49	-0.196, -0.074	<0. 00	1

Alcohol Use Level																							
Non-drinker	REF	REF	REF	REF	REF	REF	REF	R E F	REF	REF	R E F	REF	REF	R E F	REF	REF	R E F	REF	REF	R E F	REF	REF	R E F
Low-risk drinker	-0.01 3	-0.025, -0.002	0.026	-0.0	-0.033, 0.011	0.3	0.00	-0.003	0.51	-0.004, 0.003	0.67	-0.004, 0.003	-0.037, 0.009	0.001	0.004, 0.003	0.81	-0.004, 0.059	-0.100, -0.018	0.005	-0.004, 0.059	-0.100, -0.018	0.005	
At-risk drinker	-0.03 1	-0.057, -0.005	0.020	-0.0	-0.062, 0.033	0.5	0.00	-0.004	0.25	-0.008, 0.009	0.89	-0.008, 0.009	-0.071, 0.010	0.009	0.002, 0.016	0.11	-0.002, 0.064	-0.308, -0.020	0.026	-0.002, 0.064	-0.308, -0.020	0.026	
Diabetes History	0.00 0	-0.014, 0.014	0.97	-0.0	-0.041, 0.013	0.33	-0.0	-0.012	0.076	-0.005, 0.004	0.86	-0.005, 0.004	0.008, 0.042	0.003	0.001, 0.007	0.19	0.001, 0.016	-0.044, 0.076	0.61	0.001, 0.016	-0.044, 0.076	0.61	
Prevalent CVD	-0.05 0.4	-0.076, -0.031	<0.001	0.012	-0.036, 0.060	0.66	-0.0	-0.014	0.31	-0.013, 0.000	0.070	-0.013, 0.031	-0.030, 0.031	0.95	-0.006, 0.008	0.76	-0.006, 0.010	-0.098, 0.077	0.82	-0.006, 0.010	-0.098, 0.077	0.82	
BMI	-0.00 1	-0.002, 0.000	0.044	-0.0	-0.004, 0.000	0.00	0.00	0.000	0.68	0.000, 0.000	0.84	0.000, 0.001	-0.001, 0.001	0.97	0.000, 0.000	0.20	0.000, 0.000	-0.004, 0.004	0.88	0.000, 0.000	-0.004, 0.004	0.88	
Waist-hip ratio	0.20 4	0.127, 0.281	<0.001	-0.0	-0.171, 0.115	0.77	-0.0	-0.079	0.003	0.016, 0.029	0.56	0.016, 0.029	0.114, 0.316	<0.001	0.025, 0.027	0.93	0.025, 0.026	0.158, 0.694	0.002	0.025, 0.26	0.158, 0.694	0.002	
Obesity	-0.00 4	-0.015, 0.007	0.49	-0.0	-0.038, 0.004	0.11	0.00	-0.004	0.56	-0.007, 0.000	0.056	-0.007, 0.024	-0.004, 0.024	0.15	-0.005, 0.002	0.41	0.005, 0.15	-0.028, 0.058	0.50	-0.005, 0.15	-0.028, 0.058	0.50	


BMI PGS	0.03	0.024,	<0.	0.0	0.007,	0.	0.	0.002	<0.00	-	-0.004,	0.013	0	0.033,	<0.00	-	-0.003,	0.39	0.0	0.014,	0.0
	0	0.036	00	18	0.029	0	00	,	1	0	-0.001	.	0	0.047	1	0	0.001	.	36	0.057	01
			1			0	5	0.007		.	0	.	0	4		0	0	.		0	1

Supplementary Figure 1. Inclusion/Exclusion Criteria Flowchart




Supplementary Figure 2. Distributions of Selected Variables Aggregated and by Background Group


A




B



C





D




E

F



Graphical depictions of distributions or proportions of A) BMI, B) PGS_{BMI} vs. BMI, C) immigrant generation (1st generation or 2nd generation and beyond), D) JAMA Healthy Diet score (≥ 60 th percentile score indicates healthy diet), and E) prevalent cardiovascular disease in the complete sample (top, light gray bars) and stratified by self-identified background group identity (colored panels). F) Distribution of AME ancestry proportion by self-identified Hispanic/Latino background.

Supplementary Figure 3. PRS-Age at Immigration Interactions by AME Ancestry Tertile and Background Group Identity



Unshaded tiles indicate subgroups for which there was no sufficient sample size to observe PGS-Age at immigration interactions.

PGS - Age at Immigration Interaction levels are as follows: (1) comparing those US-born to those who were ≥ 21 years at immigration, (2) comparing those 0-5 years at immigration to those ≥ 21 years at immigration, (3) comparing those 6-12 years at

immigration to those ≥ 21 years at immigration, and (4) comparing those 13-20 years at immigration to those who were ≥ 21 years at immigration. Significant contrasts are depicted with an asterisk ().*