

Supplementary information: Adamusová *et al.*

Supplementary Table 1. Composition of 282-probe panel. Table represent the list of genes included in the panel, alongside the corresponding number of probes.


84-gene panel consisting of 282 probes.							
Gene	Probes	Gene	Probes	Gene	Probes	Gene	Probes
ABL1	1	CTNNB1	2	KMT2D	5	PTPN11	1
ALK	4	CUL3	2	KRAS	3	RAC1	1
APC	39	DICER1	1	MAP2K1	1	RAF1	1
AR	1	DNMT3A	7	MET	1	RB1	12
ASXL1	6	EGFR	4	MLH1	6	RBM10	1
ATM	11	EP300	1	MSH2	10	RUNX1	1
ATR	1	ERBB2	1	MSH6	2	SETD2	1
B2M	1	ERBB3	2	MTOR	1	SF3B1	3
BAP1	1	EZH2	1	MUTYH	1	SMAD2	1
BCL2L2	1	FANCA	1	NBN	1	SMAD4	9
BRAF	2	FBXW7	5	NF1	18	SPEN	1
BRCA1	6	FGFR2	2	NF2	2	SPOP	2
BRCA2	5	FGFR3	1	NFE2L2	2	STAG2	1
CBL	1	FLT3	2	NFKBIA	1	STK11	2
CDC73	1	GNAQ	1	NOTCH1	4	TERT	1
CDH1	3	GNAS	2	NRAS	2	TP53	16
CDK12	1	HRAS	1	PALB2	3	TSC1	2
CDKN1B	1	IDH1	1	PDGFRA	1	U2AF1	2
CDKN2A	3	JAK2	1	PIK3CA	4	VHL	4
CHEK2	5	KEAP1	1	PTCH1	3	WT1	1
CREBBP	2	KIT	2	PTEN	10	XPO1	1

Supplementary Table 2. Composition of 887-probe panel. Table represent the list of genes included in the panel, alongside the corresponding number of probes.

123-gene panel consisting of 887 probes.							
Gene	Probes	Gene	Probes	Gene	Probes	Gene	Probes
ABL1	2	CTNNB1	2	KEAP1	1	PPP2R1A	1
AKT1	1	CUL3	2	KIT	2	PTCH1	3
ALK	4	CYLD	4	KLF4	1	PTEN	19
APC	81	DICER1	12	KMT2D	6	PTPN11	3
AR	3	DNMT3A	9	KRAS	3	RAC1	1
ARID1A	1	EGFR	9	LZTR1	1	RAF1	1
ARID1B	1	EIF3E	1	MAP2K1	2	RB1	36
ASXL1	6	EP300	9	MAP3K1	1	RBM10	1
ATM	83	ERBB2	6	MAPK1	1	RET	1
ATR	1	ERBB3	4	MAX	4	RHOA	1
B2M	1	ESR1	1	MEN1	8	RNF43	2
BAP1	17	EZH2	1	MET	1	RUNX1	8
BCL2L2	1	FANCA	1	MLH1	8	SETD2	3
BCL9	1	FBXW7	5	MSH2	11	SF3B1	4
BCOR	1	FGFR1	2	MSH6	3	SMAD2	1
BMPR1A	7	FGFR2	4	MTOR	4	SMAD4	18
BRAF	3	FGFR3	3	MUTYH	1	SMARCA4	16
BRCA1	47	FH	1	MYC	1	SPEN	1
BRCA2	70	FLCN	5	NBN	1	SPOP	2
BTK	1	FLT3	2	NF1	100	STAG2	1
CASP8	3	GATA1	1	NF2	14	STK11	14
CBL	1	GATA3	1	NFE2L2	2	TERT	1
CDC73	1	GNA11	1	NFKBIA	1	TGFBR2	1
CDH1	19	GNAQ	2	NOTCH1	5	TP53	19
CDK12	1	GNAS	2	NOTCH2	1	TSC1	2
CDK4	1	HRAS	2	NRAS	2	TSC2	1
CDKN1B	2	IDH1	1	PALB2	3	U2AF1	2
CDKN2A	8	IDH2	2	PDGFRA	1	VHL	9
CHEK2	5	IRS4	1	PIK3CA	13	WT1	1
CREBBP	23	JAK2	1	PIK3R1	4	XPO1	1
CTCF	1	KDM6A	1	PMS2	12		

Supplementary Table 3. List of the contrived CRC samples analysed by Bridge Capture, Archer™ LIQUIDPlex™ and AmpliSeq™ Cancer HotSpot Panel v2 for Illumina® to evaluate the concordance between technologies and establish the detection limits of the technologies. Table describes composition of each contrived sample and displays the representation of original patient MAFs after the dilution with genomic DNA.

Experimental design				
Sample number	Patient	Patient copies	Healthy genomic DNA copies	Expected mutations
1 2 3	Patient 1	100 000	-	100% of original MAF of APC p.Q1406*, KRAS p.G13D, PIK3CA p.E545K
4 5 6	Patient 1	10 000	90 000	10% of original MAF of APC p.Q1406*, KRAS p.G13D, PIK3CA p.E545K
7 8 9	Patient 1	1 000	100 000	1% of original MAF of APC p.Q1406*, KRAS p.G13D, PIK3CA p.E545K
10 11 12	Patient 1	100	100 000	0.1% of original MAF of APC p.Q1406*, p.G13D, PIK3CA p.E545K
13 14 15	Patient 2	100 000	-	100% of original MAF of APC p.E1309Dfs*4, KRAS p.G12D, TP53 p.Y126D
16 17 18	Patient 2	10 000	90 000	10% of original MAF of APC p.E1309Dfs*4, KRAS p.G12D, TP53 p.Y126D
19 20 21	Patient 2	1 000	100 000	1% of original MAF of APC p.E1309Dfs*4, KRAS p.G12D, TP53 p.Y126D
22 23 24	Patient 2	100	100 000	0.1% of original MAF of APC p.E1309Dfs*4, KRAS p.G12D, TP53 p.Y126D



Supplementary Figure 1. The expansion of 282-probe panel to 887-probe panel. The bars indicates the number of significant mutations associated with driver genes in 282-probe panel (red) and 887-probe panel (blue). White bars represent non-targeted significant mutations of the driver genes not included in either of the panels. The percentage is a ratio of number of significant mutations targeted by the 887-probe panel and total amount of significant mutations for that specific cancer type. Cancer types and their associated driver genes are obtained from intOgen-framework (<https://www.intogen.org>) v.2023.05.31. Significant mutations of the driver genes are mutations of significance 1 or 2 in COSMIC database, CMC v.99 (<https://cancer.sanger.ac.uk/cosmic>).