

Figure S1: Bangladesh health facilities by type in Cox's Bazar's camp sites, Health Sector, Cox's Bazar, March 2020



Table S1. Comparison of selected indicators of health status and health service availability in Kutupalong-Balukhali extension site and Bangladesh.

Indicators	Comparison		Standards	
	Kutupalong-Balukhali Extension Site (KB)	Bangladesh: National (N), Chittagong Division (C), and Cox's Bazar (CB)	WHO standards/ recommendations	Emergency Minimum Standards ²⁰
Crude mortality rate (CMR)^a <i>(same CMR value converted to per population per year for ease of comparison)</i>	KC ^b : 0.12/10,000/day ⁴ MS ^c : 0.2/10,000/day KC: 4.32/1,000/year MS: 7.2/1,000/year	0.13/10,000/day 0.14/10,000/day 4.7/1,000/year (C) ²¹ 5.1/1,000/year (N) ²¹	<i>Does not exist</i>	1/10,000/day 36.5/1,000/year
Number of skilled health workers (doctors, nurses/midwives) per 10,000 population	Not available	6.3 registered physicians ²²	44.5 ^{13, d}	23
Community health workers per 10,000 population	16.8 ^{5, e}	2.13 (N) ²²	<i>Does not exist</i>	10 - 20
Primary Health Care facility per population	1 per 25,000 ⁶	1 per 39,394 (CB) ²³	<i>Does not exist</i>	1 per 10,000 1 per 50,000 (rural)
Hospital beds per 10,000 population	5.7 [340 beds] ^{24, f} 10.6 [630 beds surge capacity] ^g	8 (N) ²⁵	<i>Does not exist</i>	18 ^h
District/ rural/ referral hospital per population and number of hospitals	Secondary hospitals: - 1 per 119,200 [5 in KB site] ²⁴ Tertiary hospitals: None available	Secondary hospitals (C)(N): - 1 per 320,000 [89 in division] ²⁶ - 1 per 386,000 [421 nationwide] ²⁶ Tertiary hospitals (C) (N): - 1 per 2,500,000 [11 in division] ²⁶ - 1 per 2,600,000 [62 nationwide] ²⁶	<i>Does not exist</i>	District/ rural hospital: 1 per 250,000
Number of liters of water per person per day	17.9 l/p/d collected at HH level ²⁷	<i>Not available</i>	50 – 100 ²⁸	15

Notes:

- ^a Mortality rates in emergency settings are calculated per 10,000/day, while in stable settings, they are calculated per 1,000/year. We presented the same mortality rate in both measures for ease of comparison with Bangladesh estimates.
- ^b KC: Kutupalong Camp
- ^c Makeshift Settlements (MS) include the Kutupalong MS, Balukhali MS and Expansion Zones, (which are part of the Kutupalong–Balukhali Expansion Site together with KC) as well as Hakimpara, Jamtoli, Potibonia, Chakmarkul, Unchiprang, Shamlapur, Leda, Ali Khali, Jadimura Shamlapur, and Nayapara Expansion (that are not part of the Kutupalong-Balukhali Expansion Site).
- ^d An aggregated estimate of the skilled health worker density needed to achieve 80% coverage of 12 selected Sustainable Development Goals' tracer indicators.
- ^e Ratio refers to CHWs in all camps and settlements in Cox's Bazar and total Rohingya refugee population (856,000).
- ^f This includes all hospital beds: adult inpatient beds, obstetric beds, and pediatric beds.
- ^g Surge capacity refers to the maximum number of beds available to accommodate a sudden influx of patients.
- ^h Standard excludes maternity beds.

Table S2. Day on which hospitalization requirements exceed current estimated bed capacity (340 beds) and estimated surge capacity (630 beds) in the Kutupalong-Balukhali Expansion Site.

Transmission Scenario	Day on which Hospitalization Need Exceeds Capacity	
	<i>Standard Capacity, 340 beds</i>	<i>Surge Capacity, 630 beds</i>
	<i>mean (95% CI)</i>	<i>mean (95% CI)</i>
<i>Low</i> ($R_0=1.5-2.0$)	139 (99-198)	149 (108-206)
<i>Moderate</i> ($R_0=2.0-3.0$)	85 (63-126)	90 (66-131)
<i>High</i> ($R_0=3.3-5.0$)	58 (43-79)	61 (46-82)