

## Supplementary materials

### Contents

<i>Supplementary table 1.</i> Table methods phenotype definition .....	2
<i>Supplementary table 2.</i> Descriptive statistics for cardiometabolic traits split by sex.....	3
<i>Supplementary table 3.</i> Bipolar disorder ICD-10 codes used in to define BPD cases .....	4
<i>Supplementary table 4.</i> UKB medication codes used to adjust biomarkers for medication intake .....	4
<i>Supplementary table 5.</i> Type 2 diabetes ICD-9 and ICD-10 codes used to define cases in this study .....	5
<i>Supplementary table 7.</i> Coronary artery disease ICD-9 and ICD-10 codes used in this stud...	8
<i>Supplementary table 8.</i> Operation codes used to define coronary artery disease.....	10
<i>Supplementary table 9.</i> Availability of GWAS summary statistics used to create polygenic risk scores and calculate genetic correlations.....	12

Supplementary Tables 10-14 are displayed in a separate Excel document.

Supplementary table 1. Table methods phenotype definition

Trait	Self-report (UKB Item: codes)	Hospital in-patient data (main & secondary UKB Item: codes)	Death register (main & secondary UKB Item: codes)	Operations OPS-4 (UKB Item: codes)
Coronary artery disease	<ul style="list-style-type: none"> <li>• <b>20002:</b> 1075</li> <li>• <b>20004:</b> 1070, 1095, 1523</li> <li>• <b>6150:</b> 1, 2</li> </ul>	<ul style="list-style-type: none"> <li>• <b>41203 &amp; 41205</b> (ICD-9): 410 - 414</li> <li>• <b>41202 &amp; 41204</b> (ICD-10): I20 - I25</li> </ul>	<ul style="list-style-type: none"> <li>• <b>40001 &amp; 40002:</b> I20 - I25</li> </ul>	<b>41200:</b> K401-K469, K501, K751-K759
Stroke	<ul style="list-style-type: none"> <li>• <b>20002:</b> 1081, 1086, 1491, 1583</li> <li>• <b>6150:</b> 3</li> </ul>	<ul style="list-style-type: none"> <li>• <b>41203 &amp; 41205</b> (ICD-9): 430 – 431, 434, 436</li> <li>• <b>41202 &amp; 41204</b> (ICD-10): I60 – I61, I63 – I64</li> </ul>	<ul style="list-style-type: none"> <li>• <b>40001 &amp; 40002:</b> I60 – I64</li> </ul>	NA
Type 2 diabetes (inclusion criteria)	<ul style="list-style-type: none"> <li>• <b>20002:</b> 1233, 1220</li> <li>• <b>2443,</b> 1</li> </ul>	<ul style="list-style-type: none"> <li>• <b>41203 &amp; 41205</b> (ICD-9): 25000, 25010, 25020, 25090</li> <li>• <b>41202 &amp; 41204</b> (ICD-10): E11</li> </ul>	<ul style="list-style-type: none"> <li>• <b>40001 &amp; 40002:</b> E11</li> </ul>	NA
Type 2 diabetes (exclusion criteria)	<ul style="list-style-type: none"> <li>• <b>20002:</b> 1222, 1221, 1521</li> <li>• <b>4041:</b> 1</li> <li>• <b>2986:</b> 1</li> <li>• <b>2976:</b> 1</li> </ul>	<ul style="list-style-type: none"> <li>• <b>41203 &amp; 41205</b> (ICD-9): 25011, 25021, 25091, 5881, 7751</li> <li>• <b>41202 &amp; 41204</b> (ICD-10): E10, E12 - E14</li> </ul>	<ul style="list-style-type: none"> <li>• <b>40001 &amp; 40002:</b> E10, E12 - E14</li> </ul>	NA

All items were considered at all three available time points.

Supplementary table 2. Descriptive statistics for cardiometabolic traits split by sex

<b>Cardiometabolic traits</b>	<b>All female participants</b> ( <i>N</i> = 32,985)	<b>All male participant</b> <sup>s</sup> ( <i>N</i> = 34,332)	<b>Female BPD cases</b> ( <i>n</i> = 2,247)	<b>Male BPD cases</b> ( <i>n</i> = 1,908)	<b>Female BPD controls</b> ( <i>n</i> = 30,738)	<b>Male BPD controls</b> ( <i>n</i> = 32,424)
<i>Continuous phenotypes: Mean (SD)</i>						
Total Cholesterol, mmol/L	5.92 (1.09)	5.55 (1.09)	5.83 (1.15)	5.47 (1.17)	5.74 (1.1)	5.74 (1.1)
LDL cholesterol, mmol/L	3.73 (0.84)	3.76 (0.81)	3.75 (0.89)	3.77 (0.91)	3.74 (0.83)	3.74 (0.82)
HDL cholesterol, mmol/L	1.66 (0.38)	1.32 (0.31)	1.55 (0.39)	1.25 (0.32)	1.49 (0.39)	1.49 (0.38)
Triglycerides, mmol/L	1.47 (0.81)	1.99 (1.17)	1.73 (1.01)	2.29 (1.39)	1.72 (1.03)	1.71 (1.03)
HbA1c, mmol/mol	35.06 (4.8)	35.47 (5.95)	35.32 (6.22)	36.46 (7.9)	35.27 (5.35)	35.19 (5.23)
Systolic Blood Pressure, mmHg <sup>a</sup>	136.25 (20.33)	143.76 (19.05)	132.82 (19.55)	141.42 (18.96)	140.36 (20.04)	140.23 (20.04)
Diastolic Blood Pressure, mmHg <sup>a</sup>	81.35 (10.74)	85.87 (10.95)	81.48 (10.99)	86.09 (11.19)	83.63 (11.03)	83.69 (11.11)
Body Mass Index, kg/cm <sup>2</sup>	25.93 (4.56)	27.15 (3.86)	27.78 (5.81)	28.51 (4.8)	26.48 (4.17)	26.41 (4.14)
Waist-to-hip ratio, cm/cm	0.80 (0.07)	0.92 (0.06)	0.83 (0.07)	0.95 (0.07)	0.86 (0.09)	0.86 (0.09)
<i>Binary phenotypes: affected cases, n (%)</i>						
Hypertension	783 (2.37)	2722 (7.93)	136 (6.05)	237 (12.42)	647 (2.10)	2485 (7.66)
Coronary artery disease	483 (1.46)	1240 (3.61)	84 (3.74)	142 (7.44)	399 (1.30)	1098 (3.39)
Stroke	309 (0.93)	646 (1.88)	53 (2.36)	74 (3.88)	256 (0.83)	572 (1.76)
Type 2 diabetes	5883 (17.84)	10314 (30.04)	396 (17.62)	562 (29.45)	5487 (17.85)	9752 (30.08)

<sup>a</sup>Diastolic and systolic blood pressure variables were adjusted for blood pressure medication (see *Methods*)

*Supplementary table 3. Bipolar disorder ICD-10 codes used in to define BPD cases*

<b>ICD-10 code</b>	<b>UKBB code</b>	<b>Diagnosis</b>
<i>F31</i>	<i>I25</i>	<i>Bipolar affective disorder</i>
F31.0	F310	Bipolar affective disorder, current episode hypomanic
F31.1	F311	Bipolar affective disorder, current episode manic without psychotic symptoms
F31.2	F312	Bipolar affective disorder, current episode manic with psychotic symptoms
F31.3	F313	Bipolar affective disorder, current episode mild or moderate depression
F31.4	F314	Bipolar affective disorder, current episode severe depression without psychotic symptoms
F31.5	F315	Bipolar affective disorder, current episode severe depression with psychotic symptoms
F31.6	F316	Bipolar affective disorder, current episode mixed
F31.7	F317	Bipolar affective disorder, currently in remission
F31.8	F318	Other bipolar affective disorders
F31.9	F319	Bipolar affective disorder, unspecified

ICD-9 diagnoses were not included as it does not define BPD as a distinct disorder. Diagnoses adapted directly from International Statistical Classification of Diseases (ICD-10; World Health Organization, 2004), as indicated on the UKB website.

*Supplementary table 4. UKB medication codes used to adjust biomarkers for medication intake*

<b>UKB item</b>	<b>Label</b>	<b>UKB code</b>
<b>6177</b>	Do you regularly take any of the following medications?	1: Cholesterol lowering medication 2: Blood pressure medication 3: Insulin
<b>20003</b>	colestipol	1140888590
	colestyramine	1140909780
	colestyramine product	1141180734
	ezetimibe	1141192736
	ezetrol 10mg tablet	1141192740
	supralib 160mg m/r tablet	1141172214

atorvastatin	1141146234
crestor 10mg tablet	1141192414
fluvastatin	1140888594
lescol 20mg capsule	1140864592
lipid lowering drug	1140861922
lipitor 10mg tablet	1141146138
lipostat 10mg tablet	1140861970
pravastatin	1140888648
rosuvastatin	1141192410
simvador 10mg tablet	1141188146
simvastatin	1140861958
zocor 10mg tablet	1140881748
ranzolont 10mg tablet	1141195196
zocor heart-pro 10mg tablet	1141200040
colestid 5g/sachet granules	1140861848
bezafibrate	1140861924
bezalip 200mg tablet	1140861926
questran 4g/sachet powder	1140861936
clofibrate	1140861944
fenofibrate	1140861954
ciprofibrate	1140862026
bezafibrate product	1141157260
lipantil micro 67mg capsule	1141162544

*Supplementary table 5.* Type 2 diabetes ICD-9 and ICD-10 codes used to define cases in this study

	<b>UKB code</b>	<b>Diagnosis</b>
<b>ICD-9 code</b>		
25000	25000	Diabetes mellitus without mention of complication (adult-onset type)
25010	25010	Diabetes with ketoacidosis (adult-onset type)
25020	25020	Diabetes with coma (adult-onset type)
25090	25090	Diabetes with unspecified complications (adult-onset type)
<b>ICD-10 code</b>		

<i>E11</i>	<i>E11</i>	<i>Non-insulin-dependent diabetes mellitus</i>
E11.0	E110	With coma
E11.1	E111	With ketoacidosis
E11.2	E112	With renal complications
E11.3	E113	With ophthalmic complications
E11.4	E114	With neurological complications
E11.5	E115	With peripheral circulatory complications
E11.6	E116	With other specified complications
E11.7	E117	With multiple complications
E11.8	E118	With unspecified complications
E11.9	E119	Without complications

*Note.* Diagnoses adopted directly from International Statistical Classification of Diseases (ICD-9, ICD-10), as indicated on the UKB website.

Supplementary table 6. Other diabetes ICD-9 and ICD-10 codes used to exclude participants from cases and controls in this study

	<b>UKB code</b>	<b>Diagnosis</b>
<b>ICD-9 code</b>		
25011	25011	Diabetes with ketoacidosis (juvenile type)
25021	25021	Diabetes with coma (juvenile type)
25091	25091	Diabetes with unspecified complications (juvenile type)
5881	5881	Nephrogenic diabetes insipidus
7751	7751	Neonatal diabetes mellitus
<b>ICD-10 code</b>		
<i>E10</i>	<i>E10</i>	<i>Insulin-dependent diabetes mellitus</i>
E10.0	E100	With coma
E10.1	E101	With ketoacidosis
E10.2	E102	With renal complications
E10.3	E103	With ophthalmic complications
E10.4	E104	With neurological complications
E10.5	E105	With peripheral circulatory complications

E10.6	E106	With other specified complications
E10.7	E107	With multiple complications
E10.8	E108	With unspecified complications
E10.9	E109	Without complications
<i>E12</i>	<i>E12</i>	<i>Malnutrition-related diabetes mellitus</i>
E12.0	E120	With coma
E12.1	E121	With ketoacidosis
E12.2	E122	With renal complications
E12.3	E123	With ophthalmic complications
E12.4	E124	With neurological complications
E12.5	E125	With peripheral circulatory complications
E12.6	E126	With other specified complications
E12.7	E127	With multiple complications
E12.8	E128	With unspecified complications
E12.9	E129	Without complications
<i>E13</i>	<i>E13</i>	<i>Other specified diabetes mellitus</i>
E13.0	E130	With coma
E13.1	E131	With ketoacidosis
E13.2	E132	With renal complications
E13.3	E133	With ophthalmic complications
E13.4	E134	With neurological complications
E13.5	E135	With peripheral circulatory complications
E13.6	E136	With other specified complications
E13.7	E137	With multiple complications
E13.8	E138	With unspecified complications
E13.9	E139	Without complications
<i>E14</i>	<i>E14</i>	<i>Unspecified diabetes mellitus</i>
E14.0	E140	With coma
E14.1	E141	With ketoacidosis
E14.2	E142	With renal complications

E14.3	E143	With ophthalmic complications
E14.4	E144	With neurological complications
E14.5	E145	With peripheral circulatory complications
E14.6	E146	With other specified complications
E14.7	E147	With multiple complications
E14.8	E148	With unspecified complications
E14.9	E149	Without complications

Diagnoses adopted directly from International Statistical Classification of Diseases (ICD-9, ICD-10), as indicated on the UKB website.

*Supplementary table 7. Coronary artery disease ICD-9 and ICD-10 codes used in this stud*

<b>UKBB code</b>		<b>Diagnosis</b>
<b>ICD-9 code</b>		
4109	4019	Acute myocardial infarction
4119	4119	Other acute and subacute forms of ischaemic heart disease
4129	4129	Old myocardial infarction
4139	4139	Angina pectoris
4140	4140	Coronary atherosclerosis
4141	4141	Aneurysm of heart
4148	4148	Other specified forms of chronic ischaemic heart disease
4149	4149	Chronic ischaemic heart disease, unspecified
<b>ICD-10 code</b>		
<i>I20</i>	<i>I20</i>	<i>Angina pectoris</i>
I20.0	I200	Unstable angina
I20.1	I201	Angina pectoris with documented spasm
I20.8	I208	Other forms of angina pectoris
I20.9	I209	Angina pectoris, unspecified
<i>I21</i>	<i>I21</i>	<i>Acute myocardial infarction</i>
I21.0	I210	Acute transmural myocardial infarction of anterior wall
I21.1	I211	Acute transmural myocardial infarction of inferior wall

I21.2	I212	Acute transmural myocardial infarction of other sites
I21.3	I213	Acute transmural myocardial infarction of unspecified site
I21.4	I214	Acute subendocardial myocardial infarction
I21.9	I219	Acute myocardial infarction, unspecified
<i>I22</i>	<i>I22</i>	<i>Subsequent myocardial infarction</i>
I22.0	I220	Subsequent myocardial infarction of anterior wall
I22.1	I221	Subsequent myocardial infarction of inferior wall
I22.8	I228	Subsequent myocardial infarction of other sites
I22.9	I229	Subsequent myocardial infarction of unspecified site
<i>I23</i>	<i>I23</i>	<i>Certain current complications following acute myocardial infarction</i>
I23.0	I230	Haemopericardium as current complication following acute myocardial infarction
I23.1	I231	Atrial septal defect as current complication following acute myocardial infarction
I23.2	I232	Ventricular septal defect as current complication following acute myocardial infarction
I23.3	I233	Rupture of cardiac wall without haemopericardium as current complication following acute myocardial infarction
I23.4	I234	Rupture of chordae tendineae as current complication following acute myocardial infarction
I23.5	I235	Rupture of papillary muscle as current complication following acute myocardial infarction
I23.6	I236	Thrombosis of atrium, auricular appendage and ventricle as current complications following acute myocardial infarction
I23.8	I238	Other current complications following acute myocardial infarction
<i>I24</i>	<i>I24</i>	<i>Other acute ischaemic heart diseases</i>
I24.0	I240	Coronary thrombosis not resulting in myocardial infarction
I24.1	I241	Dressler's syndrome
I24.8	I248	Other forms of acute ischaemic heart disease
I24.9	I249	Acute ischaemic heart disease, unspecified
<i>I25</i>	<i>I25</i>	<i>Chronic ischaemic heart disease</i>
I25.0	I250	Atherosclerotic cardiovascular disease, so described

I25.1	I251	Atherosclerotic heart disease
I25.2	I252	Old myocardial infarction
I25.3	I253	Aneurysm of heart
I25.4	I254	Coronary artery aneurysm
I25.5	I255	Ischaemic cardiomyopathy
I25.6	I256	Silent myocardial ischaemia
I25.8	I258	Other forms of chronic ischaemic heart disease
I25.9	I259	Chronic ischaemic heart disease, unspecified

---

*Note.* Diagnoses adopted directly from International Statistical Classification of Diseases (ICD-9, ICD-10), as indicated on the UKB website.

*Supplementary table 8.* Operation codes used to define coronary artery disease

---

<b>OPCS-4 code</b>	<b>UKB code</b>	<b>Diagnosis</b>
<i>K40</i>	<i>K40</i>	<i>Saphenous vein graft replacement of coronary artery</i>
K40.1	K401	Saphenous vein graft replacement of one coronary artery
K40.2	K402	Saphenous vein graft replacement of two coronary arteries
K40.3	K403	Saphenous vein graft replacement of three coronary arteries
K40.4	K404	Saphenous vein graft replacement of four or more coronary arteries
K40.8	K408	Other specified saphenous vein graft replacement of coronary artery
K40.9	K409	Unspecified saphenous vein graft replacement of coronary artery
<i>K41</i>	<i>K41</i>	<i>Other autograft replacement of coronary artery</i>
K41.1	K411	Autograft replacement of one coronary artery NEC
K41.2	K412	Autograft replacement of two coronary arteries NEC
K41.3	K413	Autograft replacement of three coronary arteries NEC
K41.4	K414	Autograft replacement of four or more coronary arteries NEC
K41.8	K418	Other specified other autograft replacement of coronary artery
K41.9	K419	Unspecified other autograft replacement of coronary artery

<i>K42</i>	<i>K42</i>	<i>Allograft replacement of coronary artery</i>
K42.1	K421	Allograft replacement of one coronary artery
K42.2	K422	Allograft replacement of two coronary arteries
K42.3	K423	Allograft replacement of three coronary arteries
K42.4	K424	Allograft replacement of four or more coronary arteries
K42.8	K428	Other specified allograft replacement of coronary artery
K42.9	K429	Unspecified allograft replacement of coronary artery
<i>K43</i>	<i>K43</i>	<i>Prosthetic replacement of coronary artery</i>
K43.1	K431	Prosthetic replacement of one coronary artery
K43.2	K432	Prosthetic replacement of two coronary arteries
K43.3	K433	Prosthetic replacement of three coronary arteries
K43.4	K434	Prosthetic replacement of four or more coronary arteries
K43.8	K438	Other specified prosthetic replacement of coronary artery
K43.9	K439	Unspecified prosthetic replacement of coronary artery
K44	K44	Other replacement of coronary artery
K44.1	K441	Replacement of coronary arteries using multiple methods
K44.2	K442	Revision of replacement of coronary artery
K44.8	K448	Other specified other replacement of coronary artery
K44.9	K449	Unspecified other replacement of coronary artery
<i>K45</i>	<i>K45</i>	<i>Connection of thoracic artery to coronary artery</i>
K45.1	K451	Double anastomosis of mammary arteries to coronary arteries
K45.2	K452	Double anastomosis of thoracic arteries to coronary arteries NEC
K45.3	K453	Anastomosis of mammary artery to left anterior descending coronary artery
K45.4	K454	Anastomosis of mammary artery to coronary artery NEC
K45.5	K455	Anastomosis of thoracic artery to coronary artery NEC
K45.6	K456	Revision of connection of thoracic artery to coronary artery
K45.8	K458	Other specified connection of thoracic artery to coronary artery
K45.9	K459	Unspecified connection of thoracic artery to coronary artery
<i>K46</i>	<i>K46</i>	<i>Other bypass of coronary artery</i>
K46.1	K461	Double implantation of mammary arteries into heart

K46.2	K462	Double implantation of thoracic arteries into heart NEC
K46.3	K463	Implantation of mammary artery into heart NEC
K46.4	K464	Implantation of thoracic artery into heart NEC
K46.5	K465	Revision of implantation of thoracic artery into heart
K46.8	K468	Other specified other bypass of coronary artery
K46.9	K469	Unspecified other bypass of coronary artery
<i>K50</i>	<i>K50</i>	<i>Other therapeutic transluminal operations on coronary artery</i>
K50.1	K501	Percutaneous transluminal laser coronary angioplasty
K75	K75	Percutaneous transluminal balloon angioplasty and insertion of stent into coronary artery
K75.1	K751	Percutaneous transluminal balloon angioplasty and insertion of 1-2 drug-eluting stents into coronary artery
K75.2	K752	Percutaneous transluminal balloon angioplasty and insertion of 3 or more drug-eluting stents into coronary artery
K75.3	K753	Percutaneous transluminal balloon angioplasty and insertion of 1-2 stents into coronary artery
K75.4	K754	Percutaneous transluminal balloon angioplasty and insertion of 3 or more stents into coronary artery NEC
K75.8	K758	Other specified percutaneous transluminal balloon angioplasty and insertion of stent into coronary artery
K75.9	K759	Unspecified percutaneous transluminal balloon angioplasty and insertion of stent into coronary artery

---

Surgery procedures adopted according to the Office of Population Censuses and Surveys Classification of Interventions and Procedures, version 4 (OPCS-4), directly from the UKB website.

*Supplementary table 9.* Availability of GWAS summary statistics used to create polygenic risk scores and calculate genetic correlations.

<b>Trait</b>	<b>Consortium</b>	<b>Availability of the summary statistics/ download link</b>
Bipolar disorder (Stahl et al., 2019)	PGC	<a href="https://www.med.unc.edu/pgc/results-and-downloads/">https://www.med.unc.edu/pgc/results-and-downloads/</a>
Systolic blood pressure (Evangelou et al., 2018)	ICBP <sup>a</sup>	Requested from authors
Diastolic blood pressure (Evangelou et al., 2018)	ICBP <sup>a</sup>	Requested from authors

Body mass index (Locke et al., 2015)	GIANT	<a href="https://portals.broadinstitute.org/collaboration/giant/index.php/GIANT_consortium_data_files">https://portals.broadinstitute.org/collaboration/giant/index.php/GIANT_consortium_data_files</a>
Body mass index (Yengo et al., 2018)	GIANT <sup>b</sup>	<a href="https://portals.broadinstitute.org/collaboration/giant/index.php/GIANT_consortium_data_files">https://portals.broadinstitute.org/collaboration/giant/index.php/GIANT_consortium_data_files</a>
Waist-to-hip ratio (Shungin et al., 2015)	GIANT	<a href="http://portals.broadinstitute.org/collaboration/giant/images/5/54/GIANT_2015_WHR_COMBINED_EUR.txt.gz">http://portals.broadinstitute.org/collaboration/giant/images/5/54/GIANT_2015_WHR_COMBINED_EUR.txt.gz</a>
Waist-to-hip ratio adjusted for BMI (Shungin et al., 2015)	GIANT	<a href="http://portals.broadinstitute.org/collaboration/giant/images/e/eb/GIANT_2015_WHRadjBMI_COMBINED_EUR.txt.gz">http://portals.broadinstitute.org/collaboration/giant/images/e/eb/GIANT_2015_WHRadjBMI_COMBINED_EUR.txt.gz</a>
HbA1c (Wheeler et al., 2017)	MAGIC	<a href="ftp://ftp.sanger.ac.uk/pub/magic/HbA1c_METAL_European.txt.gz">ftp://ftp.sanger.ac.uk/pub/magic/HbA1c_METAL_European.txt.gz</a>
Total Cholesterol (Willer et al., 2013)	GLGC	<a href="http://csg.sph.umich.edu/willer/public/lipids2013/">http://csg.sph.umich.edu/willer/public/lipids2013/</a>
Triglycerides (Willer et al., 2013)	GLGC	<a href="http://csg.sph.umich.edu/willer/public/lipids2013/">http://csg.sph.umich.edu/willer/public/lipids2013/</a>
High-density lipoprotein cholesterol (Willer et al., 2013)	GLGC	<a href="http://csg.sph.umich.edu/willer/public/lipids2013/">http://csg.sph.umich.edu/willer/public/lipids2013/</a>
Coronary artery disease (Nikpay et al., 2015)	CARDIoGRAM	<a href="http://www.cardiogramplusc4d.org/data-downloads/">http://www.cardiogramplusc4d.org/data-downloads/</a>
Stroke (Malik et al., 2018)	MEGASTROKE	<a href="http://www.megastroke.org">http://www.megastroke.org</a>
Diabetes type 2 (Scott, R. A. et al., 2017)	DIAGRAM	<a href="http://diagram-consortium.org/downloads.html">http://diagram-consortium.org/downloads.html</a>

---

<sup>a</sup> The blood pressure GWAS summary statistics contained the UKB study. This version was used for genetic correlations in this study. ICBP only summary statistics (excluding UKB) were used to create PRS to avoid overfitting. <sup>b</sup> The BMI (Yengo et al., 2018) GWAS summary statistics, which we used to calculate genetic correlations, were discovered in the UKB which is why we used summary statistics from (Locke et al., 2015) for PRS calculation.