

# Data extraction form

Data collection form adapted from the Cochrane Developmental, Psychosocial and Learning Problems DEF for intervention reviews of RCTs and non-RCTs.

## Review Information

Review title or ID	
First author & Year	
Study ID	
Notes	

## General Information

Date form completed ( <i>dd/mm/yyyy</i> )	
Name/ID of person extracting data	
Reference citation	
Study author contact details ( <i>name, email</i> )	
Publication type ( <i>e.g. full report, abstract, letter</i> )	
Notes:	

## Study eligibility

Study Characteristics	Eligibility criteria <i>(Insert inclusion criteria for each characteristic as defined in the Protocol)</i>	Eligibility criteria met?			Location in text or source ( <i>pg &amp; ¶/fig/table/other</i> )
		Yes	No	Unclear	
Type of study	Randomised Controlled Trial	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Quasi-randomised Controlled Trial	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Non-randomized controlled trial				
	Controlled Before and After Study (Intervention Cohort study with a control group)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Cohort study with single group				
	Cross-sectional study	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Other design (specify):	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Participants	Age (10-40 years)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Activity level: recreationally or more active	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Sports Orthopedic Research Center – Copenhagen: Review on the effect of Nordic Hamstring interventions on performance

Types of intervention	Studies prescribing the Nordic Hamstring Exercise in any dose exceeding a minimum of 1 set of 3 repetitions per week in volume for a minimum of 3 weeks will be considered	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
Types of outcome measures	<b>Sprint times</b> measured by sensor-based systems, such as laser-sensors, radar-gun or force-plates  Repeated sprint  Agility / Change of direction  Jump performance  Soreness	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
INCLUDE <input type="checkbox"/>		EXCLUDE <input type="checkbox"/>	
Reason for exclusion			
Independently assessed, and then compared? Yes <input type="checkbox"/> No <input type="checkbox"/>			
Differences resolved Yes <input type="checkbox"/> No <input type="checkbox"/>			
Request further details? Yes <input type="checkbox"/> No <input type="checkbox"/>			
Contact details of authors:			
Notes:			

## Characteristics of included studies

### Methods

	Descriptions as stated in report/paper	Location in text
<b>Primary Aim of study</b> <i>(e.g. efficacy, equivalence, pragmatic)</i>		

Sports Orthopedic Research Center – Copenhagen: Review on the effect of Nordic Hamstring interventions on performance

<b>Aim of intervention</b>			
<b>Secondary aim</b>			
<b>Design</b> (e.g. parallel, crossover, non-RCT)			
<b>Unit of allocation</b> (by individuals, cluster/ groups or body parts)			
<b>Start date</b>			
<b>End date</b>			
<b>Duration of participation</b> (from recruitment to last follow-up)			
<b>Ethical approval needed/ obtained for study</b>	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Unclear
<b>Sources of support</b>	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Unclear
<b>Funding reported</b>	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Unclear
<b>Pre-registration or protocol available</b>	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Unclear
<b>Conclusions:</b>			
<b>Primary aim:</b>			
<b>Secondary aim:</b>			
<b>Notes &amp; general comments:</b>			

Participants

	<b>Description</b> <i>Include comparative information for each intervention or comparison group if available</i>	<b>Location in text or source</b> (pg & ¶/fig/table/other)
<b>Population description</b> <i>(from which study participants are drawn)</i>		
<b>Setting</b> (including location and social context)		
<b>Sport</b>		
<b>Sports participation level</b>		
<b>Inclusion criteria</b>		
<b>Exclusion criteria</b>		
<b>Method of recruitment of participants</b> (e.g. phone, mail, clinic patients)		
<b>Recruitment period</b>		
<b>Informed consent obtained</b>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unclear	

<b>Flow of participants</b>			
	<b>Groups</b>		<b>Reasons / Details / Notes</b>
	<b>Intervention</b>	<b>Control</b>	
<b>Invited to participate</b>			
<b>Declined to participate</b>			
<b>Excluded</b>			
<b>Randomized</b>			

Sports Orthopedic Research Center – Copenhagen: Review on the effect of Nordic Hamstring interventions on performance

<b>Dropouts</b>			
<b>Completed</b>			
<b>Analyzed</b>			

Baseline characteristics				
Variables	Total n:	Intervention n:	Control n:	Between group difference (statistically significant)
Age, mean (sd)				<input type="checkbox"/> Yes <input type="checkbox"/> No
Gender, M/F, %				<input type="checkbox"/> Yes <input type="checkbox"/> No
Weight, Kg/lb, mean (sd)				<input type="checkbox"/> Yes <input type="checkbox"/> No
Height, cm, mean (sd)				<input type="checkbox"/> Yes <input type="checkbox"/> No
BMI, mean (SD)				<input type="checkbox"/> Yes <input type="checkbox"/> No
Other				<input type="checkbox"/> Yes <input type="checkbox"/> No

Interventions

Group	Nordic Hamstring Group		Comparator Group	
	Description as stated in report/paper	Location in text	Description as stated in report/paper	Location in text
No. in group				
Description of intervention as stated				
Isolated NH / Other				
Duration of treatment period				
Session duration				
Familiarization				
Supervision & Providers				

Sports Orthopedic Research Center – Copenhagen: Review on the effect of Nordic Hamstring interventions on performance

Frequency				
Rest between sessions				
Progression				
Sets				
Rest between sets				
Repetitions				
Least weekly reps				
Most weekly reps				
Mean weekly rep				
Load, Kg or %				
Tempo				
Co-interventions				
Compliance	Pre-defined compliance in the study? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Compliance description				
Compliance: Number of NH performed				
Compliance: Proportion of reps performed (%)				
Sport exposure, yes/no				
Total exposure				
Training exposure				
Match exposure				
Notes:				

Data collection and analyses methodology

	Description as stated in report/paper	Location in text																		
<b>Outcomes measured:</b> (list all measured outcomes)																				
<b>Time points measured:</b>																				
<b>Time points reported</b>																				
<b>Time from intervention to data collection:</b>	<input type="checkbox"/> Within $\leq 120$ minutes, <input type="checkbox"/> After $\geq 120$ minutes <input type="checkbox"/> Within $\leq 4$ weeks, <input type="checkbox"/> After $\geq 4$ weeks.																			
<b>Time from last training session to follow-up</b>																				
<b>Pre-test familiarization</b>																				
<b>Pre-test warm-Up</b>																				
<b>Outcome assessor</b>																				
<b>Statistical power calculation</b>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unclear																			
<b>Analyses</b>	<table border="0"> <tr> <td colspan="3"><b>Intention to treat</b></td> <td colspan="3"><b>Per protocol</b></td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Yes</td> <td>No</td> <td>Unclear</td> <td>Yes</td> <td>No</td> <td>Unclear</td> </tr> </table>	<b>Intention to treat</b>			<b>Per protocol</b>			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Yes	No	Unclear	Yes	No	Unclear	
<b>Intention to treat</b>			<b>Per protocol</b>																	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>															
Yes	No	Unclear	Yes	No	Unclear															

Sports Orthopedic Research Center – Copenhagen: Review on the effect of Nordic Hamstring interventions on performance

Notes:

Outcomes

Copy and paste for each relevant outcome.

	Description as stated in report/paper	Location in text
<b>Outcome</b>	Sprint testing	
<b>Unit of measurement</b>	Seconds	
<b>Measurement tool</b>		
<b>Test familiarization</b>		
<b>Test warm-Up</b>		
<b>Test procedure</b>		
<b>Data used for analyses</b>		
<b>Description of measurement precision?</b>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unclear	
<b>ICC values</b>		
<b>CV values</b>		
<b>Other measurement properties</b>		
<b>Imputation of missing data (e.g. assumptions made for ITT analysis)</b>		

Notes:



Results – Data for analyses

Copy table for relevant outcomes. Primary and secondary outcomes suggested.

Acceleration

	Description as stated in report/paper						Location in text
Outcome	Sprint < 20 meters (5m, 10m, 15m)						
Pre-intervention	Nordic Hamstring			Comparison			
	Mean	SD/SE	N	Mean	SD/SE	N	
Post-intervention Timepoint:	Nordic Hamstring			Comparison			
	Mean	SD/SE	n	Mean	SD/SE	N	
Change from baseline	Nordic Hamstring			Comparison			
Between group differences	Mean		SD/SE		n		
N missing							
Reasons missing							
Cross-overs							
Units of analysis							
Statistical methods used							

Maximal velocity

	Description as stated in report/paper						Location in text
Outcome	Sprint ≥ 20 meters (20m, 30m, 40m)						
Pre-intervention	Nordic Hamstring			Comparison			
	Mean	SD/SE	N	Mean	SD/SE	N	
Post-intervention Timepoint:	Nordic Hamstring			Comparison			
	Mean	SD/SE	n	Mean	SD/SE	N	
Change from baseline	Nordic Hamstring			Comparison			

Sports Orthopedic Research Center – Copenhagen: Review on the effect of Nordic Hamstring interventions on performance

Between group differences	Mean	SD/SE	n	
No missing				
Reasons missing				
Cross-overs				
Units of analysis				
Statistical methods used				

Repeated sprint ability

	Description as stated in report/paper						Location in text
Outcome	Repeated sprint ability (distance, set, reps, rest-period)						
Pre-intervention	Nordic Hamstring			Comparison			
	Mean	SD/SE	N	Mean	SD/SE	N	
Post-intervention Timepoint:	Nordic Hamstring			Comparison			
	Mean	SD/SE	n	Mean	SD/SE	N	
Change from baseline	Nordic Hamstring			Comparison			
Between group differences	Mean		SD/SE		n		
No missing							
Reasons missing							
Cross-overs							
Units of analysis							
Statistical methods used							

Change of direction

	Description as stated in report/paper		Location in text
Outcome	Agility		
	Nordic Hamstring	Comparison	

Sports Orthopedic Research Center – Copenhagen: Review on the effect of Nordic Hamstring interventions on performance

Pre-intervention	Mean	SD/SE	N	Mean	SD/SE	N	
Post-intervention Timepoint:	Nordic Hamstring			Comparison			
	Mean	SD/SE	n	Mean	SD/SE	N	
Change from baseline	Nordic Hamstring			Comparison			
Between group differences	Mean		SD/SE		n		
No missing							
Reasons missing							
Cross-overs							
Units of analysis							
Statistical methods used							

Jump performance

If more than one jump performance outcome, copy table and repeat for second jump measure.

	Description as stated in report/paper						Location in text
Outcome	CMJ / SJ / VJ / Other						
Pre-intervention	Nordic Hamstring			Comparison			
	Mean	SD/SE	N	Mean	SD/SE	N	
Post-intervention Timepoint:	Nordic Hamstring			Comparison			
	Mean	SD/SE	n	Mean	SD/SE	N	
Change from baseline	Nordic Hamstring			Comparison			
Between group differences	Mean		SD/SE		n		
No missing							
Reasons missing							

Sports Orthopedic Research Center – Copenhagen: Review on the effect of Nordic Hamstring interventions on performance

Cross-overs		
Units of analysis		
Statistical methods used		

Soreness due to intervention

	Description as stated in report/paper						Location in text
Outcome	Soreness / DOMS						
Pre-intervention	Nordic Hamstring			Comparison			
	Mean	SD/SE	N	Mean	SD/SE	N	
Post-intervention Timepoint:	Nordic Hamstring			Comparison			
	Mean	SD/SE	n	Mean	SD/SE	N	
Change from baseline	Nordic Hamstring			Comparison			
Between group differences	Mean		SD/SE		n		
No missing							
Reasons missing							
Cross-overs							
Units of analysis							
Statistical methods used							

Adverse events

Adverse events reported in relation to performing NH program or comparator.

	Description as stated in report/paper		Location in text
Registered adverse events	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unclear		
Total adverse events	NH group:	Comparison group:	
Types of adverse events			