

**SUPPLEMENTAL MATERIAL**

**Table S1. Description of cases of pregnant women with a diagnose of COVID-19.**

Case	Reference	Data collection period	Age	Pregnancy complications	Type of delivery	C-section indication	Gestational age at birth	Pregnancy outcome	Admission to Intensive Care Unit	Birth Weight (g)	Apgar (1,5 min)	Neonatal complications	Intrauterine/ Neonatal Samples collected	Intrauterine/ Neonatal SARS-CoV-2 infection	Neonatal death
1	Chen et al. <sup>5</sup>	20 - 25 Jan, 2020	33	Influenza	Cesarean	Severely elevated ALT or AST; COVID-19 pneumonia	37 <sup>+2</sup>	Live birth	NI (no need of mechanical ventilation)	2870	(8,9)	Mild increase in myocardial enzymes on the day of birth and creatine kinase-myocardial band, but without any clinical symptoms	Not tested	Not tested	No
2	Chen et al. <sup>5</sup>		27	None	Cesarean	COVID-19 pneumonia	38 <sup>+3</sup>	Live birth	NI (no need of mechanical ventilation)	3730	(9,10)	None	Amniotic fluid, cord blood, breast milk, and newborn's throat swab samples	Negative	No
3	Chen et al. <sup>5</sup>		40	Gestational hypertension	Cesarean	Two previous cesareans; COVID-19 pneumonia	36 <sup>+0</sup>	Live birth	NI (no need of mechanical ventilation)	3820	(9,10)	None	Not tested	Not tested	No

4	Chen et al. 5		26	Pre-eclampsia	Cesarean	Preeclampsia; Fetal distress; COVID-19 pneumonia	36 <sup>+2</sup>	Live birth	NI (no need of mechanical ventilation)	1880	(8,9)	SGA	Amniotic fluid, cord blood, breast milk, and newborn's throat swab samples	Negative	No
5	Chen et al. 5		26	Fetal distress	Cesarean	Fetal distress; COVID-19 pneumonia	38 <sup>+1</sup>	Live birth	NI (no need of mechanical ventilation)	2970	(9,10)	None	Amniotic fluid, cord blood, breast milk, and newborn's throat swab samples	Negative	No
6	Chen et al. 5		26	None	Cesarean	Two previous stillbirths; COVID-19 pneumonia	36 <sup>+3</sup>	Live birth	NI (no need of mechanical ventilation)	3040	(9,10)	None	Amniotic fluid, cord blood, breast milk, and newborn's throat swab samples	Negative	No
7	Chen et al. 5		29	PROM	Cesarean	PROM; COVID-19 pneumonia	36 <sup>+2</sup>	Live birth	NI (no need of mechanical ventilation)	2460	(9,10)	None	Not tested	Not tested	No
8	Chen et al. 5		28	Fetal distress	Cesarean	Fetal distress; COVID-19 pneumonia	38 <sup>+0</sup>	Live birth	NI (no need of mechanical ventilation)	2800	(9,10)	None	Amniotic fluid, cord blood, breast milk, and newborn's throat swab samples	Negative	No
9	Chen et al. 5		34	PROM	Cesarean	PROM; COVID-19 pneumonia	39 <sup>+4</sup>	Live birth	NI (no need of mechanical ventilation)	3530	(8,10)	None	Amniotic fluid, cord blood, breast milk, and newborn's throat swab samples	Negative	No

<b>10</b>	Zhu et al. 18, Luo et al. 62	20 Jan - 5 Feb, 2020	25	Fetal distress, oligohydra mnios	Cesarean	NI	38 <sup>+4</sup>	Live birth	NI	2450	(9,10)	SGA, vomiting, feeding intolerance and mild bloating	Placenta, newborn's throat swab sample (day 3 after birth)	Negative	No
<b>11</b>	Zhu et al. 18, Luo et al. 62		35	Scarred uterus, PROM	Cesarean	NI	33 <sup>+6</sup>	Live birth	NI	2050	(9,10)	Shortness of breath	Placenta, newborn's throat swab sample (day 1 after birth)	Negative	No
<b>12</b>	Zhu et al. 18, Luo et al. 62		35	Fetal distress, PROM	Vaginal	NA	34 <sup>+2</sup>	Live birth	NI	2350	(8,10)	Shortness of breath	Placenta, newborn's throat swab sample (day 1 after birth)	Negative	No
<b>13</b>	Zhu et al. 18, Luo et al. 62		30	Fetal distress, vaginal bleeding in the third trimester	Cesarean	NI	34 <sup>+5</sup>	Live birth	NI	2200	(8,8)	Increased heart rate, refractory shock, gastric bleeding, multiple organ failure and disseminated intravascular coagulation	Placenta, newborn's throat swab sample (day 9 after birth)	Negative	Yes
<b>14</b>	Zhu et al. 18, Luo et al. 62		30	Cholecystiti s and fever	Cesarean	NI	39 <sup>+0</sup>	Live birth	NI	3030	(8,9)	Diffusely scattered rashes throughout the body, edema and facial skin lesions	Placenta	Negative	No

<b>15</b>	Zhu et al. <sup>18,</sup> Luo et al. <sup>62</sup>		30	Fetal distress, placenta previa, Polyhydramnios	Cesarean	NI	37 <sup>+0</sup>	Live birth	NI	3800	(7,8)	LGA	Placenta, newborn's throat swab sample (day 1 after birth)	Negative	In hospital
<b>16</b>	Zhu et al. <sup>18,</sup> Luo et al. <sup>62</sup>		30	Fetal distress	Cesarean	NI	34 <sup>+6</sup>	Live birth	NI	2300	(9,10)	Shortness of breath, fever, gastrointestinal hemorrhage, disseminated intravascular coagulation	Placenta, newborn's throat swab sample (day 7 after birth)	Negative	No
<b>17</b>	Zhu et al. <sup>18,</sup> Luo et al. <sup>62</sup>		29	Twin pregnancy, fetal distress, PROM	Vaginal	NA	31 <sup>+0</sup>	Live birth (n=2)	NI	1520/ 1720	(9,10), (9,10)	Shortness of breath, cyanosis	Placenta, newborn's throat swab sample (day 1 after birth)	Negative	In hospital
<b>18</b>	Zhu et al. <sup>18,</sup> Luo et al. <sup>62</sup>		34	None	Cesarean	NI	39 <sup>+0</sup>	Live birth	NI	2810	(10,10)	SGA, moaning, shortness of breath, cyanosis, fever, tachypnoea, cyanosis, fever and refusing milk	Placenta, newborn's throat swab sample (day 1 after birth)	Negative	In hospital
<b>19</b>	Yu et al. <sup>24,</sup> Liu et al. <sup>25,</sup> Luo et al. <sup>62,</sup> Wang et al. <sup>21</sup>	1 Jan - 8 Feb, 2020	34	Hypothyroidism	Cesarean	NI	39 <sup>+6</sup>	Live birth	No	3250	(8-9, 9-10)	Mild shortness of breath symptoms. mild pulmonary infection on Chest x-ray	Placenta, cord blood, breast milk, newborn's throat swab (36h after birth) and two weeks after birth	Positive (neonatal throat swab 36 h after birth) and negatives (two weeks after birth)	No

20	Yu et al. <sup>24</sup> ; Luo et al. <sup>62</sup>		30	Polycystic ovary syndrome	Cesarean	NI	38 <sup>+5</sup>	Live birth	No	3350	(8-9, 9-10)	None	Not tested	Not tested	Neonatal throat swab
21	Yu et al. <sup>24</sup> , Liu et al. <sup>25</sup> , Luo et al. <sup>62</sup>		31	None	Cesarean	NI	41 <sup>+2</sup>	Live birth	No	3200	(8-9, 9-10)	None	Newborn's throat swab	Negative	Neonatal throat swab
22	Yu et al. <sup>24</sup> ; Luo et al. <sup>62</sup>		33	Uterine scar	Cesarean	NI	37 <sup>+0</sup>	Live birth	No	3000	(8-9, 9-10)	None	Not tested	Not tested	Neonatal throat swab
23	Yu et al. <sup>24</sup> , Luo et al. <sup>62</sup>		29	None	Cesarean	NI	40 <sup>+4</sup>	Live birth	No	3500	(8-9, 9-10)	None	Not tested	Not tested	Neonatal throat swab
24	Yu et al. <sup>24</sup> , Luo et al. <sup>62</sup>		34	Uterine scar	Cesarean	NI	38 <sup>+2</sup>	Live birth	No	3300	(8-9, 9-10)	None	Not tested	Not tested	Neonatal throat swab
25	Yu et al. <sup>24</sup> , Liu et al. <sup>25</sup> , Luo et al. <sup>62</sup>		34	Uterine scar	Cesarean	NI	38 <sup>+4</sup>	Live birth	No	3250	(8-9, 9-10)	None	Newborn's throat swab	Negative	No
26	Zeng et al. <sup>29</sup>	Jan - Feb, 2020	NI	None	Cesarean	Meconium-stained amniotic fluid and confirmed COVID-19 pneumonia	40 <sup>+0</sup>	Live birth	No	3250	SI	Lethargy, Fever. Radiologic diagnosis of pneumonia	Newborn's nasopharyngeal and anal swab (day 2, 4 and 6 after birth)	Positive on day 2 and 4 and negative on day 6	No

27	Zeng et al. 29		NI	None	Cesarean	COVID-19 Pneumonia	40 <sup>+4</sup>	Live birth	No	3360	SI	Lethargy, vomiting, and fever. Radiologic diagnosis of pneumonia	Newborn's nasopharyngeal and anal swab (day 2, 4 and 6 after birth)	Positive on day 2 and 4 and negative on day 6	No
28	Zeng et al. 29		NI	PROM	Cesarean	Fetal distress, COVID-19 pneumonia	31 <sup>+2</sup>	Live birth	No	1580	(3,4)	Asphyxia, Pneumonia, Respiratory distress syndrome, shortness of breath, cyanosis. Mechanical ventilation	Newborn's nasopharyngeal and anal swab (day 2, 4 and 7 after birth)	Positive on day 2 and 4 and negative on day 7	No
29-58 (n=30 cases)	Zeng et al. 29		NI	None	Vaginal (n=7); Cesarean (n=23)	NI	3 Preterm births	Live birth	No	SGA (n=2)	NI	Asphyxia (n=1); Respiratory distress syndrome (n=3); shortness of breath (n=3); cyanosis (n=2); feeding intolerance (n=2)	NI	Negatives (n=30)	No
59-75 (n=17 cases)	Chen et al. 33, Zhang et al. 30	30 Jan - 23 Feb, 2020	Epidural anesthesia: n=14 (mean 29,5); general anesthesia: n=3 (mean 28,7)	Anemia (n=5); gestational hypertension (n=1); gestational diabetes (n=2)	Cesarean (n=17)	Fetal distress (n=3); COVID-19 (n=14)	Preterm births (n=3); Term births (n=14)	Live birth	NI	Normal weight (n=17)	(7-9, 9-10)	SI	Newborn's oral swabs (n=17) on day 1 after birth and one day before discharge.	Negative (n=17)	No
76	Liu et al. 31	8 Dez, 2019 - 5 Feb, 2020	28	None	Pregnant (GA 25 <sup>+0</sup> )	NA	NA	NA	No	NA	NA	NA	NA	NA	No
77	Liu et al. 31		24	None	Pregnant (GA 27 <sup>+0</sup> )	NA	NA	NA	NA	No	NA	NA	NA	NA	NA

<b>78</b>	Liu et al. 31		33	None	Cesarean	NI	Preterm birth	Live birth	No	NI	10	NI	NI	Negative	No
<b>79</b>	Liu et al. 31		29	None	Pregnant (GA 33 <sup>+0</sup> )	NA	NA	NA	No	NA	NA	NA	NA	NA	No
<b>80</b>	Liu et al. 31		35	PROM	Cesarean	NI	Preterm birth (GA at hospital admission 34 <sup>+0</sup> )	Live birth	No	NI	10	NI	NI	Negative	No
<b>81</b>	Liu et al. <sup>31</sup> ; Zhan et al. 63		31	Fetal death	Cesarean	NI	35 <sup>+2</sup>	Stillbirth	Yes (with mechanical ventilation)	NI	0	Intrauterine asphyxia	NI	Negative	No
<b>82</b>	Liu et al. 31		30	Fetal distress	Cesarean	NI	Preterm birth (GA at hospital admission 35 <sup>+0</sup> )	Live birth	No	NI	10	NI	NI	Negative	No
<b>83</b>	Liu et al. 31		36	None	Cesarean	NI	Preterm birth (GA at hospital admission 32 <sup>+5</sup> )	Live birth	No	NI	10	NI	NI	Negative	No
<b>84</b>	Liu et al. 31		26	None	Cesarean	NI	Preterm birth (GA at hospital admission 36 <sup>+0</sup> )	Live birth	No	NI	10	NI	NI	Negative	No
<b>85</b>	Liu et al. 31		32	Fetal distress	Cesarean	NI	Preterm birth (GA at hospital admission 36 <sup>+4</sup> )	Live birth	No	NI	10	NI	NI	Negative	No
<b>86</b>	Liu et al. 31		30	Fetal distress	Cesarean	NI	GA at hospital admission 37 <sup>+0</sup>	Live birth	No	NI	10	NI	NI	Negative	No

<b>87</b>	Liu et al. 31		22	None	Cesarean	SI	GA at hospital admission 38 <sup>+0</sup>	Live birth	No	NI	10	NI	NI	Negative	No
<b>88</b>	Liu et al. 31		30	None	Cesarean	SI	GA at hospital admission 38 <sup>+3</sup>	Live birth	No	NI	10	NI	NI	Negative	No
<b>89</b>	Li et al. <sup>20</sup>	6 Feb, 2020	30	NI	Cesarean	Fetal distress	35 <sup>+0</sup>	Live birth	No	NI	NI	NI	Placenta, amniotic fluid, cord blood, breast milk. Newborn's oropharyngeal swab at birth; oropharyngeal swab, blood, feces and urine samples until 2 days after birth (7 different times)	Negative	No
<b>90</b>	Xia et al. <sup>35</sup>	20 Jan, 2020	27	Reduced fetal movement, little amniotic fluid, possible intrauterine distress	Cesarean	Possible fetal distress and woman's clinical condition (COVID-19 pneumonia)	37 <sup>+2</sup>	Live birth	NI	3100	(9,10)	NI	Newborn's oropharyngeal swab (day 3 and 5 after birth)	Negative	No
<b>91</b>	Wen et al. 64	21 Jan, 2020	31	None	Pregnant (30 <sup>+0</sup> weeks)	NA	NA	NA	No	NA	NA	NA	NA	NA	NA

92	Fan et al. 22	30 Jan, 2020	29	None	Cesarean	Persistent fever	36 <sup>+5</sup>	Live birth	NI	2890	(9,10)	Mild neonatal pneumonia and lymphopenia	Placenta, cord blood, vaginal swab, amniotic fluid, breast milk. Newborn's nasopharyngeal swabs at birth	Negative	No
93	Fan et al. 22	31 Jan, 2020	34	None	Cesarean	NI	37 <sup>+0</sup>	Live birth	NI	3400	(9,10)	Low-grade fever and abdominal distension with lymphopenia on day 3. Lung infection.	Placenta, cord blood, vaginal swab, amniotic fluid, breast milk. Newborn's nasopharyngeal swabs at birth	Negative	No
94	Chen et al. 32	23 - 27 Jan, 2020	29	Gestational diabetes	Vaginal	NA	40 <sup>+4</sup>	Live birth	No	3235	(10,10)	None	Newborn's oral swab	Negative	No
95	Chen et al. 32		30	Pre-eclampsia	Cesarean	Fetal tachycardia	39 <sup>+1</sup>	Live birth	No	3800	(10,10)	None	Newborn's oral swab	Negative	No
96	Chen et al. 32		25	None	Vaginal	NA	38 <sup>+6</sup>	Live birth	No	3670	(10,10)	None	Newborn's oral swab	Negative	No
97	Chen et al. 32		31	None	Vaginal	NA	39 <sup>+6</sup>	Live birth	No	3700	(10,10)	None	Newborn's oral swab	Negative	No
98	Chen et al. 32		29	Gestational diabetes	Cesarean	Diabetes gestational	39 <sup>+0</sup>	Live birth	No	4050	(10,10)	None	Newborn's oral swab	Negative	No

<b>99</b>	Wang et al. 19	2 Feb, 2020	28	Fetal distress	Cesarean	Fetal distress	30 <sup>+0</sup>	Live birth	Yes	1830	(9,10)	None	Placenta, amniotic fluid, cord blood, gastric juice at birth. Newborn's throat swab at birth and on days 3, 7 and 9 after birth. Newborn's stool on day 3 after birth.	Negative	No
<b>100</b>	Liao et al. 23	11 Feb, 2020	25	Fetal distress	Cesarean	Fetal distress	35 <sup>+3</sup>	Live birth	No	NI	NI	NI	Placenta, amniotic fluid, cord blood, neonatal serum, neonatal throat swab and neonatal anal swab	Negative	NI
<b>101-141 (n=41)</b>	Liu et al. 34	27 Jan- 14 Feb, 2020	Median:30 (22- 42)	Gestational diabetes (n=4); gestational hypertension (n=3); hepatitis B infection (n=1)	Pregnant (n=22); deliveries (n=19), type of birth not informed	NI	22 <sup>+0</sup> - 40 <sup>+5</sup>	Live births	No	NI	NI	None	NI	Negative (n=19)	No
<b>142-147 (n=6)</b>	Zeng et al. 27	16 Feb - 6 Mar, 2020	SI	NI	Cesarean (n=6)	NI	NI	Live births	NI	SI	(8-9, 9-10)	NI	Neonatal blood and throat swab.	Negative RT-PCR test results in blood and throat swab (n=6); High IgG and IgM	NI

														concentrations (n=2); High IgG and normal IgM (n=3)	
148	Dong et al. 28	22 Feb, 2020	29	NI	Cesarean	SI	37 <sup>+6</sup>	Live birth	NI	3120	(9,10)	NI	Oral and vaginal swab, the mother's blood, breast milk. Newborn's oral swab and blood	Negative RT-PCR (breast milk; nasopharyngeal swabs in 5 samples collected between 2h after birth to day 16 after birth). Elevated levels of SARS-CoV-2 IgM and IgG (day of birth and day 15 after birth)	No
149	Chen et al. 26	29 Jan, 2020	23	Placenta previa	Cesarean	Placenta previa	37 <sup>+4</sup>	Live birth	No	NI	NI	None	Placenta, newborn's throat swab	Negative	No
150	Chen et al. 26	22 Jan, 2020	34	Cholecystitis; placental abruption	Cesarean	Cholecystitis; placental abruption	39 <sup>+0</sup>	Live birth	No	NI	NI	None	Placenta, newborn's throat swab	Negative	No
151	Chen et al. 26	4 Feb, 2020	32	Placenta previa	Cesarean	Placenta previa	35 <sup>+0</sup>	Live birth	No	Low birth weight	NI	None	Placenta, newborn's throat swab	Negative	No

152	Lee et al. 13	6 Mar, 2020	28	None	Cesarean	Cephalopelvic disproportion	37 <sup>+6</sup>	Live birth	No	3130	(9,10)	None	Placenta, amniotic fluid, cord blood and two newborn's nasopharyngeal swab	Negative	No
153	Zambrano et al. 14	19 Mar, 2020	41	Gestational hypertension and hypothyroidism	Vaginal	NA	32 <sup>+0</sup>	Live birth	No	1500	NI	Dysplastic and multicystic right kidney	Newborn's nasopharyngeal swab and blood sample	Negative	No
154	Iqbal et al. 11	Published on 1 April, 2020	34	None	Vaginal	NA	39 <sup>+3</sup>	Live birth	No	NI	(8,9)	None	Amniotic fluid, vaginal side walls, and rectum. Newborn's swabs: nasopharynx, oropharynx, oral mucosa, skin surface and rectum right after delivery	Negative	No
155	Kalafat et al. 15	25 March, 2020	32	Thalassemia trait	Cesarean	COVID-19; reduced tidal volume from the increased abdominal pressure	36 <sup>+1</sup>	Live birth	Yes	2790	(SI,9)	None	Placenta, cord blood, newborn's throat and nasal swabs, breast milk	Negative	No

<b>156</b>	Gidlöf et al. 16	Published on 6 April, 2020	34	Preeclampsia, gestational diabetes, dichorionic twin pregnancy	Cesarean	NI	36 <sup>+2</sup>	Live birth (n=2)	No	Twin1: 2680; Twin2: 2160	Twin 1: (9,10); Twin 2: (9,10)	Twin1-gastrointestinal reflux	Newborn's Nasopharyngeal swab (34 hours and 4 days after birth); breast milk and maternal vaginal secretion (5 days after birth)	Negative	No
<b>157-190 (n=34 cases)</b>	Li et al. 36	24 Jan-29 Feb, 2020	Mean: 30.9 (±3.2)	Cases confirmed by RT-PCR positive for SARS-CoV-2 (n=16); chronic hypertension (n=1); polycystic ovary syndrome (n=1); gestational diabetes (n=3); PROM (n=1); gestational hypertension (n=3); hypothyroidism (n=2); preeclampsia (n=1); sinus tachycardia (n=1); fetal	Cesarean (n=14) Vaginal (n=2)	COVID-19 Pneumonia	Mean: 38 ± 0.2 3 preterm deliveries	Live births (n=17; 1 twin pregnancy)	No	Mean: 3066.7±560.2 Low birth weight (n=3)	Mean: (9.6±0.5;10.0±0.0)	None	Newborn's throat swabs (one 4 days and another 14 days after birth) (n=3)	Negative (n=3)	No

				distress (n=2)											
			Mean: 29.8 (±2.3)	Cases with typical chest CT imaging (n=18); gestational hypertension (n=2); fetal distress (n=1)	Cesarean (n=16) Vaginal (n=2)	NI	Mean: 38 ± 2.9 3 preterm deliveries	Live births (n=19; 1 twin pregnancy)	No	Mean: 3198.7±522.6 Low birth weight (n=2)	Mean: (9.6±0.5;10.0±0.0)	None	SI	Negative	No
<b>191-205 (n=15 cases)</b>	Liu et al. <sup>17</sup>	20 Jan-10 Feb, 2020	23-40	Thalassemia and gestational diabetes (n=1); previous mitral and tricuspid valves replacement (n=1); placenta previa (n=1); COVID-19 Pneumonia (n=15)	Cesarean (n=10) Vaginal (n=1) Pregnant (n=4)	NI	GA at admission: 12-38 Preterm deliveries (n=3)	Live births (n=11)	No	NI	(8;9)	None	NI	Negative	No
<b>206</b>	Breslin et al. <sup>12</sup>	25 Mar, 2020	38	Diabetes type 2; intrahepatic	Cesarean	Arrest of descent	37 <sup>+0</sup>	Live birth	Yes (endotracheal intubation)	NI	NI	None	Neonatal sample at day 1	Negative	No
<b>207</b>	Breslin et al. <sup>12</sup>		33	Diabetes type 2; chronic hypertension; asthma	Cesarean	Failed induction	37 <sup>+5</sup>	Live birth	Yes	NI	NI	None	Neonatal sample at day	Negative	No

208	Breslin et al. <sup>12</sup>		30	None	NI	NI	35 <sup>+5</sup>	Live birth	No	NI	NI	NI	NI	NI	NI
209	Breslin et al. <sup>12</sup>		32	None	NI	NI	32 <sup>+5</sup>	Live birth	No	NI	NI	NI	NI	NI	NI
210	Breslin et al. <sup>12</sup>		27	None	NI	NI	26 <sup>+3</sup>	Live birth	No	NI	NI	NI	NI	NI	NI
211	Breslin et al. <sup>12</sup>		38	Asthma	NI	NI	28 <sup>+0</sup>	Live birth	No	NI	NI	NI	NI	NI	NI
212	Breslin et al. <sup>12</sup>		39	None	NI	NI	34 <sup>+6</sup>	Live birth	No	NI	NI	NI	NI	NI	NI

**Abbreviations:**

BGA – Big for Gestational Age; GA – Gestational age; NA – Not Applicable; SGA – Small for Gestational Age; PROM – Premature Rupture of Membranes; RT-PCR – Real-time reverse Transcriptase–Polymerase Chain Reaction; NI – No information.