

Table S1 - Subject Descriptive Data

label	levels	A	B	C	p
Group	ARDS	9 (45.0)	4 (100.0)	5 (71.4)	0.087
	Control	11 (55.0)		2 (28.6)	
Age	Median (IQR)	3.4 (7.6)	9.1 (4.6)	5.1 (1.1)	0.420
Sex	Female	8 (40.0)	2 (50.0)	3 (42.9)	1.000
	Male	12 (60.0)	2 (50.0)	4 (57.1)	
Race	Non-White	1 (5.0)	2 (50.0)	1 (14.3)	0.062
	White	19 (95.0)	2 (50.0)	6 (85.7)	
Genetic Synd. or D.D.	No	12 (60.0)	2 (50.0)	4 (57.1)	1.000
	Yes	8 (40.0)	2 (50.0)	3 (42.9)	
Baseline Lung Disease	No	11 (55.0)	2 (50.0)	6 (85.7)	0.413
	Yes	9 (45.0)	2 (50.0)	1 (14.3)	
Baseline Kidney or Liver Disease	No	18 (90.0)	4 (100.0)	6 (85.7)	1.000
	Yes	2 (10.0)		1 (14.3)	
Immunocompromised	No	16 (80.0)	2 (50.0)	5 (71.4)	0.426
	Yes	4 (20.0)	2 (50.0)	2 (28.6)	
Highest PELOD2	Median (IQR)	5.0 (1.0)	8.5 (1.2)	7.0 (6.0)	0.031
Highest PARDS Category	None	10 (50.0)		2 (28.6)	0.129
	Mild	4 (20.0)			
	Moderate	4 (20.0)	3 (75.0)	3 (42.9)	
	Severe	2 (10.0)	1 (25.0)	2 (28.6)	
Any Corticosteroids	No	12 (60.0)	2 (50.0)	2 (28.6)	0.382
	Yes	8 (40.0)	2 (50.0)	5 (71.4)	
Ventilator Free Days	Median (IQR)	16.4 (22.6)	6.5 (13.5)	16.8 (22.8)	0.410
PICU Days	Median (IQR)	12.5 (13.2)	21.5 (24.0)	16.0 (49.0)	0.302
Hospital Days	Median (IQR)	19.0 (19.0)	71.0 (101.5)	38.0 (111.5)	0.070
Mortality	Died	1 (5.0)	1 (25.0)	2 (28.6)	0.152
	Survived	19 (95.0)	3 (75.0)	5 (71.4)	

Table S2 - Specimen Descriptive Data

label	levels	A	B	C	p
PELOD2	Median (IQR)	5.0 (3.0)	5.5 (1.8)	6.0 (4.2)	0.154
PARDS Classification	None	30 (55.6)		3 (25.0)	<0.001
	Mild	13 (24.1)	2 (33.3)		
	Moderate	7 (13.0)	2 (33.3)	8 (66.7)	
	Severe	4 (7.4)	2 (33.3)	1 (8.3)	
Direct Lung Injury	No	36 (66.7)	1 (16.7)	6 (50.0)	0.044
	Yes	18 (33.3)	5 (83.3)	6 (50.0)	
Viral Infection	No	42 (77.8)	2 (33.3)	4 (33.3)	0.002
	Yes	12 (22.2)	4 (66.7)	8 (66.7)	
Bacterial Infection	No	40 (74.1)	4 (66.7)	6 (50.0)	0.252
	Yes	14 (25.9)	2 (33.3)	6 (50.0)	
Combined Viral/Bacterial Infection	No	49 (90.7)	4 (66.7)	7 (58.3)	0.014
	Yes	5 (9.3)	2 (33.3)	5 (41.7)	
Corticosteroids	No	32 (59.3)	3 (50.0)	4 (33.3)	0.240
	Yes	22 (40.7)	3 (50.0)	8 (66.7)	

Table S3 - Subject Univariate Analysis

Factor		A	B or C	p
Group	ARDS	9 (45.0)	9 (81.8)	0.066
	Control	11 (55.0)	2 (18.2)	
Age	Mean (SD)	5.6 (5.2)	7.1 (4.6)	0.407
Sex	Female	8 (40.0)	5 (45.5)	1.000
	Male	12 (60.0)	6 (54.5)	
Race	Non-White	1 (5.0)	3 (27.3)	0.115
	White	19 (95.0)	8 (72.7)	
Genetic Synd. or D.D.	No	12 (60.0)	6 (54.5)	1.000
	Yes	8 (40.0)	5 (45.5)	
Baseline Lung Disease	No	11 (55.0)	8 (72.7)	0.452
	Yes	9 (45.0)	3 (27.3)	
Baseline Kidney or Liver Disease	No	18 (90.0)	10 (90.9)	1.000
	Yes	2 (10.0)	1 (9.1)	
Immunocompromised	No	16 (80.0)	7 (63.6)	0.405
	Yes	4 (20.0)	4 (36.4)	
Highest PELOD2	Median (IQR)	5.0 (1.0)	8.0 (3.5)	0.013
Highest PARDS Category	None	10 (50.0)	2 (18.2)	0.043
	Mild	4 (20.0)		
	Moderate	4 (20.0)	6 (54.5)	
	Severe	2 (10.0)	3 (27.3)	
Any Corticosteroids	No	12 (60.0)	4 (36.4)	0.273
	Yes	8 (40.0)	7 (63.6)	
Ventilator Free Days	Median (IQR)	16.4 (22.6)	13.0 (20.3)	0.614
PICU Days	Median (IQR)	12.5 (13.2)	18.0 (44.5)	0.172
Hospital Days	Mean (SD)	34.2 (46.3)	82.5 (70.8)	0.029
Mortality	Died	1 (5.0)	3 (27.3)	0.115
	Survived	19 (95.0)	8 (72.7)	

Table S4 - Specimen Univariate Analysis

Factor		A	B or C	p
PELOD2	Median (IQR)	5.0 (3.0)	5.5 (3.0)	0.056
PARDS Classification	None	30 (55.6)	3 (16.7)	0.001
	Mild	13 (24.1)	2 (11.1)	
	Moderate	7 (13.0)	10 (55.6)	
	Severe	4 (7.4)	3 (16.7)	
Direct Lung Injury	No	36 (66.7)	7 (38.9)	0.053
	Yes	18 (33.3)	11 (61.1)	
Viral Infection	No	42 (77.8)	6 (33.3)	0.001
	Yes	12 (22.2)	12 (66.7)	
Bacterial Infection	No	40 (74.1)	10 (55.6)	0.153
	Yes	14 (25.9)	8 (44.4)	
Combined Viral/Bacterial Infection	No	49 (90.7)	11 (61.1)	0.008
	Yes	5 (9.3)	7 (38.9)	
Corticosteroids	No	32 (59.3)	7 (38.9)	0.175
	Yes	22 (40.7)	11 (61.1)	

Table S5 - Subject Multivariate Analysis

Factor		A	B or C	OR (univariable)	OR (multivariable)
Highest PELOD2	Mean (SD)	6.0 (1.8)	8.2 (2.8)	1.54 (1.09-2.40, p=0.026)	1.40 (0.97-2.20, p=0.092)
PARDS Moderate/Severe	No	14 (73.7)	5 (26.3)	-	-
	Yes	6 (50.0)	6 (50.0)	2.80 (0.62-13.64, p=0.186)	1.15 (0.15-7.30, p=0.884)
Hospital Days	Mean (SD)	34.2 (46.3)	82.5 (70.8)	1.01 (1.00-1.03, p=0.046)	1.01 (0.99-1.03, p=0.262)

Table S6 - Specimen Multivariate Analysis

Factor		A	B or C	OR (univariable)	OR (multivariable)
PELOD2	Mean (SD)	4.8 (2.7)	6.4 (3.0)	1.23 (1.01-1.53, p=0.046)	0.99 (0.76-1.29, p=0.912)
PARDS Moderate/Severe	No	43 (89.6)	5 (10.4)	-	-
	Yes	11 (45.8)	13 (54.2)	10.16 (3.15-37.76, p<0.001)	8.21 (2.01-40.28, p=0.005)
Direct Lung Injury	No	36 (83.7)	7 (16.3)	-	-
	Yes	18 (62.1)	11 (37.9)	3.14 (1.06-9.88, p=0.042)	0.71 (0.11-3.62, p=0.696)
Viral Infection	No	42 (87.5)	6 (12.5)	-	-
	Yes	12 (50.0)	12 (50.0)	7.00 (2.25-24.05, p=0.001)	6.18 (1.21-41.17, p=0.038)