

Modifiable and non-modifiable risk factors for COVID-19: results from UK Biobank

Frederick K Ho^{*1}, Carlos A Celis-Morales^{*1,2}, Stuart R Gray, S Vittal Katikireddi¹, Claire L Niedzwiedz¹, Claire Hastie¹, Donald M Lyall¹, Lyn D Ferguson², Colin Berry², Daniel F Mackay¹, Jason MR Gill², Jill P Pell^{**1}, Naveed Sattar MD^{**2}, Paul Welsh^{**2}

*Joint first authors

**Joint senior

SUPPLEMENTARY MATERIAL

SUPPLEMENTARY MATERIAL

Supplementary Table 1. Univariable association of baseline risk factors pneumonia and influenza occurring any time after baseline

	Covid-19 (positive test in all settings)				Pneumonia (after baseline)				Flu (after baseline)			
	No n=285417	Yes n=400	RR*	P	No n=114462	Yes n=3486	RR*	P	No n=116283	Yes n=1665	RR*	P
Age (years)	56.15 (8.12)	57.49 (8.60)	1.19	0.0010	56.22 (8.09)	56.84 (8.20)	1.08	< 0.0001	56.25 (8.09)	55.17 (8.15)	0.88	< 0.0001
Age categories (years)				< 0.0001				< 0.0001				< 0.0001
<50	71199 (24.95)	95 (23.75)	1	REF	28203 (24.64)	804 (23.06)	1	REF	28532 (24.54)	475 (28.53)	1	REF
50-54	44689 (15.66)	49 (12.25)	0.82	0.26	17826 (15.57)	460 (13.20)	0.91	0.09	17998 (15.48)	288 (17.30)	0.96	0.60
55-59	51234 (17.95)	57 (14.25)	0.83	0.28	20622 (18.02)	620 (17.79)	1.05	0.33	20938 (18.01)	304 (18.26)	0.87	0.06
60-64	67550 (23.67)	87 (21.75)	0.97	0.81	27440 (23.97)	895 (25.67)	1.14	0.006	27973 (24.06)	362 (21.74)	0.78	0.0003
≥65	50745 (17.78)	112 (28.00)	1.65	0.0003	20371 (17.80)	707 (20.28)	1.21	0.0002	20842 (17.92)	236 (14.17)	0.68	< 0.0001
Male sex, n (%)	131359 (46.02)	230 (57.50)	1.59	< 0.0001	53187 (46.47)	999 (28.66)	0.47	< 0.0001	53500 (46.01)	686 (41.20)	0.82	< 0.0001
Ethnicity, n (%)				< 0.0001				0.006				< 0.0001
White	270315 (94.71)	352 (88.00)	1	REF	108959 (95.19)	3299 (94.64)	1	REF	110742 (95.23)	1516 (91.05)	1	REF
Black	4153 (1.46)	23 (5.75)	4.24	< 0.0001	1221 (1.07)	49 (1.41)	1.31	0.055	1247 (1.07)	23 (1.38)	1.34	0.16
South Asian	4699 (1.65)	9 (2.25)	1.47	0.25	2144 (1.87)	86 (2.47)	1.31	0.01	2159 (1.86)	71 (4.26)	2.36	< 0.0001
Others	6250 (2.19)	16 (4.00)	1.96	0.008	2138 (1.87)	52 (1.49)	0.81	0.12	2135 (1.84)	55 (3.30)	1.86	< 0.0001
Deprivation index (score)	-1.40 (3.01)	-0.25 (3.45)	1.39	< 0.0001	-1.45 (2.92)	-1.11 (3.12)	1.12	< 0.0001	-1.45 (2.92)	-1.00 (3.17)	1.16	< 0.0001
Current/former smoker, n (%)	126151 (44.20)	226 (56.50)	1.64	< 0.0001	50503 (44.12)	1675 (48.05)	1.17	< 0.0001	51382 (44.19)	796 (47.81)	1.15	0.003
Alcohol drinking status, n (%)				0.004				< 0.0001				0.02
Never	11981 (4.20)	21 (5.25)	1	REF	4840 (4.23)	210 (6.02)	1	REF	4967 (4.27)	83 (4.98)	1	REF
Former	9257 (3.24)	24 (6.00)	1.48	0.19	3726 (3.26)	181 (5.19)	1.11	0.28	3835 (3.30)	72 (4.32)	1.12	0.47
Current	264179 (92.56)	355 (88.75)	0.77	0.24	105896 (92.52)	3095 (88.78)	0.68	< 0.0001	107481 (92.43)	1510 (90.69)	0.84	0.13
BMI (kg/m ²)	27.27 (4.60)	29.06 (5.27)	1.39	< 0.0001	27.36 (4.60)	27.82 (5.02)	1.10	< 0.0001	27.37 (4.61)	27.68 (4.81)	1.07	0.007
BMI categories, n (%)				< 0.0001				< 0.0001				0.008
Underweight	95852 (33.58)	85 (21.25)	0.91	0.92	37470 (32.74)	1100 (31.55)	1.07	0.79	38043 (32.72)	527 (31.65)	0.45	0.16
Normal	1245 (0.44)	1 (0.25)	1	REF	476 (0.42)	15 (0.43)	1	REF	488 (0.42)	3 (0.18)	1	REF
Overweight	121831 (42.69)	176 (44.00)	1.63	0.0002	49124 (42.92)	1382 (39.64)	0.96	0.30	49826 (42.85)	680 (40.84)	0.99	0.80
Obese	66489 (23.30)	138 (34.50)	2.34	< 0.0001	27392 (23.93)	989 (28.37)	1.22	< 0.0001	27926 (24.02)	455 (27.33)	1.17	0.01
Body fat-free mass (Kg)	53.44 (11.46)	56.59 (11.54)	1.30	< 0.0001	53.52 (11.49)	50.23 (10.58)	0.74	< 0.0001	53.43 (11.48)	52.60 (11.25)	0.93	0.003
Body fat mass (Kg)	24.48 (9.23)	27.23 (10.44)	1.30	< 0.0001	24.63 (9.25)	26.56 (9.88)	1.20	< 0.0001	24.67 (9.27)	25.44 (9.70)	1.08	0.0008
Body fat proportion (percent)	31.10 (8.42)	32.02 (8.34)	1.11	0.03	31.20 (8.44)	34.06 (8.26)	1.39	< 0.0001	31.28 (8.45)	32.18 (8.46)	1.11	< 0.0001
Systolic blood pressure (mmHg)	137.15 (18.14)	139.39 (18.85)	1.13	0.01	137.50 (18.20)	135.93 (17.77)	0.92	< 0.0001	137.49 (18.20)	134.79 (17.85)	0.86	< 0.0001
Diastolic blood pressure (mmHg)	82.01 (9.92)	83.57 (10.59)	1.17	0.002	82.16 (9.94)	81.20 (9.60)	0.91	< 0.0001	82.14 (9.92)	81.20 (10.22)	0.91	0.0001
FEV1 (litres)	2.75 (0.77)	2.66 (0.75)	0.88	0.02	2.76 (0.77)	2.47 (0.73)	0.68	< 0.0001	2.75 (0.77)	2.62 (0.79)	0.84	< 0.0001
FVC (litres)	3.64 (0.98)	3.55 (0.94)	0.92	0.09	3.64 (0.99)	3.29 (0.91)	0.69	< 0.0001	3.63 (0.99)	3.47 (0.98)	0.84	< 0.0001
FEV1/FVC	0.76 (0.07)	0.75 (0.08)	0.89	0.02	0.76 (0.07)	0.75 (0.08)	0.92	< 0.0001	0.76 (0.07)	0.75 (0.08)	0.95	0.04

Walking pace, n (%)				< 0.0001				< 0.0001			< 0.0001	
Slow	150551 (52.75)	220 (55.00)	2.22	< 0.0001	60364 (52.74)	1899 (54.48)	1.73	< 0.0001	61357 (52.77)	906 (54.41)	1.30	0.003
Average	19093 (6.69)	62 (15.50)	1	REF	7636 (6.67)	425 (12.19)	1	REF	7909 (6.80)	152 (9.13)	1	REF
Brisk	115773 (40.56)	118 (29.50)	0.70	0.002	46462 (40.59)	1162 (33.33)	0.80	< 0.0001	47017 (40.43)	607 (36.46)	0.88	0.01
Grip strength (Kg)	30.85 (10.93)	31.45 (10.77)	1.06	0.27	30.84 (10.97)	27.03 (9.89)	0.69	< 0.0001	30.74 (10.96)	29.51 (11.03)	0.89	< 0.0001
Prevalent disease at baseline, n (%)												
Longstanding illness	82976 (29.07)	178 (44.50)	1.95	< 0.0001	33970 (29.68)	1499 (43.00)	1.75	< 0.0001	34867 (29.98)	602 (36.16)	1.32	< 0.0001
Diabetes	13621 (4.77)	37 (9.25)	2.03	< 0.0001	5431 (4.74)	259 (7.43)	1.58	< 0.0001	5582 (4.80)	108 (6.49)	1.37	0.001
CVD	13777 (4.83)	42 (10.50)	2.31	< 0.0001	5746 (5.02)	252 (7.23)	1.45	< 0.0001	5896 (5.07)	102 (6.13)	1.22	0.052
Cancer	19364 (6.80)	35 (8.86)	1.33	0.11	7763 (6.80)	301 (8.68)	1.29	< 0.0001	7942 (6.85)	122 (7.36)	1.08	0.42
Depression	54194 (18.99)	67 (16.75)	0.86	0.25	21590 (18.86)	619 (17.76)	0.93	0.10	21891 (18.83)	318 (19.10)	1.02	0.78
CKD stages 3-5	352 (0.12)	3 (0.75)	6.08	0.002	143 (0.12)	9 (0.26)	2.01	0.03	148 (0.13)	4 (0.24)	1.87	0.21
SLE	341 (0.12)	0 (0.00)	-	-	139 (0.12)	12 (0.34)	2.69	0.0005	147 (0.13)	4 (0.24)	1.88	0.20
Asthma	31355 (10.99)	59 (14.75)	1.40	0.02	12363 (10.80)	661 (18.96)	1.89	< 0.0001	12777 (10.99)	247 (14.83)	1.40	< 0.0001
Sleep apnoea	864 (0.30)	4 (1.00)	3.32	0.02	366 (0.32)	17 (0.49)	1.50	0.09	376 (0.32)	7 (0.42)	1.30	0.49
COPD	607 (0.21)	3 (0.75)	3.53	0.03	246 (0.21)	26 (0.75)	3.25	< 0.0001	261 (0.22)	11 (0.66)	2.88	0.0004
Bronchitis	2919 (1.02)	9 (2.25)	2.22	0.02	1184 (1.03)	97 (2.78)	2.61	< 0.0001	1245 (1.07)	36 (2.16)	2.01	< 0.0001
Pneumonia	3534 (1.24)	6 (1.50)	1.21	0.64	1339 (1.17)	50 (1.43)	1.22	0.15	1369 (1.18)	20 (1.20)	1.02	0.93
Other respiratory disease	1488 (0.52)	3 (0.75)	1.44	0.53	583 (0.51)	27 (0.77)	1.50	0.03	604 (0.52)	6 (0.36)	0.70	0.37
Medication at baseline, n (%)												
Statin	44152 (15.47)	98 (24.50)	1.77	< 0.0001	18087 (15.80)	693 (19.88)	1.31	< 0.0001	18490 (15.90)	290 (17.42)	1.11	0.09
BP medication	45475 (15.93)	114 (28.50)	2.10	< 0.0001	18487 (16.15)	633 (18.16)	1.15	0.002	18832 (16.19)	288 (17.30)	1.08	0.23
Steroid	1070 (0.37)	2 (0.50)	1.33	0.68	414 (0.36)	28 (0.80)	2.15	< 0.0001	437 (0.38)	5 (0.30)	0.80	0.62
Biomarker at baseline												
Total cholesterol (mmol/L)	5.62 (4.91-6.33)	5.45 (4.70-6.20)	0.84	0.0003	5.62 (4.91-6.34)	5.53 (4.80-6.26)	0.92	< 0.0001	5.62 (4.90-6.34)	5.51 (4.85-6.25)	0.93	0.001
HDL cholesterol (mmol/L)	1.40 (1.18-1.68)	1.29 (1.07-1.53)	0.69	< 0.0001	1.40 (1.17-1.67)	1.42 (1.18-1.70)	1.05	0.005	1.40 (1.17-1.67)	1.37 (1.15-1.65)	0.94	0.009
Cystatin C (mg/L)	0.88 (0.80-0.97)	0.94 (0.86-1.05)	1.48	< 0.0001	0.88 (0.80-0.97)	0.88 (0.80-0.99)	1.05	0.001	0.88 (0.80-0.97)	0.89 (0.80-0.99)	1.07	0.006
HbA1c (mmol/mol)	35.10 (32.60-37.70)	36.20 (33.40-39.60)	1.27	< 0.0001	35.10 (32.60-37.60)	35.60 (33.10-38.50)	1.15	< 0.0001	35.10 (32.60-37.70)	35.30 (32.90-38.20)	1.09	< 0.0001
CRP (mg/L)	1.26 (0.63-2.58)	1.70 (0.88-3.25)	1.15	0.0001	1.26 (0.63-2.59)	1.56 (0.78-3.27)	1.13	< 0.0001	1.27 (0.63-2.60)	1.44 (0.70-3.05)	1.09	< 0.0001
Rheumatoid factor (IU/ml)	3.16 (3.16-3.16)	3.16 (3.16-3.16)	0.98	0.71	3.16 (3.16-3.16)	3.16 (3.16-3.16)	1.03	0.04	3.16 (3.16-3.16)	3.16 (3.16-3.16)	1.05	0.03
Red cell distribution width (%)	13.31 (12.90-13.81)	13.38 (13.00-13.98)	1.16	0.0006	13.30 (12.89-13.80)	13.40 (12.91-13.94)	1.11	< 0.0001	13.30 (12.89-13.80)	13.30 (12.90-13.81)	1.02	0.31
White cell count (10 ⁹ cells/Litre)	6.60 (5.61-7.80)	6.83 (5.79-8.31)	1.20	0.0001	6.63 (5.64-7.80)	6.90 (5.83-8.20)	1.17	< 0.0001	6.64 (5.65-7.81)	6.81 (5.70-8.10)	1.11	< 0.0001
Neutrophil count (10 ⁹ cells/Litre)	4.00 (3.25-4.90)	4.10 (3.21-5.15)	1.11	0.03	4.01 (3.26-4.92)	4.20 (3.43-5.15)	1.15	< 0.0001	4.01 (3.27-4.93)	4.13 (3.31-5.06)	1.08	0.0006
Lymphocyte count (10 ⁹ cells/Litre)	1.88 (1.52-2.29)	1.95 (1.58-2.44)	1.19	0.0002	1.88 (1.52-2.30)	1.92 (1.55-2.38)	1.10	< 0.0001	1.88 (1.52-2.30)	1.92 (1.53-2.37)	1.08	0.001
Monocyte count (10 ⁹ cells/Litre)	0.45 (0.36-0.56)	0.48 (0.38-0.60)	1.17	0.001	0.45 (0.36-0.57)	0.45 (0.37-0.56)	1.02	0.29	0.45 (0.36-0.56)	0.46 (0.37-0.58)	1.03	0.16

Numbers represent number (%) for categorical variables, mean (SD) for gaussian continuous variables, and median (25-75th percentiles) for skewed variables

*Univariable relative risk ratio per 1 standard deviation for continuous variables and using comparator group for categorical variables.

†Evidence for non-linearity (see supplementary table 2)

Supplementary table 2. Sensitivity analysis for pneumonia occurring after 2015.

	Pneumonia (after 2015)				Model 1		Model 2	
	No n=117181	Yes n=767	RR	P	RR (95% CI)	P	RR (95% CI)	P
Mean (SD) Age	56.23 (8.09)	57.98 (8.01)	1.25	< 0.0001	1.03 (1.02, 1.04)	< 0.0001	1.02 (1.01, 1.03)	0.003
Age categories								
<50	28874 (24.64)	133 (17.34)	1	REF	-	-	-	-
50-54	18191 (15.52)	95 (12.39)	1.13	0.35	-	-	-	-
55-59	21085 (17.99)	157 (20.47)	1.61	< 0.0001	-	-	-	-
60-64	28142 (24.02)	193 (25.16)	1.49	0.0004	-	-	-	-
≥65	20889 (17.83)	189 (24.64)	1.96	< 0.0001	-	-	-	-
Male	53942 (46.03)	244 (31.81)	0.55	< 0.0001	0.54 (0.47, 0.63)	< 0.0001	0.69 (0.57, 0.84)	0.0001
Ethnicity								
White	111518 (95.17)	740 (96.48)	1	REF	1 (Reference)		1 (Reference)	
Black	1264 (1.08)	6 (0.78)	0.72	0.41	0.70 (0.31, 1.58)	0.39	0.58 (0.26, 1.31)	0.19
South Asian	2219 (1.89)	11 (1.43)	0.75	0.34	0.80 (0.44, 1.44)	0.45	0.62 (0.34, 1.14)	0.13
Others	2180 (1.86)	10 (1.30)	0.69	0.25	0.71 (0.38, 1.33)	0.29	0.62 (0.33, 1.17)	0.14
Mean (SD) deprivation index	-1.44 (2.92)	-1.16 (3.05)	1.10	0.009	1.13 (1.05, 1.21)	0.0006	1.07 (1.00, 1.15)	0.07
Current/former smoker	51809 (44.21)	369 (48.11)	1.17	0.03	1.07 (0.83, 1.38)	0.59	1.12 (0.97, 1.30)	0.11
Alcohol drinking status								
Never	5005 (4.27)	45 (5.87)	1	REF	1 (Reference)		-	-
Former	3872 (3.30)	35 (4.56)	1.01	0.98	1.12 (0.54, 2.30)	0.77	-	-
Current	108304 (92.42)	687 (89.57)	0.71	0.02	0.70 (0.42, 1.18)	0.18	-	-
Mean (SD) BMI	27.37 (4.61)	28.14 (5.06)	1.17	< 0.0001	1.21 (1.09, 1.35)	0.0005	1.09 (1.02, 1.17)	0.01
BMI categories								
Underweight	488 (0.42)	3 (0.39)	1.02	0.97	0.91 (0.13, 6.58)	0.93	-	-
Normal	38339 (32.72)	231 (30.12)	1	REF	1 (Reference)		-	-
Overweight	50197 (42.84)	309 (40.29)	1.02	0.81	1.04 (0.77, 1.41)	0.78	-	-
Obese	28157 (24.03)	224 (29.20)	1.32	0.003	1.35 (0.98, 1.86)	0.06	-	-
Mean (SD) Body fat-free mass	53.44 (11.48)	50.83 (10.97)	0.79	< 0.0001	1.29 (1.02, 1.62)	0.03	-	-
Mean (SD) Body fat mass	24.67 (9.27)	27.01 (9.95)	1.25	< 0.0001	1.22 (1.09, 1.37)	0.0007	-	-

Mean (SD) Body fat percent	31.27 (8.44)	34.22 (8.21)	1.41	< 0.0001	1.30 (1.10, 1.54)	0.002	-	-
Mean (SD) Systolic blood pressure	137.45 (18.19)	137.12 (18.19)	0.98	0.62	0.94 (0.82, 1.07)	0.33	-	-
Mean (SD) Diastolic blood pressure	82.13 (9.93)	81.49 (9.78)	0.94	0.07	0.93 (0.82, 1.06)	0.29	-	-
Mean (SD) FEV1	2.75 (0.77)	2.46 (0.74)	0.67	< 0.0001	0.69 (0.58, 0.83)	< 0.0001	0.79 (0.71, 0.87)	< 0.0001
Mean (SD) FVC	3.63 (0.99)	3.28 (0.92)	0.68	< 0.0001	0.73 (0.61, 0.88)	0.0007	-	-
Mean (SD) FEV1/FVC	0.76 (0.07)	0.75 (0.08)	0.89	0.0003	0.86 (0.77, 0.97)	0.01	-	-
Walking pace								
Slow	61857 (52.79)	406 (52.93)	1.90	< 0.0001	1.74 (1.20, 2.53)	0.004	1.55 (1.23, 1.94)	0.0002
Average	7961 (6.79)	100 (13.04)	1	REF	1 (Reference)		1 (Reference)	
Brisk	47363 (40.42)	261 (34.03)	0.84	0.03	0.81 (0.61, 1.06)	0.12	0.97 (0.82, 1.14)	0.69
Mean (SD) grip strength	30.75 (10.96)	27.34 (10.22)	0.72	< 0.0001	0.90 (0.73, 1.10)	0.31	1.02 (0.83, 1.26)	0.82
Prevalent disease at baseline								
Longstanding illness	35153 (30.00)	316 (41.20)	1.63	< 0.0001	1.58 (1.23, 2.03)	0.0004	1.36 (1.04, 1.77)	0.02
Diabetes	5634 (4.81)	56 (7.30)	1.55	0.001	2.03 (1.33, 3.10)	0.0010	1.62 (1.05, 2.51)	0.03
CVD	5938 (5.07)	60 (7.82)	1.58	0.0006	1.52 (0.96, 2.41)	0.07	1.26 (0.79, 2.02)	0.33
Cancer	7993 (6.84)	71 (9.34)	1.40	0.007	1.52 (1.03, 2.24)	0.03	1.51 (1.02, 2.22)	0.04
Depression	22088 (18.85)	121 (15.78)	0.81	0.03	0.70 (0.49, 0.99)	0.045	0.74 (0.51, 1.05)	0.09
Asthma	12881 (10.99)	143 (18.64)	1.85	< 0.0001	1.38 (0.98, 1.96)	0.07	1.21 (0.85, 1.72)	0.29
COPD	268 (0.23)	4 (0.52)	2.27	0.10	1.37 (0.19, 9.85)	0.75	0.90 (0.12, 6.60)	0.92
Bronchitis	1261 (1.08)	20 (2.61)	2.44	< 0.0001	1.86 (0.82, 4.19)	0.14	1.46 (0.64, 3.35)	0.37
Pneumonia	1374 (1.17)	15 (1.96)	1.67	0.047	1.58 (0.65, 3.85)	0.31	1.50 (0.61, 3.66)	0.37
Other respiratory disease	604 (0.52)	6 (0.78)	1.52	0.31	0.70 (0.10, 5.01)	0.72	0.64 (0.09, 4.62)	0.66
Medication at baseline								
Statin	18618 (15.89)	162 (21.12)	1.41	< 0.0001	1.04 (0.75, 1.45)	0.81	0.90 (0.64, 1.26)	0.53
BP medication	18975 (16.19)	145 (18.90)	1.20	0.04	0.97 (0.69, 1.37)	0.86	0.84 (0.59, 1.19)	0.32
Steroid	436 (0.37)	6 (0.78)	2.10	0.07	1.94 (0.48, 7.82)	0.35	1.72 (0.42, 7.01)	0.45
Median (IQR) Biomarker at baseline								
Total cholesterol	5.62 (4.90-6.34)	5.58 (4.81-6.28)	0.95	0.19	0.94 (0.83, 1.06)	0.33	0.97 (0.86, 1.10)	0.64

HDL cholesterol	1.40 (1.17-1.67)	1.40 (1.17-1.70)	1.04	0.27	0.89 (0.77, 1.02)	0.08	0.97 (0.84, 1.12)	0.71
Cystatin C	0.88 (0.80-0.97)	0.90 (0.81-1.01)	1.18	< 0.0001	1.16 (1.03, 1.31)	0.01	1.06 (0.93, 1.21)	0.36
HbA1c	35.10 (32.60-37.70)	35.80 (33.50-38.55)	1.17	< 0.0001	1.17 (1.06, 1.30)	0.001	1.10 (0.99, 1.23)	0.07
CRP	1.27 (0.63-2.60)	1.56 (0.83-3.16)	1.13	< 0.0001	1.12 (1.02, 1.23)	0.02	1.04 (0.93, 1.16)	0.47
Rheumatoid factor	3.16 (3.16-3.16)	3.16 (3.16-3.16)	1.04	0.26	1.03 (0.92, 1.14)	0.63	1.02 (0.92, 1.14)	0.71
Red cell distribution width	13.30 (12.89-13.80)	13.38 (12.95-13.92)	1.09	0.007	1.12 (1.01, 1.25)	0.04	1.08 (0.97, 1.21)	0.18
White cell count	6.64 (5.65-7.81)	7.04 (5.90-8.17)	1.20	< 0.0001	1.22 (1.09, 1.37)	0.0006	1.14 (1.01, 1.29)	0.03
Neutrophil count	4.01 (3.27-4.93)	4.23 (3.51-5.19)	1.16	< 0.0001	1.15 (1.02, 1.29)	0.02	1.08 (0.96, 1.22)	0.22
Lymphocyte count	1.88 (1.52-2.30)	1.92 (1.60-2.38)	1.12	0.0006	1.16 (1.04, 1.30)	0.01	1.11 (0.98, 1.25)	0.09
Monocyte count	0.45 (0.36-0.56)	0.47 (0.37-0.58)	1.09	0.02	1.16 (1.03, 1.31)	0.02	1.11 (0.98, 1.25)	0.11

Variables with associations denoted “-“ are excluded from the model due to non-significance in previous model and /or collinearity with another variable.

Model 1 adjusts for age, sex, ethnicity, deprivation

Model 2 adjusted for model 1 plus body fat %, FEV1, and walking pace

Supplementary table 3. Linearity of continuous variables with COVID-19 and influenza.

Exposures	Covid-19			Pneumonia (after 2016)			Influenza (after 2016)		
	χ^2	df	P _{nonlinear}	χ^2	df	P _{nonlinear}	χ^2	df	P _{nonlinear}
Age	11.25	1.97	0.003	5.10	2.00	0.08	0.74	2.00	0.69
Deprivation index	0.01	0.05	0.12	2.96	2.00	0.23	1.01	1.99	0.60
BMI	0.33	1.62	0.77	2.31	2.00	0.31	0.00	0.03	0.08
Body fat-free mass	3.83	1.99	0.15	7.19	1.93	0.03	0.99	2.00	0.61
Body fat mass	0.01	0.04	0.11	1.44	1.99	0.48	1.81	2.00	0.40
Body fat percent	4.75	1.99	0.09	0.74	1.97	0.68	0.96	1.91	0.60
Systolic blood pressure	0.00	0.03	0.09	1.96	1.98	0.37	2.89	2.00	0.24
Diastolic blood pressure	0.96	1.97	0.61	1.08	1.99	0.58	2.25	1.98	0.32
FEV1	1.20	1.99	0.55	8.78	1.94	0.01	3.93	1.96	0.13
FVC	3.52	1.99	0.17	6.61	1.84	0.03	1.29	1.93	0.51
FEV1/FVC	0.01	0.05	0.11	9.86	1.96	0.007	0.00	0.04	0.11
Grip strength	6.95	1.99	0.03	1.93	1.90	0.36	0.29	1.76	0.82
Biomarker at baseline									
Total cholesterol	10.34	2.00	0.006	0.67	1.98	0.71	2.15	2.00	0.34
HDL cholesterol	0.00	0.02	0.06	1.31	1.96	0.51	1.51	1.91	0.45
Cystatin C	0.01	0.06	0.13	1.06	1.97	0.58	0.00	0.04	0.11
HbA1c	9.83	2.00	0.007	4.34	1.95	0.11	5.62	2.00	0.06
CRP	9.53	2.00	0.008	5.42	1.99	0.07	0.64	2.00	0.73
Rheumatoid factor	3.14	2.00	0.21	4.66	1.99	0.10	0.58	1.97	0.74
Red cell distribution width	0.88	1.82	0.60	4.15	2.00	0.12	3.37	1.99	0.18
White cell count	1.96	2.00	0.38	2.63	1.99	0.27	0.00	0.03	0.07
Neutrophil count	1.52	2.00	0.47	2.39	1.98	0.30	0.37	1.95	0.82
Lymphocyte count	7.21	1.99	0.03	1.05	1.93	0.58	12.73	2.00	0.002
Monocyte count	0.00	0.03	0.11	0.47	1.87	0.76	5.94	1.90	0.046

Supplementary table 4. Association of risk factors for COVID-19 and pneumonia in UK Biobank with body fat percent replacing BMI in Model 2

	COVID-19		Pneumonia (after 2016)	
	RR (95% CI)	P	RR (95% CI)	P
Age	1.02 (1.00, 1.03)	0.06	1.02 (1.00, 1.03)	0.08
Male	2.63 (1.85, 3.73)	< 0.0001	1.05 (0.71, 1.55)	0.82
Ethnicity				
White	1 (Reference)		1 (Reference)	
Black	1.88 (1.04, 3.40)	0.04	1.09 (0.39, 3.01)	0.87
South Asian	1.04 (0.48, 2.26)	0.92	0.74 (0.29, 1.85)	0.52
Others	1.57 (0.88, 2.78)	0.13	0.36 (0.09, 1.47)	0.15
Deprivation index	1.26 (1.14, 1.40)	< 0.0001	1.08 (0.95, 1.22)	0.23
Current/former smoker	1.37 (1.10, 1.72)	0.005	1.02 (0.79, 1.31)	0.87
Body fat percent	1.40 (1.19, 1.65)	< 0.0001	1.18 (0.99, 1.41)	0.07
Diastolic blood pressure	1.05 (0.94, 1.17)	0.40	-	-
FEV1	0.90 (0.78, 1.04)	0.17	0.73 (0.61, 0.88)	0.0007
Walking pace				
Slow	1.70 (1.24, 2.35)	0.001	1.51 (1.02, 2.22)	0.04
Average	1 (Reference)		1 (Reference)	
Brisk	1.01 (0.79, 1.30)	0.93	0.90 (0.68, 1.20)	0.49
grip strength	0.94 (0.80, 1.11)	0.48	1.04 (0.84, 1.28)	0.72
Prevalent disease at baseline				
Longstanding illness	1.38 (1.09, 1.74)	0.007	1.36 (1.04, 1.77)	0.02
Diabetes	1.24 (0.85, 1.82)	0.27	1.66 (1.08, 2.56)	0.02
CVD	1.36 (0.93, 1.99)	0.11	1.27 (0.79, 2.02)	0.32
Cancer	1.34 (0.92, 1.95)	0.13	1.50 (1.02, 2.22)	0.04
Depression	1.15 (0.87, 1.52)	0.33	0.74 (0.51, 1.05)	0.09
Asthma	1.20 (0.88, 1.65)	0.25	1.21 (0.85, 1.72)	0.28
COPD	1.45 (0.35, 5.96)	0.61	0.89 (0.12, 6.50)	0.91
Bronchitis	1.51 (0.73, 3.09)	0.26	1.45 (0.64, 3.32)	0.38
Pneumonia	1.08 (0.44, 2.63)	0.87	1.50 (0.61, 3.65)	0.38
Other respiratory disease	1.40 (0.44, 4.42)	0.57	0.63 (0.09, 4.59)	0.65
Medication at baseline				
Statin	1.24 (0.95, 1.62)	0.11	0.90 (0.64, 1.27)	0.55
BP medication	1.41 (1.09, 1.83)	0.009	0.85 (0.59, 1.20)	0.35
Steroid	1.23 (0.30, 5.01)	0.77	1.71 (0.42, 6.97)	0.45
Biomarker				
Total cholesterol	0.89 (0.80, 0.99)	0.03	0.96 (0.85, 1.09)	0.56
HDL cholesterol	0.82 (0.72, 0.94)	0.005	0.96 (0.84, 1.11)	0.63
Cystatin C	1.24 (1.12, 1.37)	< 0.0001	1.07 (0.94, 1.22)	0.31
HbA1c	1.12 (1.03, 1.22)	0.007	1.11 (1.00, 1.23)	0.051
CRP	1.04 (0.94, 1.14)	0.46	1.04 (0.94, 1.16)	0.43
Rheumatoid factor	0.97 (0.86, 1.09)	0.57	1.02 (0.92, 1.14)	0.72
Red cell distribution width	1.05 (0.94, 1.16)	0.40	1.09 (0.97, 1.21)	0.15
White cell count	1.07 (0.97, 1.19)	0.18	1.15 (1.02, 1.29)	0.03
Neutrophil count	1.02 (0.91, 1.13)	0.78	1.08 (0.96, 1.22)	0.21
Lymphocyte count	1.10 (0.99, 1.22)	0.07	1.11 (0.99, 1.25)	0.08
Monocyte count	1.04 (0.93, 1.15)	0.50	1.11 (0.98, 1.25)	0.10

Variables with associations denoted “-” are excluded from the model due to non-significance in previous model and /or collinearity with another variable. SLE and CKD also omitted due to low numbers of baseline cases.

Model 2 adjusted for age, sex, ethnicity, deprivation, body fat %, FEV1, and walking pace (and also DBP for COV-19 only)

Supplementary Figure 1. CONSORT diagram.

