

Supplementary Materials for Santamaría & Hortal, “Chasing the ghost of infection past: identifying thresholds of change during the COVID-19 infection in Spain”

Supplementary Table S1. Detailed timeline of the outbreak and management measures in Spain.
Based on Ravelo & Jerving (2020) plus local sources.

Date	Outbreak dynamics	Key events & management measures
28/1/20		The Spanish Ministry of Health publishes a protocol for the management of potential COVID cases, including 14-days quarantine following contact with infected individuals.
31/1/20	First case detected in Spain: a German tourist in Canary Islands	Iberia cancels all flights to China. Spanish from Wuhan quarantined in Madrid. Arrival of Wuhan Zall football team to Málaga for a training camp in Cádiz.
9/2/20	Second case detected in Spain: an English tourist in Mallorca	
12/2/20		World Mobile Congress cancelled in Barcelona
13/2/20	First deceased in Valencia, will be detected in necropsy on 4/3/20	
14/2/20	Latest possible infection of a woman from Torrejón (Madrid) who travelled to Ecuador on 14/2 and developed her first symptoms on 16/2	
15/2/20	One case hospitalized in Madrid, will be tested and detected on 28/2/20	
19/2/20		2,500 Valencia soccer fans mixed with 40,000 Atalanta supporters for a Champions League game in Bergamo
20-21/2/20		National guidelines for the identification, sampling/testing, registration and treatment of COVID cases, distributed by regional governments
22/2/20	Return to Barcelona of a tourist who got infected in Italy, will be tested and confirmed on 24/2/20	
23/2/20	Italy becomes largest outbreak outside Asia	Guidelines on the prevention and control during the management of COVID patients published by the Ministry of Health
24/2/20	3rd case detected, an Italian doctor spending holiday in Tenerife. Largest infection event known in Spain: 60 persons from La Rioja and Alava get infected during a funeral. Cases will be detected on 7/4/20.	
25/2/20	First cases in inland Spain, at Madrid, Barcelona and Castellón First school teacher taking sick leave , will be hospitalized on 1/3/20	Updated guidelines for the identification, sampling/testing , registration and treatment of COVID cases distributed by regional governments
26/2/20	First reported case in Andalusia	<i>The EC requests member states to review pandemic preparedness plans and inform back on how they plan to implement them</i>
27/2/20	8 new cases of Italian/Iranian origin in Catalonia, Castilla-León & Valencia. In Valencia, 4 out of 6 new cases were infected by a sport journalist who attended Bergamo on 19/2/20, got sick on 25/2/20 and hospitalized on 27/2/20	
28/2/20	9 new cases in Andalusia and 1 more in Madrid (already hospitalized but not tested on 15/2/20).	Preventive isolation measures for SARS-CoV-2 (quarantine) will be considered as temporary incapacity by Social Security

	Infection cluster at Igualada, including a large group of health professionals from Igualada hospital	1 st version of the Protocol for the clinical management of COVID at ICUs, hospitals and primary care published by the Ministry of Health, updated on 9/3/20 and 19/3/20
1-2/3/20	Infection of the group of 60 persons from La Rioja and Alava during a funeral gets detected Group infection of 7 persons at a christian church in Leganés (Madrid) and cluster of 6 local infections at Torrejón de Ardoz (Madrid)	
3/3/20	150 cases, of which 49 in Madrid, 15 in Catalonia and Valencia, 13 in Basque Country. First death in Madrid, not confirmed until 5 March	Government announces intention to declare moderate social-distancing measures in Madrid and Basque Country
4/3/20	First cases of community transmission detected in Catalonia	Soft social-distancing measures: The Labour Ministry publishes guidelines for COVID prevention at work , including temporary cessation of activity (complete guide here).
5/3/20	10 persons infected in a nursing home for the elderly, following the death of one person on 3/3/20. 1 dead & 20 infected in a nursing home at Valdemoro (Madrid)	The Health Ministry publishes a set of guidelines for the prevention of COVID exposure by occupational risk services
6/3/20		The Spanish Episcopal Conference mandates prevention measures at Catholic churches
7/3/20		Madrid: closure of nursing homes for the elderly, following infections in two of them. La Rioja: lockdown in Haro due to a concentration of cases
8/3/20	674 cases and 10 deceased	Sports events, political party conferences and IWD demonstrations. In the nationwide meeting of the far-right party Vox, its General Secretary JOS was already infected and symptomatic (will test positive on 10/3/20).
9/3/20		Moderate social-distancing measures at Madrid: closure of kindergartens, schools and universities. Catalonian goverment bans all events with >1,000 persons The Basque governme.nt closes all schools in Vitoria and Labastida.
10/3/20		<i>Italy declares national lockdown</i> Champion League Match between Valencia and Atlanta de Bérgamo in Valencia Moderate social-distancing measures in Spain: Ban on all air travel to/from Italy Ban on all indoor activities with more than 1,000 persons at Madrid, La Rioja, Vitoria & Labastida Moderate social-distancing measures at Madrid, La Rioja and Vitoria , including the closure of schools and universities.
11/3/20		<i>WHO declares COVID-19 outbreak an international pandemia</i> Closure of national Congress and Senate, and regional parliaments of Madrid and Andalusia 3,000 Atlético de Madrid fans flew together for a Champions League match in Liverpool
12/3/20		Moderate social-distancing mandated by all regional goverments: Nationwide closure of schools and universities. Confinement of four municipalities in Catalonia.

		The central government launch a package of measures to mitigate the economic impact of the outbreak (Real Decreto-ley 7/2020, de 12 de marzo).
13/3/20	WHO considers Europe the new epicenter of the pandemic.	Government announces national lockdown , pending on the decree's approval. Catalonia closes the regional borders.
14/3/20		Nationwide lockdown: Real Decreto 463/2020 por el que se declara el estado de alarma para la gestión de la situación de crisis sanitaria ocasionada por el COVID-19
15/3/20	Valencia FC acknowledges that its players and technical staff got infected on 19/2/20	
16/3/20		Ford Motor Co. closes factory in Valencia employing 5,400 people, after three workers test positive for coronavirus
17/3/20		<i>EU restricts non-essential travel from/to its countries</i> Spain closes all its land borders
18/3/20		Protocols for the disinfection of spaces and surfaces in contact with suspected or confirmed COVID patients published by Madrid regional government
19/3/20	Italy overtakes China for the largest number of deaths from the pandemic	
21/3/20		Government announces the purchase of 640,000 rapid tests. >350,000 tests have already been conducted.
22/3/20		Nationwide lockdown extended for another 15 days. Opening of IFEMA's temporary hospital, with 5,500 beds, in Madrid
24/3/20		Emergency Military Units enter retirement homes, where mortality was rocketing, to assist their elderly patients. Madrid ice rink adapted as makeshift mortuary to cope with the high mortality.
25/3/20		
26/3/20		Closure of hotels and short-stay accommodation (such as short-stay campsites or caravan parks)
27/3/20		Madrid launches emergency action plan at nursing homes, which accumulate >50% of Madrid's mortality.
29/3/20		Strengthened nationwide lockdown: closure of the workplaces of companies that do not provide essential services
1/4/20	Spain surpasses 100,000 infections	
2/4/20		Emergency Military Units asked to assist disinfecting 84 retirement homes in Catalonia, owing to the high mortality and infection rate
3/4/20	COVID basic reproduction number <1.0 for the first time in Spain.	

Supplementary Table S2. Parameter estimates of segmented regressions fitted on the total number of cases detected in Spain and the two autonomous regions hosting its two largest cities (Madrid and Catalonia) from 25/2/20 to 13/04/20, using the segmented and lme4 packages of R 3.6.3 (R Core Team 2020) . Within this period, data series varies among variables and regions, since they start at the first day with >10 cases or >1 death. rDev: residual deviance. RL: relative likelihood.

#cases in Spain																				
Model	Intercepts						Slopes						Breakpoints (#days)					Goodness of fit		
	a1	b1	b2	b3	b4	b5	u1	u2	u3	u4	u5	rDev	df	Scale	P	AIC	RL	BIC		
M0	7.532±0.003	0.0997±0.0028										284753	47	6058.6	0.0	285285	0	285289		
M1	4.774±0.009	0.2017±0.0003	0.0487±0.0001				32.403±0.018					17444	45	387.6	0.0	17980	0	17987		
M2	2.371±0.035	0.3351±0.020	0.1565±0.0004	0.0438±0.0002			20.620±0.052	34.578±0.024				4776	43	111.1	0.0	5316	0	5327		
M3	2.169±0.041	0.3493±0.0024	0.1745±0.0006	0.0843±0.0005	0.0336±0.0003		19.492±0.061	31.555±0.043	39.341±0.054			658	41	16.1	2,888±112	1202	3.70E-75	1217		
M4*	2.169±0.041	0.3493±0.0024	0.1745±0.0006	0.0880±0.0006	0.0421±0.0006	0.0261±0.0008	19.492±0.061	31.437±0.046	38.359±0.073	44.623±0.196		437	39	11.2	7,831±39	986	4.23E-28	1005		
M5*	2.064±0.046	0.3571±0.0029	0.2059±0.0032	0.1669±0.0009	0.0936±0.0011	0.0584±0.0009	0.0314±0.0004	18.513±0.102	31.521±0.065	36.846±0.119	41.322±0.114	307	37	8.3	2,48E-38	860		882		

*Fitted using seed breakpoint values

#deaths in Spain																				
Model	Intercepts						Slopes						Breakpoints (#days)					Goodness of fit		
	a1	b1	b2	b3	b4	b5	b6	u1	u2	u3	u4	u5	rDev	df	Scale	P	AIC	RL	BIC	
M0	5.434±0.009	0.1119±0.0003											258715	47	645.4	0.0	26184	0	26187	
M1	2.487±0.032	0.2441±0.0014	0.0584±0.0005				26.470±0.051					1177	38	31.0	2,866±222	1550	7.91E-249	1557		
M2	1.979±0.045	0.2730±0.0022	0.1241±0.0023	0.0474±0.0007			23.301±0.104	30.965±0.137				312	36	8.7	1,321±45	688	9.49E-62	680		
M3	0.282±0.173	0.4166±0.0153	0.2412±0.0026	0.1311±0.0022	0.0453±0.0008		13.380±0.302	24.415±0.116	31.709±0.145			87	34	2.6	1,511±6	468	6.97E-14	482		
M4*	0.282±0.173	0.4166±0.0153	0.2472±0.0032	0.1473±0.0060	0.0884±0.0024	0.0419±0.0010	0.0345±0.0024	13.192±0.310	23.417±0.199	27.694±0.277	33.374±0.205		42	32	1.3	0.10	427	0.000045	445	
M5*	0.282±0.173	0.4166±0.0153	0.2472±0.0032	0.1473±0.0060	0.0985±0.0047	0.0550±0.0021	0.0346±0.0024	13.192±0.310	23.417±0.199	27.359±0.349	31.714±0.306	37.395±0.493	19	30	0.6	0.95	407		428	

*Fitted using seed breakpoint values

#cases in Madrid																				
Model	Intercepts						Slopes						Breakpoints (#days)					Goodness of fit		
	a1	b1	b2	b3	b4	b5	b6	u1	u2	u3	u4	u5	rDev	df	Scale	P	AIC	RL	BIC	
M0	7.056±0.004	0.0923±0.0001											68368	42	1627.8	0.0	68825	0	68829	
M1	5.221±0.012	0.1768±0.0005	0.0473±0.0003				27.380±0.038					8495	40	212.4	0.0	8956	0	8963		
M2	2.707±0.051	0.3784±0.0042	0.1238±0.0005	0.0365±0.0004			14.681±0.065	31.554±0.052				1287	38	33.9	1,926±245	1752	1.15E-218	1763		
M3	2.707±0.051	0.3784±0.0042	0.1377±0.0008	0.0821±0.0011	0.0302±0.0005		14.294±0.068	27.211±0.125	34.617±0.105			394	36	10.9	8,901±62	863	1.30E-25	877		
M4	2.707±0.051	0.3784±0.0042	0.1377±0.0008	0.0852±0.0015	0.0406±0.0010	0.0170±0.0021	14.294±0.068	27.055±0.143	33.625±0.141	40.168±0.273		289	34	8.5	3,131±42	762	0.000098	780		
M5*	2.253±0.095	0.4383±0.0111	0.3156±0.0072	0.1367±0.0009	0.0852±0.0015	0.0406±0.0010	0.0170±0.0021	10.046±0.325	15.015±0.089	27.104±0.146	33.625±0.141	40.168±0.273	271	32	8.5	1,001±39	748		770	

*Fitted using seed breakpoint values

#deaths in Madrid																				
Model	Intercepts						Slopes						Breakpoints (#days)					Goodness of fit		
	a1	b1	b2	b3	b4	b5	b6	u1	u2	u3	u4	u5	Initial Deviat	df	Scale	P	AIC	RL	BIC	
M0	5.156±0.012	0.0992±0.0004											11109	38	292.3	0.0	11443	0	11446	
M1	2.579±0.043	0.2335±0.0022	0.0484±0.0007				23.347±0.079						651	36	18.1	7,888±114	988	1.05E-131	995	
M2	0.535±0.154	0.4131±0.0136	0.1759±0.0024	0.0439±0.0008			13.438±0.205	25.302±0.108				237	34	7.0	2,326±32	579	7.36E-43	589		
M3	0.039±0.221	0.4755±0.0230	0.2215±0.0042	0.0936±0.0028	0.0354±0.0013		11.259±0.271	21.522±0.176	29.551±0.249			77	32	2.4	0.000015	422	7.87E-09	436		
M4*	0.039±0.221	0.4755±0.0230	0.2292±0.0052	0.1380±0.0095	0.0732±0.0039	0.0419±0.0044	0.0254±0.0040	11.115±0.279	20.107±0.355	24.723±0.398	30.336±0.585	35.729±0.144	31	28	1.1	0.30	385		345	

*Fitted using seed breakpoint values

#cases in Catalonia																				
Model	Intercepts						Slopes						Breakpoints (#days)					Goodness of fit		
	a1	b1	b2	b3	b4	b5	b6	u1	u2	u3	u4	u5	rDev	df	Scale	P	AIC	RL	BIC	
M0	4.099±0.020	0.1205±0.0006											6601	35	188.6	0.0	6873	0	6876	
M1	0.408±0.085	0.3127±0.0044	0.0560±0.0012				22.470±0.087						340	33	10.3	9,92E53	616	3.88E-66	622	
M2	-0.425±0.135	0.3669±0.0079	0.1350±0.0040	0.0375±0.0020			19.671±0.160	27.312±0.202					42	31	1.3	0.0927	321	0.035	331	
M3	-0.947±0.283	0.4106±0.0231	0.3245±0.0122	0.1298±0.0047	0.0375±0.0020		14.640±0.185	20.318±0.191	27.422±0.223			33	29	1.1	0.2939	316	0.48	329		
M4	-0.047±0.617	0.2642±0.1158	0.4674±0.0478	0.3275±0.0105	0.1298±0.0047	0.0375±0.0020	7.757±0.133	13.436±0.855	20.297±0.183	27.422±0.223		29	27	1.1	0.3384	317	0.31	333		
M5	-0.047±0.617	0.2642±0.1158	0.4674±0.0478	0.3275±0.0105	0.1348±0.0062	0.0301±0.0042	7.757±0.133	13.436±0.855	20.228±0.195	26.654±0.325	31.570±0.985	23	25	0.9	0.5696	315		3		

Supplementary Table S3. Confidence intervals of the breakpoints estimated by segmented regressions on the total number of cases detected in Spain and the two autonomous regions hosting its two largest cities (Madrid and Catalonia) from 25/2/20 to 13/04/20, using the segmented and lme4 packages of R 3.6.3 (R Core Team 2020). Within this period, data series varies among variables and regions, since they start at the first day with >10 cases or >1 death. Only the results of the best model (i.e. the most parsimonious model with a significantly lower AIC) are presented.

#casesIn Spain - Model 5			
	Est.	CI(95%).low	CI(95%).up
psi1.DaysCS	18,51	18,31	18,72
psi2.DaysCS	23,92	23,39	24,45
psi3.DaysCS	31,52	31,39	31,65
psi4.DaysCS	36,85	36,61	37,09
psi5.DaysCS	41,32	41,09	41,55

#deaths In Spain - Model 5			
	Est.	CI(95%).low	CI(95%).up
psi1.DaysDS	13,19	12,56	13,82
psi2.DaysDS	23,42	23,01	23,82
psi3.DaysDS	27,36	26,64	28,07
psi4.DaysDS	31,71	31,09	32,34
psi5.DaysDS	37,40	36,39	38,40

#casesIn Madrid - Model 5			
	Est.	CI(95%).low	CI(95%).up
psi1.DaysCM	10,05	9,38	10,71
psi2.DaysCM	15,02	14,83	15,20
psi3.DaysCM	27,10	26,81	27,40
psi4.DaysCM	33,63	33,34	33,91
psi5.DaysCM	40,17	39,61	40,72


#deaths in Madrid - Model 4			
	Est.	CI(95%).low	CI(95%).up
psi1.DaysDM	11,02	10,42	11,61
psi2.DaysDM	19,61	18,89	20,32
psi3.DaysDM	24,67	24,03	25,31
psi4.DaysDM	31,44	30,65	32,22

#casesin Catalonia - Model 4			
	Est.	CI(95%).low	CI(95%).up
psi1.DaysCC	17,75	17,38	18,12
psi2.DaysCC	24,75	24,58	24,92
psi3.DaysCC	32,68	32,34	33,02
psi4.DaysCC	39,00	38,15	39,85


#deaths In Catalonia -Model 3			
	Est.	CI(95%).low	CI(95%).up
psi1.Days DC	14,64	12,42	16,86
psi2.Days DC	20,32	19,93	20,71
psi3.Days DC	27,42	26,97	27,88

Supplementary Table S4. Dataset. CS: number of cases in Spain. DS: number of deaths in Spain. CM: number of cases in Madrid. DM: number of deaths in Madrid. CC: number of cases in Catalonia. DC: number of deaths in Catalonia.

Supplementary Figure S1. Scheme of the key events related with the timeline of the COVID-19 pandemic in Spain, including the breaking points in the growth curves of the number of cases and deaths, at the time of detection (right column) and the estimated time of infection (left column). See summary in Figure 2, and Supplementary Table S1 for a detailed account of the timetable. Black numbers: change of slope at the breaking points of R's segmented fits (all negative unless preceded by a + symbol). Red numbers: change of slope at the breaking points of R's strucchange fits (all negative unless preceded by a + symbol). Blue blocks: clusters of breakpoints associated to decreases in slopes (growth rates). Blue blocks: cluster of breakpoints associated to increases in slopes (growth rates) or intercepts (one-day ‘jumps’ in values).



Supplementary Figure S2. Results of the simultaneous estimation of multiple breakpoints in segmented regressions fitted using the [breakpoints](#) function of R's [strucchange](#) package, on the total number of cases detected in Spain and the two autonomous regions hosting its two largest cities (Madrid and Catalonia) from 25/2/20 to 13/04/20. Within this period, data series varies among variables and regions, since they start at the first day with >10 cases or >1 death. Lines show the best fit, i.e. that with the lowest BIC (see also Supplementary Figure S3). Red dots indicate breaking points of the best fit, with 95% confidence intervals (red lines).



Supplementary Figure S3. Results of the simultaneous estimation of multiple breakpoints in segmented regressions fitted using the `breakpoints` function of R's `strucchange` package, on the total number of cases detected in Spain and the two autonomous regions hosting its two largest cities (Madrid and Catalonia) from 25/2/20 to 13/04/20. Graphs show two goodness-of-fit parameters, the Bayesian Information Criterion (BIC, black lines and dots) and Residual Sum of Squares (blue lines and symbols) of a set of eight different models ranging from zero to seven breakpoints. The models with the lowest BIC was taken as the best fits and corresponds to the lines displayed in Supplementary Figure S3.

