

Supplemental data

Variable	Comparison of patients with available data				Coverage of available data – no. (%)	
	COVID-19 positive (n=1148)	COVID-19 negative (n=1608)	P-value*	Standardised mean difference (95% CI)†	COVID19 Positive (n=1148)	COVID19 Negative (n=1608)
Demographics						
Age - yr	61.22±20.06	51.44±21.94	<0.001	-	1148 (100.0)	1608 (100.0)
Sex - no. (%)			<0.001			
Male	698 (60.8)	737 (45.8)			1147 (99.9)	1608 (100.0)
Female	449 (39.1)	871 (54.2)			1147 (99.9)	1608 (100.0)
Ethnicity - no. (%)‡						
Asian	412 (35.9)	620 (38.6)	0.001	-	412 (35.9)	620 (38.6)
Black	162 (14.1)	182 (11.3)		-	162 (14.1)	182 (11.3)
White	70 (6.1)	58 (3.6)		-	70 (6.1)	58 (3.6)
Other/Unspecified	504 (43.9)	748 (46.5)		-	504 (43.9)	748 (46.5)
Most common primary and secondary ICD-10 diagnoses from historical data - no. (%) of patients with a record of previous diagnoses						
I10 - Essential (primary) hypertension	276 (50.4)	257 (44.1)	0.040	-	276 (24.0)	257 (16.0)
E78.0 - Pure hypercholesterolemia	175 (31.9)	157 (26.9)	0.075	-	175 (15.2)	157 (9.8)
E11.9 - Type 2 diabetes mellitus without complications	155 (28.3)	129 (22.1)	0.021	-	155 (13.5)	129 (8.0)
U07.1 - Infection due to SARS-coV-2	264 (48.2)	4 (0.7)	<0.001	-	264 (23.0)	4 (0.2)
Z86.4 - Personal history of psychoactive substance abuse (tobacco, alcohol, or drugs)	134 (24.5)	131 (22.5)	0.474	-	134 (11.7)	131 (8.1)
N17.9 - Acute kidney failure, unspecified	135 (24.6)	122 (20.9)	0.157	-	135 (11.8)	122 (7.6)
Z50.1 - Other physical therapy	123 (22.4)	128 (22.0)	0.899	-	123 (10.7)	128 (8.0)
Z29.0 - Isolation	157 (28.6)	58 (9.9)	<0.001	-	157 (13.7)	58 (3.6)
Z03.8 - Observation for other suspected diseases and conditions	22 (4.0)	189 (32.4)	<0.001	-	22 (1.9)	189 (11.8)
B97.2 - Coronavirus as the cause of diseases classified elsewhere	205 (37.4)	4 (0.7)	<0.001	-	205 (17.9)	4 (0.2)
Most commonly prescribed drug types from historical data - no. (%) of patients with at least one previous prescription)§						
5.01 - Antibacterial drugs	449 (68.9)	438 (69.9)	0.746	-	449 (39.1)	438 (27.2)
4.07 - Analgesics	243 (37.3)	259 (41.3)	0.155	-	243 (21.2)	259 (16.1)
1.03 - Antisecretory drugs and mucosal protectants	205 (31.4)	216 (34.4)	0.278	-	205 (17.9)	216 (13.4)
1.06 - Laxatives	189 (29.0)	213 (34.0)	0.063	-	189 (16.5)	213 (13.2)
2.08 - Anticoagulants and protamine	206 (31.6)	196 (31.3)	0.945	-	206 (17.9)	196 (12.2)

	COVID-19 positive (n=1148)	COVID-19 negative (n=1608)	P-value*	Standardised mean difference (95% CI)†	COVID19 Positive (n=1148)	COVID19 Negative (n=1608)
2.12 - Lipid regulating drugs	167 (25.6)	168 (26.8)	0.677	-	167 (14.5)	168 (10.4)
2.06 - Nitrates, calcium-channel blockers and other antianginal drugs	152 (23.3)	152 (24.2)	0.745	-	152 (13.2)	152 (9.5)
2.05 - Hypertension and Heart Failure	149 (22.9)	150 (23.9)	0.699	-	149 (13.0)	150 (9.3)
2.04 - Beta-Adrenoceptor Blocking Drugs	129 (19.8)	138 (22.0)	0.363	-	129 (11.2)	138 (8.6)
Laboratory measurements at the time of hospitalisation						
Inflammatory panel						
C-Reactive Protein (CRP) - mg/L	101.0 (41.6, 176.8)	44.9 (12.8, 114.8)	<0.001	-0.4 (-0.5, -0.3)	733 (88.7)	569 (72.8)
Lymphocytes - 10 ⁹ /L	0.9 (0.6, 1.4)	1.3 (0.8, 1.9)	<0.001	0.1 (-0.0, 0.2)	758 (91.8)	649 (83.0)
Basophils - 10 ⁹ /L	0.0 (0.0, 0.0)	0.0 (0.0, 0.0)	<0.001	0.2 (0.1, 0.3)	758 (91.8)	648 (82.9)
Eosinophils - 10 ⁹ /L	0.0 (0.0, 0.0)	0.1 (0.0, 0.1)	<0.001	0.4 (0.3, 0.5)	758 (91.8)	648 (82.9)
Neutrophils - 10 ⁹ /L	5.7 (4.0, 8.1)	6.9 (4.8, 10.4)	<0.001	0.3 (0.2, 0.4)	758 (91.8)	648 (82.9)
Monocytes - 10 ⁹ /L	0.5 (0.4, 0.7)	0.7 (0.5, 1.0)	<0.001	0.4 (0.3, 0.5)	758 (91.8)	648 (82.9)
White blood cells - 10 ⁹ /L	7.3 (5.6, 10.0)	9.5 (7.1, 12.9)	<0.001	0.4 (0.2, 0.5)	758 (91.8)	648 (82.9)
Blood Count						
Haematocrit - L/L	0.40 (0.37, 0.44)	0.39 (0.34, 0.43)	<0.001	-0.3 (-0.4, -0.1)	758 (91.8)	648 (82.9)
Haemoglobin - g/L	134.0 (120.8, 147.0)	128.0 (113.0, 142.0)	<0.001	-0.3 (-0.4, -0.2)	760 (92.0)	650 (83.1)
Carboxyhaemoglobin - %	1.80 (1.25, 3.30)	3.50 (1.80, 4.90)	<0.001	0.6 (0.4, 0.8)	303 (36.7)	213 (27.2)
Deoxyhaemoglobin - %	6.40 (2.50, 25.40)	13.30 (3.60, 34.95)	0.003	0.2 (0.1, 0.4)	301 (36.4)	211 (27.0)
Methaemoglobin - %	0.7 (0.5, 0.9)	0.7 (0.5, 1.0)	0.289	0.1 (-0.0, 0.3)	303 (36.7)	213 (27.2)
Oxyhaemoglobin - %	90.7 (70.8, 95.2)	81.2 (60.2, 92.7)	<0.001	-0.3 (-0.5, -0.1)	303 (36.7)	213 (27.2)
Mean corpuscular haemoglobin - pg	30.0 (28.4, 31.3)	30.0 (28.4, 31.5)	0.542	0.1 (-0.0, 0.2)	758 (91.8)	648 (82.9)
Mean corpuscular haemoglobin concentration - g/L	332 (325, 338)	329 (321, 337)	<0.001	-0.3 (-0.4, -0.2)	758 (91.8)	648 (82.9)
Mean corpuscular volume - fL	90.0 (85.0, 94.0)	91.0 (86.0, 95.5)	0.002	0.2 (0.1, 0.3)	758 (91.8)	648 (82.9)
Mean platelet volume - fL	8.3 (7.7, 9.2)	8.3 (7.5, 9.0)	0.046	-0.1 (-0.2, 0.0)	757 (91.6)	648 (82.9)
Red cell distribution width - %	13.8 (12.9, 15.0)	14.1 (13.0, 15.7)	0.001	0.2 (0.1, 0.3)	758 (91.8)	648 (82.9)
Red blood cell count - 10 ¹² /L	4.50 (4.07, 4.95)	4.27 (3.83, 4.76)	<0.001	-0.3 (-0.4, -0.2)	758 (91.8)	648 (82.9)
Liver and Kidney Function tests						
Alanine aminotransferase (ALT) - U/L	30.0 (18.0, 48.8)	22.0 (14.0, 40.0)	<0.001	-0.1 (-0.2, 0.0)	734 (88.9)	577 (73.8)
Total bilirubin - µmol/L	11.0 (8.0, 15.0)	10.0 (7.0, 15.0)	0.070	0.1 (-0.0, 0.2)	745 (90.2)	590 (75.4)
Alkaline phosphatase (ALP) - IU/L	83 (64, 113)	96 (73, 134)	<0.001	0.2 (0.1, 0.3)	747 (90.4)	595 (76.1)
Albumin - g/L	34.0 (30.0, 37.0)	35.0 (30.0, 39.8)	<0.001	0.2 (0.1, 0.3)	746 (90.3)	594 (76.0)
Total protein - IU/L	66.0 (61.0, 71.0)	66.0 (61.0, 72.0)	0.268	0.1 (-0.0, 0.2)	584 (70.7)	394 (50.4)
Coagulation panel						
Prothrombin time (PT) - seconds	14.3 (13.2, 16.0)	14.5 (13.3, 16.2)	0.271	0.1 (-0.0, 0.2)	550 (66.6)	440 (56.3)
Activated partial thromboplastin time (APTT) - seconds	32.0 (29.2, 35.6)	30.5 (27.9, 34.4)	<0.001	-0.2 (-0.3, -0.0)	551 (66.7)	440 (56.3)

	COVID-19 positive (n=1148)	COVID-19 negative (n=1608)	P-value*	Standardised mean difference (95% CI)†	COVID19 Positive (n=1148)	COVID19 Negative (n=1608)
Fibrinogen - g/L	6.49 (5.30, 7.59)	5.38 (4.12, 6.87)	<0.001	-0.5 (-0.6, -0.3)	544 (65.9)	437 (55.9)
Platelet count - 10 ⁹ /L	220 (169, 288)	251 (193, 330)	<0.001	0.3 (0.2, 0.4)	757 (91.6)	648 (82.9)
D-dimer - µg/L	1530 (864, 2740)	1580 (797, 3398)	0.856	0.1 (-0.0, 0.3)	485 (58.7)	202 (25.8)
Electrolytes						
Bicarbonate - mmol/L	23.1 (20.1, 25.9)	23.6 (20.8, 26.6)	0.153	0.1 (-0.1, 0.2)	307 (37.2)	216 (27.6)
Calcium - mmol/L	2.13 (2.03, 2.24)	2.24 (2.12, 2.34)	<0.001	0.5 (0.4, 0.7)	596 (72.2)	403 (51.5)
Adjusted calcium - mmol/L	2.26 (2.18, 2.34)	2.34 (2.27, 2.42)	<0.001	0.5 (0.4, 0.6)	594 (71.9)	402 (51.4)
Ionised calcium - mmol/L	1.11 (1.06, 1.18)	1.13 (1.05, 1.21)	0.134	0.2 (-0.0, 0.3)	303 (36.7)	214 (27.4)
Chloride - mmol/L	100 (97, 104)	102 (98, 104)	0.006	0.0 (-0.1, 0.1)	758 (91.8)	635 (81.2)
Magnesium - mmol/L	0.84 (0.74, 0.91)	0.81 (0.71, 0.88)	<0.001	-0.3 (-0.4, -0.1)	458 (55.4)	285 (36.4)
Potassium - mmol/L	4.00 (3.70, 4.40)	4.10 (3.80, 4.50)	0.002	0.1 (0.0, 0.3)	751 (90.9)	624 (79.8)
Phosphate - mmol/L	0.97 (0.81, 1.17)	1.04 (0.88, 1.26)	<0.001	0.2 (0.1, 0.3)	594 (71.9)	404 (51.7)
Sodium - mmol/L	136 (133, 139)	136 (133, 139)	0.029	0.0 (-0.1, 0.1)	757 (91.6)	634 (81.1)
Cardiac function						
Troponin T - ng/L	16.0 (8.0, 40.5)	14.0 (6.0, 33.8)	0.065	0.1 (-0.0, 0.2)	559 (67.7)	300 (38.4)
Lactate dehydrogenase (LDH) - IU/L	405 (280, 571)	267 (213, 372)	<0.001	-0.5 (-0.7, -0.4)	489 (59.2)	191 (24.4)
Creatine Kinase - IU/L	145.5 (66.0, 357.0)	89.0 (50.0, 196.5)	<0.001	-0.2 (-0.3, 0.0)	514 (62.2)	231 (29.5)
Renal function						
Blood Creatinine - µmol/Litre	87.0 (68.0, 118.0)	76.0 (62.0, 111.0)	<0.001	-0.1 (-0.2, 0.0)	755 (91.4)	631 (80.7)
Blood gas analyses						
pH	7.44 (7.39, 7.48)	7.41 (7.35, 7.46)	<0.001	-0.4 (-0.5, -0.2)	303 (36.7)	214 (27.4)
Partial pressure of oxygen (PaO2) - kPa	7.70 (4.60, 10.50)	6.00 (4.00, 9.50)	0.003	-0.1 (-0.3, 0.1)	303 (36.7)	213 (27.2)
Partial pressure of carbon dioxide (PaCO2) - kPa	4.40 (4.00, 5.40)	4.90 (4.10, 5.80)	0.001	0.3 (0.2, 0.5)	303 (36.7)	214 (27.4)
Peripheral oxygen saturation (SpO2) - %	95.0 (92.0, 98.0)	97.0 (95.0, 99.0)	<0.001	0.4 (0.3, 0.5)	747 (90.4)	635 (81.2)
SpO2/FiO2 ratio	4.05 (1.53, 4.52)	4.52 (3.81, 4.62)	<0.001	0.5 (0.3, 0.7)	292 (35.4)	205 (26.2)
PaO2/FiO2 ratio	0.22 (0.15, 0.36)	0.24 (0.17, 0.38)	0.132	0.1 (-0.0, 0.3)	303 (36.7)	213 (27.2)
Other laboratory measurements						
Ferritin - ng/mL	542.0 (242.0, 1143.0)	220.5 (86.5, 520.5)	<0.001	-0.0 (-0.2, 0.1)	558 (67.6)	256 (32.7)
Lactate - mmol/L	1.40 (1.00, 2.00)	1.60 (1.10, 2.38)	0.002	0.2 (0.1, 0.4)	305 (36.9)	218 (27.9)
Glucose - mmol/L	6.80 (5.70, 9.33)	6.60 (5.50, 8.30)	0.031	-0.2 (-0.3, 0.0)	388 (47.0)	281 (35.9)
Clinical measurements						
Respiratory rate - breaths/min	23.0 (19.0, 28.0)	20.0 (18.0, 24.0)	<0.001	-0.4 (-0.5, -0.3)	748 (90.6)	636 (81.3)
Heart rate - beats/min	94.0 (81.0, 109.0)	91.5 (78.8, 107.0)	0.038	-0.1 (-0.2, 0.0)	747 (90.4)	636 (81.3)
Systolic blood pressure - mm Hg	132 (115, 146)	134 (117, 150)	0.036	0.1 (0.0, 0.2)	742 (89.8)	633 (80.9)
Diastolic blood pressure - mm Hg	77 (67, 86)	77 (67, 86)	0.818	0.0 (-0.1, 0.2)	742 (89.8)	633 (80.9)

	COVID-19 positive (n=1148)	COVID-19 negative (n=1608)	P-value*	Standardised mean difference (95% CI)†	COVID19 Positive (n=1148)	COVID19 Negative (n=1608)
Mean arterial pressure - mm Hg	95 (85, 106)	96 (86, 107)	0.476	0.1 (-0.0, 0.2)	740 (89.6)	628 (80.3)
Total early warning score (EWS)	5.0 (2.0, 7.0)	3.0 (1.0, 5.0)	<0.001	-0.5 (-0.6, -0.4)	748 (90.6)	632 (80.8)
Temperature - °C	37.2 (36.4, 37.8)	36.6 (36.1, 37.3)	<0.001	-0.4 (-0.5, -0.3)	746 (90.3)	634 (81.1)
Ventilator oxygen flow rate - L/min	3.0 (0.0, 15.0)	1.0 (0.0, 4.0)	<0.001	-0.4 (-0.5, -0.3)	650 (78.7)	471 (60.2)
Ventilator fraction of inspired oxygen (FIO2) - %	21.0 (21.0, 60.0)	21.0 (21.0, 24.0)	<0.001	-0.4 (-0.6, -0.2)	304 (36.8)	217 (27.7)

Supplementary table 1. Selected baseline characteristics for patients identified as positive or negative for COVID-19 at their most recent hospital admission

* Chi-squared tests were used for comparison of binary/categorical variables, Student's T tests for normally distributed continuous variables, and Wilcoxon rank-sum tests for non-normally distributed continuous variables.

† Laboratory and clinical measurements were log-transformed to obtain normal distributions before the standardised mean differences were estimated.

‡ NHS data dictionary ethnicity groupings were combined to define ethnicity categories: Black (combined: "African", "Caribbean", "White and Black Caribbean", "White and Black African", "Any other Black background"), Asian (combined: "Chinese", "Indian", "Pakistani", "Bangladeshi", "White and Asian"), White ("Irish", "British", "Any other White background"), and Other/Unspecified (combined: "Not Known", "Not stated", "Any other ethnic group", "Any other mixed background").

§ As per classification in the British National Formulary (BNF) pharmaceutical reference book for medications available on the UK National Health Service (NHS).

Supplementary table 2. Age- and sex- adjusted associations between potential risk factors and admission to the hospital's AICU, administration of mechanical ventilation, in-hospital mortality, and D-dimer $\geq 1,000$ $\mu\text{g/L}$.

Outcome	Variable	Odds ratio (95% CI)	P-value
Admission to AICU	Ethnicity		
	White	1.000	-
	Asian	1.177 (0.585-2.303)	0.640
	Black	1.414 (0.612-3.095)	0.399
	Other	1.100 (0.657-1.853)	0.719
	Alanine aminotransferase - per 1 U/L	1.001 (0.999-1.002)	0.433
	C reactive protein - per 1 mg/L	1.006 (1.004-1.008)	<0.001
	Haemoglobin - per 1 g/L	1.017 (1.006-1.029)	0.004
	Lymphocyte count - per $10^9/\text{L}$	0.912 (0.630-1.062)	0.590
	Potassium - per 1 mmol/L	0.847 (0.591-1.180)	0.348
	Red blood cell count - per $10^{12}/\text{L}$	1.696 (1.249-2.322)	0.001
	Sodium - per 1 mmol/L	0.949 (0.911-0.987)	0.010
	Troponin T - per 1 ng/L	1.000 (0.999-1.000)	0.828
	White blood cell count - per $10^9/\text{L}$	1.044 (1.009-1.080)	0.012
	Diastolic blood pressure - per 1 mm Hg	1.011 (0.998-1.025)	0.092
	Systolic blood pressure - per 1 mm Hg	1.009 (1.000-1.018)	0.051
	Heart rate - per 1 beat/min	1.010 (1.000-1.020)	0.055
	Respiratory rate - per 1 breath/min	1.025 (1.001-1.049)	0.037
Temperature - per 1°C	1.303 (1.082-1.595)	0.007	
Mechanical ventilation	Ethnicity		
	White	1.000	-
	Asian	0.508 (0.182-1.215)	0.155
	Black	1.151 (0.434-2.727)	0.761
	Other	0.843 (0.475-1.499)	0.558
	Alanine aminotransferase - per 1 U/L	1.000 (0.996-1.002)	0.924
	C reactive protein - per 1 mg/L	1.004 (1.001-1.006)	0.002
	Haemoglobin - per 1 g/L	1.006 (0.993-1.019)	0.355
	Lymphocyte count - per $10^9/\text{L}$	1.059 (0.980-1.184)	0.130
	Potassium - per 1 mmol/L	0.753 (0.481-1.131)	0.197
	Red blood cell count - per $10^{12}/\text{L}$	1.280 (0.893-1.842)	0.181
	Sodium - per 1 mmol/L	0.923 (0.879-0.966)	0.001
	Troponin T - per 1 ng/L	1.000 (0.999-1.000)	0.814
	White blood cell count - per $10^9/\text{L}$	1.032 (0.989-1.072)	0.114
	Diastolic blood pressure - per 1 mm Hg	0.989 (0.973-1.005)	0.193
	Systolic blood pressure - per 1 mm Hg	1.000 (0.989-1.011)	0.960
	Heart rate - per 1 beat/min	1.004 (0.992-1.015)	0.534
	Respiratory rate - per 1 breath/min	1.021 (0.994-1.048)	0.113
Temperature - per 1°C	1.192 (0.971-1.463)	0.087	
In-hospital mortality	Ethnicity		
	White	1.000	-
	Asian	2.354 (1.232-4.503)	0.009
	Black	2.205 (0.905-5.199)	0.074
	Other	1.006 (0.593-1.712)	0.981
	Alanine aminotransferase - per 1 U/L	1.002 (1.000-1.005)	0.142
	C reactive protein - per 1 mg/L	1.003 (1.001-1.006)	0.001
	Haemoglobin - per 1 g/L	1.007 (0.997-1.017)	0.185
	Lymphocyte count - per $10^9/\text{L}$	1.032 (0.956-1.173)	0.456
	Potassium - per 1 mmol/L	1.039 (0.760-1.403)	0.808
	Red blood cell count - per $10^{12}/\text{L}$	1.294 (0.974-1.726)	0.077
	Sodium - per 1 mmol/L	1.036 (1.004-1.071)	0.029
	Troponin T - per 1 ng/L	1.000 (1.000-1.001)	0.195
	White blood cell count - per $10^9/\text{L}$	1.013 (0.977-1.049)	0.474
	Diastolic blood pressure - per 1 mm Hg	1.009 (0.997-1.021)	0.137
	Systolic blood pressure - per 1 mm Hg	1.005 (0.996-1.013)	0.284

	Heart rate - per 1 beat/min	1.007 (0.998-1.017)	0.127
	Respiratory rate - per 1 breath/min	1.061 (1.035-1.090)	<0.001
	Temperature - per 1 °C	0.890 (0.731-1.084)	0.246
D-dimer ≥1000 µg/L	Ethnicity		
	White	1.000	-
	Asian	2.123 (0.969-5.074)	0.072
	Black	1.830 (0.730-5.276)	0.224
	Other	1.811 (1.032-3.209)	0.040
	Alanine aminotransferase - per 1 U/L	1.011 (1.004-1.019)	0.005
	C reactive protein - per 1 mg/L	1.007 (1.005-1.010)	<0.001
	Haemoglobin - per 1 g/L	0.982 (0.970-0.993)	0.002
	Lymphocyte count - per 10 ⁹ /L	0.985 (0.911-1.111)	0.690
	Potassium - per 1 mmol/L	1.615 (1.091-2.464)	0.021
	Red blood cell count - per 10 ¹² /L	0.791 (0.573-1.086)	0.149
	Sodium - per 1 mmol/L	0.967 (0.933-1.004)	0.073
	Troponin T - per 1 ng/L	1.001 (1.000-1.005)	0.307
	White blood cell count - per 10 ⁹ /L	1.093 (1.035-1.162)	0.003
	Diastolic blood pressure - per 1 mm Hg	1.005 (0.992-1.019)	0.463
	Systolic blood pressure - per 1 mm Hg	1.003 (0.993-1.013)	0.574
	Heart rate - per 1 beat/min	1.010 (0.999-1.022)	0.090
	Respiratory rate - per 1 breath/min	1.018 (0.993-1.046)	0.189
	Temperature - per 1 °C	0.805 (0.645-1.000)	0.052

Supplementary table 3. 2x2 contingency tables used for Fisher's exact tests for computation of odds ratio associations of D-dimer <1000 µg/L and ≥1000 µg/L with admission to AICU, mechanical ventilation, and in-hospital mortality.

A Admission to AICU




	Admitted to AICU	Not admitted to AICU	
D-dimer ≥1000 µg/L	95	273	368
D-dimer <1000 µg/L	22	573	595
	117	846	N = 963

B Mechanical ventilation

	Had mechanical ventilation	Did not have mechanical ventilation	
D-dimer ≥1000 µg/L	62	306	368
D-dimer <1000 µg/L	14	581	595
	76	887	N = 963

C Mortality

	Died	Did not die	
D-dimer ≥1000 µg/L	77	291	368
D-dimer <1000 µg/L	98	497	595
	175	788	N = 963

a**b****c**

Supplementary Figure 1. Association of D-dimer ($<1,000 \mu\text{g/L}$ and $\geq 1,000 \mu\text{g/L}$), as a risk factor, with admission to the hospital's AICU, administration of mechanical ventilation and in-hospital mortality. a) Contingency plots representing associations of D-dimer $<1000 \mu\text{g/L}$ (not elevated) and $\geq 1000 \mu\text{g/L}$ (elevated) with admission to AICU, mechanical ventilation, and in-hospital mortality using Fisher's exact test (unadjusted for potential confounders); The percentages in the bar plot represent the fraction of patients with at least one D-dimer measurement. b) Venn Diagram representing the number of patients within D-dimer spikes, AICU admission and mechanical ventilation cohorts. c) Venn Diagram representing the number of patients within D-dimer spikes, mortality and mechanical ventilation cohorts.