Technical appendix for Akhmetzhanov et al. "Rising evidence of COVID-19 transmission potential to and between animals: do we need to be concerned?"

```
1 functions {
       vector algebraic_equation(vector y, vector theta, real[] x_r,
2
       int[] x_i) {
        vector[1] z;
3
         z[1] = expm1(-y[1]*theta[1]) + theta[1];
5
         return z;
6
7 }
      int < lower = 1 > N; //total number of samples
10
       int<lower = 0, upper = N> n; //number of positive samples
11
12 }
13
14 transformed data {
      real X_r[0];
15
16
       int X_i[0];
17
       vector[1] R0_guess;
18
      RO_guess[1] = 1.2;
19
20 }
21
22 parameters {
23
      real < lower = 0, upper = 1> z; //fraction of positively infected
24 }
25
26 transformed parameters {
      vector[1] theta;
27
       theta[1] = z;
28
       real < lower = 0 > R0;
29
30
       RO = algebra_solver(algebraic_equation, RO_guess, theta, X_r, X
31
       _i)[1];
32 }
33
34 model {
      z ~ normal(0.5, 1.0);
35
      n ~ binomial(N, z);
36
38
39 generated quantities {
      real < lower = 0, upper = 1> p = 1.0 - 1.0/R0; //probability of
40
      major outbreak
```

Listing 1: Stan program used for statistical inference of  $R_0$