

Supplement

Data source

LE: LE data came from: <http://hdl.handle.net/10622/LKYT53>, IISH Dataverse, V1, and UN Population Division (2019).

IMR, U5MR: Both data came from World Bank – World Development Indicators. Estimates developed by the UN Inter-agency Group for Child Mortality Estimation (UNICEF, WHO, World Bank, UN DESA Population Division)

PM_{2.5}: The data source is atmospheric composition analysis group http://fizz.phys.dal.ca/~atmos/martin/?page_id=140.

CO₂: Data of CO₂ came from OWID based on the Global Carbon Project, Carbon Dioxide Information Analysis Centre (CDIAC), Gapminder and UN population estimates.

PGDP: PGDP data were from World Bank national accounts data, and OECD National Accounts data files.

T2M and QV2M: The data source is <https://power.larc.nasa.gov/data-access-viewer/>

Table S1 Summary of PC in four income country groups during 2000-2016

	Mean	Sd	Min	Median	Max
High income	2.03	1.19	0.41	1.79	7.52
Upper-middle income	3.84	2.57	0.42	3.40	19.76
Lower-middle income	28.72	42.16	0.59	10.21	216.35
Low income	188.37	163.03	5.83	144.90	738.51

Notes: Sd: standard deviation, Min: minimum, Max: maximum; Range: difference between maximum and minimum.

Thresholds of four income groups—high, upper-middle, lower-middle, and low-income economies are \$12,235, \$3955 and \$1,005 of GNI per capita of year 2017-2018 according to the World Bank economies subgroup division standard[29]. We used the GDP per capita of each country in the year of 2016 to divide the income group.

Table S₂ The Pearson correlation matrix of PC, LPGDP, health and environmental indicators during 2000-2016

Variables	PC	LE	IMR	U5MR	PM _{2.5}	CO ₂	LPGDP	T2M	QV2M
PC	1.00	-	0.65***	0.66***	0.40***	-	-	0.24***	0.14***
		0.57***				0.31***	0.59***		
LE		1.00	-	-	-	0.47***	0.78***	-	-
			0.92***	0.92***	0.19***			0.39***	0.25***
IMR			1.00	0.99***	0.28***	-	-	0.43***	0.26***
						0.73***	0.79***		
U5MR				1.00	0.32***	-	-	0.41***	0.24***
						0.45***	0.76***		
PM _{2.5}					1.00	0.17***	-	0.22***	-
							0.21***		0.13***
CO ₂						1.00	0.67***	-	-
								0.20***	0.29***
LPGDP							1.00	-	-
								0.42***	0.32***
T2M								1.00	0.75***
QV2M									1.00

Note: ***P<0.001. PC: PM_{2.5} concentration per unit per capita CO₂ emission; LE: life expectancy at birth; IMR: Infant-mortality rate; U5MR: Under-five mortality rate; PM_{2.5}: fine particulate matter with aero dynamic diameter ≤ 2.5um; CO₂: carbon dioxide emission per capita; LPGDP: logarithm of GDP per capita; T2M: Temperatures at 2 meters; QV2M: Specific Humidity at 2 Meters.

Table S₃ The adjusted R² of different GAMM models

Models	LE(years)	IMR(‰)	U5MR(‰)
Model 1	0.320	0.417	0.435
Model 2	0.035	0.078	0.105
Model 3	0.221	0.224	0.198
Model 4	0.580	0.636	0.613
Model 5	0.612	0.586	0.595
Model 6	0.540	0.619	0.624
Model 7	0.616	0.635	0.627
n	2466	2448	2409

Note: The independent variables in model 1~7 were: Model1: PC; Model2: PM_{2.5}; Model3: CO₂; Model4: PGDP; Model5: PC+PGDP +PM_{2.5} +CO₂; Model6: PC+PGDP+T2M+QV2M; Model7: PC+PGDP+PM_{2.5}+CO₂ +T2M+QV2M respectively. Degrees of freedom (df) were 4 in the smoothing function realized by cubic spline. LE: life expectancy at birth, IMR: Infant-mortality rate, U5MR: Under-five mortality rate, PC: PM_{2.5} concentration per unit per capita CO₂ emission, PGDP: GDP per capita, T2M: Temperatures at 2 meters, QV2M: Specific Humidity at 2 Meters.




Figure S1. The modelled associations of PC with LE, IMR, U5MR, by GAMM

Note: Black shadow meant 95% confidence interval (CI). LE: life expectancy at birth, IMR: Infant-mortality rate, U5MR: Under-five mortality rate, PC: PM_{2.5} concentration per unit per capita CO₂ emission, LPGDP: logarithm of GDP per capita. The covariates of GAMM were: PC(for a1-a3-c); PC+ PGDP (for b1-b3d-f);PC+PGDP+T2M+QV2M (for c1-c3g-i);